

Express Mail Label No. EL951597410US  
Attorney Docket No.: 018501-000840US  
EOS Docket No.: COCA-011-3

## **PATENT APPLICATION**

### **NOVEL METHODS OF DIAGNOSIS OF METASTATIC COLORECTAL CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF METASTATIC COLORECTAL CANCER**

**Inventor(s):**

David H. Mack, a citizen of the United States, residing at  
2076 Monterey Avenue, Menlo Park, California 94025

Sanford David Markowitz, a citizen of the United States, residing at  
28950 Bolingbrook Rd., Pepper Pike, Ohio 44124

**Assignee:**

Eos Biotechnology, Inc.

Case Western Reserve University

**Entity:**

Small

TOWNSEND and TOWNSEND and CREW LLP  
Two Embarcadero Center, 8<sup>th</sup> Floor  
San Francisco, California 94111-3834  
Tel: 415-576-0200

20/220" 080/800T

**NOVEL METHODS OF DIAGNOSIS OF METASTATIC COLORECTAL  
CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR  
MODULATORS OF METASTATIC COLORECTAL CANCER**

CROSS-REFERENCES TO RELATED APPLICATIONS

The present application is related to USSN 60/272,206, filed February 27, 2001, USSN 60/281,149, filed April 2, 2001, and USSN 60/284,555, filed April 17, 2001, all of which are herein incorporated by referenced in their entirety.

FIELD OF THE INVENTION

The invention relates to the identification of nucleic acid and protein expression profiles and nucleic acids, products, and antibodies thereto that are involved in metastatic colorectal cancer; and to the use of such expression profiles and compositions in diagnosis and therapy of metastatic colorectal cancer. The invention further relates to methods for identifying and using agents and/or targets that inhibit metastatic colorectal cancer.

BACKGROUND OF THE INVENTION

Cancer of the colon and/or rectum (referred to as "colorectal cancer") are significant in Western populations and particularly in the United States. Cancers of the colon and rectum occur in both men and women most commonly after the age of 50. These develop as the result of a pathologic transformation of normal colon epithelium to an invasive cancer. There have been a number of recently characterized genetic alterations that have been implicated in colorectal cancer, including mutations in two classes of genes, tumor-suppressor genes and proto-oncogenes, with recent work suggesting that mutations in DNA repair genes may also be involved in tumorigenesis. For example, inactivating mutations of both alleles of the adenomatous polyposis coli (APC) gene, a tumor suppressor gene, appears to be one of the earliest events in colorectal cancer, and may even be the initiating event. Other genes implicated in colorectal cancer include the MCC gene, the p53 gene, the DCC (deleted in colorectal carcinoma) gene and other chromosome 18q genes, and genes in the TGF- $\beta$  signaling pathway. For a review, see *Molecular Biology of Colorectal Cancer*, pp. 238-299, in *Curr. Probl. Cancer*, Sept/Oct 1997; see also Willams, *Colorectal Cancer*

10087080-022702

(1996); Kinsella & Schofield, *Colorectal Cancer: A Scientific Perspective* (1993); *Colorectal Cancer: Molecular Mechanisms, Premalignant State and its Prevention* (Schmiegel & Scholmerich eds., 2000); *Colorectal Cancer: New Aspects of Molecular Biology and Their Clinical Applications* (Hanski et al., eds 2000); McArdle et al., *Colorectal Cancer* (2000);  
5 Wanebo, *Colorectal Cancer* (1993); Levin, *The American Cancer Society: Colorectal Cancer* (1999); *Treatment of Hepatic Metastases of Colorectal Cancer* (Nordlinger & Jaeck eds., 1993); *Management of Colorectal Cancer* (Dunitz et al., eds. 1998); *Cancer: Principles and Practice of Oncology* (Devita et al., eds. 2001); *Surgical Oncology: Contemporary Principles and Practice* (Kirby et al., eds. 2001); Offit, *Clinical Cancer Genetics: Risk Counseling and Management* (1997); *Radioimmunotherapy of Cancer* (Abrams & Fritzberg eds. 2000);  
10 Fleming, *AJCC Cancer Staging Handbook* (1998); *Textbook of Radiation Oncology* (Leibel & Phillips eds. 2000); and *Clinical Oncology* (Abeloff et al., eds. 2000).

Imaging of colorectal cancer for diagnosis has been problematic and limited. In addition, metastasis of the tumor to the lumen, and metastasis of tumor cells to regional  
15 lymph nodes are important prognostic factors (see, e.g., *PET in Oncology: Basics and Clinical Application* (Ruhlmann et al. eds. 1999). For example, five year survival rates drop from 80 percent in patients with no lymph node metastases to 45 to 50 percent in those patients who do have lymph node metastases. A recent report showed that micrometastases can be detected from lymph nodes using reverse transcriptase-PCR methods based on the  
20 presence of mRNA for carcinoembryonic antigen, which has previously been shown to be present in the vast majority of colorectal cancers but not in normal tissues. Liefers et al., *New England J. of Med.* 339(4):223 (1998). In addition, colorectal cancers often metastasize to the liver. However, the lack of information about the gene expression exhibited by these cancers limits the ability to effectively diagnose and treat the disease.

25 Thus, methods for diagnosis and prognosis of metastatic colorectal cancer and effective treatment of colorectal cancer would be desirable. Accordingly, provided herein are methods that can be used in diagnosis and prognosis of metastatic colorectal cancer. Further provided are methods that can be used to screen candidate therapeutic agents for the ability to modulate, e.g., treat, colorectal cancer. Additionally, provided herein are molecular targets  
30 and compositions for therapeutic intervention in metastatic colorectal disease and other metastatic cancers.

#### SUMMARY OF THE INVENTION

The present invention therefore provides nucleotide sequences of genes that are up- and down-regulated in metastatic colorectal cancer cells. Such genes and the proteins they

10087080.022702  
encode are useful for diagnostic and prognostic purposes, and also as targets for screening for therapeutic compounds that modulate metastatic colorectal cancer, such as antibodies. The methods of detecting nucleic acids of the invention or their encoded proteins can be used for a number of purposes. Examples include, early detection of colon cancers, monitoring and early detection of relapse following treatment of colon cancers, monitoring response to therapy of colon cancers, determining prognosis of colon cancers, directing therapy of colon cancers, selecting patients for postoperative chemotherapy or radiation therapy, selecting therapy, determining tumor prognosis, treatment, or response to treatment, and early detection of precancerous colon adenomas. Other aspects of the invention will become apparent to the skilled artisan by the following description of the invention.

In one aspect, the present invention provides a method of detecting a metastatic colorectal cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-26.

In one embodiment, the polynucleotide selectively hybridizes to a sequence at least 95% identical to a sequence as shown in Tables 1-26. In another embodiment, the polynucleotide comprises a sequence as shown in Tables 1-26.

In one embodiment, the biological sample is a tissue sample. In another embodiment, the biological sample comprises isolated nucleic acids, e.g., mRNA.

In one embodiment, the polynucleotide is labeled, e.g., with a fluorescent label.

In one embodiment, the polynucleotide is immobilized on a solid surface.

In one embodiment, the patient is undergoing a therapeutic regimen to treat metastatic colorectal cancer. In another embodiment, the patient is suspected of having metastatic colorectal cancer.

In one embodiment, the patient is a human.

In one embodiment, the method further comprises the step of amplifying nucleic acids before the step of contacting the biological sample with the polynucleotide.

In another aspect, the present invention provides methods of detecting polypeptide encoded by a metastatic colorectal cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with an antibody that specifically binds a polypeptide encoded by a sequence at least 80% identical to a sequence as shown in Tables 1-26.



In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of metastatic colorectal cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a metastatic colorectal cancer-associated transcript in the biological sample by contacting the biological sample with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-26., thereby monitoring the efficacy of the therapy.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the metastatic colorectal cancer-associated transcript to a level of the metastatic colorectal cancer-associated transcript in a biological sample from the patient prior to, or earlier in, the therapeutic treatment.

In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of metastatic colorectal cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a metastatic colorectal cancer-associated antibody in the biological sample by contacting the biological sample with a polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-26, wherein the polypeptide specifically binds to the metastatic colorectal cancer-associated antibody, thereby monitoring the efficacy of the therapy.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the metastatic colorectal cancer-associated antibody to a level of the metastatic colorectal cancer-associated antibody in a biological sample from the patient prior to, or earlier in, the therapeutic treatment.

In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of metastatic colorectal cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a metastatic colorectal cancer-associated polypeptide in the biological sample by contacting the biological sample with an antibody, wherein the antibody specifically binds to a polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-26, thereby monitoring the efficacy of the therapy.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the metastatic colorectal cancer-associated polypeptide to a level of the metastatic

colorectal cancer-associated polypeptide in a biological sample from the patient prior to, or earlier in, the therapeutic treatment.

In one aspect, the present invention provides an isolated nucleic acid molecule consisting of a polynucleotide sequence as shown in Tables 1-26.

5 In one embodiment, an expression vector or cell comprises the isolated nucleic acid.

In one aspect, the present invention provides an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-26.

10 In another aspect, the present invention provides an antibody that specifically binds to an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-26.

In one embodiment, the antibody is conjugated to an effector component, e.g., a fluorescent label, a radioisotope or a cytotoxic chemical.

15 In one embodiment, the antibody is an antibody fragment. In another embodiment, the antibody is humanized.

In one aspect, the present invention provides a method of detecting a metastatic colorectal cancer cell in a biological sample from a patient, the method comprising contacting the biological sample with an antibody as described herein.

20 In another aspect, the present invention provides a method of detecting antibodies specific to metastatic colorectal cancer in a patient, the method comprising contacting a biological sample from the patient with a polypeptide encoded by a nucleic acid comprises a sequence from Tables 1-26.

25 In another aspect, the present invention provides a method for identifying a compound that modulates a metastatic colorectal cancer-associated polypeptide, the method comprising the steps of: (i) contacting the compound with a metastatic colorectal cancer-associated polypeptide, the polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-26; and (ii) determining the functional effect of the compound upon the polypeptide.

30 In one embodiment, the functional effect is a physical effect, an enzymatic effect, or a chemical effect.

In one embodiment, the polypeptide is expressed in a eukaryotic host cell or cell membrane. In another embodiment, the polypeptide is recombinant.

In one embodiment, the functional effect is determined by measuring ligand binding to the polypeptide.

10087080, 022702

In another aspect, the present invention provides a method of inhibiting proliferation of a metastatic colorectal cancer-associated cell to treat colorectal cancer in a patient, the method comprising the step of administering to the subject a therapeutically effective amount of a compound identified as described herein.

In one embodiment, the compound is an antibody.

In another aspect, the present invention provides a drug screening assay comprising the steps of: (i) administering a test compound to a mammal having colorectal cancer or a cell isolated therefrom; (ii) comparing the level of gene expression of a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-26. in a treated cell or mammal with the level of gene expression of the polynucleotide in a control cell or mammal, wherein a test compound that modulates the level of expression of the polynucleotide is a candidate for the treatment of colorectal cancer.

In one embodiment, the control is a mammal with colorectal cancer or a cell therefrom that has not been treated with the test compound. In another embodiment, the control is a normal cell or mammal.

In another aspect, the present invention provides a method for treating a mammal having colorectal cancer comprising administering a compound identified by the assay described herein.

In another aspect, the present invention provides a pharmaceutical composition for treating a mammal having colorectal cancer, the composition comprising a compound identified by the assay described herein and a physiologically acceptable excipient.

#### DETAILED DESCRIPTION OF THE INVENTION

In accordance with the objects outlined above, the present invention provides novel methods for diagnosis and treatment of colon and/or rectal cancer (e.g., colorectal cancer), including metastatic colorectal cancers, as well as methods for screening for compositions which modulate colorectal cancer. By "metastatic colorectal cancer" herein is meant a colon and/or rectal tumor or cancer that is classified as Dukes stage C or D (see, e.g., Cohen *et al.*, *Cancer of the Colon*, in *Cancer: Principles and Practice of Oncology*, pp. 1144-1197 (Devita *et al.*, eds., 5<sup>th</sup> ed. 1997); see also *Harrison's Principles of Internal Medicine*, pp. 1289-129 (Wilson *et al.*, eds., 12<sup>th</sup> ed., 1991). "Treatment, monitoring, detection or modulation of metastatic colorectal cancer" includes treatment, monitoring, detection, or modulation of metastatic colorectal disease in those patients who have metastatic colorectal

disease (Dukes stage C or D). In Dukes stage A, the tumor has penetrated into, but not through, the bowel wall. In Dukes stage B, the tumor has penetrated through the bowel wall but there is not yet any lymph involvement. In Dukes stage C, the cancer involves regional lymph nodes. In Dukes stage D, there is distant metastasis, e.g., liver, lung, etc.

5           Tables 1-26 provide UniGene cluster identification numbers for the nucleotide sequence of genes that exhibit increased or decreased expression in metastasizing colorectal cancer samples. Tables 1-26 also provide an exemplar accession number that provides a nucleotide sequence that is part of the UniGene cluster. In Tables 1-26, the ratio provided represents primary tumor samples from known Dukes B stage survivors vs. liver metastasis  
10 samples from patients with metastatic colorectal cancer. In these samples, the identified genes are underexpressed in the metastatic samples, as the ratio is greater than one, preferably 1.5 or greater, more preferably 2.0 or greater. In Tables 1-26, the ratio provided represents liver metastasis samples from patients with known metastatic colorectal cancer vs. known primary tumor samples from Dukes B stage survivors. In these samples, the identified genes  
15 are overexpressed in the metastatic samples, as the ratio is greater than one, preferably 1.5 or greater, more preferably 2.0 or greater. In Tables 1-26, the ratio provided represents primary tumor samples from known Dukes B stage survivors vs. liver metastasis samples from patients with metastatic colorectal cancer. In these samples, the identified genes are overexpressed in the metastatic samples, as the ratio is less than one, preferably 0.5 or less,  
20 more preferably 0.25 or less. Survivors are subjects who have been disease free for five years or longer.

          In Tables 1-26, the ratio provided represents liver metastasis samples from patients with known metastatic disease vs. tissue samples from normal colon tissue. In these samples, the identified genes are overexpressed in the metastatic samples, as the ratio is  
25 greater than one, preferably 1.5 or greater, more preferably 2.0 or greater. In Tables 1-26, the ratio represents liver metastasis samples from patients with known metastatic disease vs. tissue samples from normal colon tissue. In these samples, the identified genes are underexpressed in the metastatic samples, as the ratio is less than one, preferably 0.5 or less, more preferably 0.25 or less.

30           One of skill will recognize that although the sequences identified in Tables 1-26 exhibited increased or decreased expression in metastasizing colorectal cancer samples, the sequences of the invention, and their encoded proteins, can be used to diagnose, treat or prevent cancers in patients with Dukes stage A or B colorectal cancers. Alteration of gene

expression for a gene in Tables 1-26 may be more likely or less likely to indicate that the subject will progress to metastatic disease. The sequences can also be used to diagnose, treat or prevent precancerous or benign conditions such as precancerous colon adenomas.

Alteration of gene expression for a gene in Tables 1-26 may or may not indicate that the subject is more likely to progress to cancer or to metastatic disease. Thus, although the specification focuses primarily on metastasizing colorectal cancer, the methods described below can also be applied to non- metastasizing colorectal cancers (*e.g.*, Dukes stages A and B) and precancerous or benign conditions (*e.g.*, precancerous adenomas) as well.

## 10 Definitions

The term "metastatic colorectal cancer protein" or "metastatic colorectal cancer polynucleotide" or "metastatic colorectal cancer-associated transcript" refers to nucleic acid and polypeptide polymorphic variants, alleles, mutants, and interspecies homologs that: (1) have a nucleotide sequence that has greater than about 60% nucleotide sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater nucleotide sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more nucleotides, to a nucleotide sequence of or associated with a UniGene cluster of Tables 1-26; (2) bind to antibodies, *e.g.*, polyclonal antibodies, raised against an immunogen comprising an amino acid sequence encoded by a nucleotide sequence of or associated with a UniGene cluster of Tables 1-26, and conservatively modified variants thereof; (3) specifically hybridize under stringent hybridization conditions to a nucleic acid sequence, or the complement thereof of Tables 1-26 and conservatively modified variants thereof or (4) have an amino acid sequence that has greater than about 60% amino acid sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater amino sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more amino acid, to an amino acid sequence encoded by a nucleotide sequence of or associated with a UniGene cluster of Tables 1-26. A polynucleotide or polypeptide sequence is typically from a mammal including, but not limited to, primate, *e.g.*, human; rodent, *e.g.*, rat, mouse, hamster; cow, pig, horse, sheep, or other mammal. A "metastatic colorectal cancer polypeptide" and a "metastatic colorectal cancer polynucleotide," include both naturally occurring or recombinant.

A "full length" metastatic colorectal cancer protein or nucleic acid refers to a metastatic colorectal cancer polypeptide or polynucleotide sequence, or a variant thereof, that contains all of the elements normally contained in one or more naturally occurring, wild type metastatic colorectal cancer polynucleotide or polypeptide sequences. The "full length" may be prior to, or after, various stages of post-translation processing or splicing, including alternative splicing.

"Biological sample" as used herein is a sample of biological tissue or fluid that contains nucleic acids or polypeptides, e.g., of a metastatic colorectal cancer protein, polynucleotide or transcript. Such samples include, but are not limited to, tissue isolated from primates, e.g., humans, or rodents, e.g., mice, and rats. Biological samples may also include sections of tissues such as biopsy and autopsy samples, frozen sections taken for histologic purposes, blood, plasma, serum, sputum, stool, tears, mucus, hair, skin, etc. Biological samples also include explants and primary and/or transformed cell cultures derived from patient tissues. A biological sample is typically obtained from a eukaryotic organism, most preferably a mammal such as a primate, e.g., chimpanzee or human; cow; dog; cat; a rodent, e.g., guinea pig, rat, mouse; rabbit; or other mammal; or a bird; reptile; fish.

"Providing a biological sample" means to obtain a biological sample for use in methods described in this invention. Most often, this will be done by removing a sample of cells from an animal, but can also be accomplished by using previously isolated cells (e.g., isolated by another person, at another time, and/or for another purpose), or by performing the methods of the invention *in vivo*. Archival tissues, having treatment or outcome history, will be particularly useful.

The terms "identical" or percent "identity," in the context of two or more nucleic acids or polypeptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues or nucleotides that are the same (i.e., about 60% identity, preferably 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or higher identity over a specified region, when compared and aligned for maximum correspondence over a comparison window or designated region) as measured using a BLAST or BLAST 2.0 sequence comparison algorithms with default parameters described below, or by manual alignment and visual inspection (*see, e.g.*, NCBI web site <http://www.ncbi.nlm.nih.gov/BLAST/> or the like). Such sequences are then said to be "substantially identical." This definition also refers to, or may be applied to, the complement of a test sequence. The definition also includes sequences that have deletions

and/or additions, as well as those that have substitutions, as well as naturally occurring, e.g., polymorphic or allelic variants, and man-made variants. As described below, the preferred algorithms can account for gaps and the like. Preferably, identity exists over a region that is at least about 25 amino acids or nucleotides in length, or more preferably over a region that is 50-100 amino acids or nucleotides in length.

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Preferably, default program parameters can be used, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

A "comparison window", as used herein, includes reference to a segment of one of the number of contiguous positions selected from the group consisting typically of from 20 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, e.g., by the local homology algorithm of Smith & Waterman, *Adv. Appl. Math.* 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, *J. Mol. Biol.* 48:443 (1970), by the search for similarity method of Pearson & Lipman, *Proc. Nat'l. Acad. Sci. USA* 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (see, e.g., *Current Protocols in Molecular Biology* (Ausubel et al., eds. 1995 supplement)).

Preferred examples of algorithms that are suitable for determining percent sequence identity and sequence similarity include the BLAST and BLAST 2.0 algorithms, which are described in Altschul et al., *Nuc. Acids Res.* 25:3389-3402 (1997) and Altschul et al., *J. Mol. Biol.* 215:403-410 (1990). BLAST and BLAST 2.0 are used, with the parameters described herein, to determine percent sequence identity for the nucleic acids and proteins of the invention. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (<http://www.ncbi.nlm.nih.gov/>). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short

words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul *et al.*, *supra*). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, e.g., for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=-4 and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectation (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff & Henikoff, *Proc. Natl. Acad. Sci. USA* 89:10915 (1989)) alignments (B) of 50, expectation (E) of 10, M=5, N=-4, and a comparison of both strands.

The BLAST algorithm also performs a statistical analysis of the similarity between two sequences (see, e.g., Karlin & Altschul, *Proc. Nat'l. Acad. Sci. USA* 90:5873-5787 (1993)). One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a nucleic acid is considered similar to a reference sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.2, more preferably less than about 0.01, and most preferably less than about 0.001. Log values may be large negative numbers, e.g., 5, 10, 20, 30, 40, 40, 70, 90, 110, 150, 170, etc.

An indication that two nucleic acid sequences or polypeptides are substantially identical is that the polypeptide encoded by the first nucleic acid is immunologically cross reactive with the antibodies raised against the polypeptide encoded by the second nucleic acid, as described below. Thus, a polypeptide is typically substantially identical to a second polypeptide, e.g., where the two peptides differ only by conservative substitutions. Another indication that two nucleic acid sequences are substantially identical is that the two molecules



or their complements hybridize to each other under stringent conditions, as described below. Yet another indication that two nucleic acid sequences are substantially identical is that the same primers can be used to amplify the sequences.

A "host cell" is a naturally occurring cell or a transformed cell that contains an expression vector and supports the replication or expression of the expression vector. Host cells may be cultured cells, explants, cells *in vivo*, and the like. Host cells may be prokaryotic cells such as *E. coli*, or eukaryotic cells such as yeast, insect, amphibian, or mammalian cells such as CHO, HeLa, and the like (*see, e.g.*, the American Type Culture Collection catalog or web site, [www.atcc.org](http://www.atcc.org)).

The terms "isolated," "purified," or "biologically pure" refer to material that is substantially or essentially free from components that normally accompany it as found in its native state. Purity and homogeneity are typically determined using analytical chemistry techniques such as polyacrylamide gel electrophoresis or high performance liquid chromatography. A protein or nucleic acid that is the predominant species present in a preparation is substantially purified. In particular, an isolated nucleic acid is separated from some open reading frames that naturally flank the gene and encode proteins other than protein encoded by the gene. The term "purified" in some embodiments denotes that a nucleic acid or protein gives rise to essentially one band in an electrophoretic gel. Preferably, it means that the nucleic acid or protein is at least 85% pure, more preferably at least 95% pure, and most preferably at least 99% pure. "Purify" or "purification" in other embodiments means removing at least one contaminant from the composition to be purified. In this sense, purification does not require that the purified compound be homogenous, e.g., 100% pure.

The terms "polypeptide," "peptide" and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers, those containing modified residues, and non-naturally occurring amino acid polymer.

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function similarly to the naturally occurring amino acids. Naturally occurring amino acids are those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline,  $\gamma$ -carboxyglutamate, and O-phosphoserine. Amino acid analogs refers to compounds that have the same basic chemical structure as a naturally occurring amino acid, e.g., an  $\alpha$  carbon that is bound to a hydrogen, a carboxyl group, an amino group, and an R group, e.g., homoserine,

norleucine, methionine sulfoxide, methionine methyl sulfonium. Such analogs may have modified R groups (e.g., norleucine) or modified peptide backbones, but retain the same basic chemical structure as a naturally occurring amino acid. Amino acid mimetics refers to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that functions similarly to a naturally occurring amino acid.

Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

"Conservatively modified variants" applies to both amino acid and nucleic acid sequences. With respect to particular nucleic acid sequences, conservatively modified variants refers to those nucleic acids which encode identical or essentially identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical or associated, e.g., naturally contiguous, sequences. Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids encode most proteins. For instance, the codons GCA, GCC, GCG and GCU all encode the amino acid alanine. Thus, at every position where an alanine is specified by a codon, the codon can be altered to another of the corresponding codons described without altering the encoded polypeptide. Such nucleic acid variations are "silent variations," which are one species of conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes silent variations of the nucleic acid. One of skill will recognize that in certain contexts each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only codon for tryptophan) can be modified to yield a functionally identical molecule. Accordingly, often silent variations of a nucleic acid which encodes a polypeptide is implicit in a described sequence with respect to the expression product, but not with respect to actual probe sequences.

As to amino acid sequences, one of skill will recognize that individual substitutions, deletions or additions to a nucleic acid, peptide, polypeptide, or protein sequence which alters, adds or deletes a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid. Conservative substitution tables providing functionally similar amino acids are well known in the art. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies homologs, and alleles of the invention.

The following eight groups each contain amino acids that are typically conservative substitutions for one another: 1) Alanine (A), Glycine (G); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5) Isoleucine (I), Leucine (L), Methionine (M), Valine (V); 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); 7) Serine (S), Threonine (T); and 8) Cysteine (C), Methionine (M) (*see, e.g., Creighton, Proteins (1984)*).

Macromolecular structures such as polypeptide structures can be described in terms of various levels of organization. For a general discussion of this organization, *see, e.g., Alberts et al., Molecular Biology of the Cell (3<sup>rd</sup> ed., 1994) and Cantor & Schimmel, Biophysical Chemistry Part I: The Conformation of Biological Macromolecules (1980)*. "Primary structure" refers to the amino acid sequence of a particular peptide. "Secondary structure" refers to locally ordered, three dimensional structures within a polypeptide. These structures are commonly known as domains. Domains are portions of a polypeptide that often form a compact unit of the polypeptide and are typically 25 to approximately 500 amino acids long. Typical domains are made up of sections of lesser organization such as stretches of  $\beta$ -sheet and  $\alpha$ -helices. "Tertiary structure" refers to the complete three dimensional structure of a polypeptide monomer. "Quaternary structure" refers to the three dimensional structure formed, usually by the noncovalent association of independent tertiary units. Anisotropic terms are also known as energy terms.

"Nucleic acid" or "oligonucleotide" or "polynucleotide" or grammatical equivalents used herein means at least two nucleotides covalently linked together. Oligonucleotides are typically from about 5, 6, 7, 8, 9, 10, 12, 15, 25, 30, 40, 50 or more nucleotides in length, up to about 100 nucleotides in length. Nucleic acids and polynucleotides are a polymers of any length, including longer lengths, *e.g.*, 200, 300, 500, 1000, 2000, 3000, 5000, 7000, 10,000, etc. A nucleic acid of the present invention will generally contain phosphodiester bonds, although in some cases, nucleic acid analogs are included that may have alternate backbones, comprising, *e.g.*, phosphoramidate, phosphorothioate, phosphorodithioate, or O-methylphosphoroamidite linkages (*see Eckstein, Oligonucleotides and Analogues: A Practical Approach, Oxford University Press*); and peptide nucleic acid backbones and linkages. Other analog nucleic acids include those with positive backbones; non-ionic backbones, and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, *Carbohydrate Modifications in Antisense Research*, Sanghui &

Cook, eds.. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids. Modifications of the ribose-phosphate backbone may be done for a variety of reasons, e.g. to increase the stability and half-life of such molecules in physiological environments or as probes on a biochip. Mixtures of naturally occurring  
5 nucleic acids and analogs can be made; alternatively, mixtures of different nucleic acid analogs, and mixtures of naturally occurring nucleic acids and analogs may be made.

Particularly preferred are peptide nucleic acids (PNA) which includes peptide nucleic acid analogs. These backbones are substantially non-ionic under neutral conditions, in contrast to the highly charged phosphodiester backbone of naturally occurring nucleic acids.  
10 This results in two advantages. First, the PNA backbone exhibits improved hybridization kinetics. PNAs have larger changes in the melting temperature ( $T_m$ ) for mismatched versus perfectly matched basepairs. DNA and RNA typically exhibit a 2-4°C drop in  $T_m$  for an internal mismatch. With the non-ionic PNA backbone, the drop is closer to 7-9°C. Similarly, due to their non-ionic nature, hybridization of the bases attached to these backbones is  
15 relatively insensitive to salt concentration. In addition, PNAs are not degraded by cellular enzymes, and thus can be more stable.

The nucleic acids may be single stranded or double stranded, as specified, or contain portions of both double stranded or single stranded sequence. As will be appreciated by those in the art, the depiction of a single strand also defines the sequence of the  
20 complementary strand; thus the sequences described herein also provide the complement of the sequence. The nucleic acid may be DNA, both genomic and cDNA, RNA or a hybrid, where the nucleic acid may contain combinations of deoxyribo- and ribo-nucleotides, and combinations of bases, including uracil, adenine, thymine, cytosine, guanine, inosine, xanthine hypoxanthine, isocytosine, isoguanine, etc. "Transcript" typically refers to a  
25 naturally occurring RNA, e.g., a pre-mRNA, hnRNA, or mRNA. As used herein, the term "nucleoside" includes nucleotides and nucleoside and nucleotide analogs, and modified nucleosides such as amino modified nucleosides. In addition, "nucleoside" includes non-naturally occurring analog structures. Thus, e.g. the individual units of a peptide nucleic acid, each containing a base, are referred to herein as a nucleoside.

30 A "label" or a "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, chemical, or other physical means. For example, useful labels include  $^{32}\text{P}$ , fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins

or other entities which can be made detectable, e.g., by incorporating a radiolabel into the peptide or used to detect antibodies specifically reactive with the peptide.

An "effector" or "effector moiety" or "effector component" is a molecule that is bound (or linked, or conjugated), either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds, to an antibody. The "effector" can be a variety of molecules including, e.g., detection moieties including radioactive compounds, fluorescent compounds, an enzyme or substrate, tags such as epitope tags, a toxin; activatable moieties, a chemotherapeutic agent; a lipase; an antibiotic; or a radioisotope emitting "hard" e.g., beta radiation.

A "labeled nucleic acid probe or oligonucleotide" is one that is bound, either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe. Alternatively, method using high affinity interactions may achieve the same results where one of a pair of binding partners binds to the other, e.g., biotin, streptavidin.

As used herein a "nucleic acid probe or oligonucleotide" is defined as a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, so long as it does not functionally interfere with hybridization. Thus, e.g., probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. It will be understood by one of skill in the art that probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are preferably directly labeled as with isotopes, chromophores, lumiphores, chromogens, or indirectly labeled such as with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence. Diagnosis or prognosis may be based at the genomic level, or at the level of RNA or protein expression.

The term "recombinant" when used with reference, e.g., to a cell, or nucleic acid, protein, or vector, indicates that the cell, nucleic acid, protein or vector, has been modified by the introduction of a heterologous nucleic acid or protein or the alteration of a native nucleic acid or protein, or that the cell is derived from a cell so modified. Thus, e.g.,

recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed or not expressed at all. By the term "recombinant nucleic acid" herein is meant nucleic acid, originally formed *in vitro*, in general, by the manipulation of nucleic acid, e.g., using  
5 polymerases and endonucleases, in a form not normally found in nature. In this manner, operably linkage of different sequences is achieved. Thus an isolated nucleic acid, in a linear form, or an expression vector formed *in vitro* by ligating DNA molecules that are not normally joined, are both considered recombinant for the purposes of this invention. It is understood that once a recombinant nucleic acid is made and reintroduced into a host cell or  
10 organism, it will replicate non-recombinantly, i.e., using the *in vivo* cellular machinery of the host cell rather than *in vitro* manipulations; however, such nucleic acids, once produced recombinantly, although subsequently replicated non-recombinantly, are still considered recombinant for the purposes of the invention. Similarly, a "recombinant protein" is a protein made using recombinant techniques, i.e., through the expression of a recombinant nucleic  
15 acid as depicted above.

The term "heterologous" when used with reference to portions of a nucleic acid indicates that the nucleic acid comprises two or more subsequences that are not normally found in the same relationship to each other in nature. For instance, the nucleic acid is typically recombinantly produced, having two or more sequences, e.g., from unrelated genes  
20 arranged to make a new functional nucleic acid, e.g., a promoter from one source and a coding region from another source. Similarly, a heterologous protein will often refer to two or more subsequences that are not found in the same relationship to each other in nature (e.g., a fusion protein).

A "promoter" is defined as an array of nucleic acid control sequences that  
25 direct transcription of a nucleic acid. As used herein, a promoter includes necessary nucleic acid sequences near the start site of transcription, such as, in the case of a polymerase II type promoter, a TATA element. A promoter also optionally includes distal enhancer or repressor elements, which can be located as much as several thousand base pairs from the start site of transcription. A "constitutive" promoter is a promoter that is active under most  
30 environmental and developmental conditions. An "inducible" promoter is a promoter that is active under environmental or developmental regulation. The term "operably linked" refers to a functional linkage between a nucleic acid expression control sequence (such as a promoter, or array of transcription factor binding sites) and a second nucleic acid sequence,

wherein the expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

An "expression vector" is a nucleic acid construct, generated recombinantly or synthetically, with a series of specified nucleic acid elements that permit transcription of a particular nucleic acid in a host cell. The expression vector can be part of a plasmid, virus, or nucleic acid fragment. Typically, the expression vector includes a nucleic acid to be transcribed operably linked to a promoter.

The phrase "selectively (or specifically) hybridizes to" refers to the binding, duplexing, or hybridizing of a molecule only to a particular nucleotide sequence under stringent hybridization conditions when that sequence is present in a complex mixture (e.g., total cellular or library DNA or RNA).

The phrase "stringent hybridization conditions" refers to conditions under which a probe will hybridize to its target subsequence, typically in a complex mixture of nucleic acids, but to essentially no other sequences. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen, *Techniques in Biochemistry and Molecular Biology--Hybridization with Nucleic Probes*, "Overview of principles of hybridization and the strategy of nucleic acid assays" (1993). Generally, stringent conditions are selected to be about 5-10°C lower than the thermal melting point ( $T_m$ ) for the specific sequence at a defined ionic strength pH. The  $T_m$  is the temperature (under defined ionic strength, pH, and nucleic concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at  $T_m$ , 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g., 10 to 50 nucleotides) and at least about 60°C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. For selective or specific hybridization, a positive signal is at least two times background, preferably 10 times background hybridization. Exemplary stringent hybridization conditions are often: 50% formamide, 5x SSC, and 1% SDS, incubating at 42°C, or, 5x SSC, 1% SDS, incubating at 65°C, with wash in 0.2x SSC, and 0.1% SDS at 65°C. For PCR, a temperature of about 36°C is typical for low stringency amplification,

although annealing temperatures may vary between about 32°C and 48°C depending on primer length. For high stringency PCR amplification, a temperature of about 62°C is typical, although high stringency annealing temperatures can range from about 50°C to about 65°C, depending on the primer length and specificity. Typical cycle conditions for both high and low stringency amplifications include a denaturation phase of 90°C - 95°C for 30 sec - 2 min., an annealing phase lasting 30 sec. - 2 min., and an extension phase of about 72°C for 1 - 2 min. Protocols and guidelines for low and high stringency amplification reactions are provided, e.g., in Innis *et al.*, *PCR Protocols, A Guide to Methods and Applications* (1990).

Nucleic acids that do not hybridize to each other under stringent conditions are still substantially identical if the polypeptides which they encode are substantially identical. This occurs, e.g., when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code. In such cases, the nucleic acids typically hybridize under moderately stringent hybridization conditions. Exemplary "moderately stringent hybridization conditions" include a hybridization in a buffer of 40% formamide, 1 M NaCl, 1% SDS at 37°C, and a wash in 1X SSC at 45°C. A positive hybridization is at least twice background. Those of ordinary skill will readily recognize that alternative hybridization and wash conditions can be utilized to provide conditions of similar stringency. Additional guidelines for determining hybridization parameters are provided in numerous reference, e.g., and Current Protocols in Molecular Biology, ed. Ausubel, *et al.*

The phrase "functional effects" in the context of assays for testing compounds that modulate activity of a metastatic colorectal cancer protein includes the determination of a parameter that is indirectly or directly under the influence of the metastatic colorectal cancer protein or nucleic acid, e.g., an enzymatic, functional, physical, or chemical effect, such as the ability to decrease metastatic colorectal cancer. It includes ligand binding activity; cell growth on soft agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis *in vivo*; mRNA and protein expression in cells undergoing metastasis, and other characteristics of metastatic colorectal cancer cells. "Functional effects" include *in vitro*, *in vivo*, and *ex vivo* activities.

By "determining the functional effect" is meant assaying for a compound that increases or decreases a parameter that is indirectly or directly under the influence of a metastatic colorectal cancer protein sequence, e.g., functional, enzymatic, physical and



chemical effects. Such functional effects can be measured by any means known to those skilled in the art, e.g., changes in spectroscopic characteristics (e.g., fluorescence, absorbance, refractive index), hydrodynamic (e.g., shape), chromatographic, or solubility properties for the protein, measuring inducible markers or transcriptional activation of the metastatic colorectal cancer protein; measuring binding activity or binding assays, e.g., binding to antibodies or other ligands, and measuring cellular proliferation. Determination of the functional effect of a compound on metastatic colorectal cancer can also be performed using metastatic colorectal cancer assays known to those of skill in the art such as an *in vitro* assays, e.g., cell growth on soft agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis *in vivo*; mRNA and protein expression in cells undergoing metastasis, and other characteristics of metastatic colorectal cancer cells. The functional effects can be evaluated by many means known to those skilled in the art, e.g., microscopy for quantitative or qualitative measures of alterations in morphological features, measurement of changes in RNA or protein levels for metastatic colorectal cancer-associated sequences, measurement of RNA stability, identification of downstream or reporter gene expression (CAT, luciferase,  $\beta$ -gal, GFP and the like), e.g., via chemiluminescence, fluorescence, colorimetric reactions, antibody binding, inducible markers, and ligand binding assays.

“Inhibitors”, “activators”, and “modulators” of metastatic colorectal cancer polynucleotide and polypeptide sequences are used to refer to activating, inhibitory, or modulating molecules or compounds identified using *in vitro* and *in vivo* assays of metastatic colorectal cancer polynucleotide and polypeptide sequences of the invention. Inhibitors are compounds that, e.g., bind to, partially or totally block activity, decrease, prevent, delay activation, inactivate, desensitize, or down regulate the activity or expression of metastatic colorectal cancer proteins of the invention, e.g., antagonists. Antisense nucleic acids may seem to inhibit expression and subsequent function of the protein. “Activators” are compounds that increase, open, activate, facilitate, enhance activation, sensitize, agonize, or up regulate metastatic colorectal cancer protein activity. Inhibitors, activators, or modulators also include genetically modified versions of metastatic colorectal cancer proteins, e.g., versions with altered activity, as well as naturally occurring and synthetic ligands, antagonists, agonists, antibodies, small chemical molecules and the like. Such assays for inhibitors and activators include, e.g., expressing the metastatic colorectal cancer protein *in vitro*, in cells, or cell membranes, applying putative modulator compounds, and then

determining the functional effects on activity, as described above. Activators and inhibitors of metastatic colorectal cancer can also be identified by incubating metastatic colorectal cancer cells with the test compound and determining increases or decreases in the expression of 1 or more metastatic colorectal cancer proteins, e.g., 1, 2, 3, 4, 5, 10, 15, 20, 25, 30, 40, 50 or more metastatic colorectal cancer proteins, such as colorectal cancer proteins encoded by the sequences set out in Tables 1-26.

Samples or assays comprising metastatic colorectal cancer proteins that are treated with a potential activator, inhibitor, or modulator are compared to control samples without the inhibitor, activator, or modulator to examine the extent of inhibition. Control samples (untreated with inhibitors) are assigned a relative protein activity value of 100%. Inhibition of a polypeptide is achieved when the activity value relative to the control is about 80%, preferably 50%, more preferably 25-0%. Activation of a metastatic colorectal cancer polypeptide is achieved when the activity value relative to the control (untreated with activators) is 110%, more preferably 150%, more preferably 200-500% (i.e., two to five fold higher relative to the control), more preferably 1000-3000% higher.

The phrase "changes in cell growth" refers to any change in cell growth and proliferation characteristics *in vitro* or *in vivo*, such as formation of foci, anchorage independence, semi-solid or soft agar growth, changes in contact inhibition and density limitation of growth, loss of growth factor or serum requirements, changes in cell morphology, gaining or losing immortalization, gaining or losing tumor specific markers, ability to form or suppress tumors when injected into suitable animal hosts, and/or immortalization of the cell. See, e.g., Freshney, *Culture of Animal Cells a Manual of Basic Technique* pp. 231-241 (3<sup>rd</sup> ed. 1994).

"Tumor cell" refers to precancerous, cancerous, and normal cells in a tumor.

"Cancer cells," "transformed" cells or "transformation" in tissue culture, refers to spontaneous or induced phenotypic changes that do not necessarily involve the uptake of new genetic material. Although transformation can arise from infection with a transforming virus and incorporation of new genomic DNA, or uptake of exogenous DNA, it can also arise spontaneously or following exposure to a carcinogen, thereby mutating an endogenous gene. Transformation is associated with phenotypic changes, such as immortalization of cells, aberrant growth control, nonmorphological changes, and/or malignancy (see, Freshney, *Culture of Animal Cells a Manual of Basic Technique* (3<sup>rd</sup> ed. 1994)).

"Antibody" refers to a polypeptide comprising a framework region from an immunoglobulin gene or fragments thereof that specifically binds and recognizes an antigen.

The recognized immunoglobulin genes include the kappa, lambda, alpha, gamma, delta, epsilon, and mu constant region genes, as well as the myriad immunoglobulin variable region genes. Light chains are classified as either kappa or lambda. Heavy chains are classified as gamma, mu, alpha, delta, or epsilon, which in turn define the immunoglobulin classes, IgG, IgM, IgA, IgD and IgE, respectively. Typically, the antigen-binding region of an antibody or its functional equivalent will be most critical in specificity and affinity of binding. See Paul, *Fundamental Immunology*.

An exemplary immunoglobulin (antibody) structural unit comprises a tetramer. Each tetramer is composed of two identical pairs of polypeptide chains, each pair having one "light" (about 25 kD) and one "heavy" chain (about 50-70 kD). The N-terminus of each chain defines a variable region of about 100 to 110 or more amino acids primarily responsible for antigen recognition. The terms variable light chain ( $V_L$ ) and variable heavy chain ( $V_H$ ) refer to these light and heavy chains respectively.

Antibodies exist, e.g., as intact immunoglobulins or as a number of well-characterized fragments produced by digestion with various peptidases. Thus, e.g., pepsin digests an antibody below the disulfide linkages in the hinge region to produce  $F(ab')_2$ , a dimer of Fab which itself is a light chain joined to  $V_H-C_H1$  by a disulfide bond. The  $F(ab')_2$  may be reduced under mild conditions to break the disulfide linkage in the hinge region, thereby converting the  $F(ab')_2$  dimer into an Fab' monomer. The Fab' monomer is essentially Fab with part of the hinge region (see *Fundamental Immunology* (Paul ed., 3d ed. 1993)). While various antibody fragments are defined in terms of the digestion of an intact antibody, one of skill will appreciate that such fragments may be synthesized *de novo* either chemically or by using recombinant DNA methodology. Thus, the term antibody, as used herein, also includes antibody fragments either produced by the modification of whole antibodies, or those synthesized *de novo* using recombinant DNA methodologies (e.g., single chain Fv) or those identified using phage display libraries (see, e.g., McCafferty *et al.*, *Nature* 348:552-554 (1990))

For preparation of antibodies, e.g., recombinant, monoclonal, or polyclonal antibodies, many technique known in the art can be used (see, e.g., Kohler & Milstein, *Nature* 256:495-497 (1975); Kozbor *et al.*, *Immunology Today* 4:72 (1983); Cole *et al.*, pp. 77-96 in *Monoclonal Antibodies and Cancer Therapy* (1985); Coligan, *Current Protocols in Immunology* (1991); Harlow & Lane, *Antibodies, A Laboratory Manual* (1988); and Goding, *Monoclonal Antibodies: Principles and Practice* (2d ed. 1986)). Techniques for the production of single chain antibodies (U.S. Patent 4,946,778) can be adapted to produce

antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms such as other mammals, may be used to express humanized antibodies. Alternatively, phage display technology can be used to identify antibodies and heteromeric Fab fragments that specifically bind to selected antigens (*see, e.g., McCafferty et al., Nature* 348:552-554 (1990); Marks *et al., Biotechnology* 10:779-783 (1992)).

A "chimeric antibody" is an antibody molecule in which, e.g, (a) the constant region, or a portion thereof, is altered, replaced or exchanged so that the antigen binding site (variable region) is linked to a constant region of a different or altered class, effector function and/or species, or an entirely different molecule which confers new properties to the chimeric antibody, e.g., an enzyme, toxin, hormone, growth factor, drug, etc.; or (b) the variable region, or a portion thereof, is altered, replaced or exchanged with a variable region having a different or altered antigen specificity.

#### **Identification of metastatic colorectal cancer-associated sequences**

In one aspect, the expression levels of genes are determined in different patient samples for which diagnosis information is desired, to provide expression profiles. An expression profile of a particular sample is essentially a "fingerprint" of the state of the sample; while two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is characteristic of the state of the cell. That is, normal tissue may be distinguished from cancerous or metastatic cancerous tissue, or metastatic cancerous tissue can be compared with tissue from surviving cancer patients. By comparing expression profiles of tissue in known different metastatic colorectal cancer states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained.

The identification of sequences that are differentially expressed in metastatic colorectal cancer versus non-metastatic colorectal cancer tissue allows the use of this information in a number of ways. For example, a particular treatment regime may be evaluated: does a chemotherapeutic drug act to down-regulate metastatic colorectal cancer, and thus tumor growth or recurrence, in a particular patient. Similarly, diagnosis and treatment outcomes may be done or confirmed by comparing patient samples with the known expression profiles. Metastatic tissue can also be analyzed to determine the stage of metastatic colorectal cancer in the tissue. Furthermore, these gene expression profiles (or individual genes) allow screening of drug candidates with an eye to mimicking or altering a

particular expression profile; e.g., screening can be done for drugs that suppress the metastatic colorectal cancer expression profile. This may be done by making biochips comprising sets of the important metastatic colorectal cancer genes, which can then be used in these screens. PCR methods may be applied with selected primer pairs, and analysis may be of RNA or of genomic sequences. These methods can also be done on the protein basis; that is, protein expression levels of the metastatic colorectal cancer proteins can be evaluated for diagnostic purposes or to screen candidate agents. In addition, the metastatic colorectal cancer nucleic acid sequences can be administered for gene therapy purposes, including the administration of antisense nucleic acids, or the metastatic colorectal cancer proteins (including antibodies and other modulators thereof) administered as therapeutic drugs or as protein or DNA vaccines.

Thus the present invention provides nucleic acid and protein sequences that are differentially expressed in metastatic colorectal cancer, herein termed "metastatic colorectal cancer sequences." As outlined below, metastatic colorectal cancer sequences include those that are up-regulated (i.e., expressed at a higher level) in metastatic colorectal cancer, as well as those that are down-regulated (i.e., expressed at a lower level). In a preferred embodiment, the metastatic colorectal cancer sequences are from humans; however, as will be appreciated by those in the art, metastatic colorectal cancer sequences from other organisms may be useful in animal models of disease and drug evaluation; thus, other metastatic colorectal cancer sequences are provided, from vertebrates, including mammals, including rodents (rats, mice, hamsters, guinea pigs, etc.), primates, farm animals (including sheep, goats, pigs, cows, horses, etc.) and pets (dogs, cats, etc.). Metastatic colorectal cancer sequences from other organisms may be obtained using the techniques outlined below.

Metastatic colorectal cancer sequences can include both nucleic acid and amino acid sequences. As will be appreciated by those in the art and is more fully outlined below, metastatic colorectal cancer nucleic acid sequences are useful in a variety of applications, including diagnostic applications, which will detect naturally occurring nucleic acids, as well as screening applications; e.g., biochips comprising nucleic acid probes or PCR microtiter plates with selected probes to the metastatic colorectal cancer sequences can be generated.

A metastatic colorectal cancer sequence can be initially identified by substantial nucleic acid and/or amino acid sequence homology to the metastatic colorectal cancer sequences outlined herein. Such homology can be based upon the overall nucleic acid

or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions.

For identifying metastatic colorectal cancer-associated sequences, the metastatic colorectal cancer screen typically includes comparing genes identified in different tissues, e.g., normal and cancerous tissues, or tumor tissue samples from patients who have metastatic disease vs. non metastatic tissue, or tumor tissue samples from patients who have been diagnosed with Dukes stage A or B cancer but have survived vs. metastatic tissue. Other suitable tissue comparisons include comparing metastatic colorectal cancer samples with metastatic cancer samples from other cancers, such as lung, breast, other gastrointestinal cancers, prostate, ovarian, etc. Samples of, e.g., Dukes stage B survivor tissue and tissue undergoing metastasis are applied to biochips comprising nucleic acid probes. The samples are first microdissected, if applicable, and treated as is known in the art for the preparation of mRNA. Suitable biochips are commercially available, e.g., from Affymetrix. Gene expression profiles as described herein are generated and the data analyzed.

In one embodiment, the genes showing changes in expression as between normal and disease states are compared to genes expressed in other normal tissues, preferably normal colon, but also including, and not limited to lung, heart, brain, liver, breast, kidney, muscle, prostate, small intestine, large intestine, spleen, bone and placenta. In a preferred embodiment, those genes identified during the metastatic colorectal cancer screen that are expressed in significant amounts in other tissues are removed from the profile, although in some embodiments, this is not necessary. That is, when screening for drugs, it is usually preferable that the target be disease specific, to minimize possible side effects.

In a preferred embodiment, metastatic colorectal cancer sequences are those that are up-regulated in metastatic colorectal cancer; that is, the expression of these genes is higher in the metastatic tissue as compared to non-metastatic cancerous tissue or normal colon tissue (*see, e.g.*, Tables 1-26). "Up-regulation" as used herein means, when the ratio is presented as a number greater than one, that the ratio is greater than one, preferably 1.5 or greater, more preferably 2.0 or greater. All UniGene cluster identification numbers and accession numbers herein are for the GenBank sequence database and the sequences of the accession numbers are hereby expressly incorporated by reference. GenBank is known in the art, *see, e.g.*, Benson, DA, *et al.*, Nucleic Acids Research 26:1-7 (1998) and <http://www.ncbi.nlm.nih.gov/>. Sequences are also available in other databases, e.g., European Molecular Biology Laboratory (EMBL) and DNA Database of Japan (DDBJ).

In another preferred embodiment, metastatic colorectal cancer sequences are those that are down-regulated in the metastatic colorectal cancer; that is, the expression of these genes is lower in metastatic tissue as compared to non-metastatic cancerous tissue or normal colon tissue (*see, e.g.*, Tables 1-26). "Down-regulation" as used herein means, when the ratio is presented as a number greater than one, that the ratio is greater than one, preferably 1.5 or greater, more preferably 2.0 or greater, or, when the ratio is presented as a number less than one, that the ratio is less than one, preferably 0.5 or less, more preferably 0.25 or less.

## 10 Informatics

The ability to identify genes that are over or under expressed in metastatic colorectal cancer can additionally provide high-resolution, high-sensitivity datasets which can be used in the areas of diagnostics, therapeutics, drug development, pharmacogenetics, protein structure, biosensor development, and other related areas. For example, the expression profiles can be used in diagnostic or prognostic evaluation of patients with metastatic colorectal cancer. Or as another example, subcellular toxicological information can be generated to better direct drug structure and activity correlation (*see* Anderson, *Pharmaceutical Proteomics: Targets, Mechanism, and Function*, paper presented at the IBC Proteomics conference, Coronado, CA (June 11-12, 1998)). Subcellular toxicological information can also be utilized in a biological sensor device to predict the likely toxicological effect of chemical exposures and likely tolerable exposure thresholds (*see* U.S. Patent No. 5,811,231). Similar advantages accrue from datasets relevant to other biomolecules and bioactive agents (e.g., nucleic acids, saccharides, lipids, drugs, and the like).

Thus, in another embodiment, the present invention provides a database that includes at least one set of assay data. The data contained in the database is acquired, e.g., using array analysis either singly or in a library format. The database can be in substantially any form in which data can be maintained and transmitted, but is preferably an electronic database. The electronic database of the invention can be maintained on any electronic device allowing for the storage of and access to the database, such as a personal computer, but is preferably distributed on a wide area network, such as the World Wide Web.

The focus of the present section on databases that include peptide sequence data is for clarity of illustration only. It will be apparent to those of skill in the art that similar databases can be assembled for assay data acquired using an assay of the invention.

The compositions and methods for identifying and/or quantitating the relative and/or absolute abundance of a variety of molecular and macromolecular species from a biological sample undergoing metastatic colorectal cancer, i.e., the identification of metastatic colorectal cancer-associated sequences described herein, provide an abundance of information, which can be correlated with pathological conditions, predisposition to disease, drug testing, therapeutic monitoring, gene-disease causal linkages, identification of correlates of immunity and physiological status, among others. Although the data generated from the assays of the invention is suited for manual review and analysis, in a preferred embodiment, prior data processing using high-speed computers is utilized.

An array of methods for indexing and retrieving biomolecular information is known in the art. For example, U.S. Patents 6,023,659 and 5,966,712 disclose a relational database system for storing biomolecular sequence information in a manner that allows sequences to be catalogued and searched according to one or more protein function hierarchies. U.S. Patent 5,953,727 discloses a relational database having sequence records containing information in a format that allows a collection of partial-length DNA sequences to be catalogued and searched according to association with one or more sequencing projects for obtaining full-length sequences from the collection of partial length sequences. U.S. Patent 5,706,498 discloses a gene database retrieval system for making a retrieval of a gene sequence similar to a sequence data item in a gene database based on the degree of similarity between a key sequence and a target sequence. U.S. Patent 5,538,897 discloses a method using mass spectroscopy fragmentation patterns of peptides to identify amino acid sequences in computer databases by comparison of predicted mass spectra with experimentally-derived mass spectra using a closeness-of-fit measure. U.S. Patent 5,926,818 discloses a multi-dimensional database comprising a functionality for multi-dimensional data analysis described as on-line analytical processing (OLAP), which entails the consolidation of projected and actual data according to more than one consolidation path or dimension. U.S. Patent 5,295,261 reports a hybrid database structure in which the fields of each database record are divided into two classes, navigational and informational data, with navigational fields stored in a hierarchical topological map which can be viewed as a tree structure or as the merger of two or more such tree structures.

See also Mount *et al.*, *Bioinformatics* (2001); *Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids* (Durbin *et al.*, eds., 1999); *Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins* (Baxeavanis & Oeullette eds., 1998)); Rashidi & Buehler, *Bioinformatics: Basic Applications in Biological*



Science and Medicine (1999); *Introduction to Computational Molecular Biology* (Setubal et al., eds 1997); *Bioinformatics: Methods and Protocols* (Misener & Krawetz, eds, 2000); *Bioinformatics: Sequence, Structure, and Databanks: A Practical Approach* (Higgins & Taylor, eds., 2000); Brown, *Bioinformatics: A Biologist's Guide to Biocomputing and the Internet* (2001); Han & Kamber, *Data Mining: Concepts and Techniques* (2000); and Waterman, *Introduction to Computational Biology: Maps, Sequences, and Genomes* (1995).

The present invention provides a computer database comprising a computer and software for storing in computer-retrievable form assay data records cross-tabulated, e.g., with data specifying the source of the target-containing sample from which each sequence specificity record was obtained.

In an exemplary embodiment, at least one of the sources of target-containing sample is from a control tissue sample known to be free of pathological disorders. In a variation, at least one of the sources is a known pathological tissue specimen, e.g., a neoplastic lesion or another tissue specimen to be analyzed for metastatic colorectal cancer.

In another variation, the assay records cross-tabulate one or more of the following parameters for each target species in a sample: (1) a unique identification code, which can include, e.g., a target molecular structure and/or characteristic separation coordinate (e.g., electrophoretic coordinates); (2) sample source; and (3) absolute and/or relative quantity of the target species present in the sample.

The invention also provides for the storage and retrieval of a collection of target data in a computer data storage apparatus, which can include magnetic disks, optical disks, magneto-optical disks, DRAM, SRAM, SGRAM, SDRAM, RDRAM, DDR RAM, magnetic bubble memory devices, and other data storage devices, including CPU registers and on-CPU data storage arrays. Typically, the target data records are stored as a bit pattern in an array of magnetic domains on a magnetizable medium or as an array of charge states or transistor gate states, such as an array of cells in a DRAM device (e.g., each cell comprised of a transistor and a charge storage area, which may be on the transistor). In one embodiment, the invention provides such storage devices, and computer systems built therewith, comprising a bit pattern encoding a protein expression fingerprint record comprising unique identifiers for at least 10 target data records cross-tabulated with target source.

When the target is a peptide or nucleic acid, the invention preferably provides a method for identifying related peptide or nucleic acid sequences, comprising performing a computerized comparison between a peptide or nucleic acid sequence assay record stored in or retrieved from a computer storage device or database and at least one other sequence. The

comparison can include a sequence analysis or comparison algorithm or computer program embodiment thereof (e.g., FASTA, TFASTA, GAP, BESTFIT) and/or the comparison may be of the relative amount of a peptide or nucleic acid sequence in a pool of sequences determined from a polypeptide or nucleic acid sample of a specimen.

5           The invention also preferably provides a magnetic disk, such as an IBM-compatible (DOS, Windows, Windows95/98/2000, Windows NT, OS/2) or other format (e.g., Linux, SunOS, Solaris, AIX, SCO Unix, VMS, MV, Macintosh, etc.) floppy diskette or hard (fixed, Winchester) disk drive, comprising a bit pattern encoding data from an assay of the invention in a file format suitable for retrieval and processing in a computerized sequence  
10           analysis, comparison, or relative quantitation method.

          The invention also provides a network, comprising a plurality of computing devices linked via a data link, such as an Ethernet cable (coax or 10BaseT), telephone line, ISDN line, wireless network, optical fiber, or other suitable signal transmission medium, whereby at least one network device (e.g., computer, disk array, etc.) comprises a pattern of  
15           magnetic domains (e.g., magnetic disk) and/or charge domains (e.g., an array of DRAM cells) composing a bit pattern encoding data acquired from an assay of the invention.

          The invention also provides a method for transmitting assay data that includes generating an electronic signal on an electronic communications device, such as a modem, ISDN terminal adapter, DSL, cable modem, ATM switch, or the like, wherein the signal  
20           includes (in native or encrypted format) a bit pattern encoding data from an assay or a database comprising a plurality of assay results obtained by the method of the invention.

          In a preferred embodiment, the invention provides a computer system for comparing a query target to a database containing an array of data structures, such as an assay result obtained by the method of the invention, and ranking database targets based on the  
25           degree of identity and gap weight to the target data. A central processor is preferably initialized to load and execute the computer program for alignment and/or comparison of the assay results. Data for a query target is entered into the central processor via an I/O device. Execution of the computer program results in the central processor retrieving the assay data from the data file, which comprises a binary description of an assay result.

30           The target data or record and the computer program can be transferred to secondary memory, which is typically random access memory (e.g., DRAM, SRAM, SGRAM, or SDRAM). Targets are ranked according to the degree of correspondence between a selected assay characteristic (e.g., binding to a selected affinity moiety) and the same characteristic of the query target and results are output via an I/O device. For example,

a central processor can be a conventional computer (e.g., Intel Pentium, PowerPC, Alpha, PA-8000, SPARC, MIPS 4400, MIPS 10000, VAX, etc.); a program can be a commercial or public domain molecular biology software package (e.g., UWGCG Sequence Analysis Software, Darwin); a data file can be an optical or magnetic disk, a data server, a memory device (e.g., DRAM, SRAM, SGRAM, SDRAM, EPROM, bubble memory, flash memory, etc.); an I/O device can be a terminal comprising a video display and a keyboard, a modem, an ISDN terminal adapter, an Ethernet port, a punched card reader, a magnetic strip reader, or other suitable I/O device.

The invention also preferably provides the use of a computer system, such as that described above, which comprises: (1) a computer; (2) a stored bit pattern encoding a collection of peptide sequence specificity records obtained by the methods of the invention, which may be stored in the computer; (3) a comparison target, such as a query target; and (4) a program for alignment and comparison, typically with rank-ordering of comparison results on the basis of computed similarity values.

#### **Characteristics of metastatic colorectal cancer-associated proteins**

Metastatic colorectal cancer proteins of the present invention may be classified as secreted proteins, transmembrane proteins or intracellular proteins. In one embodiment, the metastatic colorectal cancer protein is an intracellular protein. Intracellular proteins may be found in the cytoplasm and/or in the nucleus and/or in the organelles. Proteins containing one or more transmembrane domains that exclusively reside in organelles are also considered intracellular proteins. Intracellular proteins are involved in all aspects of cellular function and replication (including, e.g., signaling pathways); aberrant expression of such proteins often results in unregulated or dysregulated cellular processes (*see, e.g., Molecular Biology of the Cell* (Alberts, ed., 3rd ed., 1994)). For example, many intracellular proteins have enzymatic activity such as protein kinase activity, protein phosphatase activity, protease activity, nucleotide cyclase activity, polymerase activity and the like. Intracellular proteins also serve as docking proteins that are involved in organizing complexes of proteins, or targeting proteins to various subcellular localizations, and are involved in maintaining the structural integrity of organelles.

An increasingly appreciated concept in characterizing proteins is the presence in the proteins of one or more motifs for which defined functions have been attributed. In addition to the highly conserved sequences found in the enzymatic domain of proteins, highly conserved sequences have been identified in proteins that are involved in protein-protein

interaction. For example, Src-homology-2 (SH2) domains bind tyrosine-phosphorylated targets in a sequence dependent manner. PTB domains, which are distinct from SH2 domains, also bind tyrosine phosphorylated targets. SH3 domains bind to proline-rich targets. In addition, PH domains, tetratricopeptide repeats and WD domains to name only a few, have been shown to mediate protein-protein interactions. Some of these may also be involved in binding to phospholipids or other second messengers. As will be appreciated by one of ordinary skill in the art, these motifs can be identified on the basis of primary sequence; thus, an analysis of the sequence of proteins may provide insight into both the enzymatic potential of the molecule and/or molecules with which the protein may associate. One useful database is Pfam (protein families), which is a large collection of multiple sequence alignments and hidden Markov models covering many common protein domains. Versions are available via the internet from Washington University in St. Louis, the Sanger Center in England, and the Karolinska Institute in Sweden (*see, e.g., Bateman et al., Nuc. Acids Res.* 28:263-266 (2000); Sonnhammer *et al., Proteins* 28:405-420 (1997); Bateman *et al., Nuc. Acids Res.* 27:260-262 (1999); and Sonnhammer *et al., Nuc. Acids Res.* 26:320-322- (1998)).

In another embodiment, the metastatic colorectal cancer sequences are transmembrane proteins. Transmembrane proteins are molecules that span a phospholipid bilayer of a cell. They may have an intracellular domain, an extracellular domain, or both. The intracellular domains of such proteins may have a number of functions including those already described for intracellular proteins. For example, the intracellular domain may have enzymatic activity and/or may serve as a binding site for additional proteins. Frequently the intracellular domain of transmembrane proteins serves both roles. For example certain receptor tyrosine kinases have both protein kinase activity and SH2 domains. In addition, autophosphorylation of tyrosines on the receptor molecule itself, creates binding sites for additional SH2 domain containing proteins.

Transmembrane proteins may contain from one to many transmembrane domains. For example, receptor tyrosine kinases, certain cytokine receptors, receptor guanylyl cyclases and receptor serine/threonine protein kinases contain a single transmembrane domain. However, various other proteins including channels, pumps, and adenylyl cyclases contain numerous transmembrane domains. Many important cell surface receptors such as G protein coupled receptors (GPCRs) are classified as "seven transmembrane domain" proteins, as they contain 7 membrane spanning regions. Characteristics of transmembrane domains include approximately 20 consecutive

hydrophobic amino acids that may be followed by charged amino acids. Therefore, upon analysis of the amino acid sequence of a particular protein, the localization and number of transmembrane domains within the protein may be predicted (*see, e.g.* PSORT web site <http://psort.nibb.ac.jp/>).

5           The extracellular domains of transmembrane proteins are diverse; however, conserved motifs are found repeatedly among various extracellular domains. Conserved structure and/or functions have been ascribed to different extracellular motifs. Many extracellular domains are involved in binding to other molecules. In one aspect, extracellular domains are found on receptors. Factors that bind the receptor domain include circulating  
10 ligands, which may be peptides, proteins, or small molecules such as adenosine and the like. For example, growth factors such as EGF, FGF and PDGF are circulating growth factors that bind to their cognate receptors to initiate a variety of cellular responses. Other factors include cytokines, mitogenic factors, hormones, neurotrophic factors and the like. Extracellular domains also bind to cell-associated molecules. In this respect, they mediate cell-cell  
15 interactions. Cell-associated ligands can be tethered to the cell, e.g., via a glycosylphosphatidylinositol (GPI) anchor, or may themselves be transmembrane proteins. Extracellular domains also associate with the extracellular matrix and contribute to the maintenance of the cell structure.

          Metastatic colorectal cancer proteins that are transmembrane are particularly  
20 preferred in the present invention as they are readily accessible targets for extracellular immunotherapeutics, as are described herein. In addition, as outlined below, transmembrane proteins can be also useful in imaging modalities. Antibodies may be used to label such readily accessible proteins *in situ* or in histological analysis. Alternatively, antibodies can also label intracellular proteins, in which case analytical samples are typically permeablized  
25 to provide access to intracellular proteins.

          It will also be appreciated by those in the art that a transmembrane protein can be made soluble by removing transmembrane sequences, e.g., through recombinant methods. Furthermore, transmembrane proteins that have been made soluble can be made to be secreted through recombinant means by adding an appropriate signal sequence.

30           In another embodiment, the metastatic colorectal cancer proteins are secreted proteins; the secretion of which can be either constitutive or regulated. These proteins have a signal peptide or signal sequence that targets the molecule to the secretory pathway. Secreted proteins are involved in numerous physiological events; by virtue of their circulating nature, they often serve to transmit signals to various other cell types. The secreted protein may

function in an autocrine manner (acting on the cell that secreted the factor), a paracrine manner (acting on cells in close proximity to the cell that secreted the factor) or an endocrine manner (acting on cells at a distance). Thus secreted molecules find use in modulating or altering numerous aspects of physiology. Metastatic colorectal cancer proteins that are  
5 secreted proteins are particularly preferred in the present invention as they serve as good targets for diagnostic markers, e.g., for blood, plasma, serum, or stool tests.

#### Use of metastatic colorectal cancer nucleic acids

As described above, metastatic colorectal cancer sequence is initially  
10 identified by substantial nucleic acid and/or amino acid sequence homology or linkage to the metastatic colorectal cancer sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions. Typically, linked sequences on a mRNA are found on the same molecule.

15 The metastatic colorectal cancer nucleic acid sequences of the invention, e.g., the sequences in Tables 1-26, can be fragments of larger genes, i.e., they are nucleic acid segments. "Genes" in this context includes coding regions, non-coding regions, and mixtures of coding and non-coding regions. Accordingly, as will be appreciated by those in the art, using the sequences provided herein, extended sequences, in either direction, of the  
20 metastatic colorectal cancer genes can be obtained, using techniques well known in the art for cloning either longer sequences or the full length sequences; see Ausubel, *et al.*, *supra*. Much can be done by informatics and many sequences can be clustered to include multiple sequences corresponding to a single gene, e.g., systems such as UniGene (see, <http://www.ncbi.nlm.nih.gov/unigene/>).

25 Once the metastatic colorectal cancer nucleic acid is identified, it can be cloned and, if necessary, its constituent parts recombined to form the entire metastatic colorectal cancer nucleic acid coding regions or the entire mRNA sequence. Once isolated from its natural source, e.g., contained within a plasmid or other vector or excised therefrom as a linear nucleic acid segment, the recombinant metastatic colorectal cancer nucleic acid  
30 can be further-used as a probe to identify and isolate other metastatic colorectal cancer nucleic acids, e.g., extended coding regions. It can also be used as a "precursor" nucleic acid to make modified or variant metastatic colorectal cancer nucleic acids and proteins.

The metastatic colorectal cancer nucleic acids of the present invention are used in several ways. In a first embodiment, nucleic acid probes to the metastatic colorectal

10087080-022702  
cancer nucleic acids are made and attached to biochips to be used in screening and diagnostic methods, as outlined below, or for administration, e.g., for gene therapy, vaccine, and/or antisense applications. Alternatively, the metastatic colorectal cancer nucleic acids that include coding regions of metastatic colorectal cancer proteins can be put into expression  
5 vectors for the expression of metastatic colorectal cancer proteins, again for screening purposes or for administration to a patient.

In a preferred embodiment, nucleic acid probes to metastatic colorectal cancer nucleic acids (both the nucleic acid sequences outlined in the figures and/or the complements thereof) are made. The nucleic acid probes attached to the biochip are designed to be  
10 substantially complementary to the metastatic colorectal cancer nucleic acids, i.e. the target sequence (either the target sequence of the sample or to other probe sequences, e.g., in sandwich assays), such that hybridization of the target sequence and the probes of the present invention occurs. As outlined below, this complementarity need not be perfect; there may be any number of base pair mismatches which will interfere with hybridization between the  
15 target sequence and the single stranded nucleic acids of the present invention. However, if the number of mutations is so great that no hybridization can occur under even the least stringent of hybridization conditions, the sequence is not a complementary target sequence. Thus, by "substantially complementary" herein is meant that the probes are sufficiently complementary to the target sequences to hybridize under appropriate reaction conditions,  
20 particularly high stringency conditions, as outlined herein.

A nucleic acid probe is generally single stranded but can be partially single and partially double stranded. The strandedness of the probe is dictated by the structure, composition, and properties of the target sequence. In general, the nucleic acid probes range from about 8 to about 100 bases long, with from about 10 to about 80 bases being preferred,  
25 and from about 30 to about 50 bases being particularly preferred. That is, generally complements of ORFs or whole genes are not used. In some embodiments, nucleic acids of lengths up to hundreds of bases can be used.

In a preferred embodiment, more than one probe per sequence is used, with either overlapping probes or probes to different sections of the target being used. That is,  
30 two, three, four or more probes, with three being preferred, are used to build in a redundancy for a particular target. The probes can be overlapping (i.e., have some sequence in common), or separate. In some cases, PCR primers may be used to amplify signal for higher sensitivity.

As will be appreciated by those in the art, nucleic acids can be attached or immobilized to a solid support in a wide variety of ways. By "immobilized" and grammatical

equivalents herein is meant the association or binding between the nucleic acid probe and the solid support is sufficient to be stable under the conditions of binding, washing, analysis, and removal as outlined below. The binding can typically be covalent or non-covalent. By "non-covalent binding" and grammatical equivalents herein is typically meant one or more of  
5 electrostatic, hydrophilic, and hydrophobic interactions. Included in non-covalent binding is the covalent attachment of a molecule, such as, streptavidin to the support and the non-covalent binding of the biotinylated probe to the streptavidin. By "covalent binding" and grammatical equivalents herein is meant that the two moieties, the solid support and the probe, are attached by at least one bond, including sigma bonds, pi bonds and coordination  
10 bonds. Covalent bonds can be formed directly between the probe and the solid support or can be formed by a cross linker or by inclusion of a specific reactive group on either the solid support or the probe or both molecules. Immobilization may also involve a combination of covalent and non-covalent interactions.

In general, the probes are attached to a biochip in a wide variety of ways, as  
15 will be appreciated by those in the art. As described herein, the nucleic acids can either be synthesized first, with subsequent attachment to the biochip, or can be directly synthesized on the biochip.

The biochip comprises a suitable solid substrate. By "substrate" or "solid support" or other grammatical equivalents herein is meant a material that can be modified to  
20 contain discrete individual sites appropriate for the attachment or association of the nucleic acid probes and is amenable to at least one detection method. As will be appreciated by those in the art, the number of possible substrates are very large, and include, but are not limited to, glass and modified or functionalized glass, plastics (including acrylics, polystyrene and copolymers of styrene and other materials, polypropylene, polyethylene, polybutylene,  
25 polyurethanes, Teflon, etc.), polysaccharides, nylon or nitrocellulose, resins, silica or silica-based materials including silicon and modified silicon, carbon, metals, inorganic glasses, plastics, etc. In general, the substrates allow optical detection and do not appreciably fluoresce. A preferred substrate is described in copending application entitled Reusable Low Fluorescent Plastic Biochip, U.S. Application Serial No. 09/270,214, filed March 15, 1999,  
30 herein incorporated by reference in its entirety.

Generally the substrate is planar, although as will be appreciated by those in the art, other configurations of substrates may be used as well. For example, the probes may be placed on the inside surface of a tube, for flow-through sample analysis to minimize



sample volume. Similarly, the substrate may be flexible, such as a flexible foam, including closed cell foams made of particular plastics.

In a preferred embodiment, the surface of the biochip and the probe may be derivatized with chemical functional groups for subsequent attachment of the two. Thus, e.g., the biochip is derivatized with a chemical functional group including, but not limited to, amino groups, carboxy groups, oxo groups and thiol groups, with amino groups being particularly preferred. Using these functional groups, the probes can be attached using functional groups on the probes. For example, nucleic acids containing amino groups can be attached to surfaces comprising amino groups, e.g., using linkers as are known in the art; e.g., homo-or hetero-bifunctional linkers as are well known (*see* 1994 Pierce Chemical Company catalog, technical section on cross-linkers, pages 155-200). In addition, in some cases, additional linkers, such as alkyl groups (including substituted and heteroalkyl groups) may be used.

In this embodiment, oligonucleotides are synthesized as is known in the art, and then attached to the surface of the solid support. As will be appreciated by those skilled in the art, either the 5' or 3' terminus may be attached to the solid support, or attachment may be via an internal nucleoside.

In another embodiment, the immobilization to the solid support may be very strong, yet non-covalent. For example, biotinylated oligonucleotides can be made, which bind to surfaces covalently coated with streptavidin, resulting in attachment.

Alternatively, the oligonucleotides may be synthesized on the surface, as is known in the art. For example, photoactivation techniques utilizing photopolymerization compounds and techniques are used. In a preferred embodiment, the nucleic acids can be synthesized *in situ*, using well known photolithographic techniques, such as those described in WO 95/25116; WO 95/35505; U.S. Patent Nos. 5,700,637 and 5,445,934; and references cited within, all of which are expressly incorporated by reference; these methods of attachment form the basis of the Affimetrix GeneChip™ technology.

Often, amplification-based assays are performed to measure the expression level of metastatic colorectal cancer-associated sequences. These assays are typically performed in conjunction with reverse transcription. In such assays, a metastatic colorectal cancer-associated nucleic acid sequence acts as a template in an amplification reaction (e.g., Polymerase Chain Reaction, or PCR). In a quantitative amplification, the amount of amplification product will be proportional to the amount of template in the original sample. Comparison to appropriate controls provides a measure of the amount of metastatic colorectal

cancer-associated RNA. Methods of quantitative amplification are well known to those of skill in the art. Detailed protocols for quantitative PCR are provided, e.g., in Innis *et al.*, *PCR Protocols, A Guide to Methods and Applications* (1990).

In some embodiments, a TaqMan based assay is used to measure expression.

5 TaqMan based assays use a fluorogenic oligonucleotide probe that contains a 5' fluorescent dye and a 3' quenching agent. The probe hybridizes to a PCR product, but cannot itself be extended due to a blocking agent at the 3' end. When the PCR product is amplified in subsequent cycles, the 5' nuclease activity of the polymerase, e.g., AmpliTaq, results in the cleavage of the TaqMan probe. This cleavage separates the 5' fluorescent dye and the 3' quenching agent, thereby resulting in an increase in fluorescence as a function of  
10 amplification (*see, e.g.*, literature provided by Perkin-Elmer, e.g., [www2.perkin-elmer.com](http://www2.perkin-elmer.com)).

Other suitable amplification methods include, but are not limited to, ligase chain reaction (LCR) (*see* Wu & Wallace, *Genomics* 4:560 (1989), Landegren *et al.*, *Science* 241:1077 (1988), and Barringer *et al.*, *Gene* 89:117 (1990)), transcription amplification  
15 (Kwoh *et al.*, *Proc. Natl. Acad. Sci. USA* 86:1173 (1989)), self-sustained sequence replication (Guatelli *et al.*, *Proc. Nat. Acad. Sci. USA* 87:1874 (1990)), dot PCR, and linker adapter PCR, etc.

### **Expression of metastatic colorectal cancer proteins from nucleic acids**

20 In a preferred embodiment, metastatic colorectal cancer nucleic acids, e.g., encoding metastatic colorectal cancer proteins, are used to make a variety of expression vectors to express metastatic colorectal cancer proteins which can then be used in screening assays, as described below. Expression vectors and recombinant DNA technology are well known to those of skill in the art (*see, e.g.*, Ausubel, *supra*, and *Gene Expression Systems* (Fernandez & Hoeffler, eds, 1999)) and are used to express proteins. The expression vectors  
25 may be either self-replicating extrachromosomal vectors or vectors which integrate into a host genome. Generally, these expression vectors include transcriptional and translational regulatory nucleic acid operably linked to the nucleic acid encoding the metastatic colorectal cancer protein. The term "control sequences" refers to DNA sequences used for the  
30 expression of an operably linked coding sequence in a particular host organism. Control sequences that are suitable for prokaryotes, e.g., include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.



In addition, in a preferred embodiment, the expression vector contains a selectable marker gene to allow the selection of transformed host cells. Selection genes are well known in the art and will vary with the host cell used.

The metastatic colorectal cancer proteins of the present invention are produced by culturing a host cell transformed with an expression vector containing nucleic acid encoding a metastatic colorectal cancer protein, under the appropriate conditions to induce or cause expression of the metastatic colorectal cancer protein. Conditions appropriate for metastatic colorectal cancer protein expression will vary with the choice of the expression vector and the host cell, and will be easily ascertained by one skilled in the art through routine experimentation or optimization. For example, the use of constitutive promoters in the expression vector will require optimizing the growth and proliferation of the host cell, while the use of an inducible promoter requires the appropriate growth conditions for induction. In addition, in some embodiments, the timing of the harvest is important. For example, the baculoviral systems used in insect cell expression are lytic viruses, and thus harvest time selection can be crucial for product yield.

Appropriate host cells include yeast, bacteria, archaebacteria, fungi, and insect and animal cells, including mammalian cells. Of particular interest are *Saccharomyces cerevisiae* and other yeasts, *E. coli*, *Bacillus subtilis*, Sf9 cells, C129 cells, 293 cells, *Neurospora*, BHK, CHO, COS, HeLa cells, HUVEC (human umbilical vein endothelial cells), THP1 cells (a macrophage cell line) and various other human cells and cell lines.

In a preferred embodiment, the metastatic colorectal cancer proteins are expressed in mammalian cells. Mammalian expression systems are also known in the art, and include retroviral and adenoviral systems. Of particular use as mammalian promoters are the promoters from mammalian viral genes, since the viral genes are often highly expressed and have a broad host range. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter, herpes simplex virus promoter, and the CMV promoter (*see, e.g., Fernandez & Hoeffler, supra*). Typically, transcription termination and polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. Examples of transcription terminator and polyadenylation signals include those derived from SV40.

The methods of introducing exogenous nucleic acid into mammalian hosts, as well as other hosts, is well known in the art, and will vary with the host cell used. Techniques include dextran-mediated transfection, calcium phosphate precipitation,

polybrene mediated transfection, protoplast fusion, electroporation, viral infection, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

In a preferred embodiment, metastatic colorectal cancer proteins are expressed in bacterial systems. Promoters from bacteriophage may also be used and are known in the art. In addition, synthetic promoters and hybrid promoters are also useful; e.g., the tac promoter is a hybrid of the trp and lac promoter sequences. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. In addition to a functioning promoter sequence, an efficient ribosome binding site is desirable. The expression vector may also include a signal peptide sequence that provides for secretion of the metastatic colorectal cancer protein in bacteria. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). The bacterial expression vector may also include a selectable marker gene to allow for the selection of bacterial strains that have been transformed. Suitable selection genes include genes which render the bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin, neomycin and tetracycline. Selectable markers also include biosynthetic genes, such as those in the histidine, tryptophan and leucine biosynthetic pathways. These components are assembled into expression vectors. Expression vectors for bacteria are well known in the art, and include vectors for *Bacillus subtilis*, *E. coli*, *Streptococcus cremoris*, and *Streptococcus lividans*, among others (e.g., Fernandez & Hoeffler, *supra*). The bacterial expression vectors are transformed into bacterial host cells using techniques well known in the art, such as calcium chloride treatment, electroporation, and others.

In one embodiment, metastatic colorectal cancer proteins are produced in insect cells. Expression vectors for the transformation of insect cells, and in particular, baculovirus-based expression vectors, are well known in the art.

In a preferred embodiment, metastatic colorectal cancer protein is produced in yeast cells. Yeast expression systems are well known in the art, and include expression vectors for *Saccharomyces cerevisiae*, *Candida albicans* and *C. maltosa*, *Hansenula polymorpha*, *Kluyveromyces fragilis* and *K. lactis*, *Pichia guillerimondii* and *P. pastoris*, *Schizosaccharomyces pombe*, and *Yarrowia lipolytica*.

The metastatic colorectal cancer protein may also be made as a fusion protein, using techniques well known in the art. Thus, e.g., for the creation of monoclonal antibodies,

if the desired epitope is small, the metastatic colorectal cancer protein may be fused to a carrier protein to form an immunogen. Alternatively, the metastatic colorectal cancer protein may be made as a fusion protein to increase expression for affinity purification purposes, or for other reasons. For example, when the metastatic colorectal cancer protein is a metastatic colorectal cancer peptide, the nucleic acid encoding the peptide may be linked to other nucleic acid for expression purposes.

In a preferred embodiment, the metastatic colorectal cancer protein is purified or isolated after expression. Metastatic colorectal cancer proteins may be isolated or purified in a variety of appropriate ways. Standard purification methods include electrophoretic, molecular, immunological and chromatographic techniques, including ion exchange, hydrophobic, affinity, and reverse-phase HPLC chromatography, and chromatofocusing. For example, the metastatic colorectal cancer protein may be purified using a standard anti-metastatic colorectal cancer protein antibody column. Ultrafiltration and diafiltration techniques, in conjunction with protein concentration, are also useful. For general guidance in suitable purification techniques, see Scopes, *Protein Purification* (1982). The degree of purification necessary will vary depending on the use of the metastatic colorectal cancer protein. In some instances no purification will be necessary.

Once expressed and purified if necessary, the metastatic colorectal cancer proteins and nucleic acids are useful in a number of applications. They may be used as immunoselection reagents, as vaccine reagents, as screening agents, etc.

### **Variants of metastatic colorectal cancer proteins**

In one embodiment, the metastatic colorectal cancer proteins are derivative or variant metastatic colorectal cancer proteins as compared to the wild-type sequence. That is, as outlined more fully below, the derivative metastatic colorectal cancer peptide will often contain at least one amino acid substitution, deletion or insertion, with amino acid substitutions being particularly preferred. The amino acid substitution, insertion or deletion may occur at a particular residue within the metastatic colorectal cancer peptide.

Also included within one embodiment of metastatic colorectal cancer proteins of the present invention are amino acid sequence variants. These variants typically fall into one or more of three classes: substitutional, insertional or deletional variants. These variants ordinarily are prepared by site specific mutagenesis of nucleotides in the DNA encoding the metastatic colorectal cancer protein, using cassette or PCR mutagenesis or other techniques, to produce DNA encoding the variant, and thereafter expressing the DNA in recombinant cell

culture as outlined above. However, variant metastatic colorectal cancer protein fragments having up to about 100-150 residues may be prepared by *in vitro* synthesis. Amino acid sequence variants are characterized by the predetermined nature of the variation, a feature that sets them apart from naturally occurring allelic or interspecies variation of the metastatic colorectal cancer protein amino acid sequence. The variants typically exhibit the same qualitative biological activity as the naturally occurring analogue, although variants can also be selected which have modified characteristics as will be more fully outlined below.

While the site or region for introducing an amino acid sequence variation is often predetermined, the mutation per se need not be predetermined. For example, in order to optimize the performance of a mutation at a given site, random mutagenesis may be conducted at the target codon or region and the expressed metastatic colorectal cancer variants screened for the optimal combination of desired activity. Techniques exist for making substitution mutations at predetermined sites in DNA having a known sequence, e.g., M13 primer mutagenesis and PCR mutagenesis. Screening of the mutants is done using assays of metastatic colorectal cancer protein activities.

Amino acid substitutions are typically of single residues; insertions usually will be on the order of from about 1 to 20 amino acids, although considerably larger insertions may be occasionally tolerated. Deletions range from about 1 to about 20 residues, although in some cases deletions may be much larger.

Substitutions, deletions, insertions or any combination thereof may be used to arrive at a final derivative. Generally these changes are done on a few amino acids to minimize the alteration of the molecule. Larger changes may be tolerated in certain circumstances. When small alterations in the characteristics of a metastatic colorectal cancer protein are desired, substitutions are generally made in accordance with the amino acid substitution chart provided in the definition section.

Variants typically exhibit the same qualitative biological activity and will elicit the same immune response as the naturally-occurring analog, although variants also are selected to modify the characteristics of the metastatic colorectal cancer proteins as needed. Alternatively, the variant may be designed or reorganized such that the biological activity of the metastatic colorectal cancer protein is altered. For example, glycosylation sites may be altered or removed.

Covalent modifications of metastatic colorectal cancer polypeptides are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a metastatic colorectal cancer polypeptide with an

organic derivatizing agent that is capable of reacting with selected side chains or the N-or C-terminal residues of a metastatic colorectal cancer polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking metastatic colorectal cancer polypeptides to a water-insoluble support matrix or surface for use in the method for purifying anti-metastatic colorectal cancer polypeptide antibodies or screening assays, as is more fully described below. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, e.g., esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-((p-azidophenyl)dithio)propioimide.

Other modifications include deamidation of glutamyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl, threonyl or tyrosyl residues, methylation of the  $\gamma$ -amino groups of lysine, arginine, and histidine side chains (Creighton, *Proteins: Structure and Molecular Properties*, pp. 79-86 (1983)), acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the metastatic colorectal cancer polypeptide encompassed by this invention is an altered native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended herein to mean adding to or deleting one or more carbohydrate moieties of a native sequence metastatic colorectal cancer polypeptide. Glycosylation patterns can be altered in many ways. For example the use of different cell types to express metastatic colorectal cancer-associated sequences can result in different glycosylation patterns.

Addition of glycosylation sites to metastatic colorectal cancer polypeptides may also be accomplished by altering the amino acid sequence thereof. The alteration may be made, e.g., by the addition of, or substitution by, one or more serine or threonine residues to the native sequence metastatic colorectal cancer polypeptide (for O-linked glycosylation sites). The metastatic colorectal cancer amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the metastatic colorectal cancer polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

Another means of increasing the number of carbohydrate moieties on the metastatic colorectal cancer polypeptide is by chemical or enzymatic coupling of glycosides



to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330, and in Aplin & Wriston, *CRC Crit. Rev. Biochem.*, pp. 259-306 (1981).

Removal of carbohydrate moieties present on the metastatic colorectal cancer polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, *et al.*, *Arch. Biochem. Biophys.*, 259:52 (1987) and by Edge *et al.*, *Anal. Biochem.*, 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo-and exo-glycosidases as described by Thotakura *et al.*, *Meth. Enzymol.*, 138:350 (1987).

Another type of covalent modification of metastatic colorectal cancer comprises linking the metastatic colorectal cancer polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol, polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

Metastatic colorectal cancer polypeptides of the present invention may also be modified in a way to form chimeric molecules comprising a metastatic colorectal cancer polypeptide fused to another, heterologous polypeptide or amino acid sequence. In one embodiment, such a chimeric molecule comprises a fusion of a metastatic colorectal cancer polypeptide with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino-or carboxyl-terminus of the metastatic colorectal cancer polypeptide. The presence of such epitope-tagged forms of a metastatic colorectal cancer polypeptide can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the metastatic colorectal cancer polypeptide to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. In an alternative embodiment, the chimeric molecule may comprise a fusion of a metastatic colorectal cancer polypeptide with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule, such a fusion could be to the Fc region of an IgG molecule.

Various tag polypeptides and their respective antibodies are well known and examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; HIS6 and metal chelation tags, the flu HA tag polypeptide and its antibody 12CA5 (Field *et al.*, *Mol. Cell. Biol.* 8:2159-2165 (1988)); the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto (Evan *et al.*, *Molecular and Cellular Biology* 5:3610-3616 (1985));

and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody (*Paborsky et al., Protein Engineering* 3(6):547-553 (1990)). Other tag polypeptides include the Flag-peptide (*Hopp et al., BioTechnology* 6:1204-1210 (1988)); the KT3 epitope peptide (*Martin et al., Science* 255:192-194 (1992)); tubulin epitope peptide (*Skinner et al., J. Biol. Chem.* 266:15163-15166 (1991)); and the T7 gene 10 protein peptide tag (*Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA* 87:6393-6397 (1990)).

Also included are other metastatic colorectal cancer proteins of the metastatic colorectal cancer family, and metastatic colorectal cancer proteins from other organisms, which are cloned and expressed as outlined below. Thus, probe or degenerate polymerase chain reaction (PCR) primer sequences may be used to find other related metastatic colorectal cancer proteins from primates or other organisms. As will be appreciated by those in the art, particularly useful probe and/or PCR primer sequences include unique areas of the metastatic colorectal cancer nucleic acid sequence. As is generally known in the art, preferred PCR primers are from about 15 to about 35 nucleotides in length, with from about 20 to about 30 being preferred, and may contain inosine as needed. PCR reaction conditions are well known in the art (e.g., Innis, PCR Protocols, *supra*).

#### **Antibodies to metastatic colorectal cancer proteins**

In a preferred embodiment, when a metastatic colorectal cancer protein is to be used to generate antibodies, e.g., for immunotherapy or immunodiagnosis, the metastatic colorectal cancer protein should share at least one epitope or determinant with the full length protein. By "epitope" or "determinant" herein is typically meant a portion of a protein which will generate and/or bind an antibody or T-cell receptor in the context of MHC. Thus, in most instances, antibodies made to a smaller metastatic colorectal cancer protein will be able to bind to the full-length protein, particularly linear epitopes. In a preferred embodiment, the epitope is unique; that is, antibodies generated to a unique epitope show little or no cross-reactivity.

Methods of preparing polyclonal antibodies are well known (e.g., Coligan, *supra*; and Harlow & Lane, *supra*). Polyclonal antibodies can be raised in a mammal, e.g., by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include a protein encoded by a nucleic acid of Tables 1-26 or fragment thereof or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal

being immunized. Immunogenic proteins include, e.g., keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Adjuvants include, e.g., Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art.

The antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler & Milstein, *Nature* 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized *in vitro*. The immunizing agent will typically include a polypeptide encoded by a nucleic acid of Tables 1-26, or fragment thereof, or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell (Goding, *Monoclonal Antibodies: Principles and Practice*, pp. 59-103 (1986)). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and primate origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

In one embodiment, the antibodies are bispecific antibodies. Bispecific antibodies are typically monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens or that have binding specificities for two epitopes on the same antigen. In one embodiment, one of the binding specificities is for a protein encoded by a nucleic acid of Tables 1-26 or a fragment thereof, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit, preferably one that is tumor specific. Alternatively, tetramer-type technology may create multivalent reagents.

In a preferred embodiment, the antibodies to metastatic colorectal cancer protein are capable of reducing or eliminating a biological function of a metastatic colorectal cancer protein, as is described below. That is, the addition of anti-metastatic colorectal cancer protein antibodies (either polyclonal or preferably monoclonal) to metastatic colorectal cancer tissue (or cells containing metastatic colorectal cancer) may reduce or eliminate the metastatic colorectal cancer. Generally, at least a 25% decrease in activity, growth, size or the like is preferred, with at least about 50% being particularly preferred and about a 95-100% decrease being especially preferred.

In a preferred embodiment the antibodies to the metastatic colorectal cancer proteins are humanized antibodies (e.g., Xenerex Biosciences, Mederex, Inc., Abgenix, Inc., Protein Design Labs, Inc.) Humanized forms of non-human (e.g., murine) antibodies are chimeric molecules of immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')<sub>2</sub> or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, a humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework (FR) regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones *et al.*, *Nature* 321:522-525 (1986); Riechmann *et al.*, *Nature* 332:323-329 (1988); and Presta, *Curr. Op. Struct. Biol.* 2:593-596 (1992)). Humanization can be essentially performed following the method of Winter and co-workers (Jones *et al.*, *Nature* 321:522-525 (1986); Riechmann *et al.*, *Nature* 332:323-327 (1988); Verhoeven *et al.*, *Science* 239:1534-1536 (1988)), by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact

human variable domain has been substituted by the corresponding sequence from a non-human species.

Human-like antibodies can also be produced using various techniques known in the art, including phage display libraries (Hoogenboom & Winter, *J. Mol. Biol.* 227:381 (1991); Marks *et al.*, *J. Mol. Biol.* 222:581 (1991)). The techniques of Cole *et al.* and Boerner *et al.* are also available for the preparation of human monoclonal antibodies (Cole *et al.*, *Monoclonal Antibodies and Cancer Therapy*, p. 77 (1985) and Boerner *et al.*, *J. Immunol.* 147(1):86-95 (1991)). Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in virtually all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, e.g., in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks *et al.*, *Bio/Technology* 10:779-783 (1992); Lonberg *et al.*, *Nature* 368:856-859 (1994); Morrison, *Nature* 368:812-13 (1994); Fishwild *et al.*, *Nature Biotechnology* 14:845-51 (1996); Neuberger, *Nature Biotechnology* 14:826 (1996); Lonberg & Huszar, *Intern. Rev. Immunol.* 13:65-93 (1995).

By immunotherapy is meant treatment of metastatic colorectal cancer with an antibody raised against a metastatic colorectal cancer proteins. As used herein, immunotherapy can be passive or active. Passive immunotherapy as defined herein is the passive transfer of antibody to a recipient (patient). Active immunization is the induction of antibody and/or T-cell responses in a recipient (patient). Induction of an immune response is the result of providing the recipient with an antigen to which antibodies are raised. The antigen may be provided by injecting a polypeptide against which antibodies are desired to be raised into a recipient, or contacting the recipient with a nucleic acid capable of expressing the antigen and under conditions for expression of the antigen, leading to an immune response.

In a preferred embodiment the metastatic colorectal cancer proteins against which antibodies are raised are secreted proteins as described above. Without being bound by theory, antibodies used for treatment, bind and prevent the secreted protein from binding to its receptor, thereby inactivating the secreted metastatic colorectal cancer protein.

In another preferred embodiment, the metastatic colorectal cancer protein to which antibodies are raised is a transmembrane protein. Without being bound by theory,

antibodies used for this treatment typically bind the extracellular domain of the metastatic colorectal cancer protein and prevent it from binding to other proteins, such as circulating ligands or cell-associated molecules. The antibody may cause down-regulation of the transmembrane metastatic colorectal cancer protein. The antibody may be a competitive, non-competitive or uncompetitive inhibitor of protein binding to the extracellular domain of the metastatic colorectal cancer protein. The antibody may be an antagonist of the metastatic colorectal cancer protein or may prevent activation of the transmembrane metastatic colorectal cancer protein. In some embodiments, when the antibody prevents the binding of other molecules to the metastatic colorectal cancer protein, the antibody prevents growth of the cell. The antibody may also be used to target or sensitize the cell to cytotoxic agents, including, but not limited to TNF- $\alpha$ , TNF- $\beta$ , IL-1, INF- $\gamma$  and IL-2, or chemotherapeutic agents including 5FU, vinblastine, actinomycin D, cisplatin, methotrexate, and the like. In some instances the antibody belongs to a sub-type that activates serum complement when complexed with the transmembrane protein thereby mediating cytotoxicity or antigen-dependent cytotoxicity (ADCC). Thus, metastatic colorectal cancer is treated by administering to a patient antibodies directed against the transmembrane metastatic colorectal cancer protein. Antibody-labeling may activate a co-toxin, localize a toxin payload, or otherwise provide means to locally ablate cells.

In another preferred embodiment, the antibody is conjugated to an effector moiety. The effector moiety can be any number of molecules, including labeling moieties such as radioactive labels or fluorescent labels, or can be a therapeutic moiety. In one aspect the therapeutic moiety is a small molecule that modulates the activity of the metastatic colorectal cancer protein. In another aspect the therapeutic moiety modulates the activity of molecules associated with or in close proximity to the metastatic colorectal cancer protein. The therapeutic moiety may inhibit enzymatic activity such as protease or collagenase activity associated with metastatic colorectal cancer.

In a preferred embodiment, the therapeutic moiety can also be a cytotoxic agent. In this method, targeting the cytotoxic agent to metastatic colorectal cancer tissue or cells results in a reduction in the number of afflicted cells, thereby reducing symptoms associated with metastatic colorectal cancer. Cytotoxic agents are numerous and varied and include, but are not limited to, cytotoxic drugs or toxins or active fragments of such toxins. Suitable toxins and their corresponding fragments include diphtheria A chain, exotoxin A chain, ricin A chain, abrin A chain, curcin, croton, phenomycin, enomycin and the like.

Cytotoxic agents also include radiochemicals made by conjugating radioisotopes to antibodies raised against metastatic colorectal cancer proteins, or binding of a radionuclide to a chelating agent that has been covalently attached to the antibody. Targeting the therapeutic moiety to transmembrane metastatic colorectal cancer proteins not only serves to increase the local concentration of therapeutic moiety in the metastatic colorectal cancer afflicted area, but also serves to reduce deleterious side effects that may be associated with the therapeutic moiety.

In another preferred embodiment, the metastatic colorectal cancer protein against which the antibodies are raised is an intracellular protein. In this case, the antibody may be conjugated to a protein or other entity which facilitates entry into the cell. In one case, the antibody enters the cell by endocytosis. In another embodiment, a nucleic acid encoding the antibody is administered to the individual or cell. Moreover, wherein the metastatic colorectal cancer protein can be targeted within a cell, i.e., the nucleus, an antibody thereto contains a signal for that target localization, i.e., a nuclear localization signal.

The metastatic colorectal cancer antibodies of the invention specifically bind to metastatic colorectal cancer proteins. By "specifically bind" herein is meant that the antibodies bind to the protein with a  $K_d$  of at least about 0.1 mM, more usually at least about 1  $\mu$ M, preferably at least about 0.1  $\mu$ M or better, and most preferably, 0.01  $\mu$ M or better. Selectivity of binding is also important.

#### **Detection of metastatic colorectal cancer sequence for diagnostic and therapeutic applications**

In one aspect, the RNA expression levels of genes are determined for different cellular states in the metastatic colorectal cancer phenotype. Expression levels of genes in normal tissue (i.e., not undergoing metastatic colorectal cancer) and in metastatic colorectal cancer tissue (and in some cases, for varying severities of metastatic colorectal cancer that relate to prognosis, as outlined below) are evaluated to provide expression profiles. An expression profile of a particular cell state or point of development is essentially a "fingerprint" of the state. While two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is reflective of the state of the cell. By comparing expression profiles of cells in different states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained. Then, diagnosis may

be performed or confirmed to determine whether a tissue sample has the gene expression profile of normal or cancerous tissue. This will provide for molecular diagnosis of related conditions.

“Differential expression,” or grammatical equivalents as used herein, refers to qualitative or quantitative differences in the temporal and/or cellular gene expression patterns within and among cells and tissue. Thus, a differentially expressed gene can qualitatively have its expression altered, including an activation or inactivation, in, e.g., normal versus metastatic colorectal cancer tissue. Genes may be turned on or turned off in a particular state, relative to another state thus permitting comparison of two or more states. A qualitatively regulated gene will exhibit an expression pattern within a state or cell type which is detectable by standard techniques. Some genes will be expressed in one state or cell type, but not in both. Alternatively, the difference in expression may be quantitative, e.g., in that expression is increased or decreased; i.e., gene expression is either upregulated, resulting in an increased amount of transcript, or downregulated, resulting in a decreased amount of transcript. The degree to which expression differs need only be large enough to quantify via standard characterization techniques as outlined below, such as by use of Affymetrix GeneChip™ expression arrays, Lockhart, *Nature Biotechnology* 14:1675-1680 (1996), hereby expressly incorporated by reference. Other techniques include, but are not limited to, quantitative reverse transcriptase PCR, northern analysis and RNase protection. As outlined above, preferably the change in expression (i.e., upregulation or downregulation) is typically at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably at least about 200%, with from 300 to at least 1000% being especially preferred.

Evaluation may be at the gene transcript, or the protein level. The amount of gene expression may be monitored using nucleic acid probes to the DNA or RNA equivalent of the gene transcript, and the quantification of gene expression levels, or, alternatively, the final gene product itself (protein) can be monitored, e.g., with antibodies to the metastatic colorectal cancer protein and standard immunoassays (ELISAs, etc.) or other techniques, including mass spectroscopy assays, 2D gel electrophoresis assays, etc. Proteins corresponding to metastatic colorectal cancer genes, i.e., those identified as being important in a metastatic colorectal cancer phenotype, can be evaluated in a metastatic colorectal cancer diagnostic test.

In a preferred embodiment, gene expression monitoring is performed simultaneously on a number of genes.



The metastatic colorectal cancer nucleic acid probes may be attached to biochips as outlined herein for the detection and quantification of metastatic colorectal cancer sequences in a particular cell. The assays are further described below in the example. PCR techniques can be used to provide greater sensitivity. Multiple protein expression monitoring can be performed as well. Similarly, these assays may be performed on an individual basis as well.

In a preferred embodiment nucleic acids encoding the metastatic colorectal cancer protein are detected. Although DNA or RNA encoding the metastatic colorectal cancer protein may be detected, of particular interest are methods wherein an mRNA encoding a metastatic colorectal cancer protein is detected. Probes to detect mRNA can be a nucleotide/deoxynucleotide probe that is complementary to and hybridizes with the mRNA and includes, but is not limited to, oligonucleotides, cDNA or RNA. Probes also should contain a detectable label, as defined herein. In one method the mRNA is detected after immobilizing the nucleic acid to be examined on a solid support such as nylon membranes and hybridizing the probe with the sample. Following washing to remove the non-specifically bound probe, the label is detected. In another method detection of the mRNA is performed *in situ*. In this method permeabilized cells or tissue samples are contacted with a detectably labeled nucleic acid probe for sufficient time to allow the probe to hybridize with the target mRNA. Following washing to remove the non-specifically bound probe, the label is detected. For example a digoxigenin labeled riboprobe (RNA probe) that is complementary to the mRNA encoding a metastatic colorectal cancer protein is detected by binding the digoxigenin with an anti-digoxigenin secondary antibody and developed with nitro blue tetrazolium and 5-bromo-4-chloro-3-indoyl phosphate.

In a preferred embodiment, various proteins from the three classes of proteins as described herein (secreted, transmembrane or intracellular proteins) are used in diagnostic assays. The metastatic colorectal cancer proteins, antibodies, nucleic acids, modified proteins and cells containing metastatic colorectal cancer sequences are used in diagnostic assays. This can be performed on an individual gene or corresponding polypeptide level. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes and/or corresponding polypeptides.

As described and defined herein, metastatic colorectal cancer proteins, including intracellular, transmembrane or secreted proteins, find use as markers of metastatic colorectal cancer. Detection of these proteins in putative metastatic colorectal cancer tissue

allows for detection or diagnosis of metastatic colorectal cancer. In one embodiment, antibodies are used to detect metastatic colorectal cancer proteins. A preferred method separates proteins from a sample by electrophoresis on a gel (typically a denaturing and reducing protein gel, but may be another type of gel, including isoelectric focusing gels and the like). Following separation of proteins, the metastatic colorectal cancer protein is detected, e.g., by immunoblotting with antibodies raised against the metastatic colorectal cancer protein. Methods of immunoblotting are well known to those of ordinary skill in the art.

In another preferred method, antibodies to the metastatic colorectal cancer protein find use in *in situ* imaging techniques, e.g., in histology (e.g., *Methods in Cell Biology: Antibodies in Cell Biology*, volume 37 (Asai, ed. 1993)). In this method cells are contacted with from one to many antibodies to the metastatic colorectal cancer protein(s). Following washing to remove non-specific antibody binding, the presence of the antibody or antibodies is detected. In one embodiment the antibody is detected by incubating with a secondary antibody that contains a detectable label, e.g., multicolor fluorescence or confocal imaging. In another method the primary antibody to the metastatic colorectal cancer protein(s) contains a detectable label, e.g., an enzyme marker that can act on a substrate. In another preferred embodiment each one of multiple primary antibodies contains a distinct and detectable label. This method finds particular use in simultaneous screening for a plurality of metastatic colorectal cancer proteins. Many other histological imaging techniques are also provided by the invention.

In a preferred embodiment the label is detected in a fluorometer which has the ability to detect and distinguish emissions of different wavelengths. In addition, a fluorescence activated cell sorter (FACS) can be used in the method.

In another preferred embodiment, antibodies find use in diagnosing metastatic colorectal cancer from blood, serum, plasma, stool, and other samples. Such samples, therefore, are useful as samples to be probed or tested for the presence of metastatic colorectal cancer proteins. Antibodies can be used to detect a metastatic colorectal cancer protein by previously described immunoassay techniques including ELISA, immunoblotting (western blotting), immunoprecipitation, BIACORE technology and the like. Conversely, the presence of antibodies may indicate an immune response against an endogenous metastatic colorectal cancer protein or vaccine.

In a preferred embodiment, *in situ* hybridization of labeled metastatic colorectal cancer nucleic acid probes to tissue arrays is done. For example, arrays of tissue

samples, including metastatic colorectal cancer tissue and/or normal tissue, are made. *In situ* hybridization (see, e.g., Ausubel, *supra*) is then performed. When comparing the fingerprints between an individual and a standard, the skilled artisan can make a diagnosis, a prognosis, or a prediction based on the findings. It is further understood that the genes which indicate the diagnosis may differ from those which indicate the prognosis and molecular profiling of the condition of the cells may lead to distinctions between responsive or refractory conditions or may be predictive of outcomes.

In a preferred embodiment, the metastatic colorectal cancer proteins, antibodies, nucleic acids, modified proteins and cells containing metastatic colorectal cancer sequences are used in prognosis assays. As above, gene expression profiles can be generated that correlate to metastatic colorectal cancer, in terms of long term prognosis. Again, this may be done on either a protein or gene level, with the use of genes being preferred. As above, metastatic colorectal cancer probes may be attached to biochips for the detection and quantification of metastatic colorectal cancer sequences in a tissue or patient. The assays proceed as outlined above for diagnosis. PCR method may provide more sensitive and accurate quantification.

#### **Assays for therapeutic compounds**

In a preferred embodiment members of the three classes of proteins as described herein are used in drug screening assays. The metastatic colorectal cancer proteins, antibodies, nucleic acids, modified proteins and cells containing metastatic colorectal cancer sequences are used in drug screening assays or by evaluating the effect of drug candidates on a "gene expression profile" or expression profile of polypeptides. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent (e.g., Zlokarnik, *et al.*, *Science* 279:84-8 (1998); Heid, *Genome Res* 6:986-94, 1996).

In a preferred embodiment, the metastatic colorectal cancer proteins, antibodies, nucleic acids, modified proteins and cells containing the native or modified metastatic colorectal cancer proteins are used in screening assays. That is, the present invention provides novel methods for screening for compositions which modulate the metastatic colorectal cancer phenotype or an identified physiological function of a metastatic colorectal cancer protein. As above, this can be done on an individual gene level or by evaluating the effect of drug candidates on a "gene expression profile". In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput

screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, see Zlokarnik, *supra*.

Having identified the differentially expressed genes herein, a variety of assays may be applied. In a preferred embodiment, assays may be run on an individual gene or protein level. That is, having identified a particular gene with altered regulation in metastatic colorectal cancer, test compounds can be screened for the ability to modulate gene expression or for binding to the metastatic colorectal cancer protein. "Modulation" thus includes an increase or a decrease in gene expression. The preferred amount of modulation will depend on the original change of the gene expression in normal versus tissue undergoing metastatic colorectal cancer, with changes of at least 10%, preferably 50%, more preferably 100-300%, and in some embodiments 300-1000% or greater. Thus, if a gene exhibits a 4-fold increase in metastatic colorectal cancer tissue compared to normal tissue, a decrease of about four-fold is often desired; similarly, a 10-fold decrease in metastatic colorectal cancer tissue compared to normal tissue often provides a target value of a 10-fold increase in expression to be induced by the test compound.

The amount of gene expression may be monitored using nucleic acid probes and the quantification of gene expression levels, or, alternatively, the gene product itself can be monitored, e.g., through the use of antibodies to the metastatic colorectal cancer protein and standard immunoassays. Proteomics and separation techniques may also allow quantification of expression.

In a preferred embodiment, gene or protein expression monitoring of a number of entities, i.e., an expression profile, is monitored simultaneously. Such profiles will typically involve a plurality of those entities described herein.

In this embodiment, the metastatic colorectal cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of metastatic colorectal cancer sequences in a particular cell. Alternatively, PCR may be used. Thus, a series, e.g., of microtiter plate, may be used with dispensed primers in desired wells. A PCR reaction can then be performed and analyzed for each well.

Expression monitoring can be performed to identify compounds that modify the expression of one or more metastatic colorectal cancer-associated sequences, e.g., a polynucleotide sequence set out in Tables 1-26. Generally, in a preferred embodiment, a test compound is added to the cells prior to analysis. Moreover, screens are also provided to identify agents that modulate metastatic colorectal cancer, modulate metastatic colorectal

10087080-022702  
cancer proteins, bind to a metastatic colorectal cancer protein, or interfere with the binding of a metastatic colorectal cancer protein and an antibody, substrate, or other binding partner.

The term "test compound" or "drug candidate" or "modulator" or grammatical equivalents as used herein describes any molecule, e.g., protein, oligopeptide, small organic molecule, polysaccharide, polynucleotide, etc., to be tested for the capacity to directly or indirectly alter the metastatic colorectal cancer phenotype or the expression of a metastatic colorectal cancer sequence, e.g., a nucleic acid or protein sequence. In preferred embodiments, modulators alter expression profiles of nucleic acids or proteins provided herein. In one embodiment, the modulator suppresses a metastatic colorectal cancer phenotype, e.g., to a normal tissue fingerprint. In another embodiment, a modulator induces a metastatic colorectal cancer phenotype. Generally, a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration or below the level of detection.

In one aspect, a modulator will neutralize the effect of a metastatic colorectal cancer protein. By "neutralize" is meant that activity of a protein and the consequent effect on the cell is inhibited or blocked.

In certain embodiments, combinatorial libraries of potential modulators will be screened for an ability to bind to a metastatic colorectal cancer polypeptide or to modulate activity. Conventionally, new chemical entities with useful properties are generated by identifying a chemical compound (called a "lead compound") with some desirable property or activity, e.g., inhibiting activity, creating variants of the lead compound, and evaluating the property and activity of those variant compounds. Often, high throughput screening (HTS) methods are employed for such an analysis.

In one preferred embodiment, high throughput screening methods involve providing a library containing a large number of potential therapeutic compounds (candidate compounds). Such "combinatorial chemical libraries" are then screened in one or more assays to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as conventional "lead compounds" or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated by either chemical synthesis or biological synthesis by combining a number of chemical "building blocks" such as reagents. For example, a linear combinatorial chemical library, such as a polypeptide (e.g., mutein) library, is formed by combining a set of

chemical building blocks called amino acids in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks (Gallop *et al.*, *J. Med. Chem.* 37(9):1233-1251 (1994)).

5 Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (*see, e.g.*, U.S. Patent No. 5,010,175, Furka, *Pept. Prot. Res.* 37:487-493 (1991), Houghton *et al.*, *Nature*, 354:84-88 (1991)), peptoids (PCT Publication No WO 91/19735), encoded peptides (PCT Publication WO 93/20242), random bio-oligomers (PCT  
10 Publication WO 92/00091), benzodiazepines (U.S. Pat. No. 5,288,514), diversomers such as hydantoins, benzodiazepines and dipeptides (Hobbs *et al.*, *Proc. Nat. Acad. Sci. USA* 90:6909-6913 (1993)), vinylogous polypeptides (Hagihara *et al.*, *J. Amer. Chem. Soc.* 114:6568 (1992)), nonpeptidal peptidomimetics with a Beta-D-Glucose scaffolding (Hirschmann *et al.*, *J. Amer. Chem. Soc.* 114:9217-9218 (1992)), analogous organic syntheses  
15 of small compound libraries (Chen *et al.*, *J. Amer. Chem. Soc.* 116:2661 (1994)), oligocarbamates (Cho, *et al.*, *Science* 261:1303 (1993)), and/or peptidyl phosphonates (Campbell *et al.*, *J. Org. Chem.* 59:658 (1994)). *See, generally*, Gordon *et al.*, *J. Med. Chem.* 37:1385 (1994), nucleic acid libraries (*see, e.g.*, Strategene, Corp.), peptide nucleic acid libraries (*see, e.g.*, U.S. Patent 5,539,083), antibody libraries (*see, e.g.*, Vaughn *et al.*, *Nature*  
20 *Biotechnology* 14(3):309-314 (1996), and PCT/US96/10287), carbohydrate libraries (*see, e.g.*, Liang *et al.*, *Science* 274:1520-1522 (1996), and U.S. Patent No. 5,593,853), and small organic molecule libraries (*see, e.g.*, benzodiazepines, Baum, C&EN, Jan 18, page 33 (1993); isoprenoids, U.S. Patent No. 5,569,588; thiazolidinones and metathiazanones, U.S. Patent No. 5,549,974; pyrrolidines, U.S. Patent Nos. 5,525,735 and 5,519,134; morpholino compounds,  
25 U.S. Patent No. 5,506,337; benzodiazepines, U.S. Patent No. 5,288,514; and the like).

Devices for the preparation of combinatorial libraries are commercially available (*see, e.g.*, 357 MPS, 390 MPS, Advanced Chem Tech, Louisville KY, Symphony, Rainin, Woburn, MA, 433A Applied Biosystems, Foster City, CA, 9050 Plus, Millipore, Bedford, MA).

30 A number of well known robotic systems have also been developed for solution phase chemistries. These systems include automated workstations like the automated synthesis apparatus developed by Takeda Chemical Industries, LTD. (Osaka, Japan) and many robotic systems utilizing robotic arms (Zymate II, Zymark Corporation, Hopkinton, Mass.; Orca, Hewlett-Packard, Palo Alto, Calif.), which mimic the manual

synthetic operations performed by a chemist. The above devices, with appropriate modification, are suitable for use with the present invention. In addition, numerous combinatorial libraries are themselves commercially available (*see, e.g.*, ComGenex, Princeton, N.J., Asinex, Moscow, Ru, Tripos, Inc., St. Louis, MO, ChemStar, Ltd, Moscow, RU, 3D Pharmaceuticals, Exton, PA, Martek Biosciences, Columbia, MD, etc.).

The assays to identify modulators are amenable to high throughput screening. Preferred assays thus detect modulation of metastatic colorectal cancer gene transcription, polypeptide expression, and polypeptide activity.

High throughput assays for evaluating the presence, absence, quantification, or other properties of particular nucleic acids or protein products are well known to those of skill in the art. Similarly, binding assays and reporter gene assays are similarly well known. Thus, e.g., U.S. Patent No. 5,559,410 discloses high throughput screening methods for proteins, U.S. Patent No. 5,585,639 discloses high throughput screening methods for nucleic acid binding (i.e., in arrays), while U.S. Patent Nos. 5,576,220 and 5,541,061 disclose high throughput methods of screening for ligand/antibody binding.

In addition, high throughput screening systems are commercially available (*see, e.g.*, Zymark Corp., Hopkinton, MA; Air Technical Industries, Mentor, OH; Beckman Instruments, Inc. Fullerton, CA; Precision Systems, Inc., Natick, MA, etc.). These systems typically automate procedures, including sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s) appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a high degree of flexibility and customization. The manufacturers of such systems provide detailed protocols for various high throughput systems. Thus, e.g., Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like.

In one embodiment, modulators are proteins, often naturally occurring proteins or fragments of naturally occurring proteins. Thus, e.g., cellular extracts containing proteins, or random or directed digests of proteinaceous cellular extracts, may be used. In this way libraries of proteins may be made for screening in the methods of the invention. Particularly preferred in this embodiment are libraries of bacterial, fungal, viral, and mammalian proteins, with the latter being preferred, and human proteins being especially preferred. Particularly useful test compound will be directed to the class of proteins to which the target belongs, e.g., substrates for enzymes or ligands and receptors.

In a preferred embodiment, modulators are peptides of from about 5 to about 30 amino acids, with from about 5 to about 20 amino acids being preferred, and from about 7 to about 15 being particularly preferred. The peptides may be digests of naturally occurring proteins as is outlined above, random peptides, or "biased" random peptides. By

5 "randomized" or grammatical equivalents herein is meant that the nucleic acid or peptide consists of essentially random sequences of nucleotides and amino acids, respectively. Since these random peptides (or nucleic acids, discussed below) are often chemically synthesized, they may incorporate any nucleotide or amino acid at any position. The synthetic process can be designed to generate randomized proteins or nucleic acids, to allow the formation of all or  
10 most of the possible combinations over the length of the sequence, thus forming a library of randomized candidate bioactive proteinaceous agents.

In one embodiment, the library is fully randomized, with no sequence preferences or constants at any position. In a preferred embodiment, the library is biased. That is, some positions within the sequence are either held constant, or are selected from a  
15 limited number of possibilities. In a preferred embodiment, the nucleotides or amino acid residues are randomized within a defined class, e.g., of hydrophobic amino acids, hydrophilic residues, sterically biased (either small or large) residues, towards the creation of nucleic acid binding domains, the creation of cysteines, for cross-linking, prolines for SH-3 domains, serines, threonines, tyrosines or histidines for phosphorylation sites, etc.

20 Modulators of metastatic colorectal cancer can also be nucleic acids, as defined above.

As described above generally for proteins, nucleic acid modulating agents may be naturally occurring nucleic acids, random nucleic acids, or "biased" random nucleic acids. Digests of procaryotic or eucaryotic genomes may be used as is outlined above for proteins.

25 In a preferred embodiment, the candidate compounds are organic chemical moieties, a wide variety of which are available in the literature.

After a candidate agent has been added and the cells allowed to incubate for some period of time, the sample containing a target sequence is analyzed. If required, the target sequence is prepared using known techniques. For example, the sample may be treated  
30 to lyse the cells, using known lysis buffers, electroporation, etc., with purification and/or amplification such as PCR performed as appropriate. For example, an *in vitro* transcription with labels covalently attached to the nucleotides is performed. Generally, the nucleic acids are labeled with biotin-FITC or PE, or with cy3 or cy5.



In a preferred embodiment, the target sequence is labeled with, e.g., a fluorescent, a chemiluminescent, a chemical, or a radioactive signal, to provide a means of detecting the target sequence's specific binding to a probe. The label also can be an enzyme, such as, alkaline phosphatase or horseradish peroxidase, which when provided with an appropriate substrate produces a product that can be detected. Alternatively, the label can be a labeled compound or small molecule, such as an enzyme inhibitor, that binds but is not catalyzed or altered by the enzyme. The label also can be a moiety or compound, such as, an epitope tag or biotin which specifically binds to streptavidin. For the example of biotin, the streptavidin is labeled as described above, thereby, providing a detectable signal for the bound target sequence. Unbound labeled streptavidin is typically removed prior to analysis.

Nucleic acid assays can be direct hybridization assays or can comprise "sandwich assays", which include the use of multiple probes, as is generally outlined in U.S. Patent Nos. 5,681,702, 5,597,909, 5,545,730, 5,594,117, 5,591,584, 5,571,670, 5,580,731, 5,571,670, 5,591,584, 5,624,802, 5,635,352, 5,594,118, 5,359,100, 5,124,246 and 5,681,697, all of which are hereby incorporated by reference. In this embodiment, in general, the target nucleic acid is prepared as outlined above, and then added to the biochip comprising a plurality of nucleic acid probes, under conditions that allow the formation of a hybridization complex.

A variety of hybridization conditions may be used in the present invention, including high, moderate and low stringency conditions as outlined above. The assays are generally run under stringency conditions which allow formation of the label probe hybridization complex only in the presence of target. Stringency can be controlled by altering a step parameter that is a thermodynamic variable, including, but not limited to, temperature, formamide concentration, salt concentration, chaotropic salt concentration, pH, organic solvent concentration, etc.

These parameters may also be used to control non-specific binding, as is generally outlined in U.S. Patent No. 5,681,697. Thus it may be desirable to perform certain steps at higher stringency conditions to reduce non-specific binding.

The reactions outlined herein may be accomplished in a variety of ways. Components of the reaction may be added simultaneously, or sequentially, in different orders, with preferred embodiments outlined below. In addition, the reaction may include a variety of other reagents. These include salts, buffers, neutral proteins, e.g., albumin, detergents, etc. which may be used to facilitate optimal hybridization and detection, and/or reduce non-specific or background interactions. Reagents that otherwise improve the efficiency of the

assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may also be used as appropriate, depending on the sample preparation methods and purity of the target.

The assay data are analyzed to determine the expression levels, and changes in expression levels as between states, of individual genes, forming a gene expression profile.

5 Screens are performed to identify modulators of the metastatic colorectal cancer phenotype. In one embodiment, screening is performed to identify modulators that can induce or suppress a particular expression profile, thus preferably generating the associated phenotype. In another embodiment, e.g., for diagnostic applications, having identified differentially expressed genes important in a particular state, screens can be performed to identify modulators that alter expression of individual genes. In another embodiment, screening is performed to identify modulators that alter a biological function of the expression product of a differentially expressed gene. Again, having identified the importance of a gene in a particular state, screens are performed to identify agents that bind and/or modulate the biological activity of the gene product, or evaluate genetic polymorphisms.

15 Genes can be screened for those that are induced in response to a candidate agent. After identifying a modulator based upon its ability to suppress a metastatic colorectal cancer expression pattern leading to a normal expression pattern, or to modulate a single metastatic colorectal cancer gene expression profile so as to mimic the expression of the gene from normal tissue, a screen as described above can be performed to identify genes that are specifically modulated in response to the agent. Comparing expression profiles between normal tissue and agent treated metastatic colorectal cancer tissue reveals genes that are not expressed in normal tissue or metastatic colorectal cancer tissue, but are expressed in agent treated tissue. These agent-specific sequences can be identified and used by methods described herein for metastatic colorectal cancer genes or proteins. In particular these sequences and the proteins they encode find use in marking or identifying agent treated cells. In addition, antibodies can be raised against the agent induced proteins and used to target novel therapeutics to the treated metastatic colorectal cancer tissue sample.

20 Thus, in one embodiment, a test compound is administered to a population of metastatic colorectal cancer cells, that have an associated metastatic colorectal cancer expression profile. By "administration" or "contacting" herein is meant that the candidate agent is added to the cells in such a manner as to allow the agent to act upon the cell, whether by uptake and intracellular action, or by action at the cell surface. In some embodiments, nucleic acid encoding a proteinaceous candidate agent (i.e., a peptide) may be put into a viral

construct such as an adenoviral or retroviral construct, and added to the cell, such that expression of the peptide agent is accomplished, e.g., PCT US97/01019. Regulatable gene therapy systems can also be used.

5 Once the test compound has been administered to the cells, the cells can be washed if desired and are allowed to incubate under preferably physiological conditions for some period of time. The cells are then harvested and a new gene expression profile is generated, as outlined herein.

10 Thus, e.g., metastatic colorectal cancer tissue may be screened for agents that modulate, e.g., induce or suppress the metastatic colorectal cancer phenotype. A change in at least one gene, preferably many, of the expression profile indicates that the agent has an effect on metastatic colorectal cancer activity. By defining such a signature for the metastatic colorectal cancer phenotype, screens for new drugs that alter the phenotype can be devised. With this approach, the drug target need not be known and need not be represented in the original expression screening platform, nor does the level of transcript for the target protein  
15 need to change.

20 Measure of metastatic colorectal cancer polypeptide activity, or of metastatic colorectal cancer or the metastatic colorectal cancer phenotype can be performed using a variety of assays. For example, the effects of the test compounds upon the function of the metastatic polypeptides can be measured by examining parameters described above. A suitable physiological change that affects activity can be used to assess the influence of a test compound on the polypeptides of this invention. When the functional consequences are determined using intact cells or animals, one can also measure a variety of effects such as, in the case of metastatic colorectal cancer associated with tumors, tumor growth, tumor metastasis, neovascularization, hormone release, transcriptional changes to both known and  
25 uncharacterized genetic markers (e.g., northern blots), changes in cell metabolism such as cell growth or pH changes, and changes in intracellular second messengers such as cGMP. In the assays of the invention, mammalian metastatic colorectal cancer polypeptide is typically used, e.g., mouse, preferably human.

30 Assays to identify compounds with modulating activity can be performed *in vitro*. For example, a colorectal cancer polypeptide is first contacted with a potential modulator and incubated for a suitable amount of time, e.g., from 0.5 to 48 hours. In one embodiment, the metastatic colorectal cancer polypeptide levels are determined *in vitro* by measuring the level of protein or mRNA. The level of protein is measured using immunoassays such as western blotting, ELISA and the like with an antibody that selectively

binds to the metastatic colorectal cancer polypeptide or a fragment thereof. For measurement of mRNA, amplification, e.g., using PCR, LCR, or hybridization assays, e.g., northern hybridization, RNase protection, dot blotting, are preferred. The level of protein or mRNA is detected using directly or indirectly labeled detection agents, e.g., fluorescently or radioactively labeled nucleic acids, radioactively or enzymatically labeled antibodies, and the like, as described herein.

Alternatively, a reporter gene system can be devised using the metastatic colorectal cancer protein promoter operably linked to a reporter gene such as luciferase, green fluorescent protein, CAT, or  $\beta$ -gal. The reporter construct is typically transfected into a cell. After treatment with a potential modulator, the amount of reporter gene transcription, translation, or activity is measured according to standard techniques known to those of skill in the art.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "metastatic colorectal cancer proteins." The metastatic colorectal cancer protein may be a fragment, or alternatively, be the full length protein to a fragment shown herein.

In one embodiment, screening for modulators of expression of specific genes is performed. Typically, the expression of only one or a few genes are evaluated. In another embodiment, screens are designed to first find compounds that bind to differentially expressed proteins. These compounds are then evaluated for the ability to modulate differentially expressed activity. Moreover, once initial candidate compounds are identified, variants can be further screened to better evaluate structure activity relationships.

In a preferred embodiment, binding assays are done. In general, purified or isolated gene product is used; that is, the gene products of one or more differentially expressed nucleic acids are made. For example, antibodies are generated to the protein gene products, and standard immunoassays are run to determine the amount of protein present. Alternatively, cells comprising the metastatic colorectal cancer proteins can be used in the assays.

Thus, in a preferred embodiment, the methods comprise combining a metastatic colorectal cancer protein and a candidate compound, and determining the binding of the compound to the metastatic colorectal cancer protein. Preferred embodiments utilize

the human metastatic colorectal cancer protein, although other mammalian proteins may also be used, e.g., for the development of animal models of human disease. In some embodiments, as outlined herein, variant or derivative metastatic colorectal cancer proteins may be used.

Generally, in a preferred embodiment of the methods herein, the metastatic

5 colorectal cancer protein or the candidate agent is non-diffusably bound to an insoluble support having isolated sample receiving areas (e.g., a microtiter plate, an array, etc.). The insoluble supports may be made of any composition to which the compositions can be bound, is readily separated from soluble material, and is otherwise compatible with the overall method of screening. The surface of such supports may be solid or porous and of any  
10 convenient shape. Examples of suitable insoluble supports include microtiter plates, arrays, membranes and beads. These are typically made of glass, plastic (e.g., polystyrene), polysaccharides, nylon or nitrocellulose, teflon™, etc. Microtiter plates and arrays are especially convenient because a large number of assays can be carried out simultaneously, using small amounts of reagents and samples. The particular manner of binding of the  
15 composition is not crucial so long as it is compatible with the reagents and overall methods of the invention, maintains the activity of the composition and is nondiffusable. Preferred methods of binding include the use of antibodies (which do not sterically block either the ligand binding site or activation sequence when the protein is bound to the support), direct binding to "sticky" or ionic supports, chemical crosslinking, the synthesis of the protein or  
20 agent on the surface, etc. Following binding of the protein or agent, excess unbound material is removed by washing. The sample receiving areas may then be blocked through incubation with bovine serum albumin (BSA), casein or other innocuous protein or other moiety.

In a preferred embodiment, the metastatic colorectal cancer protein is bound to the support, and a test compound is added to the assay. Alternatively, the candidate agent is  
25 bound to the support and the metastatic colorectal cancer protein is added. Novel binding agents include specific antibodies, non-natural binding agents identified in screens of chemical libraries, peptide analogs, etc. Of particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including labeled *in vitro* protein-protein binding assays, electrophoretic mobility  
30 shift assays, immunoassays for protein binding, functional assays (phosphorylation assays, etc.) and the like.

The determination of the binding of the test modulating compound to the metastatic colorectal cancer protein may be done in a number of ways. In a preferred embodiment, the compound is labeled, and binding determined directly, e.g., by attaching all

or a portion of the metastatic colorectal cancer protein to a solid support, adding a labeled candidate agent (e.g., a fluorescent label), washing off excess reagent, and determining whether the label is present on the solid support. Various blocking and washing steps may be utilized as appropriate.

5 In some embodiments, only one of the components is labeled, e.g., the proteins (or proteinaceous candidate compounds) can be labeled. Alternatively, more than one component can be labeled with different labels, e.g.,  $^{125}\text{I}$  for the proteins and a fluorophore for the compound. Proximity reagents, e.g., quenching or energy transfer reagents are also useful.

10 In one embodiment, the binding of the test compound is determined by competitive binding assay. The competitor is a binding moiety known to bind to the target molecule (i.e., a metastatic colorectal cancer protein), such as an antibody, peptide, binding partner, ligand, etc. Under certain circumstances, there may be competitive binding between the compound and the binding moiety, with the binding moiety displacing the compound. In  
15 one embodiment, the test compound is labeled. Either the compound, or the competitor, or both, is added first to the protein for a time sufficient to allow binding, if present. Incubations may be performed at a temperature which facilitates optimal activity, typically between 4 and 40°C. Incubation periods are typically optimized, e.g., to facilitate rapid high throughput screening. Typically between 0.1 and 1 hour will be sufficient. Excess reagent is  
20 generally removed or washed away. The second component is then added, and the presence or absence of the labeled component is followed, to indicate binding.

In a preferred embodiment, the competitor is added first, followed by the test compound. Displacement of the competitor is an indication that the test compound is binding to the metastatic colorectal cancer protein and thus is capable of binding to, and potentially  
25 modulating, the activity of the metastatic colorectal cancer protein. In this embodiment, either component can be labeled. Thus, e.g., if the competitor is labeled, the presence of label in the wash solution indicates displacement by the agent. Alternatively, if the test compound is labeled, the presence of the label on the support indicates displacement.

30 In an alternative embodiment, the test compound is added first, with incubation and washing, followed by the competitor. The absence of binding by the competitor may indicate that the test compound is bound to the metastatic colorectal cancer protein with a higher affinity. Thus, if the test compound is labeled, the presence of the label on the support, coupled with a lack of competitor binding, may indicate that the test compound is capable of binding to the metastatic colorectal cancer protein.

In a preferred embodiment, the methods comprise differential screening to identity agents that are capable of modulating the activity of the metastatic colorectal cancer proteins. In this embodiment, the methods comprise combining a metastatic colorectal cancer protein and a competitor in a first sample. A second sample comprises a test compound, a metastatic colorectal cancer protein, and a competitor. The binding of the competitor is determined for both samples, and a change, or difference in binding between the two samples indicates the presence of an agent capable of binding to the metastatic colorectal cancer protein and potentially modulating its activity. That is, if the binding of the competitor is different in the second sample relative to the first sample, the agent is capable of binding to the metastatic colorectal cancer protein.

Alternatively, differential screening is used to identify drug candidates that bind to the native metastatic colorectal cancer protein, but cannot bind to modified metastatic colorectal cancer proteins. The structure of the metastatic colorectal cancer protein may be modeled, and used in rational drug design to synthesize agents that interact with that site. Drug candidates that affect the activity of a metastatic colorectal cancer protein are also identified by screening drugs for the ability to either enhance or reduce the activity of the protein.

Positive controls and negative controls may be used in the assays. Preferably control and test samples are performed in at least triplicate to obtain statistically significant results. Incubation of all samples is for a time sufficient for the binding of the agent to the protein. Following incubation, samples are washed free of non-specifically bound material and the amount of bound, generally labeled agent determined. For example, where a radiolabel is employed, the samples may be counted in a scintillation counter to determine the amount of bound compound.

A variety of other reagents may be included in the screening assays. These include reagents like salts, neutral proteins, e.g., albumin, detergents, etc. which may be used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used. The mixture of components may be added in an order that provides for the requisite binding.

In a preferred embodiment, the invention provides methods for screening for a compound capable of modulating the activity of a metastatic colorectal cancer protein. The methods comprise adding a test compound, as defined above, to a cell comprising metastatic colorectal cancer proteins. Preferred cell types include almost any cell. The cells contain a

recombinant nucleic acid that encodes a metastatic colorectal cancer protein. In a preferred embodiment, a library of candidate agents are tested on a plurality of cells.

In one aspect, the assays are evaluated in the presence or absence or previous or subsequent exposure of physiological signals, e.g., hormones, antibodies, peptides, antigens, cytokines, growth factors, action potentials, pharmacological agents including chemotherapeutics, radiation, carcinogenics, or other cells (i.e. cell-cell contacts). In another example, the determinations are determined at different stages of the cell cycle process.

In this way, compounds that modulate metastatic colorectal cancer agents are identified. Compounds with pharmacological activity are able to enhance or interfere with the activity of the metastatic colorectal cancer protein. Once identified, similar structures are evaluated to identify critical structural feature of the compound.

In one embodiment, a method of inhibiting metastatic colorectal cancer cell division is provided. The method comprises administration of a metastatic colorectal cancer inhibitor. In another embodiment, a method of inhibiting metastatic colorectal cancer is provided. The method comprises administration of a metastatic colorectal cancer inhibitor. In a further embodiment, methods of treating cells or individuals with metastatic colorectal cancer are provided. The method comprises administration of a metastatic colorectal cancer inhibitor.

A variety of cell growth, proliferation, and metastasis assays are known to those of skill in the art, as described below.

#### *Soft agar growth or colony formation in suspension*

Normal cells require a solid substrate to attach and grow. When the cells are transformed, they lose this phenotype and grow detached from the substrate. For example, transformed cells can grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft agar. The transformed cells, when transfected with tumor suppressor genes, regenerate normal phenotype and require a solid substrate to attach and grow. Soft agar growth or colony formation in suspension assays can be used to identify modulators of metastatic colorectal cancer sequences, which when expressed in host cells, inhibit abnormal cellular proliferation and transformation. A therapeutic compound would reduce or eliminate the host cells' ability to grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft.

Techniques for soft agar growth or colony formation in suspension assays are described in Freshney, *Culture of Animal Cells a Manual of Basic Technique* (3<sup>rd</sup> ed., 1994),



herein incorporated by reference. *See also*, the methods section of Garkavtsev *et al.* (1996), *supra*, herein incorporated by reference.

#### *Contact inhibition and density limitation of growth*

5 Normal cells typically grow in a flat and organized pattern in a petri dish until they touch other cells. When the cells touch one another, they are contact inhibited and stop growing. When cells are transformed, however, the cells are not contact inhibited and continue to grow to high densities in disorganized foci. Thus, the transformed cells grow to a higher saturation density than normal cells. This can be detected morphologically by the formation of a disoriented monolayer of cells or rounded cells in foci within the regular pattern of normal surrounding cells. Alternatively, labeling index with (<sup>3</sup>H)-thymidine at saturation density can be used to measure density limitation of growth. *See* Freshney (1994), *supra*. The transformed cells, when transfected with tumor suppressor genes, regenerate a normal phenotype and become contact inhibited and would grow to a lower density.

10 In this assay, labeling index with (<sup>3</sup>H)-thymidine at saturation density is a preferred method of measuring density limitation of growth. Transformed host cells are transfected with a metastatic colorectal cancer-associated sequence and are grown for 24 hours at saturation density in non-limiting medium conditions. The percentage of cells labeling with (<sup>3</sup>H)-thymidine is determined autoradiographically. *See*, Freshney (1994), *supra*.

#### *Growth factor or serum dependence*

20 Transformed cells have a lower serum dependence than their normal counterparts (*see, e.g.*, Temin, *J. Natl. Cancer Inst.* 37:167-175 (1966); Eagle *et al.*, *J. Exp. Med.* 131:836-879 (1970)); Freshney, *supra*. This is in part due to release of various growth factors by the transformed cells. Growth factor or serum dependence of transformed host cells can be compared with that of control.

#### *Tumor specific markers levels*

30 Tumor cells release an increased amount of certain factors (hereinafter "tumor specific markers") than their normal counterparts. For example, plasminogen activator (PA) is released from human glioma at a higher level than from normal brain cells (*see, e.g.*, Gullino, *Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer*, pp. 178-184 (Mihich (ed.) 1985)). Similarly, Tumor

angiogenesis factor (TAF) is released at a higher level in tumor cells than their normal counterparts. See, e.g., Folkman, *Angiogenesis and Cancer, Sem Cancer Biol.* (1992)).

Various techniques which measure the release of these factors are described in Freshney (1994), *supra*. Also, see, Unkless *et al.*, *J. Biol. Chem.* 249:4295-4305 (1974); Strickland & Beers, *J. Biol. Chem.* 251:5694-5702 (1976); Whur *et al.*, *Br. J. Cancer* 42:305-312 (1980); Gullino, *Angiogenesis, tumor vascularization, and potential interference with tumor growth.* in *Biological Responses in Cancer*, pp. 178-184 (Mihich (ed.) 1985); Freshney *Anticancer Res.* 5:111-130 (1985).

#### *Invasiveness into Matrigel*

The degree of invasiveness into Matrigel or some other extracellular matrix constituent can be used as an assay to identify compounds that modulate metastatic colorectal cancer-associated sequences. Tumor cells exhibit a good correlation between malignancy and invasiveness of cells into Matrigel or some other extracellular matrix constituent. In this assay, tumorigenic cells are typically used as host cells. Expression of a tumor suppressor gene in these host cells would decrease invasiveness of the host cells.

Techniques described in Freshney (1994), *supra*, can be used. Briefly, the level of invasion of host cells can be measured by using filters coated with Matrigel or some other extracellular matrix constituent. Penetration into the gel, or through to the distal side of the filter, is rated as invasiveness, and rated histologically by number of cells and distance moved, or by prelabeling the cells with  $^{125}\text{I}$  and counting the radioactivity on the distal side of the filter or bottom of the dish. See, e.g., Freshney (1984), *supra*.

#### *Tumor growth in vivo*

Effects of metastatic colorectal cancer-associated sequences on cell growth can be tested in transgenic or immune-suppressed mice. Knock-out transgenic mice can be made, in which the metastatic colorectal cancer gene is disrupted or in which a metastatic colorectal cancer gene is inserted. Knock-out transgenic mice can be made by insertion of a marker gene or other heterologous gene into the endogenous metastatic colorectal cancer gene site in the mouse genome via homologous recombination. Such mice can also be made by substituting the endogenous metastatic colorectal cancer gene with a mutated version of the metastatic colorectal cancer gene, or by mutating the endogenous metastatic colorectal cancer gene, e.g., by exposure to carcinogens.

10087080 "022702

A DNA construct is introduced into the nuclei of embryonic stem cells. Cells containing the newly engineered genetic lesion are injected into a host mouse embryo, which is re-implanted into a recipient female. Some of these embryos develop into chimeric mice that possess germ cells partially derived from the mutant cell line. Therefore, by breeding the chimeric mice it is possible to obtain a new line of mice containing the introduced genetic lesion (*see, e.g., Capecchi et al., Science* 244:1288 (1989)). Chimeric targeted mice can be derived according to Hogan *et al., Manipulating the Mouse Embryo: A Laboratory Manual*, Cold Spring Harbor Laboratory (1988) and *Teratocarcinomas and Embryonic Stem Cells: A Practical Approach*, Robertson, ed., IRL Press, Washington, D.C., (1987).

Alternatively, various immune-suppressed or immune-deficient host animals can be used. For example, genetically athymic "nude" mouse (*see, e.g., Giovanella et al., J. Natl. Cancer Inst.* 52:921 (1974)), a SCID mouse, a thymectomized mouse, or an irradiated mouse (*see, e.g., Bradley et al., Br. J. Cancer* 38:263 (1978); Selby *et al., Br. J. Cancer* 41:52 (1980)) can be used as a host. Transplantable tumor cells (typically about  $10^6$  cells) injected into isogenic hosts will produce invasive tumors in a high proportions of cases, while normal cells of similar origin will not. In hosts which developed invasive tumors, cells expressing a metastatic colorectal cancer-associated sequences are injected subcutaneously. After a suitable length of time, preferably 4-8 weeks, tumor growth is measured (e.g., by volume or by its two largest dimensions) and compared to the control. Tumors that have statistically significant reduction (using, e.g., Student's T test) are said to have inhibited growth. Additionally, human tumor cells expressing the genes of the invention may be injected into immune compromised animals. Growth of these tumors, or xenografts, is compared to growth of similar human tumor cell that do not express the genes of the invention. These animals may also be used to binding assays and efficacy studies for therapeutic compounds that modulate metastatic colorectal cancer, such as antibodies or small molecules.

### **Polynucleotide modulators of metastatic colorectal cancer**

#### *Antisense Polynucleotides*

In certain embodiments, the activity of a metastatic colorectal cancer-associated protein is downregulated, or entirely inhibited, by the use of antisense polynucleotide, i.e., a nucleic acid complementary to, and which can preferably hybridize specifically to, a coding mRNA nucleic acid sequence, e.g., a metastatic colorectal cancer

protein mRNA, or a subsequence thereof. Binding of the antisense polynucleotide to the mRNA reduces the translation and/or stability of the mRNA.

In the context of this invention, antisense polynucleotides can comprise naturally-occurring nucleotides, or synthetic species formed from naturally-occurring subunits or their close homologs. Antisense polynucleotides may also have altered sugar moieties or inter-sugar linkages. Exemplary among these are the phosphorothioate and other sulfur containing species which are known for use in the art. Analogs are comprehended by this invention so long as they function effectively to hybridize with the metastatic colorectal cancer protein mRNA. *See, e.g.,* Isis Pharmaceuticals, Carlsbad, CA; Sequitor, Inc., Natick, MA.

Such antisense polynucleotides can readily be synthesized using recombinant means, or can be synthesized *in vitro*. Equipment for such synthesis is sold by several vendors, including Applied Biosystems. The preparation of other oligonucleotides such as phosphorothioates and alkylated derivatives is also well known to those of skill in the art.

Antisense molecules as used herein include antisense or sense oligonucleotides. Sense oligonucleotides can, e.g., be employed to block transcription by binding to the anti-sense strand. The antisense and sense oligonucleotide comprise a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target mRNA (sense) or DNA (antisense) sequences for metastatic colorectal cancer molecules. A preferred antisense molecule is for a metastatic colorectal cancer sequence in Tables 1-26, or for a ligand or activator thereof. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment generally at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, e.g., Stein & Cohen (*Cancer Res.* 48:2659 (1988 and van der Krol *et al. (BioTechniques* 6:958 (1988)).

### *Ribozymes*

In addition to antisense polynucleotides, ribozymes can be used to target and inhibit transcription of metastatic colorectal cancer-associated nucleotide sequences. A ribozyme is an RNA molecule that catalytically cleaves other RNA molecules. Different kinds of ribozymes have been described, including group I ribozymes, hammerhead ribozymes, hairpin ribozymes, RNase P, and axhead ribozymes (*see, e.g.,* Castanotto *et al.,*

*Adv. in Pharmacology* 25: 289-317 (1994) for a general review of the properties of different ribozymes).

The general features of hairpin ribozymes are described, e.g., in Hampel *et al.*, *Nucl. Acids Res.* 18:299-304 (1990); European Patent Publication No. 0 360 257; U.S. Patent No. 5,254,678. Methods of preparing are well known to those of skill in the art (*see, e.g.*, WO 94/26877; Ojwang *et al.*, *Proc. Natl. Acad. Sci. USA* 90:6340-6344 (1993); Yamada *et al.*, *Human Gene Therapy* 1:39-45 (1994); Leavitt *et al.*, *Proc. Natl. Acad. Sci. USA* 92:699-703 (1995); Leavitt *et al.*, *Human Gene Therapy* 5:1151-120 (1994); and Yamada *et al.*, *Virology* 205: 121-126 (1994)).

Polynucleotide modulators of metastatic colorectal cancer may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell. Alternatively, a polynucleotide modulator of metastatic colorectal cancer may be introduced into a cell containing the target nucleic acid sequence, e.g., by formation of an polynucleotide-lipid complex, as described in WO 90/10448. It is understood that the use of antisense molecules or knock out and knock in models may also be used in screening assays as discussed above, in addition to methods of treatment.

Thus, in one embodiment, methods of modulating metastatic colorectal cancer in cells or organisms are provided. In one embodiment, the methods comprise administering to a cell an anti-metastatic colorectal cancer antibody that reduces or eliminates the biological activity of an endogenous metastatic colorectal cancer protein. Alternatively, the methods comprise administering to a cell or organism a recombinant nucleic acid encoding a metastatic colorectal cancer protein. This may be accomplished in any number of ways. In a preferred embodiment, e.g., when the metastatic colorectal cancer sequence is down-regulated in metastatic colorectal cancer, such state may be reversed by increasing the amount of metastatic colorectal cancer gene product in the cell. This can be accomplished, e.g., by overexpressing the endogenous metastatic colorectal cancer gene or administering a gene encoding the metastatic colorectal cancer sequence, using known gene-therapy techniques. In a preferred embodiment, the gene therapy techniques include the

incorporation of the exogenous gene using enhanced homologous recombination (EHR), e.g., as described in PCT/US93/03868, hereby incorporated by reference in its entirety.

Alternatively, e.g., when the metastatic colorectal cancer sequence is up-regulated in metastatic colorectal cancer, the activity of the endogenous metastatic colorectal cancer gene is decreased, e.g., by the administration of a metastatic colorectal cancer antisense nucleic acid.

In one embodiment, the metastatic colorectal cancer proteins of the present invention may be used to generate polyclonal and monoclonal antibodies to metastatic colorectal cancer proteins. Similarly, the metastatic colorectal cancer proteins can be coupled, using standard technology, to affinity chromatography columns. These columns may then be used to purify metastatic colorectal cancer antibodies useful for production, diagnostic, or therapeutic purposes. In a preferred embodiment, the antibodies are generated to epitopes unique to a metastatic colorectal cancer protein; that is, the antibodies show little or no cross-reactivity to other proteins. The metastatic colorectal cancer antibodies may be coupled to standard affinity chromatography columns and used to purify metastatic colorectal cancer proteins. The antibodies may also be used as blocking polypeptides, as outlined above, since they will specifically bind to the metastatic colorectal cancer protein.

#### **Methods of identifying variant metastatic colorectal cancer-associated sequences**

Without being bound by theory, expression of various metastatic colorectal cancer sequences is correlated with metastatic colorectal cancer. Accordingly, disorders based on mutant or variant metastatic colorectal cancer genes may be determined. In one embodiment, the invention provides methods for identifying cells containing variant metastatic colorectal cancer genes, e.g., determining all or part of the sequence of at least one endogenous metastatic colorectal cancer genes in a cell. This may be accomplished using any number of sequencing techniques. In a preferred embodiment, the invention provides methods of identifying the metastatic colorectal cancer genotype of an individual, e.g., determining all or part of the sequence of at least one metastatic colorectal cancer gene of the individual. This is generally done in at least one tissue of the individual, and may include the evaluation of a number of tissues or different samples of the same tissue. The method may include comparing the sequence of the sequenced metastatic colorectal cancer gene to a known metastatic colorectal cancer gene, i.e., a wild-type gene.

The sequence of all or part of the metastatic colorectal cancer gene can then be compared to the sequence of a known metastatic colorectal cancer gene to determine if any

10087080.022702  
differences exist. This can be done using any number of known homology programs, such as Bestfit, etc. In a preferred embodiment, the presence of a difference in the sequence between the metastatic colorectal cancer gene of the patient and the known metastatic colorectal cancer gene correlates with a disease state or a propensity for a disease state, as outlined  
5 herein.

In a preferred embodiment, the metastatic colorectal cancer genes are used as probes to determine the number of copies of the metastatic colorectal cancer gene in the genome.

10 In another preferred embodiment, the metastatic colorectal cancer genes are used as probes to determine the chromosomal localization of the metastatic colorectal cancer genes. Information such as chromosomal localization finds use in providing a diagnosis or prognosis in particular when chromosomal abnormalities such as translocations, and the like are identified in the metastatic colorectal cancer gene locus.

#### 15 **Administration of pharmaceutical and vaccine compositions**

In one embodiment, a therapeutically effective dose of a metastatic colorectal cancer protein or modulator thereof, is administered to a patient. By "therapeutically effective dose" herein is meant a dose that produces effects for which it is administered. The exact dose will depend on the purpose of the treatment, and will be ascertainable by one  
20 skilled in the art using known techniques (e.g., Ansel *et al.*, *Pharmaceutical Dosage Forms and Drug Delivery*; Lieberman, *Pharmaceutical Dosage Forms* (vols. 1-3, 1992), Dekker, ISBN 0824770846, 082476918X, 0824712692, 0824716981; Lloyd, *The Art, Science and Technology of Pharmaceutical Compounding* (1999); and Pickar, *Dosage Calculations* (1999)). As is known in the art, adjustments for metastatic colorectal cancer degradation,  
25 systemic versus localized delivery, and rate of new protease synthesis, as well as the age, body weight, general health, sex, diet, time of administration, drug interaction and the severity of the condition may be necessary, and will be ascertainable with routine experimentation by those skilled in the art.

A "patient" for the purposes of the present invention includes both humans  
30 and other animals, particularly mammals. Thus the methods are applicable to both human therapy and veterinary applications. In the preferred embodiment the patient is a mammal, preferably a primate, and in the most preferred embodiment the patient is human.

The administration of the metastatic colorectal cancer proteins and modulators thereof of the present invention can be done in a variety of ways as discussed above,

including, but not limited to, orally, subcutaneously, intravenously, intranasally, transdermally, intraperitoneally, intramuscularly, intrapulmonary, vaginally, rectally, or intraocularly. In some instances, e.g., in the treatment of wounds and inflammation, the metastatic colorectal cancer proteins and modulators may be directly applied as a solution or spray.

The pharmaceutical compositions of the present invention comprise a metastatic colorectal cancer protein in a form suitable for administration to a patient. In the preferred embodiment, the pharmaceutical compositions are in a water soluble form, such as being present as pharmaceutically acceptable salts, which is meant to include both acid and base addition salts. "Pharmaceutically acceptable acid addition salt" refers to those salts that retain the biological effectiveness of the free bases and that are not biologically or otherwise undesirable, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid and the like, and organic acids such as acetic acid, propionic acid, glycolic acid, pyruvic acid, oxalic acid, maleic acid, malonic acid, succinic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, p-toluenesulfonic acid, salicylic acid and the like. "Pharmaceutically acceptable base addition salts" include those derived from inorganic bases such as sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts and the like. Particularly preferred are the ammonium, potassium, sodium, calcium, and magnesium salts. Salts derived from pharmaceutically acceptable organic non-toxic bases include salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, and ethanolamine.

The pharmaceutical compositions may also include one or more of the following: carrier proteins such as serum albumin; buffers; fillers such as microcrystalline cellulose, lactose, corn and other starches; binding agents; sweeteners and other flavoring agents; coloring agents; and polyethylene glycol.

The pharmaceutical compositions can be administered in a variety of unit dosage forms depending upon the method of administration. For example, unit dosage forms suitable for oral administration include, but are not limited to, powder, tablets, pills, capsules and lozenges. It is recognized that metastatic colorectal cancer protein modulators (e.g., antibodies, antisense constructs, ribozymes, small organic molecules, etc.) when administered orally, should be protected from digestion. It is also recognized that, after delivery to other



10087080.022702  
20220.0802001

sites in the body (e.g., circulatory system, lymphatic system, or the tumor site) the metastatic colorectal cancer modulators of the invention may need to be protected from excretion, hydrolysis, proteolytic digestion or modification, or detoxification by the liver. In all these cases, protection is typically accomplished either by complexing the molecule(s) with a composition to render it resistant to acidic and enzymatic hydrolysis, or by packaging the molecule(s) in an appropriately resistant carrier, such as a liposome or a protection barrier or by modifying the molecular size, weight, and/or charge of the modulator. Means of protecting agents from digestion degradation, and excretion are well known in the art.

The compositions for administration will commonly comprise a metastatic colorectal cancer protein modulator dissolved in a pharmaceutically acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers can be used, e.g., buffered saline and the like. These solutions are sterile and generally free of undesirable matter. These compositions may be sterilized by conventional, well known sterilization techniques. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions such as pH adjusting and buffering agents, toxicity adjusting agents and the like, e.g., sodium acetate, sodium chloride, potassium chloride, calcium chloride, sodium lactate and the like. The concentration of active agent in these formulations can vary widely, and will be selected primarily based on fluid volumes, viscosities, body weight and the like in accordance with the particular mode of administration selected and the patient's needs (e.g., *Remington's Pharmaceutical Science* (15th ed., 1980) and Goodman & Gillman, *The Pharmacological Basis of Therapeutics* (Hardman *et al.*, eds., 1996)).

Thus, a typical pharmaceutical composition for intravenous administration would be about 0.1 to 10 mg per patient per day. Dosages from 0.1 up to about 100 mg per patient per day may be used, particularly when the drug is administered to a secluded site and not into the blood stream, such as into a body cavity or into a lumen of an organ. Substantially higher dosages are possible in topical administration. Actual methods for preparing parenterally administrable compositions will be known or apparent to those skilled in the art, e.g., *Remington's Pharmaceutical Science* and Goodman and Gillman, *The Pharmacological Basis of Therapeutics, supra*.

The compositions containing modulators of metastatic colorectal cancer proteins can be administered for therapeutic or prophylactic treatments. In therapeutic applications, compositions are administered to a patient suffering from a disease (e.g., a cancer) in an amount sufficient to cure or at least partially arrest the disease and its

complications. An amount adequate to accomplish this is defined as a "therapeutically effective dose." Amounts effective for this use will depend upon the severity of the disease and the general state of the patient's health. Single or multiple administrations of the compositions may be administered depending on the dosage and frequency as required and tolerated by the patient. In any event, the composition should provide a sufficient quantity of the agents of this invention to effectively treat the patient. An amount of modulator that is capable of preventing or slowing the development of cancer in a mammal is referred to as a "prophylactically effective dose." The particular dose required for a prophylactic treatment will depend upon the medical condition and history of the mammal, the particular cancer being prevented, as well as other factors such as age, weight, gender, administration route, efficiency, etc. Such prophylactic treatments may be used, e.g., in a mammal who has previously had cancer to prevent a recurrence of the cancer, or in a mammal who is suspected of having a significant likelihood of developing cancer.

It will be appreciated that the present metastatic colorectal cancer protein-modulating compounds can be administered alone or in combination with additional metastatic colorectal cancer modulating compounds or with other therapeutic agent, e.g., other anti-cancer agents or treatments.

In numerous embodiments, one or more nucleic acids, e.g., polynucleotides comprising nucleic acid sequences set forth in Tables 1-26, such as antisense polynucleotides or ribozymes, will be introduced into cells, *in vitro* or *in vivo*. The present invention provides methods, reagents, vectors, and cells useful for expression of metastatic colorectal cancer-associated polypeptides and nucleic acids using *in vitro* (cell-free), *ex vivo* or *in vivo* (cell or organism-based) recombinant expression systems.

The particular procedure used to introduce the nucleic acids into a host cell for expression of a protein or nucleic acid is application specific. Many procedures for introducing foreign nucleotide sequences into host cells may be used. These include the use of calcium phosphate transfection, spheroplasts, electroporation, liposomes, microinjection, plasma vectors, viral vectors and any of the other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (*see, e.g.,* Berger & Kimmel, *Guide to Molecular Cloning Techniques, Methods in Enzymology* volume 152 (Berger), Ausubel *et al.*, eds., *Current Protocols* (supplemented through 1999), and Sambrook *et al.*, *Molecular Cloning - A Laboratory Manual* (2nd ed., Vol. 1-3, 1989).

In a preferred embodiment, metastatic colorectal cancer proteins and modulators are administered as therapeutic agents, and can be formulated as outlined above.

Similarly, metastatic colorectal cancer genes (including both the full-length sequence, partial sequences, or regulatory sequences of the metastatic colorectal cancer coding regions) can be administered in a gene therapy application. These metastatic colorectal cancer genes can include antisense applications, either as gene therapy (i.e., for incorporation into the genome) or as antisense compositions, as will be appreciated by those in the art.

Metastatic colorectal cancer polypeptides and polynucleotides can also be administered as vaccine compositions to stimulate HTL, CTL and antibody responses.. Such vaccine compositions can include, e.g., lipidated peptides (*see, e.g., Vitiello, et al., J. Clin. Invest.* 95:341 (1995)), peptide compositions encapsulated in poly(DL-lactide-co-glycolide) ("PLG") microspheres (*see, e.g., Eldridge, et al., Molec. Immunol.* 28:287-294, (1991); Alonso *et al., Vaccine* 12:299-306 (1994); Jones *et al., Vaccine* 13:675-681 (1995)), peptide compositions contained in immune stimulating complexes (ISCOMS) (*see, e.g., Takahashi et al., Nature* 344:873-875 (1990); Hu *et al., Clin Exp Immunol.* 113:235-243 (1998)), multiple antigen peptide systems (MAPs) (*see, e.g., Tam, Proc. Natl. Acad. Sci. U.S.A.* 85:5409-5413 (1988); Tam, *J. Immunol. Methods* 196:17-32 (1996)), peptides formulated as multivalent peptides; peptides for use in ballistic delivery systems, typically crystallized peptides, viral delivery vectors (Perkus, *et al., In: Concepts in vaccine development* (Kaufmann, ed., p. 379, 1996); Chakrabarti, *et al., Nature* 320:535 (1986); Hu *et al., Nature* 320:537 (1986); Kieny, *et al., AIDS Bio/Technology* 4:790 (1986); Top *et al., J. Infect. Dis.* 124:148 (1971); Chanda *et al., Virology* 175:535 (1990)), particles of viral or synthetic origin (*see, e.g., Kofler et al., J. Immunol. Methods.* 192:25 (1996); Eldridge *et al., Sem. Hematol.* 30:16 (1993); Falo *et al., Nature Med.* 7:649 (1995)), adjuvants (Warren *et al., Annu. Rev. Immunol.* 4:369 (1986); Gupta *et al., Vaccine* 11:293 (1993)), liposomes (Reddy *et al., J. Immunol.* 148:1585 (1992); Rock, *Immunol. Today* 17:131 (1996)), or, naked or particle absorbed cDNA (Ulmer, *et al., Science* 259:1745 (1993); Robinson *et al., Vaccine* 11:957 (1993); Shiver *et al., In: Concepts in vaccine development* (Kaufmann, ed., p. 423, 1996); Cease & Berzofsky, *Annu. Rev. Immunol.* 12:923 (1994) and Eldridge *et al., Sem. Hematol.* 30:16 (1993)). Toxin-targeted delivery technologies, also known as receptor mediated targeting, such as those of Avant Immunotherapeutics, Inc. (Needham, Massachusetts) may also be used.

Vaccine compositions often include adjuvants. Many adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Certain adjuvants are commercially available as, e.g., Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit,

MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF, interleukin-2, -7, -12, and other like growth factors, may also be used as adjuvants.

Vaccines can be administered as nucleic acid compositions wherein DNA or RNA encoding one or more of the polypeptides, or a fragment thereof, is administered to a patient. This approach is described, for instance, in Wolff *et al.*, *Science* 247:1465 (1990) as well as U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; WO 98/04720; and in more detail below. Examples of DNA-based delivery technologies include "naked DNA", facilitated (bupivacaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (*see, e.g.*, U.S. Patent No. 5,922,687).

For therapeutic or prophylactic immunization purposes, the peptides of the invention can be expressed by viral or bacterial vectors. Examples of expression vectors include attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of vaccinia virus, *e.g.*, as a vector to express nucleotide sequences that encode metastatic colorectal cancer polypeptides or polypeptide fragments. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, *e.g.*, U.S. Patent No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover *et al.*, *Nature* 351:456-460 (1991). A wide variety of other vectors useful for therapeutic administration or immunization *e.g.*, adeno and adeno-associated virus vectors, retroviral vectors, *Salmonella typhi* vectors, detoxified anthrax toxin vectors, and the like, will be apparent to those skilled in the art from the description herein (*see, e.g.*, Shata *et al.*, *Mol Med Today* 6:66-71 (2000); Shedlock *et al.*, *J Leukoc Biol* 68:793-806 (2000); Hipp *et al.*, *In Vivo* 14:571-85 (2000)).

Methods for the use of genes as DNA vaccines are well known, and include placing a metastatic colorectal cancer gene or portion of a metastatic colorectal cancer gene under the control of a regulatable promoter or a tissue-specific promoter for expression in a metastatic colorectal cancer patient. The metastatic colorectal cancer gene used for DNA vaccines can encode full-length metastatic colorectal cancer proteins, but more preferably

encodes portions of the metastatic colorectal cancer proteins including peptides derived from the metastatic colorectal cancer protein. In one embodiment, a patient is immunized with a DNA vaccine comprising a plurality of nucleotide sequences derived from a metastatic colorectal cancer gene. For example, metastatic colorectal cancer-associated genes or  
5 sequence encoding subfragments of a metastatic colorectal cancer protein are introduced into expression vectors and tested for their immunogenicity in the context of Class I MHC and an ability to generate cytotoxic T cell responses. This procedure provides for production of cytotoxic T cell responses against cells which present antigen, including intracellular epitopes.

10 In a preferred embodiment, the DNA vaccines include a gene encoding an adjuvant molecule with the DNA vaccine. Such adjuvant molecules include cytokines that increase the immunogenic response to the metastatic colorectal cancer polypeptide encoded by the DNA vaccine. Additional or alternative adjuvants are available.

15 In another preferred embodiment metastatic colorectal cancer genes find use in generating animal models of metastatic colorectal cancer. When the metastatic colorectal cancer gene identified is repressed or diminished in metastatic tissue, gene therapy technology, e.g., wherein antisense RNA directed to the metastatic colorectal cancer gene will also diminish or repress expression of the gene. Animal models of metastatic colorectal cancer find use in screening for modulators of a metastatic colorectal cancer-associated  
20 sequence or modulators of metastatic colorectal cancer. Similarly, transgenic animal technology including gene knockout technology, e.g., as a result of homologous recombination with an appropriate gene targeting vector, will result in the absence or increased expression of the metastatic colorectal cancer protein. When desired, tissue-specific expression or knockout of the metastatic colorectal cancer protein may be necessary.

25 It is also possible that the metastatic colorectal cancer protein is overexpressed in metastatic colorectal cancer. As such, transgenic animals can be generated that overexpress the metastatic colorectal cancer protein. Depending on the desired expression level, promoters of various strengths can be employed to express the transgene. Also, the number of copies of the integrated transgene can be determined and compared for a  
30 determination of the expression level of the transgene. Animals generated by such methods find use as animal models of metastatic colorectal cancer and are additionally useful in screening for modulators to treat metastatic colorectal cancer.

## Kits for Use in Diagnostic and/or Prognostic Applications

For use in diagnostic, research, and therapeutic applications suggested above, kits are also provided by the invention. In the diagnostic and research applications such kits may include any or all of the following: assay reagents, buffers, metastatic colorectal cancer-specific nucleic acids or antibodies, hybridization probes and/or primers, antisense polynucleotides, ribozymes, dominant negative metastatic colorectal cancer polypeptides or polynucleotides, small molecules inhibitors of metastatic colorectal cancer-associated sequences etc. A therapeutic product may include sterile saline or another pharmaceutically acceptable emulsion and suspension base.

In addition, the kits may include instructional materials containing directions (i.e., protocols) for the practice of the methods of this invention. While the instructional materials typically comprise written or printed materials they are not limited to such. Any medium capable of storing such instructions and communicating them to an end user is contemplated by this invention. Such media include, but are not limited to electronic storage media (e.g., magnetic discs, tapes, cartridges, chips), optical media (e.g., CD ROM), and the like. Such media may include addresses to internet sites that provide such instructional materials.

The present invention also provides for kits for screening for modulators of metastatic colorectal cancer-associated sequences. Such kits can be prepared from readily available materials and reagents. For example, such kits can comprise one or more of the following materials: a metastatic colorectal cancer-associated polypeptide or polynucleotide, reaction tubes, and instructions for testing metastatic colorectal cancer-associated activity. Optionally, the kit contains biologically active metastatic colorectal cancer protein. A wide variety of kits and components can be prepared according to the present invention, depending upon the intended user of the kit and the particular needs of the user. Diagnosis would typically involve evaluation of a plurality of genes or products. The genes will be selected based on correlations with important parameters in disease which may be identified in historical or outcome data.

# Table 1

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title

5

10

15

20

25

30

35

40

45

50

55

60

65

70

Pkey	ExAccn	UnigeneID	Unigene Title	Ratio BS_Mets	Top 3 expressing cell lines
103989	AA314779	Hs.105484	ESTs; Weakly similar to LITHOSTATHINE 1	15.77	EB_cells, HT29_cells, HMEC
101169	L15533	Hs.423	pancreatitis-associated protein	11.98	HMEC (total RNA), Fibroblasts 2, Fibroblasts 2
101880	M97925	Hs.72887	defensin; alpha 5; Paneth cell-specific	9.24	Fibroblasts 2, MB231_cells, MB-MDA-453
129462	D84239	Hs.111732	IgG Fc binding protein	8.57	EB_cells, OVCAR_cells, HS578T_cells
131676	C20785	Hs.30514	ESTs	7.43	HMEC (total RNA), HMEC, Fibroblasts 2
131861	D11925	Hs.184245	KIAA0929 protein Msx2 interacting nuclea	7.15	HMEC, HMEC (total RNA), Fibroblasts 2
118823	N79237	Hs.50813	ESTs; Weakly similar to long chain fatty	6.72	HMEC, HMEC (total RNA), Lu_AD_H23
101107	L08010	Hs.4158	regenerating islet-derived 1 beta (pancr	6.33	BT474_cells, Fibroblasts 2, MB231_cells
103466	Y00339	Hs.155097	carbonic anhydrase II	6.18	OVCAR_cells, MCF7, 293T_cells
102306	U33317	Hs.711	defensin; alpha 6; Paneth cell-specific	5.67	Fibroblasts 2, HMEC, HT29_cells
126419	AA451775	Hs.129064	H sapiens chromosome 19; cosmid F22162	5.14	HS578T_cells, HMEC (total RNA), HMEC
101198	L21998	Hs.315	mucin 2; intestinal/tracheal	5.1	EB_cells, HT29_cells, MB231_cells
107652	AA010195	Hs.52642	ESTs; Weakly similar to !!!! ALU CLASS F	4.94	HMEC (total RNA), HMEC, EB_cells
128145	A1498467	Hs.166669	ESTs; Weakly similar to sodium bicarbona	4.77	HS578T_cells, HMEC, Lu_SC_H520
110660	H82117	Hs.28043	ESTs	4.54	HMEC, HS578T_cells, BT474_cells
111669	R19305	Hs.110347	H sapiens mRNA for alpha integrin bindin	4.52	HMEC, HS578T_cells, Caco2
124867	R68971	Hs.168500	ESTs	4.5	HMEC, HMEC (total RNA), HS578T_cells
127352	AA416577	Hs.189105	ESTs	4.41	HMEC, HMEC (total RNA), MB-MDA-435s
130736	T99385	Hs.18646	EST	4.29	HMEC, EB_cells, HMEC (total RNA)
128592	AA470056	Hs.113994	ESTs; Weakly similar to alternatively sp	4.18	HMEC (total RNA), HMEC, Fibroblasts 2
108092	AA045961	Hs.169355	ESTs; Weakly similar to TRANSCRIPTION RE	4.03	4.04 HMEC (total RNA), HMEC, Fibroblasts 2
133373	S72487	Hs.73946	endothelial cell growth factor 1 (platelet	4.03	EB_cells, HMEC, HMEC (total RNA)
100572	HG2271		Profilaggrin	4.02	HMEC (total RNA), HMEC, Fibroblasts 2
115775	AA424030	Hs.46627	ESTs	4.01	HMEC, HMEC (total RNA), EB_cells
120811	AA346854	Hs.52788	fragile X mental retardation; autosomal	3.98	HMEC (total RNA), HMEC, Fibroblasts 2
111919	R39926	Hs.21031	ESTs	3.97	EB_cells, HMEC (total RNA), HMEC
117009	H85422	Hs.108556	ESTs	3.89	HMEC (total RNA), HMEC, Fibroblasts 2
101124	L10343	Hs.112341	protease inhibitor 3; skin-derived (SKAL	3.88	PC3_cells, RPWE_2, Caco2
106151	AA424958	Hs.33735	ESTs	3.88	EB_cells, HMEC, HMEC (total RNA)
134733	U03644	Hs.89421	CBF1 interacting corepressor	3.87	EB_cells, HMEC, HMEC (total RNA)
131739	AA449749	Hs.31386	ESTs; Highly similar to secreted apoptos	3.84	HS578T_cells, MB-MDA-435s, HT29_cells
116311	AA490469	Hs.48752	ESTs	3.83	HS578T_cells, HMEC, LNCaP_cells
134174	U05259	Hs.79630	CD79A antigen (immunoglobulin-associated	3.82	DU145_cells, Lu_AD_H23, MB231_cells
106753	AA476944	Hs.7331	ESTs	3.78	LNCaP_cells, Lu_SC_H345, DU145_cells
104842	AA039854	Hs.8065	H sapiens mRNA full length insert cDNA c	3.75	HS578T_cells, A549_cells, CALU6_cells
129161	N27334	Hs.181780	ESTs	3.75	HMEC (total RNA), HMEC, BT474_cells
105675	AA284767	Hs.252808	ESTs; Highly similar to pulmonary surfac	3.75	293T_cells, PRSC_con, HT29_cells
100547	HG2149		Mucin (Gb:M57417)	3.73	HMEC (total RNA), HMEC, Fibroblasts 2
116857	H65841	Hs.186550	ESTs	3.7	HS578T_cells, 293T_cells, HMEC
113222	T59670	Hs.10615	ESTs	3.68	HMEC, HS578T_cells, Caco2
118768	N74467	Hs.94304	EST	3.66	HMEC, HS578T_cells, OVCAR_cells
114542	AA055768	Hs.122576	ESTs	3.62	EB_cells, MCF7, LNCaP_cells
101640	M58459	Hs.180911	ribosomal protein S4; Y-linked	3.6	DU145_cells, RPWE_2, A549_cells
107754	AA017462	Hs.187571	ESTs	3.58	HMEC (total RNA), Fibroblasts 2, Fibroblasts 2
104668	AA007312	Hs.183852	ESTs; Weakly similar to polymerase [H.sa	3.56	HMEC (total RNA), HMEC, Fibroblasts 2
135377	C21382	Hs.99766	H sapiens mRNA; cDNA DKFZp564J0323 (from	3.53	3.56 HMEC, HMEC (total RNA), EB_cells
127083	Z44079	Hs.91608	otoferlin	3.51	HMEC (total RNA), HMEC, Fibroblasts 2
102329	U35407	Hs.158084	peroxisome receptor 1	3.47	HMEC, HMEC (total RNA), EB_cells
117882	N50101	Hs.124724	ESTs; Weakly similar to coded for by C.	3.46	HMEC (total RNA), HMEC, EB_cells
126405	U46278	Hs.122489	ESTs	3.45	LNCaP_cells, MCF7, DU145_cells
131378	AA463886	Hs.203910	small glutamine-rich tetratricopeptide r	3.43	EB_cells, HMEC, HMEC (total RNA)
111418	R01084	Hs.19081	ESTs	3.4	HS578T_cells, EB_cells, Lu_AD_H23
135398	AA194075	Hs.99908	nuclear receptor coactivator 4	3.4	HS578T_cells, EB_cells, HMEC
108710	AA121960		zm24g9.s1 Stratagene pancreas (#93728) H	3.4	EB_cells, HMEC, HMEC (total RNA)
105437	AA252191	Hs.25199	ESTs; Highly similar to match to ESTs AA	3.38	EB_cells, LNCaP_cells, RPWE_2
103448	X99133	Hs.204238	lipocalin 2 (oncogene 24p3)	3.37	PC3_cells, EB_cells, HT29_cells
130436	M84526	Hs.155597	D component of complement (adipsin)	3.36	PRSC_con, EB_cells, Lu_AD_H23
112309	R55021		yj76d5.s1 Soares breast 2NbHBst H sapien	3.35	EB_cells, HMEC, HMEC (total RNA)
103211	X73079	Hs.205126	polymeric immunoglobulin receptor	3.21	MB231_cells, HT29_cells, Lu_SC_H69
109012	AA156576	Hs.191466	ESTs	3.19	EB_cells, HMEC, HMEC (total RNA)
129989	AF005887	Hs.247433	activating transcription factor 6	3.18	HMEC (total RNA), HMEC, Lu_AD_H23
113466	T86945	Hs.16304	ESTs	3.18	HMEC, MB231_cells, Caco2
103029	X54489	Hs.789	GRO1 oncogene (melanoma growth stimulati	3.16	Lu_LC_H460, PC3_cells, Fibroblasts 2

	109374	AA218727	Hs.210785	ESTs; Highly similar to Ibd1 [H.sapiens]	3.13	Caco2, A549_cells, MB231_cells
	131403	R55750	Hs.26455	ESTs	3.13	HS578T_cells, HMEC, MB231_cells
	113420	T83964	Hs.15400	ESTs	3.11	HMEC (total RNA), HMEC, EB_cells
	112532	R69824	Hs.28313	ESTs	3.11	HMEC, HMEC (total RNA), EB_cells
5	117905	N50782	Hs.231713	EST	3.11	HMEC, HS578T_cells, Caco2
	125349	T87826	Hs.164480	ESTs	3.1	HS578T_cells, EB_cells, MB-MDA-435s
	107072	AA609113	Hs.177533	H sapiens mRNA; cDNA DKFZp586N0318 (from	3.1	Lu_SC_H69, MB-MDA-453, MB231_cells
	118389	N64583	Hs.182385	ESTs	3.05	HMEC, HMEC, LNCaP_cells
	117653	N38970	Hs.194214	ESTs	3.04	HMEC, HMEC (total RNA), Fibroblasts 2
10	101082	L05072	Hs.80645	interferon regulatory factor 1	3.04	EB_cells, PRSC_con, DU145_cells
	126105	H75323	Hs.167614	ESTs	3.03	HS578T_cells, HMEC (total RNA), HMEC
	120006	W90108	Hs.10848	KIAA0187 gene product	3.03	HMEC, HMEC (total RNA), EB_cells
	127191	AA297581		EST113160 Gall bladder I H sapiens cDNA	3.02	HMEC, Lu_AD_H23, Lu_SC_H520
	106899	AA490107	Hs.21753	JM5 protein	3.02	EB_cells, HMEC (total RNA), HMEC
15	112784	R96306	Hs.191290	ESTs	3.02	EB_cells, HMEC, Lu_AD_358
	113613	T93337	Hs.17167	ESTs; Highly similar to LRR FLI-I intera	3.02	HMEC (total RNA), EB_cells, HMEC
	107631	AA007230	Hs.95026	ESTs	3.02	Lu_SC_H345, HS578T_cells, Lu_LC_H460
	101923	S75256		HNL=neutrophil lipocalin [human, ovarian	3.01	PC3_cells, EB_cells, HT29_cells
	100695	HG315T		Beta-1-Glycoprotein 11, Pregnancy-Specif	3.01	Fibroblasts 2, Lu_AD_H23, MB-MDA-435s
20	102523	U53445	Hs.15432	downregulated in ovarian cancer 1	2.98	PRSC_con, Fibroblasts 2, HMEC
	121588	AA416615	Hs.98242	ESTs	2.94	HMEC, HS578T_cells, BT474_cells
	103714	AA047055	Hs.192943	ESTs	2.94	HS578T_cells, EB_cells, HMEC
	104916	AA056588	Hs.16542	ESTs	2.93	HMEC (total RNA), Fibroblasts 2, HMEC
	109928	H05961	Hs.26331	ESTs	2.92	HMEC, MB231_cells, HS578T_cells
25	104586	R78309	Hs.20787	ESTs	2.92	Caco2, Lu_AD_358, Lu_AD_358
	101236	L29433	Hs.47913	coagulation factor X	2.91	HMEC, HS578T_cells, Caco2
	134749	L10955	Hs.89485	carbonic anhydrase IV	2.9	BT474_cells, MCF7, HMEC (total RNA)
	124703	R07294	Hs.109108	solute carrier family 22 (organic cation	2.9	HMEC, HMEC (total RNA), MB-MDA-435s
	114108	Z38431	Hs.27038	ESTs; Moderately similar to X-linked ret	2.89	HMEC, HMEC (total RNA), EB_cells
30	107857	AA024687	Hs.61208	ESTs	2.88	HS578T_cells, MB231_cells, HMEC
	111586	R10759	Hs.15177	ESTs	2.88	HS578T_cells, Lu_LC_H460, PRSC_con
	127553	AA282433		H sapiens p60 katanin mRNA; complete cds	2.87	EB_cells, MB-MDA-435s, RPWE_2
	129881	AA458952	Hs.197728	ESTs; Weakly similar to ZINC FINGER PROT	2.86	EB_cells, PC3_cells, HMEC
	116852	H65459	Hs.38323	ESTs	2.85	HMEC, Caco2, HS578T_cells
35	133468	X03068	Hs.73931	major histocompatibility complex; class	2.82	MB-MDA-435s, BT474_cells, HT29_cells
	130998	C00810	Hs.21970	guanine nucleotide binding protein (G pr	2.82	LNCaP_cells, Lu_SC_H345, EB_cells
	124075	H05741	Hs.101643	ESTs	2.82	HMEC, HS578T_cells, HT29_cells
	128108	A1247422	Hs.129966	ESTs	2.82	HS578T_cells, Lu_LC_H460, Lu_SC_H69
40	128096	R15413	Hs.164919	ESTs; Highly similar to PROTEIN KINASE C	2.8	MB231_cells, Lu_AD_H23, RPWE_2
	126619	Z28861		HSBA7E032 STRATAGENE Human skeletal musc		
				cDNA clone A7E03, mRNA seq.	2.77	HMEC, Lu_AD_H23, HMEC (total RNA)
	114418	AA011383	Hs.177313	ESTs	2.77	HS578T_cells, EB_cells, MCF7
	120383	AA228030	Hs.120234	ESTs	2.77	EB_cells, Fibroblasts 2, HMEC (total RNA)
	126535	H73017	Hs.250723	ESTs; Weakly similar to atrophin-1 relat	2.76	Fibroblasts 2, PRSC_con, DU145_cells
45	119347	T64349		yc10d08.s1 Stratagene lung (#937210) H s	2.76	EB_cells, Lu_AD_H23, Lu_SC_H69
	126219	N36368	Hs.141438	ESTs; Moderately similar to similar to C	2.76	Lu_AD_H23, HMEC (total RNA), MB-MDA-435s
	125426	R43963	Hs.169355	ESTs; Weakly similar to TRANSCRIPTION RE	2.75	HMEC, HMEC (total RNA), Lu_SC_H69
	103005	X52008	Hs.2700	glycine receptor; alpha 2	2.74	HS578T_cells, HMEC, MB-MDA-453
	109170	AA180352	Hs.191472	ESTs	2.74	Fibroblasts 2, HMEC (total RNA), MB-MDA-435s
50	101125	L10373	Hs.82749	transmembrane 4 superfamily member 2	2.73	Lu_LC_H460, 293T_cells, EB_cells
	130656	Z20481	Hs.17411	KIAA0699 protein	2.73	HMEC (total RNA), HMEC, Fibroblasts 2
	122933	AA476728	Hs.107537	ESTs	2.72	HMEC, EB_cells, HMEC (total RNA)
	126033	AA055978	Hs.3807	ESTs; Weakly similar to PHOSPHOLEMMAN PR	2.71	2.71 Lu_SC_H345, Lu_SC_H69, 293T_cells
55	111644	R16539	Hs.223649	EST; Moderately similar to Cd-7 Metallo	2.71	EB_cells, HMEC, HMEC (total RNA)
	133719	AA033790	Hs.75736	apolipoprotein D	2.71	Caco2, Fibroblasts 2, MB-MDA-435s
	127555	AA582324	Hs.192857	ESTs	2.7	HMEC, HS578T_cells, HMEC (total RNA)
	113321	T70580	Hs.13759	ESTs	2.69	HMEC (total RNA), Fibroblasts 2, PRSC_con
	109326	AA210719	Hs.86414	ESTs	2.68	MB-MDA-435s, HS578T_cells, Lu_SC_H69
	135003	H42527	Hs.92832	ESTs	2.68	HS578T_cells, EB_cells, PRSC_con
60	103650	Z70220		H.sapiens mRNA for 5'UTR for unknown pro	2.68	HMEC, HS578T_cells, PRSC_con
	111507	R07728	Hs.191218	ESTs	2.67	HMEC (total RNA), HMEC, EB_cells
	117084	H93081	Hs.41829	ESTs	2.67	HS578T_cells, HMEC, MB231_cells
	103975	AA306264	Hs.176403	ESTs; Moderately similar to !!!! ALU SUB	2.67	DU145_cells, HS578T_cells, MB-MDA-435s
	132850	R89741	Hs.58215	ESTs; Moderately similar to rhotekin [M.	2.66	HS578T_cells, EB_cells, 293T_cells
65	121599	AA416770	Hs.98255	EST	2.61	HMEC (total RNA), HMEC, EB_cells
	124230	H63111	Hs.6655	ESTs	2.6	HMEC (total RNA), HMEC, Fibroblasts 2
	114174	Z39055	Hs.27264	ESTs; Moderately similar to !!!! ALU SUB	2.58	Caco2, MB-MDA-453, A549_cells
	128469	T23724	Hs.258677	EST	2.57	Lu_LC_H460, Lu_SC_H69, MB-MDA-435s
	117399	N26480	Hs.43805	lipoma HMGIC fusion partner-like 3	2.57	HMEC, HMEC (total RNA), EB_cells
70	129279	AA460551	Hs.184860	ESTs; Weakly similar to EG:87B1.6 [D.mel	2.57	HS578T_cells, EB_cells, HT29_cells
	119817	W74257	Hs.159690	ESTs	2.57	HMEC, HMEC (total RNA), Lu_SC_H69
	114445	AA019594	Hs.250493	ESTs; Weakly similar to KIAA0390 [H.sapi	2.56	HMEC, HT29_cells, Lu_LC_H460
	120651	AA287286	Hs.99657	ESTs	2.55	HMEC, HMEC (total RNA), Fibroblasts 2
	105707	AA291012	Hs.37617	ESTs; Weakly similar to KIAA0727 protein	2.55	HMEC (total RNA), EB_cells, BT474_cells
75	128483	T58588	Hs.5148	FLN29 gene product	2.54	HMEC, HS578T_cells, MB231_cells
	125890	AA448739	Hs.116708	ESTs; Weakly similar to HYPOTHETICAL PRO		2.54 HMEC (total RNA), HMEC, OVCAR_cells



5	134764	M74715	Hs.89560	iduronidase; alpha-L-	2.54	BT474_cells, PRSC_con, HT29_cells
	113404	T82323	Hs.70337	immunoglobulin superfamily; member 4	2.54	Caco2, HS578T_cells, HMEC
	129128	AA423854	Hs.108812	ESTs	2.54	BT474_cells, MB-MDA-435s, HMEC
	101428	M19684	Hs.184929	protease inhibitor 1 (alpha-1-antitrypsi	2.54	HMEC, HT29_cells, HMEC (total RNA)
	103206	X72755	Hs.77367	monokine induced by gamma interferon	2.53	Fibroblasts 2, MB231_cells, HMEC (total RNA)
	132273	AA489716	Hs.43658	DKFZP586L151 protein	2.53	EB_cells, HMEC, HMEC (total RNA)
	108392	AA075124		zm86a1.s1 Stratagene ovarian cancer (#93		
				IMAGE:544776 3', mRNA seq	2.52	HMEC (total RNA), HMEC, HS578T_cells
10	119508	W37895	Hs.45519	ESTs	2.52	Lu_SC_H69, CALU6_cells, 293T_cells
	109828	F13763	Hs.19827	ESTs	2.52	PRSC_log, PRSC_con, HS578T_cells
	135096	N89775	Hs.132390	zinc finger protein 36 (KOX 18)	2.51	HMEC, HS578T_cells, HT29_cells
	130860	U66061	Hs.241395	protease; serine; 1 (trypsin 1)	2.51	OVCAR_cells, MB231_cells, PC3_cells
	105725	AA292228	Hs.199791	STAT induced STAT inhibitor 3	2.51	HS578T_cells, HT29_cells, HMEC
	110427	H48579	Hs.36275	EST	2.51	HS578T_cells, Caco2, Lu_LC_H460
15	123762	AA610013	Hs.244553	EST	2.51	HMEC (total RNA), HMEC, Fibroblasts 2
	126406	AA034096		zi06f05.r1 Soares_fetal_liver_spleen_1NF		
				IMAGE:430017 5', mRNA seq.	2.5	Lu_AD_H23, HS578T_cells, Lu_AD_358
	129751	AA346065	Hs.111286	KIAA0714 protein	2.5	HMEC, HS578T_cells, Fibroblasts 2
20	121704	AA418743	Hs.98306	ESTs	2.5	EB_cells, HMEC (total RNA), HMEC
	112595	R77783	Hs.22404	protease; serine; 12 (neurotrypsin; moto	2.5	Fibroblasts 2, EB_cells, PRSC_con
	108499	AA083103		zn1b12.s1 Stratagene hNT neuron (#937233		
				IMAGE:5477 3', mRNA seq	2.5	LNCaP_cells, MB-MDA-453, HMEC
	131968	AA151333	Hs.36029	ESTs; Highly similar to basic helix-loop	2.5	Fibroblasts 2, A549_cells, 293T_cells
25	112665	R85661	Hs.221447	ESTs	2.48	Lu_AD_H23, HMEC, Lu_LC_H460
	115764	AA421562	Hs.91011	anterior gradient 2 (Xenopus laevis) hom	2.48	EB_cells, Caco2, MCF7
	105959	AA405540	Hs.7001	ESTs	2.48	OVCAR_cells, BT474_cells, Caco2
	125804	R79519	Hs.16899	ESTs	2.48	HMEC (total RNA), EB_cells, HMEC
	110102	H16681	Hs.180950	guanine nucleotide binding protein (G pr	2.46	HS578T_cells, HMEC, OVCAR_cells
	104680	AA009809	Hs.37599	ESTs	2.46	HMEC, HS578T_cells, Caco2
30	132339	D80030	Hs.45127	chondroitin sulfate proteoglycan 5 (neur	2.45	OVCAR_cells, 293T_cells, HMEC (total RNA)
	121712	AA419116	Hs.193663	ESTs; Weakly similar to !!! ALU SUBFAM1	2.45	Lu_SC_H520, Lu_AD_H23, Lu_SC_H69
	129226	M96843	Hs.180919	inhibitor of DNA binding 2; dominant neg	2.44	MB-MDA-453, 293T_cells, Caco2
	128731	AF005271	Hs.104555	neuropeptide FF-amide peptide precursor	2.43	HMEC, HMEC (total RNA), EB_cells
	106670	AA461174	Hs.5943	ESTs	2.43	EB_cells, HS578T_cells, Lu_SC_H69
35	119306	T26914	Hs.132785	EAP30 subunit of ELL complex	2.43	EB_cells, HMEC (total RNA), HMEC
	133507	X74295	Hs.74369	integrin; alpha 7	2.42	Fibroblasts 2, Caco2, EB_cells
	125713	AA367905	Hs.77356	transferrin receptor (p90; CD71)	2.41	HS578T_cells, Fibroblasts 2, Lu_AD_H23
	107438	W27841	Hs.17118	ESTs; Weakly similar to B0025.2 [C.elega	2.41	HMEC, HS578T_cells, MB231_cells
40	101784	M83186	Hs.114346	cytochrome c oxidase subunit VIIa polype	2.41	Fibroblasts 2, PRSC_con, PRSC_log
	134578	AA194724	Hs.182418	endonuclease G	2.4	EB_cells, HMEC, Lu_AD_H23
	125105	T95642	Hs.189759	ESTs	2.4	EB_cells, A549_cells, HS578T_cells
	127087	AA380418	Hs.88012	SHP2 interacting transmembrane adaptor	2.4	HMEC, HMEC (total RNA), EB_cells
	113118	T47906	Hs.220512	ESTs	2.39	MB-MDA-435s, HS578T_cells, HMEC
45	104791	AA029046	Hs.30377	ESTs; Moderately similar to cAMP inducib	2.39	LNCaP_cells, OVCAR_cells, PC3_cells
	115833	AA428269	Hs.125035	ESTs	2.38	Caco2, LNCaP_cells, CALU6_cells
	132223	R77451	Hs.4245	ESTs; Weakly similar to similar to S. ce	2.38	HMEC, HMEC (total RNA), EB_cells
	115836	AA428863	Hs.89388	ESTs	2.38	HS578T_cells, HMEC, PRSC_con
	101891	S45630	Hs.1940	crystallin; alpha B	2.38	HS578T_cells, OVCAR_cells, Lu_LC_H460
50	132894	D82422	Hs.5944	ESTs	2.37	Caco2, MB-MDA-453, HT29_cells
	106939	AA496048	Hs.26570	ESTs	2.35	LNCaP_cells, 293T_cells, EB_cells
	131104	W27770	Hs.258721	ESTs	2.35	HMEC (total RNA), HMEC, HT29_cells
	122355	AA443789	Hs.189324	ESTs	2.34	HMEC (total RNA), HMEC, EB_cells
	119343	T62873		yc3d2.s1 Stratagene lung (#93721) H sapi		
55	115442	AA284722	Hs.89121	to contains Alu repetitive element; mR	2.34	HS578T_cells, Lu_SC_H69, HT29_cells
	134286	T69384	Hs.68398	H sapiens mRNA; chromosome 1 specific tr	2.33	Lu_AD_H23, HMEC (total RNA), BT474_cells
	125465	AI375276	Hs.158732	ESTs	2.33	HMEC, HMEC (total RNA), MB231_cells
	127449	AI421866	Hs.75722	ribophorin II	2.33	HMEC (total RNA), EB_cells, HMEC
60	110225	H23927	Hs.222381	ESTs	2.33	Lu_AD_H23, HMEC (total RNA), HMEC
	119930	W86471	Hs.151624	hypocretin (orexin) receptor 2	2.32	HS578T_cells, HMEC, Lu_LC_H460
	125958	AI073357	Hs.12311	H sapiens clone 23570 mRNA seq	2.32	HMEC, HMEC (total RNA), EB_cells
	119746	W70279	Hs.221189	ESTs; Weakly similar to 15-HYDROXYPROSTA	2.32	MB231_cells, HMEC (total RNA), HMEC
	108874	AA134112	Hs.107187	H sapiens DNA seq from cosmid ICK0721Q o		2.32 HMEC, HS578T_cells, MB231_cells
				L12 LIKE protein in an intron of the HS	2.32	
65	127368	AA434362	Hs.193326	ESTs	2.32	Caco2, PRSC_con, LNCaP_cells
	120437	AA243427	Hs.104311	ESTs	2.32	HMEC (total RNA), HS578T_cells, HMEC
	119867	W80852	Hs.250696	KDEL (Lys-Asp-Glu-Leu) endoplasmic retic	2.32	HMEC (total RNA), HMEC, MB-MDA-435s
	131205	J02947	Hs.2420	superoxide dismutase 3; extracellular	2.32	Fibroblasts 2, HS578T_cells, MB-MDA-435s
70	133710	X76057	Hs.75694	mannose phosphate isomerase	2.31	PRSC_con, EB_cells, Lu_AD_358
	104834	AA039331	Hs.16323	ESTs; Weakly similar to GAGE-7 [H.sapien	2.31	293T_cells, LNCaP_cells, RPWE_2
	113186	T56048	Hs.189674	ESTs	2.31	Caco2, HS578T_cells, HMEC
	113462	T86826	Hs.142528	ESTs	2.31	HMEC, Fibroblasts 2, HMEC (total RNA)
	104743	AA021157	Hs.33619	ESTs	2.3	PC3_cells, HS578T_cells, HMEC
	129667	Y00097	Hs.118796	annexin A6	2.3	HMEC (total RNA), HMEC, OVCAR_cells
75	111573	R10305	Hs.185683	ESTs	2.3	PRSC_log, PRSC_con, HS578T_cells
	117523	N32626	Hs.145532	ESTs; Weakly similar to Gag polypeptide	2.29	HMEC, HMEC (total RNA), EB_cells
						EB_cells, Fibroblasts 2, HS578T_cells

5	115540	AA349954	Hs.56281	ESTs; Weakly similar to ASB-1 protein [H	2.29	Fibroblasts 2, BT474_cells, MB231_cells PRSC_con, RPWE_2, PRSC_log Lu_SC_H69, Lu_AD_358, Lu_AD_H23 HS578T_cells, 293T_cells, CALU6_cells EB_cells, DU145_cells, HT29_cells MB-MDA-453, LNCaP_cells, OVCAR_cells HT29_cells, BT474_cells, Caco2 MB-MDA-435s, MB231_cells, BT474_cells LNCaP_cells, MB-MDA-453, Caco2 HMEC, HS578T_cells, Caco2 LNCaP_cells, BT474_cells, Caco2 HS578T_cells, EB_cells, HMEC Lu_SC_H520, Lu_SC_H460, Lu_SC_H69 MB-MDA-435s, Fibroblasts 2, HMEC (total RNA) Lu_SC_H520, BT474_cells, Fibroblasts 2 HMEC (total RNA), HMEC, MCF7 HS578T_cells, EB_cells, HMEC HMEC, HS578T_cells, Fibroblasts 2 A549_cells, DU145_cells, Lu_AD_358 HS578T_cells, Fibroblasts 2, HT29_cells MB-MDA-453, OVCAR_cells, 293T_cells HMEC, HS578T_cells, HMEC (total RNA) Lu_SC_H520, LNCaP_cells, Lu_AD_H23 293T_cells, EB_cells, LNCaP_cells
	101622	M55621	Hs.151513	mannosyl (alpha-1,3)-glycoprotein beta-	2.29	
	103535	Y13620	Hs.122607	B-cell CLL/lymphoma 9	2.28	
	127482	AI337294	Hs.155014	ESTs	2.28	
	104297	D31111	Hs.106005	ESTs; Highly similar to NY-REN-50 antige	2.27	
10	112318	R55470	Hs.11067	ESTs	2.27	HS578T_cells, RPWE_2, HMEC (total RNA) HS578T_cells, 293T_cells, OVCAR_cells BT474_cells, MB231_cells Lu_SC_H345, Lu_AD_H23, PRSC_con Fibroblasts 2, Lu_SC_H460, HMEC (total RNA) BT474_cells, HT29_cells, HT29_cells LNCaP_cells, MB-MDA-453, BT474_cells HMEC, Lu_SC_H345, HS578T_cells Lu_AD_H23, HS578T_cells, Lu_SC_H520 Caco2, MB-MDA-453, HT29_cells HS578T_cells, BT474_cells, 293T_cells HS578T_cells, BT474_cells, MB231_cells BT474_cells, CALU6_cells, MB231_cells HMEC, HMEC (total RNA), Fibroblasts 2
	101877	M97496	Hs.778	guanylate cyclase activator 1B (retina)	2.27	
	100760	HG3576		Major Histocompatibility Complex, Class	2.26	
	102362	U39412	Hs.75932	N-ethylmaleimide-sensitive factor attach	2.26	
	106142	AA424590	Hs.239631	Golgi transport complex protein (90 kDa)	2.26	
15	101461	M22430	Hs.76422	phospholipase A2; group IIA (platelets;	2.26	HS578T_cells, CALU6_cells, 293T_cells CALU6_cells, Lu_AD_H23, Lu_SC_H69 OVCAR_cells, A549_cells, Lu_AD_H23 HS578T_cells, BT474_cells, A549_cells Lu_AD_358, Lu_SC_H69, Lu_SC_H345 HMEC (total RNA), HMEC, MB-MDA-435s LNCaP_cells, DU145_cells, Lu_SC_H520 HS578T_cells, MB231_cells, Caco2 Lu_AD_H23, Lu_SC_H520, Lu_AD_358 Caco2, 293T_cells, 293T_cells Lu_AD_H23, Lu_AD_358, PRSC_con HMEC (total RNA), HMEC, EB_cells HMEC, HT29_cells, MB231_cells HS578T_cells, PC3_cells, A549_cells HS578T_cells, EB_cells, Lu_SC_H69 HMEC (total RNA), HMEC, Fibroblasts 2 HMEC, HMEC (total RNA), HT29_cells MB-MDA-435s, HMEC, HMEC HT29_cells, BT474_cells, CALU6_cells Lu_SC_H520, MB-MDA-435s, LNCaP_cells HS578T_cells, EB_cells, HMEC (total RNA) EB_cells, MB231_cells, Caco2 Lu_SC_H345, HT29_cells, BT474_cells Caco2, Lu_SC_H345, EB_cells HMEC, HMEC (total RNA), Lu_SC_H520
	119336	T55340	Hs.208238	ESTs	2.25	
	127619	AA627122	Hs.163787	ESTs	2.25	
	104113	AA427510	Hs.181202	ESTs; Weakly similar to Wiscott-Aldrich	2.25	
	131219	C00476	Hs.24395	small inducible cytokine subfamily B (Cy	2.25	
20	118915	N91481	Hs.54713	ESTs	2.25	HMEC (total RNA), HMEC, MCF7 HS578T_cells, EB_cells, HMEC HMEC, HS578T_cells, Fibroblasts 2 A549_cells, DU145_cells, Lu_AD_358 HS578T_cells, Fibroblasts 2, HT29_cells MB-MDA-453, OVCAR_cells, 293T_cells HMEC, HS578T_cells, HMEC (total RNA) Lu_SC_H520, LNCaP_cells, Lu_AD_H23 293T_cells, EB_cells, LNCaP_cells
	127556	AA679831	Hs.190228	ESTs	2.24	
	128700	U59286	Hs.103982	small inducible cytokine subfamily B (Cy	2.24	
	113674	T96374	Hs.5753	inositol(myo)-1(or 4)-monophosphatase 2	2.24	
	133085	M73720	Hs.646	carboxypeptidase A3 (mast cell)	2.24	
25	106017	AA411882	Hs.26268	ESTs	2.24	HS578T_cells, RPWE_2, HMEC (total RNA) HS578T_cells, 293T_cells, OVCAR_cells BT474_cells, BT474_cells, MB231_cells Lu_SC_H345, Lu_AD_H23, PRSC_con Fibroblasts 2, Lu_SC_H460, HMEC (total RNA) BT474_cells, HT29_cells, HT29_cells LNCaP_cells, MB-MDA-453, BT474_cells HMEC, Lu_SC_H345, HS578T_cells Lu_AD_H23, HS578T_cells, Lu_SC_H520 Caco2, MB-MDA-453, HT29_cells HS578T_cells, BT474_cells, 293T_cells HS578T_cells, BT474_cells, MB231_cells BT474_cells, CALU6_cells, MB231_cells HMEC, HMEC (total RNA), Fibroblasts 2
	100582	HG2348		Peptide Yy	2.24	
	134811	N66357	Hs.89761	ATP synthase; H+ transporting; mitochond	2.23	
	102543	U57627	Hs.234776	oculocerebrorenal syndrome of Lowe	2.23	
	127357	AA452788		zx39g11.r1 Soares_total_fetus_Nb2HF8_9w IMAGE:788900 5', mRNA seq.	2.23	
30	135288	AA402930	Hs.97876	ESTs	2.23	HS578T_cells, CALU6_cells, 293T_cells CALU6_cells, Lu_AD_H23, Lu_SC_H69 OVCAR_cells, A549_cells, Lu_AD_H23 HS578T_cells, BT474_cells, A549_cells Lu_AD_358, Lu_SC_H69, Lu_SC_H345 HMEC (total RNA), HMEC, MB-MDA-435s LNCaP_cells, DU145_cells, Lu_SC_H520 HS578T_cells, MB231_cells, Caco2 Lu_AD_H23, Lu_SC_H520, Lu_AD_358 Caco2, 293T_cells, 293T_cells Lu_AD_H23, Lu_AD_358, PRSC_con HMEC (total RNA), HMEC, EB_cells HMEC, HT29_cells, MB231_cells HS578T_cells, PC3_cells, A549_cells HS578T_cells, EB_cells, Lu_SC_H69 HMEC (total RNA), HMEC, Fibroblasts 2 HMEC, HMEC (total RNA), HT29_cells MB-MDA-435s, HMEC, HMEC HT29_cells, BT474_cells, CALU6_cells Lu_SC_H520, MB-MDA-435s, LNCaP_cells HS578T_cells, EB_cells, HMEC (total RNA) EB_cells, MB231_cells, Caco2 Lu_SC_H345, HT29_cells, BT474_cells Caco2, Lu_SC_H345, EB_cells HMEC, HMEC (total RNA), Lu_SC_H520
	105581	AA278850	Hs.28891	ESTs; Weakly similar to !!!! ALU SUBFAMI	2.23	
	103812	AA137107	Hs.124094	ESTs; Weakly similar to NFAT1-A [M.muscu	2.23	
	117016	H87171	Hs.52170	ESTs	2.22	
	114607	AA079342	Hs.129057	breast carcinoma amplified seq 1	2.22	
35	134000	U29091	Hs.7833	selenium binding protein 1	2.22	HMEC (total RNA), HMEC, Fibroblasts 2 A549_cells, DU145_cells, Lu_AD_358 HS578T_cells, Fibroblasts 2, HT29_cells MB-MDA-453, OVCAR_cells, 293T_cells HMEC, HS578T_cells, HMEC (total RNA) Lu_SC_H520, LNCaP_cells, Lu_AD_H23 293T_cells, EB_cells, LNCaP_cells
	111069	N58461	Hs.22036	ESTs	2.22	
	129048	L27670	Hs.108287	intercellular adhesion molecule 4; Lands	2.21	
	124995	T52700	Hs.110044	ESTs	2.2	
	116678	F05063	Hs.251736	ESTs	2.2	
40	118222	N62263	Hs.48501	EST	2.2	HS578T_cells, CALU6_cells, 293T_cells CALU6_cells, Lu_AD_H23, Lu_SC_H69 OVCAR_cells, A549_cells, Lu_AD_H23 HS578T_cells, BT474_cells, A549_cells Lu_AD_358, Lu_SC_H69, Lu_SC_H345 HMEC (total RNA), HMEC, MB-MDA-435s LNCaP_cells, DU145_cells, Lu_SC_H520 HS578T_cells, MB231_cells, Caco2 Lu_AD_H23, Lu_SC_H520, Lu_AD_358 Caco2, 293T_cells, 293T_cells Lu_AD_H23, Lu_AD_358, PRSC_con HMEC (total RNA), HMEC, EB_cells HMEC, HT29_cells, MB231_cells HS578T_cells, PC3_cells, A549_cells HS578T_cells, EB_cells, Lu_SC_H69 HMEC (total RNA), HMEC, Fibroblasts 2 HMEC, HMEC (total RNA), HT29_cells MB-MDA-435s, HMEC, HMEC HT29_cells, BT474_cells, CALU6_cells Lu_SC_H520, MB-MDA-435s, LNCaP_cells HS578T_cells, EB_cells, HMEC (total RNA) EB_cells, MB231_cells, Caco2 Lu_SC_H345, HT29_cells, BT474_cells Caco2, Lu_SC_H345, EB_cells HMEC, HMEC (total RNA), Lu_SC_H520
	127888	AI149662	Hs.143590	ESTs	2.19	
	113790	W33178	Hs.26912	ESTs	2.19	
	100097	AF002224		H sapiens Angelman Syndrome Gene, E6-AP from promoter P1, 5'UTR	2.19	
	109151	AA176800	Hs.73452	ESTs	2.19	
45	135368	AA086057	Hs.9964	ribosomal protein; mitochondrial; S12	2.19	HMEC (total RNA), HMEC, Fibroblasts 2 A549_cells, DU145_cells, Lu_AD_358 HS578T_cells, MB231_cells, Caco2 Lu_AD_H23, Lu_SC_H520, Lu_AD_358 Caco2, 293T_cells, 293T_cells Lu_AD_H23, Lu_AD_358, PRSC_con HMEC (total RNA), HMEC, EB_cells HMEC, HT29_cells, MB231_cells HS578T_cells, PC3_cells, A549_cells HS578T_cells, EB_cells, Lu_SC_H69 HMEC (total RNA), HMEC, Fibroblasts 2 HMEC, HMEC (total RNA), HT29_cells MB-MDA-435s, HMEC, HMEC HT29_cells, BT474_cells, CALU6_cells Lu_SC_H520, MB-MDA-435s, LNCaP_cells HS578T_cells, EB_cells, HMEC (total RNA) EB_cells, MB231_cells, Caco2 Lu_SC_H345, HT29_cells, BT474_cells Caco2, Lu_SC_H345, EB_cells HMEC, HMEC (total RNA), Lu_SC_H520
	109016	AA156936	Hs.58069	ESTs; Highly similar to type II cAMP-dep	2.19	
	124300	H92575	Hs.105959	ESTs; Weakly similar to !!!! ALU SUBFAMI	2.18	
	123450	AA598913	Hs.111207	ESTs	2.18	
	117435	N27628		yw50b08.s1 Weizmann Olfactory Epithelium	2.18	
50	119860	W80709	Hs.58485	ESTs	2.18	HMEC (total RNA), HMEC, Fibroblasts 2 A549_cells, DU145_cells, Lu_AD_358 HS578T_cells, MB231_cells, Caco2 Lu_AD_H23, Lu_SC_H520, Lu_AD_358 Caco2, 293T_cells, 293T_cells Lu_AD_H23, Lu_AD_358, PRSC_con HMEC (total RNA), HMEC, EB_cells HMEC, HT29_cells, MB231_cells HS578T_cells, PC3_cells, A549_cells HS578T_cells, EB_cells, Lu_SC_H69 HMEC (total RNA), HMEC, Fibroblasts 2 HMEC, HMEC (total RNA), HT29_cells MB-MDA-435s, HMEC, HMEC HT29_cells, BT474_cells, CALU6_cells Lu_SC_H520, MB-MDA-435s, LNCaP_cells HS578T_cells, EB_cells, HMEC (total RNA) EB_cells, MB231_cells, Caco2 Lu_SC_H345, HT29_cells, BT474_cells Caco2, Lu_SC_H345, EB_cells HMEC, HMEC (total RNA), Lu_SC_H520
	123833	AA620717	Hs.112889	ESTs	2.18	
	107938	AA029446	Hs.53115	ESTs	2.17	
	119380	T83659	Hs.184407	ESTs	2.16	
	114066	Z38152	Hs.26920	ESTs	2.15	
55	128748	T59001	Hs.10475	ESTs	2.15	HMEC (total RNA), HMEC, Fibroblasts 2 A549_cells, DU145_cells, Lu_AD_358 HS578T_cells, MB231_cells, Caco2 Lu_AD_H23, Lu_SC_H520, Lu_AD_358 Caco2, 293T_cells, 293T_cells Lu_AD_H23, Lu_AD_358, PRSC_con HMEC (total RNA), HMEC, EB_cells HMEC, HT29_cells, MB231_cells HS578T_cells, PC3_cells, A549_cells HS578T_cells, EB_cells, Lu_SC_H69 HMEC (total RNA), HMEC, Fibroblasts 2 HMEC, HMEC (total RNA), HT29_cells MB-MDA-435s, HMEC, HMEC HT29_cells, BT474_cells, CALU6_cells Lu_SC_H520, MB-MDA-435s, LNCaP_cells HS578T_cells, EB_cells, HMEC (total RNA) EB_cells, MB231_cells, Caco2 Lu_SC_H345, HT29_cells, BT474_cells Caco2, Lu_SC_H345, EB_cells HMEC, HMEC (total RNA), Lu_SC_H520
	130414	M21121	Hs.241392	small inducible cytokine A5 (RANTES)	2.15	
	123490	AA599723		TAP binding protein (tapasin)	2.15	
	112588	R77302	Hs.20226	ESTs	2.14	
	110548	H58715	Hs.14706	ESTs	2.14	
60	110581	M34996	Hs.198253	major histocompatibility complex; class	2.14	HMEC (total RNA), HMEC, Fibroblasts 2 A549_cells, DU145_cells, Lu_AD_358 HS578T_cells, MB231_cells, Caco2 Lu_AD_H23, Lu_SC_H520, Lu_AD_358 Caco2, 293T_cells, 293T_cells Lu_AD_H23, Lu_AD_358, PRSC_con HMEC (total RNA), HMEC, EB_cells HMEC, HT29_cells, MB231_cells HS578T_cells, PC3_cells, A549_cells HS578T_cells, EB_cells, Lu_SC_H69 HMEC (total RNA), HMEC, Fibroblasts 2 HMEC, HMEC (total RNA), HT29_cells MB-MDA-435s, HMEC, HMEC HT29_cells, BT474_cells, CALU6_cells Lu_SC_H520, MB-MDA-435s, LNCaP_cells HS578T_cells, EB_cells, HMEC (total RNA) EB_cells, MB231_cells, Caco2 Lu_SC_H345, HT29_cells, BT474_cells Caco2, Lu_SC_H345, EB_cells HMEC, HMEC (total RNA), Lu_SC_H520
	115248	AA278887	Hs.194530	ESTs; Weakly similar to unknown [H.sapie	2.14	
	105619	AA280810	Hs.24003	ESTs; Moderately similar to LEYDIG CELL	2.14	
	128058	AI126617	Hs.132449	ESTs	2.14	
	134573	AA442125	Hs.171873	ESTs; Weakly similar to PUTATIVE STEROID	2.14	
65	134863	AA353903	Hs.183373	ATX1 (antioxidant protein 1; yeast) homo	2.14	HMEC (total RNA), HMEC, Fibroblasts 2 A549_cells, DU145_cells, Lu_AD_358 HS578T_cells, MB231_cells, Caco2 Lu_AD_H23, Lu_SC_H520, Lu_AD_358 Caco2, 293T_cells, 293T_cells Lu_AD_H23, Lu_AD_358, PRSC_con HMEC (total RNA), HMEC, EB_cells HMEC, HT29_cells, MB231_cells HS578T_cells, PC3_cells, A549_cells HS578T_cells, EB_cells, Lu_SC_H69 HMEC (total RNA), HMEC, Fibroblasts 2 HMEC, HMEC (total RNA), HT29_cells MB-MDA-435s, HMEC, HMEC HT29_cells, BT474_cells, CALU6_cells Lu_SC_H520, MB-MDA-435s, LNCaP_cells HS578T_cells, EB_cells, HMEC (total RNA) EB_cells, MB231_cells, Caco2 Lu_SC_H345, HT29_cells, BT474_cells Caco2, Lu_SC_H345, EB_cells HMEC, HMEC (total RNA), Lu_SC_H520
	128811	H17317	Hs.169100	ESTs; Weakly similar to HPBRII-7 protein	2.13	
	112368	R59371	Hs.26653	EST	2.13	
	108395	AA075144		zm86f6.s1 Stratagene ovarian cancer (#93 gb:X1664 TRANSLATIONALLY CONTROLLED TUM	2.13	
	129611	D45680	Hs.11614	ESTs	2.13	
70	101253	L34355	Hs.99931	sarcoglycan; alpha (50kD dystrophin-asso	2.12	HMEC (total RNA), HMEC, OVCAR_cells HS578T_cells, OVCAR_cells, CALU6_cells EB_cells, Lu_AD_H23, Lu_AD_H23 A549_cells, BT474_cells, MB-MDA-435s Lu_AD_H23, MB-MDA-453, PRSC_con EB_cells, Lu_SC_H69, Lu_SC_H69 HMEC, HS578T_cells, HMEC (total RNA) Lu_AD_H23, Caco2, BT474_cells EB_cells, Lu_AD_H23, Lu_SC_H520
	126701	AA515212	Hs.202590	ESTs; Weakly similar to mucin glycoprote	2.12	
	111628	R15825	Hs.4014	KIAA0946 protein; Huntingtin interacting	2.12	
	108675	AA115240	Hs.61816	ESTs	2.12	
	127131	Z44658	Hs.105460	DKFZP564O0823 protein	2.12	
75	109590	F02465	Hs.27281	ESTs	2.12	HMEC (total RNA), HMEC, OVCAR_cells HS578T_cells, Caco2 HS578T_cells, OVCAR_cells, CALU6_cells EB_cells, Lu_AD_H23, Lu_AD_H23 A549_cells, BT474_cells, MB-MDA-435s Lu_AD_H23, MB-MDA-453, PRSC_con EB_cells, Lu_SC_H69, Lu_SC_H69 HMEC, HS578T_cells, HMEC (total RNA) Lu_AD_H23, Caco2, BT474_cells EB_cells, Lu_AD_H23, Lu_SC_H520
	116539	D12124	Hs.242890	EST	2.12	
	112117	R45402	Hs.23789	ESTs	2.12	

126367	AA477929	Hs.25584	ESTs	2.12	Lu_SC_H69, Lu_AD_H23, Lu_AD_358
135252	U62966	Hs.97207	solute carrier family 28 (sodium-coupled	2.11	MB-MDA-435s, 293T_cells, CALU6_cells
117565	N34301	Hs.248426	EST	2.11	HMEC, HS578T_cells, MB231_cells
129430	AA258842	Hs.197877	H sapiens clone 23777 putative transmembr	2.11	HS578T_cells, Lu_AD_358, MB-MDA-435s
120256	AA169801		sema domain; immunoglobulin domain (lg);	2.11	HMEC, HMEC (total RNA), EB_cells
134169	D20342	Hs.178137	transducer of ERBB2; 1 (TOB1)	2.11	HMEC (total RNA), 293T_cells, OVCAR_cells
130397	AA487452	Hs.155344	DNA fragmentation factor; 45 kD; alpha s	2.11	293T_cells, Caco2, Lu_AD_H23
132859	D20925	Hs.5842	ESTs	2.11	HMEC (total RNA), Fibroblasts 2, HMEC
117633	N36404	Hs.44807	ESTs	2.11	HMEC, Caco2, HS578T_cells
125003	T59442	Hs.100445	ESTs	2.11	MB-MDA-435s, HMEC (total RNA), HT29_cells
125329	AA825437	Hs.58875	ESTs	2.11	HS578T_cells, PRSC_con, PRSC_log
114065	Z38149	Hs.134015	uronyl 2-sulfotransferase	2.11	MB-MDA-435s, 293T_cells, PRSC_con
120718	AA292747	Hs.97296	ESTs	2.11	HT29_cells, Lu_AD_H23, Lu_SC_H69
133869	T49444	Hs.77031	Sp2 transcription factor	2.1	Lu_LC_H460, Lu_AD_358, RPWE_2
135351	AA430179	Hs.9933	putative Ac-like transposon	2.1	HS578T_cells, EB_cells, HMEC
110973	N51529	Hs.118047	ESTs	2.09	EB_cells, HS578T_cells, MCF7
131879	AA017161	Hs.33792	ESTs	2.09	HMEC (total RNA), MB231_cells, BT474_cells
116656	F03935	Hs.241640	EST	2.09	HS578T_cells, Lu_LC_H460, Lu_SC_H69
120311	AA194074	Hs.193401	ESTs	2.09	OVCAR_cells, HMEC (total RNA), HMEC
108024	AA040433	Hs.61898	DKFZP586N2124 protein	2.09	HMEC (total RNA), BT474_cells, HT29_cells
105871	AA399633	Hs.24872	ESTs	2.09	Fibroblasts 2, A549_cells, HS578T_cells
120206	Z40805	Hs.91668	ESTs	2.09	BT474_cells, MB-MDA-453, EB_cells
112333	R56222	Hs.26514	ESTs	2.09	Lu_AD_H23, Fibroblasts 2, Lu_LC_H460
116746	H04811	Hs.79027	ESTs	2.08	MB-MDA-435s, HMEC (total RNA), Lu_SC_H345
121529	AA412257	Hs.98121	ESTs	2.08	HMEC, HMEC (total RNA), HS578T_cells
105592	AA279337	Hs.180549	ESTs; Highly similar to R26660_1; partia	2.08	LNCaP_cells, PRSC_log, PRSC_log
108582	AA088231	Hs.91732	ESTs	2.08	HS578T_cells, Lu_SC_H345, Lu_SC_H69
123197	AA489250	Hs.59403	serine palmitoyltransferase; subunit II	2.08	EB_cells, Lu_SC_H69, Lu_SC_H345
134965	J05480	Hs.92	protein phosphatase 3 (formerly 2B); cat	2.08	LNCaP_cells, MB-MDA-435s, HMEC
123856	AA620814	Hs.144959	ESTs	2.08	HS578T_cells, BT474_cells, BT474_cells
132058	AA251737	Hs.172818	Atg12 (autophagy 12; S. cerevisiae)-like	2.07	HS578T_cells, MCF7, HMEC
126476	R94666	Hs.195155	ESTs; Weakly similar to transporter prot	2.07	PRSC_log, Lu_LC_H460, RPWE_2
106087	AA418740	Hs.21111	ESTs	2.07	OVCAR_cells, A549_cells, Lu_AD_H23
103802	AA122003	Hs.62954	ferritin; heavy polypeptide 1	2.07	HMEC, HMEC (total RNA), HS578T_cells
125633	AA908225	Hs.126841	ESTs	2.07	EB_cells, Fibroblasts 2, Lu_SC_H69
112817	R98491	Hs.14584	ESTs	2.07	HMEC, HMEC (total RNA), Fibroblasts 2
111050	N56984	Hs.74335	heat shock 90kD protein 1; beta	2.07	LNCaP_cells, DU145_cells, 293T_cells
133072	AA425294	Hs.64322	ESTs; Weakly similar to Closely related	2.07	LNCaP_cells, MB-MDA-453, Caco2
118270	N62868	Hs.48653	ESTs	2.07	HMEC (total RNA), HMEC, EB_cells
105035	AA128486	Hs.8859	ESTs	2.07	LNCaP_cells, PC3_cells, EB_cells
102337	U36922		Human fork head domain protein (FKHR) mR	2.07	293T_cells, HMEC, HT29_cells
109687	F09380	Hs.182859	lifeguard	2.06	BT474_cells, BT474_cells, Lu_AD_H23
109802	F10789	Hs.12439	ESTs	2.06	EB_cells, EB_cells, Caco2
128103	AA905960	Hs.48516	ESTs	2.06	HT29_cells, HMEC (total RNA), HMEC
128278	AI018343	Hs.131275	ESTs	2.06	PRSC_con, Lu_SC_H345, HS578T_cells
131873	H39997	Hs.33716	ESTs	2.06	HMEC (total RNA), HMEC, EB_cells
122683	AA455528	Hs.96772	ESTs	2.05	LNCaP_cells, Lu_AD_H23, HS578T_cells
128066	AA884838	Hs.189171	ESTs	2.05	HMEC, HMEC (total RNA), Fibroblasts 2
131451	N28028	Hs.26968	H sapiens mRNA from chromosome 5q21-22;	2.05	MB-MDA-435s, Lu_LC_H460, Lu_SC_H520
120887	AA365644	Hs.97043	ESTs	2.05	HS578T_cells, PRSC_con, HMEC
103966	AA303166	Hs.127270	ESTs	2.05	HMEC (total RNA), LNCaP_cells, PC3_cells
105861	AA399260	Hs.28454	ESTs	2.05	Fibroblasts 2, HMEC (total RNA), EB_cells
104627	AA001976	Hs.19603	ESTs	2.05	HS578T_cells, HMEC, BT474_cells
108794	AA129468	Hs.203392	ESTs	2.04	HS578T_cells, HMEC, A549_cells
111896	R38936	Hs.24894	H sapiens clone 25248 mRNA seq	2.04	HS578T_cells, PC3_cells, 293T_cells
101849	M94167	Hs.172816	neuregulin 1	2.04	HMEC, HS578T_cells, HMEC (total RNA)
119913	W85931	Hs.58785	ESTs	2.04	HMEC, BT474_cells, MB231_cells
130785	AA242826	Hs.19405	caspase recruitment domain 4	2.04	HMEC, HS578T_cells, BT474_cells
124702	R06984	Hs.7745	ESTs; Weakly similar to TESTIS-SPECIFIC	2.03	Fibroblasts 2, PRSC_con, HMEC
106769	AA478001	Hs.225935	diacylglycerol O-acyltransferase (mouse)	2.03	PC3_cells, EB_cells, HS578T_cells
132219	AA46862	Hs.172971	ESTs	2.03	HT29_cells, PC3_cells, A549_cells
122033	AA431334	Hs.109297	ESTs	2.03	OVCAR_cells, A549_cells, Caco2
120461	AA251301		zs10b02.s1 NCI_CGAP_GCB1 H sapiens cDNA	2.03	HS578T_cells, EB_cells, EB_cells
			contains Alu repetitive element; mRNA	2.03	HMEC, Fibroblasts 2, EB_cells
134959	U90550	Hs.91813	butyrophilin; subfamily 2; member A2	2.03	Lu_SC_H345, PC3_cells, DU145_cells
104909	AA055892	Hs.14543	ESTs	2.03	Lu_SC_H69, EB_cells, CALU6_cells
101950	S79219	Hs.80741	propionyl Coenzyme A carboxylase; alpha	2.03	EB_cells, MCF7, MB231_cells
133878	D78947	Hs.7718	ESTs; Weakly similar to weak similarity	2.02	EB_cells, Lu_AD_H23, Lu_AD_358
103459	X99894	Hs.32938	insulin promoter factor 1; homeodomain t	2.02	A549_cells, Lu_SC_H520, Lu_AD_H23
125507	AI436377	Hs.258590	tetraspanin TM4-B	2.02	HS578T_cells, HMEC, MB231_cells
116657	F04014	Hs.65996	ESTs	2.01	HS578T_cells, EB_cells, PRSC_con
112920	T10234	Hs.4275	ESTs	2.01	HS578T_cells, HMEC, EB_cells
105533	AA258572	Hs.6418	ESTs; Moderately similar to seven transm	2.01	
126762	AA064671		zm13b04.r1 Stratagene pancreas (#937208)		
			similar to TR:G413842 G413842 NONCLASSI		
128999	R37808	Hs.107765	ESTs	2.01	2.01 RPWE_2, Lu_AD_H23, Lu_AD_358
					HS578T_cells, OVCAR_cells, EB_cells

133902 AA114858 Hs.7745 ESTs; Weakly similar to TESTIS-SPECIFIC 2

Fibroblasts 2, PRSC\_con, DU145\_cells

20/220" 080/800T

Table 2

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title

	Pkey	Ex Accn	UniG_ID	Complete_Title	Ratio Mets/BS	Top 3 expressing cell lines
5						
10	101447	M21305	Hs.247946	Human alpha satellite and satellite 3 ju	110.98	EB_cells, Fibroblasts 2, A549_cells
	105039	AA130349	Hs.36475	ESTs	9.13	EB_cells, OVCAR_cells, Lu_SC_H345
	106094	AA419461	Hs.18127	ESTs	8.51	HT29_cells, MB-MDA-453, HS578T_cells
	105777	AA348412	Hs.23096	ESTs	8.4	293T_cells, OVCAR_cells, EB_cells
15	129818	N54841	Hs.172572	ESTs	7.2	Lu_SC_H69, EB_cells, Lu_SC_H345
	118475	N66845	Hs.165411	ESTs; Weakly similar to !!!! ALU CLASS B	7	DU145_cells, EB_cells, Caco2
	112170	R48744	Hs.192878	ESTs	6.91	293T_cells, DU145_cells, HT29_cells
	114918	AA236813	Hs.72324	ESTs; Highly similar to unknown [H.sapie	6.6	EB_cells, 293T_cells, DU145_cells
	104590	R79750	Hs.83623	nuclear receptor subfamily 1; group I; m	6.58	293T_cells, OVCAR_cells, HMEC
20	120625	AA285053	Hs.107168	ESTs	6.55	CALU6_cells, OVCAR_cells, EB_cells
	115650	AA404564	Hs.47094	ESTs	6.43	EB_cells, LNCaP_cells, Lu_SC_H345
	124568	N67086	Hs.102000	ESTs	6.35	PC3_cells, A549_cells, DU145_cells
	134238	R81509	Hs.184571	splicing factor; arginine/serine-rich 11	6.32	293T_cells, Lu_SC_H345, HMEC
	114721	AA131450	Hs.103822	ESTs	6.13	Caco2, MB-MDA-435s, PRSC_log
25	106145	AA424791	Hs.5734	KIAA0679 protein	6	OVCAR_cells, EB_cells, 293T_cells
	114610	AA081079		zn32h9.s1 Stratagene endothelial cell 93		
				IMAGE:549185 3', mRNA seq	5.97	PRSC_con, DU145_cells, HS578T_cells
	130281	R12777	Hs.15395	ESTs; Weakly similar to ARGINYL-TRNA SYN	5.94	PRSC_con, HT29_cells, EB_cells
	124690	R05818	Hs.173830	ESTs	5.92	LNCaP_cells, EB_cells, OVCAR_cells
30	113490	T88700	Hs.173374	ESTs	5.81	DU145_cells, PC3_cells, HMEC (total RNA)
	104425	H88496	Hs.40583	ESTs	5.77	OVCAR_cells, HS578T_cells, A549_cells
	118828	N79496	Hs.50824	EST	5.45	LNCaP_cells, OVCAR_cells, DU145_cells
	129076	AA262179	Hs.169343	ESTs	5.35	293T_cells, BT474_cells, MCF7
	109684	F09317	Hs.140885	ESTs; Weakly similar to LINE-1 REVERSE T	5.34	Fibroblasts 2, Lu_SC_H69, DU145_cells
35	104558	R56678	Hs.88959	Human DNA seq from clone 967N21 on chr 2		
				part of KIAA0172; the gene for a novel	5.32	EB_cells, PC3_cells, Lu_SC_H345
	109032	AA158234	Hs.72222	ESTs	5.23	HT29_cells, PC3_cells, Lu_AD_358
	129350	U50535	Hs.110630	Human BRCA2 region; mRNA seq CG006	5.2	293T_cells, EB_cells, DU145_cells
	112662	R85436	Hs.193150	ESTs	5.2	MB-MDA-435s, PRSC_con, MB-MDA-453
40	132902	AA490969	Hs.168147	ESTs	5.18	PC3_cells, LNCaP_cells, CALU6_cells
	126872	AA136653		ESTs	5.04	EB_cells, Fibroblasts 2, A549_cells
	122528	AA449804	Hs.250992	EST	5.04	Lu_SC_H345, PRSC_con, LNCaP_cells
	102193	U20758	Hs.313	secreted phosphoprotein 1 (osteopontin);	5.02	Lu_SC_H460, A549_cells, MB-MDA-435s
	121332	AA404384	Hs.97921	ESTs	5.01	EB_cells, Lu_SC_H69, DU145_cells
45	135357	AA235803	Hs.79572	cathepsin D (lysosomal aspartyl protease	4.96	EB_cells, MCF7, DU145_cells
	109141	AA176428	Hs.193380	ESTs	4.86	DU145_cells, PC3_cells, PRSC_log
	135324	AA082041	Hs.9873	ESTs	4.83	EB_cells, Lu_SC_H345, HS578T_cells
	124875	R70506	Hs.207693	ESTs; Weakly similar to !!!! ALU SUBFAM	4.75	DU145_cells, OVCAR_cells, LNCaP_cells
	102380	U40434	Hs.155981	mesothelin	4.71	OVCAR_cells, Lu_AD_H23, RPWE_2
50	127956	AA826117	Hs.194013	ESTs	4.69	EB_cells, HS578T_cells, DU145_cells
	125038	T78089	Hs.168887	ESTs	4.58	OVCAR_cells, 293T_cells, DU145_cells
	102515	U52696		Humn adrenal Creb-rp hmlg (Creb-rp), com	4.57	Lu_SC_H345, Lu_SC_H69, HT29_cells
	109027	AA157818	Hs.238380	Human endogenous retroviral protease mRN	4.57	PC3_cells, EB_cells, Lu_SC_H520
	115096	AA255991	Hs.175319	ESTs	4.57	OVCAR_cells, 293T_cells, PC3_cells
55	123470	AA599106	Hs.194208	ESTs	4.55	LNCaP_cells, Lu_SC_H69, 293T_cells
	113219	T59257	Hs.194407	ESTs	4.55	A549_cells, 293T_cells, 293T_cells
	123433	AA598661	Hs.112478	ESTs	4.55	EB_cells, OVCAR_cells, HT29_cells
	135182	M28170	Hs.96023	CD19 antigen	4.53	OVCAR_cells, DU145_cells, EB_cells
	121721	AA419470	Hs.199961	ESTs	4.51	DU145_cells, LNCaP_cells, EB_cells
60	129126	H88486	Hs.108806	ESTs	4.45	LNCaP_cells, Caco2, EB_cells
	135232	AA342457	Hs.96800	ESTs; Moderately similar to !!!! ALU SUB	4.43	LNCaP_cells, DU145_cells, OVCAR_cells
	124847	R60044	Hs.106706	ESTs; Highly similar to BETA-CATENIN [H.	4.42	OVCAR_cells, CALU6_cells, CALU6_cells
	110349	H40988		ESTs; Weakly similar to !!!! ALU SUBFAM	4.39	DU145_cells, OVCAR_cells, LNCaP_cells
	134402	U25165	Hs.82712	fragile X mental retardation; autosomal	4.38	HS578T_cells, OVCAR_cells, DU145_cells
65	115494	AA290603	Hs.256517	ESTs	4.36	Lu_SC_H345, OVCAR_cells, PC3_cells
	119174	R71234		yi54c08.s1 Soares placenta Nb2HP H sapie		
				transcript, (rRNA); gb:S41458 ROD CGMP-		
				BETA-SUBUNIT (HUMAN); contain	4.33	DU145_cells, OVCAR_cells, LNCaP_cells
	121943	AA429265	Hs.126759	ESTs	4.3	EB_cells, HT29_cells, Lu_SC_H69
70	110856	N33063	Hs.23291	ESTs; Weakly similar to S164 [H.sapiens]	4.28	OVCAR_cells, EB_cells, Lu_SC_H69
	102474	U49973		Human Tigger1 transposable element, comp	4.28	DU145_cells, LNCaP_cells, OVCAR_cells
	123458	AA598963	Hs.112499	KIAA0612 protein	4.27	A549_cells, A549_cells, BT474_cells
	116459	AA621399	Hs.64193	ESTs	4.22	Caco2, HS578T_cells, MB-MDA-435s
	126301	N62371	Hs.100043	ESTs; Weakly similar to Similar to cutic	4.22	PC3_cells, DU145_cells, Lu_SC_H345
75	123461	AA598990	Hs.251119	EST	4.22	Lu_SC_H345, Lu_SC_H69, OVCAR_cells

	130588	AA287735	Hs.16411	Human DNA seq from clone 1189B24 on chro MLRQ subunit (EC 1.6.5.3; EC 1.6.99.3; Tyrosine-protein Kinase FER (EC 2.7.1.1	4.2	EB_cells, LNCaP_cells, MCF7
	125756	W25498	Hs.81634	ATP synthase; H <sup>+</sup> transporting; mitochond	4.2	HMEC, EB_cells, DU145_cells
5	135009	AA040507	Hs.251865	ESTs	4.19	293T_cells, EB_cells, DU145_cells
	107001	AA598589	Hs.24492	ESTs	4.18	293T_cells, DU145_cells, EB_cells
	124896	R82063	Hs.101594	EST	4.16	OVCAR_cells, Lu_SC_H345, HMEC (total RNA)
	119404	T92950		ye27c10.s1 Stratagene lung (#937210) H s	4.15	DU145_cells, PC3_cells, Fibroblasts 2
	125090	T91518		ye20f05.s1 Stratagene lung (#937210) H s contains Alu repetitive element; contain	4.14	LNCaP_cells, DU145_cells, OVCAR_cells
10	117348	N24157	Hs.139615	ESTs	4.1	Lu_SC_H345, Lu_SC_H69, PRSC_log
	111389	N95837	Hs.169111	ESTs; Weakly similar to L82A [D.melanoga	4.1	DU145_cells, MCF7, LNCaP_cells
	134977	AA464698	Hs.19390	ESTs; Weakly similar to bullous pemphigo	4.09	OVCAR_cells, Fibroblasts 2, Lu_SC_H69
	124696	R06273	Hs.186467	ESTs; Moderately similar to !!!! ALU SUB	4.09	OVCAR_cells, Lu_SC_H345, PRSC_con
15	124090	H09570	Hs.143032	ESTs; Weakly similar to neuronal thread	3.98	DU145_cells, OVCAR_cells, Lu_SC_H345
	133992	R46354	Hs.169832	zinc finger protein 42 (myeloid-specific	3.98	HT29_cells, MB231_cells, BT474_cells
	126009	H51652	Hs.242985	hemoglobin; gamma G	3.96	Lu_SC_H69, OVCAR_cells, EB_cells
	114161	Z38904	Hs.22385	ESTs; Weakly similar to KIAA0970 protein	3.94	HS578T_cells, EB_cells, PRSC_con
20	109171	AA180356	Hs.73700	EST	3.94	293T_cells, MB-MDA-435s, A549_cells
	122007	AA430629	Hs.98564	ESTs	3.93	PC3_cells, A549_cells, OVCAR_cells
	131936	AA094865	Hs.179972	interferon; alpha-inducible protein (clo	3.9	CALU6_cells, EB_cells, Lu_SC_H69
	128668	AA194849	Hs.103422	ESTs	3.9	Lu_AD_H23, EB_cells, Lu_SC_H69
	124977	T33859	Hs.190452	KIAA0365 gene product	3.89	293T_cells, DU145_cells, EB_cells
	107048	AA600012	Hs.10669	ESTs; Moderately similar to KIAA0400 [H.	3.89	PC3_cells, HS578T_cells, DU145_cells
25	105358	AA236034	Hs.25362	ESTs	3.89	Caco2, EB_cells, CALU6_cells
	135106	AA599037	Hs.9456	SWI/SNF related; matrix assocd; actin de	3.86	EB_cells, LNCaP_cells, Caco2
	106686	AA463215	Hs.29896	ESTs; Weakly similar to proline-rich pro	3.85	OVCAR_cells, DU145_cells, EB_cells
	132093	AA400091	Hs.39421	ESTs	3.85	OVCAR_cells, OVCAR_cells, LNCaP_cells
	128651	AA446990	Hs.103135	ESTs	3.84	EB_cells, LNCaP_cells, OVCAR_cells
30	102459	U48936		Human amiloride-sensitive epithelial sod	3.84	HT29_cells, BT474_cells, Lu_SC_H69
	113732	T98288	Hs.193295	ESTs; Weakly similar to !!!! ALU SUBFAMI	3.82	DU145_cells, OVCAR_cells, LNCaP_cells
	116000	AA448710	Hs.41327	ESTs	3.82	DU145_cells, MB-MDA-453, Lu_SC_H69
	120748	AA303153	Hs.237994	EST; Weakly similar to !!!! ALU SUBFAMIL	3.82	DU145_cells, DU145_cells, Lu_SC_H345
35	116318	AA490830	Hs.58570	deleted in cancer 1; RNA helicase HDB/DI	3.79	MB-MDA-453, CALU6_cells, EB_cells
	114366	Z41747	Hs.469	succinate dehydrogenase complex; subunit	3.78	DU145_cells, Fibroblasts 2, Caco2
	107248	D59894	Hs.34782	ESTs	3.75	LNCaP_cells, DU145_cells, EB_cells
	132713	AA286906	Hs.55335	ESTs	3.75	OVCAR_cells, EB_cells, Lu_SC_H345
	102222	U24683	Hs.159386	immunoglobulin heavy variable 4-4	3.73	EB_cells, OVCAR_cells, 293T_cells
40	108201	AA057518	Hs.63394	ESTs	3.72	293T_cells, DU145_cells, EB_cells
	119940	W86779	Hs.171807	DKFZP586B0319 protein	3.71	EB_cells, Caco2, DU145_cells
	106508	AA452590	Hs.30348	ESTs	3.67	EB_cells, LNCaP_cells, 293T_cells
	114360	Z41592	Hs.22129	hypothetical protein	3.67	HT29_cells, Lu_SC_H520, Lu_SC_H520
	100991	J03764	Hs.82085	plasminogen activator inhibitor; type I	3.67	Fibroblasts 2, HS578T_cells, MB231_cells
45	107580	AA002091	Hs.175476	ESTs; Weakly similar to !!!! ALU SUBFAMI	3.67	OVCAR_cells, LNCaP_cells, Lu_SC_H345
	111685	R21408	Hs.106095	ESTs	3.66	OVCAR_cells, A549_cells, 293T_cells
	128336	A1242720	Hs.146043	ESTs; Weakly similar to alternatively sp	3.66	Lu_SC_H345, Caco2, OVCAR_cells
	130868	AA004900	Hs.171917	ESTs; Weakly smlr to smlr to glycerophos	3.61	EB_cells, HS578T_cells, LNCaP_cells
	116802	H44061	Hs.194026	ESTs	3.6	Lu_SC_H345, OVCAR_cells, DU145_cells
50	130753	Z46632	Hs.189	phosphodiesterase 4C; cAMP-specific (dun	3.6	Lu_SC_H69, Lu_AD_H23, Lu_SC_H345
	123074	AA485117	Hs.105653	ESTs	3.6	293T_cells, MB231_cells, Fibroblasts 2
	114317	Z41038	Hs.469	succinate dehydrogenase complex; subunit	3.6	DU145_cells, HS578T_cells, CALU6_cells
	134194	AA233231	Hs.79828	ESTs	3.59	BT474_cells, MB231_cells, HT29_cells
	127752	AA808388	Hs.211167	ESTs	3.59	Lu_SC_H520, MB-MDA-435s, DU145_cells
55	123526	AA608657		ESTs; Moderately similar to !!!! ALU SUB	3.59	DU145_cells, OVCAR_cells, LNCaP_cells
	127917	AA211895	Hs.118831	EST; Highly similar to dJ1163J1.2.1 [H.s	3.58	Lu_SC_H345, OVCAR_cells, PRSC_con
	105941	AA404427	Hs.10669	ESTs; Moderately similar to KIAA0400 [H.	3.58	PC3_cells, DU145_cells, HS578T_cells
	124694	R06108	Hs.135258	ESTs	3.56	Lu_AD_H23, Lu_SC_H520, Lu_AD_358
	105656	AA282571	Hs.203772	FSHD region gene 1	3.56	DU145_cells, EB_cells, A549_cells
60	111168	N66951	Hs.238380	Human endogenous retroviral protease mRN	3.55	PC3_cells, EB_cells, MB231_cells
	133254	AA156670	Hs.180780	H sapiens agrin precursor mRNA; partial	3.54	OVCAR_cells, DU145_cells, PC3_cells
	132640	U33821		Tax1 (human T-cell leukemia virus type I	3.53	MB231_cells, CALU6_cells, BT474_cells
	116562	D25807	Hs.90145	ESTs	3.52	MB231_cells, BT474_cells, Lu_SC_H345
	126045	N80361	Hs.14248	ESTs	3.51	DU145_cells, Lu_SC_H345, OVCAR_cells
65	122878	AA465341	Hs.99640	ESTs	3.47	HT29_cells, OVCAR_cells, HMEC
	105220	AA210695	Hs.17212	ESTs	3.47	MB-MDA-435s, HT29_cells, HT29_cells
	127001	AA731636	Hs.59319	ESTs; Weakly similar to !!!! ALU SUBFAMI	3.45	LNCaP_cells, DU145_cells, Lu_SC_H345
	112693	R88741	Hs.91065	ESTs; Moderately similar to proliferatio	3.44	EB_cells, LNCaP_cells, DU145_cells
	104935	AA063280	Hs.35552	ESTs	3.43	LNCaP_cells, CALU6_cells, 293T_cells
70	128710	J04813	Hs.104117	cytochrome P450; subfamily IIIA (niphedi	3.41	HT29_cells, A549_cells, Fibroblasts 2
	131996	D86956	Hs.36927	heat shock 105kD	3.4	EB_cells, PC3_cells, Lu_SC_H345
	119229	T03229		H sapiens (clone 104) retinoblastoma 1 g	3.4	DU145_cells, Lu_SC_H345, EB_cells
	128046	AA873285	Hs.137947	ESTs	3.39	EB_cells, LNCaP_cells, DU145_cells
	105175	AA186804	Hs.25740	ESTs; Weakly similar to ubiquitous TPR m	3.39	PC3_cells, MCF7, DU145_cells
75	132349	Y00705	Hs.181286	serine protease inhibitor; Kazal type 1	3.38	Caco2, EB_cells, Lu_SC_H69
	101559	M32053		Human H19 RNA gene, complete cds	3.37	Lu_SC_H69, MCF7, OVCAR_cells
	116389	AA599011		troponin T1; skeletal; slow	3.36	DU145_cells, LNCaP_cells, OVCAR_cells

	130641	AA182001	Hs.17155	ESTs	3.36	DU145_cells, MB-MDA-435s, HS578T_cells
	109362	AA214615	Hs.194348	ESTs	3.33	HT29_cells, Fibroblasts 2, BT474_cells
	106278	AA432292	Hs.23388	ESTs; Moderately similar to !!!! ALU SUB	3.33	EB_cells, Fibroblasts 2, BT474_cells
5	127241	AA321849	Hs.248340	H sapiens mRNA; cDNA DKFZp564J2116 (from		3.32 LNCaP_cells, DU145_cells, EB_cells
	133339	N64588	Hs.71252	ESTs	3.32	DU145_cells, EB_cells, Caco2
	113260	T64896	Hs.237992	ESTs	3.32	Lu_SC_H345, LNCaP_cells, Lu_SC_H69
	133349	N75791	Hs.7153	L-3-hydroxyacyl-Coenzyme A dehydrogenase	3.31	Caco2, EB_cells, OVCAR_cells
	107149	AA621159	Hs.23284	ESTs	3.29	HS578T_cells, DU145_cells, PRSC_con
10	133195	AA350744	Hs.181409	KIAA1007 protein	3.29	EB_cells, Lu_AD_H23, Lu_AD_358
	111302	N73838	Hs.15049	ESTs	3.29	DU145_cells, EB_cells, HS578T_cells
	106414	AA447971	Hs.28827	ESTs	3.28	A549_cells, OVCAR_cells, PC3_cells
	121768	AA421561	Hs.251664	insulin-like growth factor 2 (somatomedi	3.28	Caco2, PRSC_con, PRSC_log
	117176	H98670	Hs.49753	ESTs; Weakly similar to hypothetical pro	3.28	PRSC_log, CALU6_cells, OVCAR_cells
	131320	AA171948	Hs.145696	splicing factor (CC1.3)	3.28	EB_cells, LNCaP_cells, DU145_cells
15	100700	HG3227-H		Guanine Nucleotide-Binding Protein Hsr1	3.27	EB_cells, RPWE_2, Lu_AD_H23
	134275	AA132328	Hs.3688	acid-inducible phosphoprotein	3.26	EB_cells, DU145_cells, LNCaP_cells
	117667	N39214	Hs.44708	Ser-Thr protein kinase related to the my	3.26	LNCaP_cells, DU145_cells, MB-MDA-453
	124889	R78604	Hs.101570	ESTs	3.25	Lu_AD_H23, Lu_SC_H69, Lu_SC_H345
	126631	W95117	Hs.193337	ESTs	3.25	Lu_SC_H345, OVCAR_cells, Lu_SC_H69
20	105643	AA282069	Hs.173802	KIAA0603 gene product	3.24	Caco2, EB_cells, 293T_cells
	132718	AA056731	Hs.554	Sjogren syndrome antigen A2 (60kD; ribon	3.24	CALU6_cells, OVCAR_cells, A549_cells
	116417	AA609309	Hs.239302	ESTs; Weakly similar to !!!! ALU SUBFAM	3.24	A549_cells, CALU6_cells, 293T_cells
	108039	AA041341	Hs.46670	ESTs	3.24	293T_cells, EB_cells, Caco2
	114116	Z38496	Hs.103283	KIAA0594 protein	3.23	DU145_cells, OVCAR_cells, EB_cells
25	124514	N58045	Hs.142737	ESTs	3.22	EB_cells, Caco2, Lu_SC_H520
	110802	N26651	Hs.252748	ESTs	3.22	LNCaP_cells, MB-MDA-435s, MB-MDA-453
	106920	AA490899	Hs.24462	ESTs	3.22	DU145_cells, EB_cells, OVCAR_cells
	123523	AA608588	Hs.193634	ESTs	3.21	DU145_cells, LNCaP_cells, OVCAR_cells
	131564	AA491465	Hs.28792	ESTs	3.2	HS578T_cells, HMEC (total RNA), HMEC
30	119423	T99544	Hs.173734	ESTs; Weakly similar to !!!! ALU CLASS B	3.2	EB_cells, DU145_cells, Caco2
	128736	F03934	Hs.104607	ESTs	3.19	PC3_cells, Lu_SC_H520, Lu_SC_H69
	101511	M27826	Hs.238380	Human endogenous retroviral protease mRN	3.18	PC3_cells, DU145_cells, Lu_SC_H520
	114509	AA043551	Hs.95249	ESTs	3.18	EB_cells, Lu_SC_H345, DU145_cells
	124196	H52617	Hs.144167	ESTs	3.17	BT474_cells, MB231_cells, HMEC
35	129095	L12350	Hs.108623	thrombospondin 2	3.17	Fibroblasts 2, PRSC_con, PRSC_log
	116457	AA621367	Hs.119683	ESTs	3.17	293T_cells, Lu_SC_H345, CALU6_cells
	117040	H89112		yw25e5.s1 Morton Fetal Cochlea H sapiens	3.16	OVCAR_cells, 293T_cells, EB_cells
	129112	N32521	Hs.108738	ESTs	3.16	EB_cells, Fibroblasts 2, MB231_cells
40	130418	J03242	Hs.251664	insulin-like growth factor 2 (somatomedi	3.16	Caco2, PRSC_con, PRSC_log
	131199	R80048	Hs.234433	ESTs; Weakly similar to transporter prot	3.15	PC3_cells, EB_cells, OVCAR_cells
	110357	H41529	Hs.33549	ESTs; Highly similar to sulfonylurea rec	3.15	Lu_SC_H345, PRSC_con, Lu_AD_H23
	130068	AA608903	Hs.106220	KIAA0336 gene product	3.15	OVCAR_cells, CALU6_cells, HS578T_cells
	127423	T47546	Hs.119252	tumor protein; translationally-controlle	3.15	EB_cells, PRSC_con, LNCaP_cells
45	105028	AA126719	Hs.25282	ESTs	3.14	LNCaP_cells, PC3_cells, EB_cells
	102349	U37547	Hs.75263	apoptosis inhibitor 1	3.14	DU145_cells, HS578T_cells, LNCaP_cells
	105126	AA157814	Hs.36288	ESTs	3.13	EB_cells, HS578T_cells, LNCaP_cells
	115465	AA286941	Hs.43691	ESTs	3.12	EB_cells, DU145_cells, 293T_cells
	133246	AA086452	Hs.68731	triadin	3.12	Lu_SC_H520, Lu_AD_H23, PRSC_log
50	122698	AA456112	Hs.99410	ESTs	3.12	DU145_cells, OVCAR_cells, A549_cells
	123553	AA608841	Hs.111977	ESTs	3.12	EB_cells, Caco2, DU145_cells
	133437	R57419	Hs.7370	ESTs	3.11	HS578T_cells, 293T_cells, Caco2
	104956	AA074880	Hs.120975	ESTs; Weakly similar to hypothetical pro	3.11	OVCAR_cells, Fibroblasts 2, Caco2
	116314	AA490588	Hs.43118	ESTs	3.11	EB_cells, MB-MDA-435s, HT29_cells
55	120562	AA280036	Hs.173912	eukaryotic translation initiation factor	3.11	LNCaP_cells, DU145_cells, EB_cells
	108770	AA127845	Hs.71027	EST	3.11	Lu_LC_H460, Lu_SC_H345, Lu_AD_358
	129791	F02778	Hs.173887	KIAA0876 protein	3.1	Lu_SC_H345, Lu_SC_H69, PRSC_log
	115783	AA424487	Hs.72289	ESTs; Weakly similar to LIV-1 protein [H	3.09	Lu_AD_358, EB_cells, PC3_cells
	107630	AA007218	Hs.60178	ESTs	3.07	Lu_SC_H345, CALU6_cells, Lu_SC_H69
60	124339	H99093	Hs.6179	H sapiens mRNA; cDNA DKFZp586K2322 (from		3.07 293T_cells, MB-MDA-453, Caco2
	122314	AA442257	Hs.192076	ESTs	3.07	293T_cells, LNCaP_cells, PC3_cells
	104589	R79299	Hs.241160	ESTs; Moderately similar to !!!! ALU SUB	3.07	293T_cells, DU145_cells, EB_cells
	115687	AA410508	Hs.183765	ESTs; Moderately smlr to ORF derived frm	3.06	Caco2, EB_cells, MB231_cells
	123796	AA620390	Hs.247444	ESTs	3.06	Lu_SC_H345, LNCaP_cells, DU145_cells
	106483	AA451676	Hs.30299	IGF-II mRNA-binding protein 2	3.06	OVCAR_cells, HMEC (total RNA), HMEC
65	133318	AA256168	Hs.70838	ESTs	3.05	OVCAR_cells, LNCaP_cells, 293T_cells
	117244	N20979	Hs.1757	L1 cell adhesion molecule (hydrocephalus		
				thumbs) syndrome; spastic paraplegia 1)	3.05	MB231_cells, MCF7, CALU6_cells
	130797	AA430050	Hs.180948	KIAA0729 protein	3.05	EB_cells, DU145_cells, DU145_cells
70	128959	D79791	Hs.107381	ESTs; Weakly similar to F38A5.1 [C.elega	3.05	LNCaP_cells, HS578T_cells, Lu_SC_H520
	120481	AA252703	Hs.191754	ESTs	3.04	EB_cells, Fibroblasts 2, PRSC_con
	126649	AA856990	Hs.125058	ESTs	3.03	OVCAR_cells, LNCaP_cells, 293T_cells
	106970	AA504835	Hs.24252	ESTs	3.03	EB_cells, OVCAR_cells, 293T_cells
	126488	N34935	Hs.25633	ESTs; Highly similar to ARF GTPase-activ	3.03	Lu_AD_358, MCF7, MB231_cells
	119498	W37226	Hs.55573	ESTs	3.01	293T_cells, HS578T_cells, CALU6_cells
75	129967	H99653	Hs.138618	ESTs	3.01	Lu_SC_H345, Lu_SC_H69, PRSC_log
	130698	AA037357	Hs.188212	ESTs	3.01	OVCAR_cells, LNCaP_cells, DU145_cells

	111018	N54067	Hs.3628	mitogen-activated protein kinase kinase	3.01	PC3_cells, Caco2, Fibroblasts 2
	123196	AA489250	Hs.59403	serine palmitoyltransferase; subunit II	3	Lu_SC_H345, BT474_cells, Lu_SC_H69
	133229	AA203433	Hs.6834	KIAA1014 protein	3	OVCAR_cells, 293T_cells, EB_cells
5	130405	H88359	Hs.155396	nuclear factor (erythroid-derived 2)-like	3	PRSC_con, EB_cells, DU145_cells
	107881	AA025567	Hs.61273	H sapiens chromosome 19; cosmid R32611	3	Lu_SC_H520, MCF7, Lu_AD_358
	116589	D59570	Hs.17132	ESTs	3	EB_cells, A549_cells, HS578T_cells
	105479	AA255546	Hs.23467	ESTs	2.99	Lu_SC_H345, PC3_cells, OVCAR_cells
	115560	AA393812	Hs.50575	ESTs; Moderately similar to !!!! ALU SUB	2.99	EB_cells, Lu_SC_H69, Fibroblasts 2
10	130166	AA350690	Hs.151411	KIAA0916 protein	2.98	LNCaP_cells, EB_cells, 293T_cells
	123355	AA504773	Hs.160657	ESTs	2.98	PRSC_con, PRSC_log, PRSC_log
	109546	F01449	Hs.26954	ESTs	2.97	Lu_SC_H345, HT29_cells, BT474_cells
	129001	AA448946	Hs.107812	ESTs; Weakly similar to proline-rich pro	2.97	EB_cells, Lu_AD_H23, Lu_AD_358
	102259	U28369	Hs.82222	sema domain; immunoglobulin domain (Ig);	2.97	EB_cells, MB231_cells, OVCAR_cells
	105583	AA278907	Hs.24549	ESTs	2.96	EB_cells, DU145_cells, 293T_cells
15	131859	M90657	Hs.3337	transmembrane 4 superfamily member 1	2.96	A549_cells, PC3_cells, DU145_cells
	114533	AA053401	Hs.177526	ESTs	2.96	293T_cells, Lu_SC_H460, PC3_cells
	110220	H23543	Hs.27090	ESTs	2.95	PRSC_log, Lu_SC_H345, MB231_cells
	124917	R91241	Hs.75470	hypothetical protein; expressed in osteo	2.95	Lu_SC_H345, Lu_SC_H69, PRSC_log
	127111	AA805726	Hs.220509	ESTs	2.94	HS578T_cells, 293T_cells, 293T_cells
20	134882	N73762	Hs.90638	ESTs	2.94	EB_cells, MB-MDA-453, Fibroblasts 2
	121788	AA423968	Hs.178113	ESTs; Moderately similar to kinesin like	2.94	HT29_cells, CALU6_cells, HMEC
	128530	AA504343	Hs.183475	H sapiens clone 25061 mRNA seq	2.94	DU145_cells, Lu_SC_H345, Caco2
	128435	AI301201	Hs.147112	ESTs	2.93	EB_cells, Lu_SC_H520, PRSC_con
	113782	W15580	Hs.15342	phosphate cytidylyltransferase 1; cholin	2.93	EB_cells, Lu_AD_H23, PRSC_log
25	127569	AA588536	Hs.191783	ESTs	2.93	EB_cells, HS578T_cells, Lu_AD_358
	109642	F04465	Hs.22394	ESTs; Weakly similar to weak similarity	2.92	PC3_cells, EB_cells, OVCAR_cells
				protein US)1 [C.elegans]	2.92	A549_cells, HS578T_cells, PRSC_con
	114615	AA083812	Hs.159456	DKFZP566F123 protein	2.92	Lu_SC_H69, Lu_SC_H345, EB_cells
30	126808	AA086320		zn52d12.s1 Stratogene muscle 937209 H sa	2.92	DU145_cells, Fibroblasts 2, MCF7
	113947	W84768	Hs.141742	ESTs	2.92	OVCAR_cells, DU145_cells, CALU6_cells
	129455	W27301	Hs.187991	DKFZP564A122 protein	2.91	OVCAR_cells, EB_cells, PC3_cells
	107772	AA018587	Hs.40515	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.91	293T_cells, OVCAR_cells, PC3_cells
	127159	AA284097	Hs.237955	RAB7; member RAS oncogene family	2.91	DU145_cells, DU145_cells, CALU6_cells
35	124792	R44357	Hs.132784	ESTs; Weakly similar to cDNA EST EMBL:TO	2.91	2.91 EB_cells, Lu_SC_H69, 293T_cells
	109751	F10210	Hs.6679	H sapiens mRNA; cDNA DKFZP586A0424 (from	2.9	CALU6_cells, EB_cells, OVCAR_cells
	128926	AA481403	Hs.107213	ESTs; Highly similar to NY-REN-6 antigen	2.9	EB_cells, Caco2, MB-MDA-435s
	106637	AA459961	Hs.250824	ESTs	2.9	DU145_cells, HS578T_cells, A549_cells
	132164	U84573	Hs.41270	procollagen-llysine; 2-oxoglutarate 5-dio	2.9	MCF7, HMEC (total RNA), 293T_cells
40	128099	AA905327		ESTs	2.9	EB_cells, Lu_SC_H460, 293T_cells
	104818	AA034947	Hs.24831	ESTs	2.9	
	126050	H27267	Hs.75860	hydroxyacyl-Coenzyme A dehydrogenase/3-k	2.89	LNCaP_cells, DU145_cells, OVCAR_cells
				-Coenzyme A hydratase (trifunctional pro	2.89	CALU6_cells, 293T_cells, 293T_cells
	116696	F09780	Hs.66124	EST	2.89	PC3_cells, EB_cells, LNCaP_cells
45	135204	AA421146	Hs.183418	cell division cycle 2-like 1 (PITSLRE pr	2.88	EB_cells, LNCaP_cells, Caco2
	134946	AA406534	Hs.193053	ESTs; Weakly similar to hiwi [H.sapiens]	2.88	EB_cells, EB_cells, EB_cells
	114975	AA250850	Hs.13944	adrenergic; beta; receptor kinase 2	2.88	MB-MDA-435s, Lu_SC_H69, CALU6_cells
	113792	W35212	Hs.17691	ESTs; Weakly similar to env protein [H.s	2.88	293T_cells, HT29_cells, Lu_AD_H23
	102322	U34962	Hs.54473	cardiac-specific homeo box	2.88	PC3_cells, CALU6_cells, 293T_cells
50	125642	AI096849	Hs.25274	ESTs; Moderately similar to putative sev	2.88	293T_cells, LNCaP_cells, EB_cells
	100288	D43951	Hs.153834	Human mRNA for KIAA0099 gene; complete	2.88	OVCAR_cells, DU145_cells, 293T_cells
	105878	AA400184	Hs.24656	KIAA0907 protein	2.88	DU145_cells, HS578T_cells, MB231_cells
	125262	W88755	Hs.108514	ESTs; Highly similar to Trio [H.sapiens]	2.88	EB_cells, Lu_AD_H23, Fibroblasts 2
	114419	AA011448	Hs.106532	ESTs; Weakly similar to transposon LRE2	2.88	EB_cells, A549_cells, OVCAR_cells
55	130639	D59711	Hs.17132	ESTs	2.87	2.87 293T_cells, A549_cells, Lu_SC_H460
	130972	AA370302	Hs.21739	H sapiens mRNA; cDNA DKFZP586I1518 (from	2.87	Lu_SC_H345, Lu_SC_H69, LNCaP_cells
	126906	H66949	Hs.168069	ESTs; Highly similar to CALCIUM-BINDING	2.87	
	121807	AA424507	Hs.247478	H sapiens Mut S homolog 5 gene; partial	2.87	
				1C7; LST-1; lymphotoxin beta; tumor necr	2.87	Lu_SC_H69, HT29_cells, RPWE_2
60	105474	AA255440	Hs.219614	F-box protein FBL11	2.87	Lu_AD_H23, Caco2, EB_cells
	122348	AA443695	Hs.231476	ESTs	2.87	HT29_cells, Lu_SC_H69, BT474_cells
	116368	AA521186	Hs.94217	ESTs	2.86	MB-MDA-453, OVCAR_cells, Lu_SC_H69
	135143	AA102644	Hs.69559	KIAA1096 protein	2.86	PC3_cells, EB_cells, 293T_cells
	106711	AA464741	Hs.143187	Human DNA from chromosome 19-specific co	2.86	EB_cells, Lu_AD_H23, Lu_SC_H460
65	128583	L32832	Hs.101842	AT-binding transcription factor 1	2.85	LNCaP_cells, Caco2, EB_cells
	132139	AA213410	Hs.111554	ADP-ribosylation factor-like 7	2.85	A549_cells, HS578T_cells, Caco2
	114484	AA034378	Hs.252351	HERV-H LTR-associating 2	2.85	PC3_cells, Lu_SC_H520, MB231_cells
	124620	N74051	Hs.194092	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.85	Lu_SC_H345, MB231_cells, Fibroblasts 2
	100403	D85527		H sapiens mRNA for LIM domain, partial c	2.84	Lu_AD_358, Lu_AD_358, MB231_cells
	129795	AA448627	Hs.125163	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.84	Lu_SC_H345, OVCAR_cells, PC3_cells
70	128258	T70214	Hs.183548	ESTs	2.84	DU145_cells, DU145_cells, OVCAR_cells
	102662	U70321	Hs.130227	tumor necrosis factor receptor superfami	2.84	EB_cells, Lu_AD_H23, Fibroblasts 2
	132232	AA252030	Hs.42640	ESTs	2.84	EB_cells, OVCAR_cells, Lu_SC_H345
	106111	AA421638	Hs.6451	ESTs	2.83	EB_cells, Lu_SC_H460, OVCAR_cells
75	123963	C13961	Hs.210115	EST	2.83	DU145_cells, LNCaP_cells, Lu_SC_H345
	122783	AA459895	Hs.98988	ESTs	2.83	EB_cells, MCF7, Lu_SC_H69
	112788	R96586	Hs.163630	ESTs	2.82	DU145_cells, Lu_SC_H345, EB_cells



	120823	AA347546	Hs.185780	ESTs	2.82	HT29_cells, HMEC (total RNA), BT474_cells
	100378	D80009	Hs.10848	KIAA0187 gene product	2.82	Caco2, PC3_cells, OVCAR_cells
	114677	AA114163	Hs.188877	ESTs	2.81	DU145_cells, MCF7, EB_cells
5	108085	AA045602	Hs.62863	ESTs; Moderately similar to serine/threo	2.81	EB_cells, Lu_AD_H23, HT29_cells
	104938	AA064627	Hs.18341	ESTs; Highly similar to CGI-72 protein [	2.81	PC3_cells, HS578T_cells, OVCAR_cells
	128743	AA237013	Hs.2730	heterogeneous nuclear ribonucleoprotein	2.8	OVCAR_cells, LNCaP_cells, Caco2
	124314	H94877	Hs.215766	GTP-binding protein	2.8	LNCaP_cells, DU145_cells, Caco2
	134227	D79986	Hs.80338	KIAA0164 gene product	2.8	LNCaP_cells, A549_cells, EB_cells
10	122922	AA476268		zw44h1.s1 Soares_total_fetus_Nb2HF8_9w H		
				contains Alu repetitive element; contain	2.79	Lu_SC_H345, OVCAR_cells, Lu_SC_H69
	126096	H42968	Hs.155606	paired mesoderm homeo box 1	2.78	Lu_AD_H23, Lu_SC_H69, Lu_LC_H460
	129295	AA424782	Hs.110121	SEC7 homolog	2.78	Lu_AD_H23, EB_cells, Lu_SC_H345
	116155	AA460957	Hs.76053	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	2.78	EB_cells, OVCAR_cells, 293T_cells
15	105911	AA401809	Hs.189910	ESTs	2.77	293T_cells, HS578T_cells, DU145_cells
	119232	T03475	Hs.258624	EST	2.77	EB_cells, Lu_AD_H23, Lu_AD_358
	131168	AA482007	Hs.23788	ESTs; Weakly similar to homology with is	2.77	EB_cells, Lu_LC_H460, MCF7
	106048	AA416697	Hs.15330	ESTs	2.76	OVCAR_cells, Lu_SC_H345, 293T_cells
	124352	N21626	Hs.102406	ESTs	2.76	MCF7, MB-MDA-453, CALU6_cells
20	129349	D86974	Hs.110613	KIAA0220 protein	2.76	DU145_cells, HT29_cells, Lu_SC_H69
	106120	AA423808	Hs.8765	RNA helicase-related protein	2.76	OVCAR_cells, EB_cells, 293T_cells
	106643	HG2755-H		T-Plastin	2.75	293T_cells, PC3_cells, HS578T_cells
	128500	U60521	Hs.100641	caspase 9; apoptosis-related cysteine pr	2.75	Lu_AD_358, Lu_SC_H69, Lu_SC_H345
	126090	R44789	Hs.119486	ESTs; Weakly similar to rostral cerebell	2.75	Lu_SC_H69, Lu_SC_H345, BT474_cells
25	127064	Z43709		HSC1JA091 normalized infant brain cDNA H	2.75	Caco2, A549_cells, HT29_cells
	132989	AA480074	Hs.394	adrenomedullin	2.75	EB_cells, OVCAR_cells, DU145_cells
	108888	AA135606	Hs.189384	ESTs; Weakly similar to !!!! ALU SUBFAM	2.75	OVCAR_cells, LNCaP_cells, DU145_cells
	119579	W42429	Hs.150607	ESTs	2.74	293T_cells, DU145_cells, PC3_cells
30	100387	D83777	Hs.75137	KIAA0193 gene product	2.74	CALU6_cells, DU145_cells, Caco2
	114744	AA135407	Hs.252351	HERV-H LTR-associating 2	2.74	PC3_cells, Lu_SC_H520, RPWE_2
	129092	AA011243	Hs.63525	poly(rC)-binding protein 2	2.74	EB_cells, MCF7, DU145_cells
	125360	AA677978	Hs.189741	ESTs	2.74	Lu_AD_358, Lu_AD_358, PRSC_log
	107874	AA025305	Hs.25218	ESTs; Weakly similar to reverse transcri	2.74	Lu_SC_H345, Lu_LC_H460, HT29_cells
	114086	Z38266	Hs.12770	H sapiens PAC clone DJ0777023 from 7p14-	2.74	EB_cells, LNCaP_cells, BT474_cells
35	116180	AA463902	Hs.94964	ESTs	2.73	Lu_SC_H69, PRSC_con, Lu_AD_H23
	126027	M61982		ESTs	2.73	LNCaP_cells, DU145_cells, A549_cells
	116339	AA496257	Hs.72165	ESTs; Weakly similar to R26984_1 [H.sapi	2.73	EB_cells, DU145_cells, OVCAR_cells
	105387	AA236951	Hs.108636	chromosome 1 open reading frame 9	2.72	PC3_cells, EB_cells, Caco2
40	111359	N91273	Hs.27179	ESTs	2.72	EB_cells, LNCaP_cells, 293T_cells
	106680	AA461458	Hs.24789	ESTs	2.72	PC3_cells, Lu_SC_H345, Caco2
	118598	N69136	Hs.214343	ESTs	2.72	MB-MDA-453, 293T_cells, BT474_cells
	107913	AA027161	Hs.59523	ESTs; Highly similar to G1 TO S PHASE TR	2.71	EB_cells, MCF7, Lu_SC_H345
	134315	AA136269	Hs.81648	ESTs; Weakly similar to S164 [H.sapiens]	2.71	EB_cells, DU145_cells, HMEC
	135233	AA127463	Hs.9683	protein-kinase; interferon-inducible dou	2.71	EB_cells, OVCAR_cells, Caco2
45	112932	T15470	Hs.189810	ESTs	2.7	293T_cells, Lu_AD_H23, PC3_cells
	119053	R11501		yt28f1.s1 Soares fetal liver spleen 1NFL		
				contains Alu repetitive element; mRNA	2.7	Lu_SC_H345, Lu_SC_H69, DU145_cells
	131206	AA044078	Hs.24210	ESTs	2.7	Caco2, Lu_SC_H345, HS578T_cells
	126759	AA063642		ESTs; Highly similar to (define not ava	2.7	LNCaP_cells, Lu_SC_H345, Lu_SC_H69
50	131060	AA160890	Hs.22564	myosin VI	2.7	LNCaP_cells, MCF7, HT29_cells
	132135	N69101	Hs.40730	ESTs	2.7	EB_cells, 293T_cells, OVCAR_cells
	120835	AA348446	Hs.96906	ESTs	2.7	Fibroblasts 2, CALU6_cells, RPWE_2
	113815	W45311	Hs.14756	ESTs	2.7	EB_cells, PC3_cells, DU145_cells
	133234	T90092	Hs.6853	ESTs; Weakly similar to !!!! ALU SUBFAM	2.69	Lu_SC_H345, OVCAR_cells, DU145_cells
55	126819	AA305536	Hs.161489	ESTs	2.69	EB_cells, DU145_cells, Caco2
	125198	W69474	Hs.225550	ESTs	2.69	Lu_SC_H345, Lu_AD_H23, Lu_AD_H23
	108394	AA075144		zm86f6.s1 Stratagene ovarian cancer (#93		
				gb:X1664 TRANSLATIONALLY CONTROLLED TUM		
	134456	X59405	Hs.83532	membrane cofactor protein (CD46; trophob	2.69	2.69 HMEC, HMEC (total RNA), Fibroblasts 2
60	111720	R23739	Hs.23585	KIAA1078 protein	2.68	EB_cells, LNCaP_cells, DU145_cells
	114617	AA084148	Hs.110659	ESTs	2.68	PC3_cells, HMEC (total RNA), OVCAR_cells
	127787	AA731764		ESTs; Weakly similar to !!!! ALU CLASS C	2.68	DU145_cells, LNCaP_cells, OVCAR_cells
	101437	M20681	Hs.7594	solute carrier family 2 (facilitated glu	2.68	HT29_cells, Lu_SC_H345, MB231_cells
	133761	AA477223	Hs.75922	brain protein I3	2.68	Caco2, Lu_LC_H460, Fibroblasts 2
	105869	AA399574	Hs.19086	ESTs	2.68	EB_cells, Lu_AD_H23, Lu_SC_H345
65	125191	W67257	Hs.138871	ESTs; Weakly similar to !!!! ALU CLASS B	2.68	PC3_cells, MCF7, MB231_cells
	116238	AA479362	Hs.47144	DKFZP586N0819 protein	2.67	OVCAR_cells, DU145_cells, LNCaP_cells
	124770	R40555	Hs.120429	ESTs	2.67	OVCAR_cells, DU145_cells, LNCaP_cells
	101764	M80563	Hs.81256	S100 calcium-binding protein A4 (calcium		Lu_AD_H23, Lu_SC_H69, PRSC_con
				murine placental homolog)	2.67	
70	130897	AA063428	Hs.21022	adaptor-related protein complex 3; beta	2.67	A549_cells, MB231_cells, OVCAR_cells
	133303	H61046	Hs.237352	EST	2.66	EB_cells, Lu_AD_H23, HMEC
	124724	R12405	Hs.112423	H sapiens mRNA; cDNA DKFZp586l1420 (from	2.66	Lu_SC_H345, Lu_SC_H69, PRSC_con
	123697	AA609601	Hs.221224	ESTs	2.66	2.66 Lu_SC_H345, BT474_cells, OVCAR_cells
	111548	R09170	Hs.258707	ESTs	2.66	OVCAR_cells, 293T_cells, Lu_SC_H69
75	107005	AA598679	Hs.194215	ESTs	2.66	293T_cells, CALU6_cells, A549_cells
	105569	AA278399	Hs.20596	ESTs	2.65	Lu_SC_H345, OVCAR_cells, Lu_AD_H23
					2.65	MCF7, HT29_cells, BT474_cells

5	132687	AB002301	Hs.54985	KIAA0303 protein	2.65	HMEC (total RNA), HMEC, LNCaP_cells
	104105	AA422123	Hs.42457	ESTs	2.65	Lu_SC_H345, Lu_SC_H69, DU145_cells
	121335	AA404418	Hs.144953	ESTs	2.65	EB_cells, Fibroblasts 2, DU145_cells
	124853	R61693	Hs.172330	ESTs; Weakly similar to Wiskott-Aldrich	2.64	Lu_SC_H69, 293T_cells, EB_cells
	124253	H69742	Hs.102201	ESTs	2.64	DU145_cells, OVCAR_cells, Lu_SC_H345
10	123044	AA481549	Hs.165694	ESTs	2.64	EB_cells, Lu_SC_H69, Lu_SC_H345
	129535	AA608852	Hs.112603	EST	2.64	EB_cells, Lu_AD_H23, Fibroblasts 2
	131397	AB002336	Hs.26395	erythrocyte membrane protein band 4.1-li	2.64	EB_cells, DU145_cells, Caco2
	130175	X75593	Hs.151536	RAB13; member RAS oncogene family	2.64	Fibroblasts 2, PRSC_con, HS578T_cells
	127507	AI188445	Hs.152618	ESTs	2.63	EB_cells, Lu_AD_H23, Lu_LC_H460
15	105377	AA236702	Hs.24371	ESTs	2.63	Caco2, EB_cells, CALU6_cells
	114671	AA112679	Hs.252291	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.63	EB_cells, DU145_cells, Caco2
	133726	W19983	Hs.75761	SFRS protein kinase 1	2.63	EB_cells, Lu_AD_H23, Lu_SC_H69
	132380	H68018		yr76h05.r1 Soares fetal liver spleen 1NF IMAGE:211257 5', mRNA seq.	2.62	EB_cells, Lu_AD_H23, Lu_SC_H69
	127986	AI370418	Hs.192050	ESTs; Weakly similar to !!!! ALU CLASS A	2.62	DU145_cells, OVCAR_cells, LNCaP_cells
20	116208	AA476333	Hs.42532	ESTs	2.61	DU145_cells, PRSC_con, Fibroblasts 2
	130946	AA069456	Hs.21490	KIAA0438 gene product	2.6	LNCaP_cells, DU145_cells, HS578T_cells
	106687	AA463234	Hs.119387	KIAA0792 gene product	2.59	EB_cells, MB-MDA-453, Caco2
	101551	M31606	Hs.196177	phosphorylase kinase; gamma 2 (testis)	2.59	LNCaP_cells, EB_cells, MB-MDA-453
	114479	AA032084	Hs.124841	ESTs; Moderately similar to transformati	2.59	DU145_cells, Caco2, OVCAR_cells
25	111863	R37495	Hs.23578	ESTs	2.59	HT29_cells, MB231_cells, Lu_SQ_H520
	129018	AA029973	Hs.107979	small membrane protein 1	2.59	A549_cells, EB_cells, HS578T_cells
	107058	AA600357	Hs.239489	TIA1 cytotoxic granule-associated RNA-bi	2.58	DU145_cells, Lu_SC_H345, EB_cells
	126175	AA056181	Hs.17311	DKFZP434N161 protein	2.58	Lu_SC_H345, DU145_cells, LNCaP_cells
	131979	D52154	Hs.172458	iduronate 2-sulfatase (Hunter syndrome)	2.58	DU145_cells, PC3_cells, A549_cells
30	126122	H80181		ESTs	2.58	DU145_cells, OVCAR_cells, LNCaP_cells
	106961	AA504110	Hs.18063	ESTs	2.58	HMEC, DU145_cells, DU145_cells
	114730	AA133527	Hs.126925	ESTs; Weakly similar to The KIAA0138 gen	2.58	DU145_cells, LNCaP_cells, MCF7
	117342	N24020	Hs.132913	ESTs	2.58	HS578T_cells, DU145_cells, LNCaP_cells
	131622	AA424813	Hs.29692	ESTs	2.57	PRSC_con, PRSC_log, HS578T_cells
35	104904	AA055560	Hs.13179	ESTs; Moderately similar to !!!! ALU SUB	2.57	Lu_SC_H345, Lu_SC_H69, BT474_cells
	117359	N24848	Hs.114062	ESTs; Weakly similar to T15B7.2 [C.elega	2.57	HS578T_cells, PRSC_con, EB_cells
	123331	AA497013	Hs.188740	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.57	Lu_SC_H69, Caco2, PRSC_con
	125324	R07785		yf15c06.r1 Soares fetal liver spleen 1NF contains Alu repetitive element;contain	2.57	EB_cells, Lu_AD_H23, Fibroblasts 2
	129813	T33462	Hs.12600	ESTs	2.57	Lu_SC_H345, 293T_cells, Lu_SC_H69
40	100265	D38521	Hs.75935	KIAA0077 protein	2.57	EB_cells, LNCaP_cells, PC3_cells
	134890	T40902	Hs.90786	ATP-binding cassette; sub-family C (CFTR	2.57	A549_cells, DU145_cells, EB_cells
	133582	AA021874	Hs.75087	Fas-activated serine/threonine kinase	2.56	EB_cells, Lu_AD_H23, Lu_AD_358
	135011	H73161	Hs.92991	ESTs; Weakly similar to C13F10.4 [C.eleg	2.56	EB_cells, LNCaP_cells, MB-MDA-453
	107226	D58185	Hs.21945	ESTs	2.56	Lu_SC_H345, Lu_SC_H69, HMEC (total RNA)
45	126042	H62441	Hs.157082	H sapiens PAC clone DJ0988G15 from 7q33-	2.56	HMEC (total RNA), HMEC, RPWE_2
	114472	AA028924	Hs.177407	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.56	Lu_SC_H345, Lu_SC_H69, DU145_cells
	126291	N42090		yy05b07.r1 Soares melanocyte 2NbHM H sap	2.56	HMEC, HMEC (total RNA), PC3_cells
	113349	TT9021	Hs.14438	ESTs; Moderately similar to histamine N-	2.56	HT29_cells, PRSC_log, Lu_SC_H345
	105769	AA347485	Hs.25477	ESTs; Moderately similar to rig-1 protei	2.56	Lu_AD_H23, RPWE_2, Lu_SQ_H520
50	110918	N46423	Hs.24283	ESTs	2.56	EB_cells, CALU6_cells, DU145_cells
	117170	H98153	Hs.42500	ADP-ribosylation factor-like 5	2.56	OVCAR_cells, EB_cells, LNCaP_cells
	105159	AA173981	Hs.30490	CD2-associated protein	2.55	LNCaP_cells, EB_cells, DU145_cells
	105726	AA292328	Hs.9754	activating transcription factor 5	2.55	MCF7, EB_cells, MB-MDA-453
	132079	H67964	Hs.38694	ESTs	2.55	EB_cells, DU145_cells, HS578T_cells
55	131813	X51757	Hs.3268	heat shock 70kD protein 6 (HSP70B')	2.55	Lu_AD_H23, MB231_cells, Fibroblasts 2
	133538	L14837	Hs.74614	tight junction protein 1 (zona occludens	2.54	DU145_cells, Caco2, A549_cells
	124981	T40849	Hs.114034	maternal G10 transcript	2.54	EB_cells, Caco2, LNCaP_cells
	122028	AA431306	Hs.98722	ESTs	2.54	Fibroblasts 2, BT474_cells, HMEC (total RNA)
	122487	AA448332	Hs.80598	transcription elongation factor A (SII);	2.54	Lu_SC_H345, MCF7, MB-MDA-453
60	119315	T41152	Hs.90485	ESTs	2.54	Lu_SC_H345, MB-MDA-435s, PRSC_con
	107957	AA031948	Hs.57548	ESTs	2.54	A549_cells, RPWE_2, DU145_cells
	122457	AA447780	Hs.96418	ESTs	2.54	DU145_cells, EB_cells, A549_cells
	103572	Z25749	Hs.75538	ribosomal protein S7	2.54	EB_cells, CALU6_cells, DU145_cells
	124395	N29963	Hs.193977	ESTs	2.54	HMEC (total RNA), HMEC, RPWE_2
65	116024	AA451748	Hs.83883	Human DNA seq from clone 718J7 on chromo phosphoenolpyruvate carboxykinase 1; ES	2.53	LNCaP_cells, RPWE_2, MB-MDA-453
	134361	D43682	Hs.82208	acyl-Coenzyme A dehydrogenase; very long	2.53	LNCaP_cells, CALU6_cells, DU145_cells
	130420	U60975		Human hybrid receptor gp25 precursor mRN	2.53	EB_cells, HMEC (total RNA), Caco2
	100336	D63478	Hs.8127	KIAA0144 gene product	2.53	BT474_cells, HT29_cells, Lu_AD_358
	105519	AA258063	Hs.23438	ESTs	2.53	EB_cells, Caco2, MB-MDA-435s
70	124684	R02401	Hs.221078	ESTs	2.53	Lu_SC_H345, OVCAR_cells, Lu_SC_H69
	105852	AA398933	Hs.172613	solute carrier family 12 (potassium/chlo	2.52	LNCaP_cells, DU145_cells, EB_cells
	105012	AA116036	Hs.9329	chromosome 20 open reading frame 1	2.52	CALU6_cells, Caco2, DU145_cells
	126534	W39128	Hs.247901	Human DNA seq from clone 8B1 on chromoso		
	135334	AA053134	Hs.241558	-CELL MEMBRANE GLYCOPROTEIN PC-1; the ge	2.52	BT474_cells, LNCaP_cells, Lu_AD_H23
75	128538	R44214	Hs.101189	ariadne-2 (D. melanogaster) homolog (all	2.52	293T_cells, CALU6_cells, DU145_cells
	109865	H02566	Hs.191268	H sapiens mRNA: cDNA DKFZp434N174 (from	2.52	EB_cells, Lu_AD_H23, Lu_SC_H345
					2.52	DU145_cells, LNCaP_cells, OVCAR_cells

	118579	N68905		small inducible cytokine A5 (RANTES)	2.51	Lu_SC_H345, LNCaP_cells, Lu_SC_H69
	117590	N34904		ESTs; Moderately similar to !!!! ALU SUB	2.51	Lu_SC_H345, DU145_cells, Lu_SC_H69
	104340	F15201		ESTs	2.51	Lu_SC_H345, PRSC_con, PRSC_log
5	122455	AA447744	Hs.99141	EST	2.51	Caco2, Lu_SC_H69, 293T_cells
	109339	AA211901	Hs.86430	ESTs	2.51	EB_cells, DU145_cells, CALU6_cells
	123258	AA490929	Hs.105274	ESTs	2.51	EB_cells, Lu_AD_H23, Lu_SC_H69
	118467	N66763	Hs.43080	ESTs	2.51	CALU6_cells, HS578T_cells, OVCAR_cells
	106044	AA416546	Hs.149436	kinesin family member 5B	2.51	EB_cells, Caco2, DU145_cells
10	107480	W58057	Hs.74304	periplakin	2.5	Caco2, OVCAR_cells, HMEC (total RNA)
	111760	R26892	Hs.221434	ESTs	2.5	Lu_AD_H23, EB_cells, Lu_AD_358
	132474	N68018	Hs.180930	TBP-associated factor 172	2.5	LNCaP_cells, EB_cells, DU145_cells
	103423	X97249	Hs.123122	FSH primary response (LRPR1; rat) homolo	2.5	HS578T_cells, Lu_SC_H345, PC3_cells
	123488	AA599708	Hs.187764	ESTs; Weakly similar to !!!! ALU SUBFAMI	2.49	OVCAR_cells, Lu_SC_H345, DU145_cells
	100475	D90276	Hs.12	carcinoembryonic antigen-related cell ad	2.49	MB-MDA-453, 293T_cells, CALU6_cells
15	112003	R42547	Hs.172551	ESTs	2.49	EB_cells, Lu_AD_H23, Lu_SC_H345
	114315	Z41027	Hs.26297	ESTs	2.49	Lu_SC_H69, OVCAR_cells, Lu_AD_H23
	105291	AA233311	Hs.28752	ESTs	2.49	EB_cells, CALU6_cells, DU145_cells
	135354	AA188934	Hs.99367	ESTs	2.49	MB-MDA-453, Lu_SC_H69, 293T_cells
20	107521	X78262		H.sapiens mRNA for TRE5	2.49	Lu_SC_H345, Lu_SC_H69, PRSC_con
	108373	AA074393	Hs.61950	ESTs; Weakly similar to nuclear protein	2.49	MCF7, MB-MDA-453, Lu_SC_H345
	108836	AA132061	Hs.222727	ESTs; Weakly similar to ubiquitous TPR m	2.48	DU145_cells, Lu_SC_H345, Lu_SC_H345
	110386	H45516	Hs.33268	ESTs	2.48	PC3_cells, OVCAR_cells, Lu_SC_H520
	129658	M22348	Hs.131255	ubiquinol-cytochrome c reductase binding	2.48	LNCaP_cells, CALU6_cells, PC3_cells
25	134283	H12661	Hs.8107	H sapiens mRNA; cDNA DKFZp586B0918 (from	2.48	2.48 HMEC (total RNA), HS578T_cells, HMEC
	101844	M93425	Hs.62	protein tyrosine phosphatase; non-recept	2.48	DU145_cells, EB_cells, CALU6_cells
	133461	M33318	Hs.183584	cytochrome P450; subfamily IIA (phenobar	2.48	EB_cells, Lu_AD_H23, Lu_AD_358
	103545	Z14000	Hs.35384	ring finger protein 1	2.47	HT29_cells, Lu_SC_H520, BT474_cells
	128440	N76763		ESTs	2.47	EB_cells, Lu_AD_H23, Lu_AD_358
30	134992	H05625	Hs.92414	ESTs	2.47	Lu_SC_H345, CALU6_cells, Lu_SC_H69
	116295	AA489016	Hs.91216	ESTs; Highly similar to partial CDS; hum	2.47	MB-MDA-453, 293T_cells, MB-MDA-435s
	107004	AA598675	Hs.239475	ESTs	2.47	LNCaP_cells, Caco2, OVCAR_cells
	132137	AA282312	Hs.4076	CTD (carboxy-terminal domain; RNA polyme	2.46	Lu_SC_H69, HMEC, EB_cells
	126390	W28286	Hs.100090	tetraspan 3	2.46	EB_cells, DU145_cells, LNCaP_cells
35	113050	T26366	Hs.22711	EST; Weakly similar to 60S RIBOSOMAL PRO	2.46	2.46 Lu_SC_H460, EB_cells, Lu_AD_358
	101667	M60858	Hs.79110	nucleolin	2.46	PC3_cells, 293T_cells, A549_cells
	108569	AA085398		zn7e3.s1 Stratagene hNT neuron (#937233)		
				IMAGE:546748 3', mRNA seq	2.45	HT29_cells, BT474_cells, Lu_SC_H520
	117186	H98988	Hs.42612	ESTs	2.45	EB_cells, Lu_AD_H23, Lu_AD_358
40	129091	AA044622	Hs.183755	Human Chromosome 16 BAC clone CIT987SK-A	2.45	2.45 EB_cells, Lu_AD_H23, Lu_AD_H23
	128468	T23625	Hs.258674	EST	2.45	Lu_AD_H23, EB_cells, Lu_SC_H69
	117498	N31726	Hs.44268	ESTs; Highly similar to myelin gene expr	2.45	Lu_SC_H69, DU145_cells, OVCAR_cells
	105407	AA243478	Hs.5206	ESTs	2.45	EB_cells, 293T_cells, PC3_cells
	128941	R55763	Hs.107287	ESTs	2.44	EB_cells, LNCaP_cells, A549_cells
45	116486	C14128	Hs.251980	EST	2.44	MB-MDA-435s, HS578T_cells, 293T_cells
	134869	T35288	Hs.90421	ESTs; Moderately similar to !!!! ALU SUB	2.44	EB_cells, Lu_AD_H23, Lu_AD_358
	130664	R09049	Hs.17625	ESTs	2.44	PC3_cells, EB_cells, A549_cells
	107985	AA035638	Hs.71968	H sapiens mRNA; cDNA DKFZp564F053 (from	2.44	2.44 PRSC_con, PRSC_log, Caco2
	110300	H37820	Hs.124147	ESTs	2.44	MB-MDA-453, Caco2, OVCAR_cells
50	113471	T87174	Hs.16341	ESTs; Moderately similar to !!!! ALU SUB	2.44	Caco2, OVCAR_cells, LNCaP_cells
	131474	U28749	Hs.2726	high-mobility group (nonhistone chromoso	2.44	CALU6_cells, OVCAR_cells, 293T_cells
	120791	AA342802	Hs.194031	ESTs	2.44	Lu_AD_H23, Lu_SC_H520, PRSC_con
	133733	AA416973	Hs.75798	Human DNA seq from clone 1183121 on chro	2.43	
				to predicted fly and worm proteins. Con	2.43	EB_cells, Caco2, DU145_cells
55	119977	W88579	Hs.124744	ESTs	2.43	HT29_cells, HMEC (total RNA), HMEC
	134921	W60186	Hs.169487	Kreisler (mouse) maf-related leucine zip	2.43	LNCaP_cells, HS578T_cells, MB-MDA-453
	132295	H66351	Hs.181042	Dmx-like 1	2.43	Lu_SC_H69, BT474_cells, Lu_SC_H520
	133395	AA491296	Hs.72805	ESTs	2.43	EB_cells, LNCaP_cells, OVCAR_cells
	106728	AA465355	Hs.153768	U3 snRNP-associated 55-kDa protein	2.43	EB_cells, Lu_AD_H23, PC3_cells
60	116370	AA521256	Hs.236204	ESTs; Moderately similar to NUCLEAR PORE	2.43	EB_cells, A549_cells, 293T_cells
	113936	W81552	Hs.83623	nuclear receptor subfamily 1; group I; m	2.43	293T_cells, OVCAR_cells, Fibroblasts 2
	128862	R61297	Hs.106673	eukaryotic translation initiation factor	2.43	EB_cells, DU145_cells, DU145_cells
	111614	R12581	Hs.191146	ESTs	2.43	HMEC (total RNA), Fibroblasts 2, MB-MDA-435s
	111993	R42241	Hs.106359	ESTs	2.43	A549_cells, DU145_cells, CALU6_cells
65	131554	AA100026	Hs.28669	ESTs; Weakly similar to PROTEIN-TYROSINE	2.42	2.43 EB_cells, LNCaP_cells, Caco2
	130983	N71215	Hs.21862	NCK-associated protein 1	2.42	EB_cells, Caco2, A549_cells
	131654	AA497050	Hs.30204	ESTs	2.42	MCF7, MB-MDA-435s, Lu_SC_H345
	105014	AA121123	Hs.191374	ESTs	2.42	EB_cells, Lu_AD_H23, Lu_SC_H460
	106300	AA435840	Hs.19114	high-mobility group (nonhistone chromoso	2.42	EB_cells, Lu_SC_H345, A549_cells
70	102386	U40998	Hs.81728	unc119 (C.elegans) homolog	2.42	OVCAR_cells, EB_cells, DU145_cells
	112517	R68589	Hs.23721	ESTs	2.42	Caco2, MCF7, DU145_cells
	125375	H72971		KIAA0277 gene product	2.42	Lu_SC_H345, OVCAR_cells, Lu_SC_H69
	123808	AA620552	Hs.25682	ESTs; Weakly similar to PHOSPHATIDYLETHA	2.42	2.42 EB_cells, Lu_AD_H23, Lu_SC_H69
	114950	AA243503	Hs.11801	adenosine A2b receptor pseudogene	2.42	MB-MDA-453, HT29_cells, Lu_SC_H460
75	129906	H39216	Hs.239970	ESTs; Weakly similar to ZNF91L [H.sapien	2.41	Lu_SC_H345, Fibroblasts 2, DU145_cells
	103408	X95876	Hs.198252	G protein-coupled receptor 9	2.41	RPWE_2, PRSC_log, Lu_SC_H345
	129703	AA401348	Hs.179999	ESTs	2.41	EB_cells, 293T_cells, DU145_cells

	105693	AA287104	Hs.181368	U5 snRNP-specific protein (220 kD); orth	2.41	293T_cells, CALU6_cells, A549_cells
	106532	AA453628	Hs.37443	ESTs	2.41	EB_cells, OVCAR_cells, Caco2
	132132	AA010933	Hs.4055	core promoter element binding protein	2.41	HMEC, HMEC (total RNA), EB_cells
5	111409	R00311	Hs.18798	EST; Weakly similar to !!!! ALU SUBFAMIL	2.41	Lu_SC_H345, Lu_SC_H69, PRSC_con
	133813	M26657	Hs.250711	dipeptidyl carboxypeptidase 1 (angiotens	2.41	HT29_cells, BT474_cells, MB231_cells
	127240	AA888387	Hs.243845	ESTs; Moderately similar to !!!! ALU SUB	2.41	Lu_SC_H345, DU145_cells, LNCaP_cells
	104975	AA086071	Hs.50758	chromosome-associated polypeptide C	2.41	OVCAR_cells, DU145_cells, PC3_cells
	118078	N54321	Hs.47790	EST	2.41	EB_cells, Fibroblasts 2, HMEC (total RNA)
10	115840	AA429253	Hs.58103	A kinase (PRKA) anchor protein 9	2.41	OVCAR_cells, EB_cells, PC3_cells
	101186	L20298	Hs.179881	core-binding factor; beta subunit	2.4	EB_cells, DU145_cells, CALU6_cells
	113098	T40936	Hs.8349	ESTs	2.4	Caco2, HT29_cells, EB_cells
	115185	AA259140	Hs.60238	ESTs	2.4	Lu_SC_H69, EB_cells, Caco2
	113778	W15263	Hs.5422	ESTs	2.4	Caco2, MB-MDA-435s, LNCaP_cells
	128261	AI061213	Hs.13179	ESTs; Moderately similar to !!!! ALU SUB	2.4	DU145_cells, LNCaP_cells, OVCAR_cells
15	132210	AA235013	Hs.42322	A kinase (PRKA) anchor protein 2	2.4	Caco2, DU145_cells, PRSC_log
	112561	R72427	Hs.129873	ESTs; Weakly similar to CYTOCHROME P450	2.4	2.4 Lu_SQ_H520, Lu_AD_H23, EB_cells
	127598	AA610677	Hs.168851	ESTs	2.4	LNCaP_cells, DU145_cells, OVCAR_cells
	106664	AA460969	Hs.7510	mitogen-activated protein kinase kinase	2.4	OVCAR_cells, 293T_cells, A549_cells
20	131367	AA456687	Hs.26057	ESTs	2.4	EB_cells, MB-MDA-453, 293T_cells
	103163	X67683		H.sapiens mRNA for keratin 4	2.39	EB_cells, Lu_AD_H23, Lu_AD_358
	109639	F04444	Hs.6217	ESTs; Weakly similar to !!!! ALU SUBFAMIL	2.39	EB_cells, Lu_SC_H345, Lu_SC_H69
	112007	R42671	Hs.140853	EST; Weakly similar to !!!! ALU SUBFAMIL	2.39	MB-MDA-435s, Lu_SC_H345, Lu_AD_H23
	100023			AFFX control: BioC-3	2.39	Caco2, Lu_AD_358, LNCaP_cells
25	119923	W86214	Hs.184642	ESTs	2.39	EB_cells, HS578T_cells, DU145_cells
	127705	AJ003307		AJ003307 Selected chr 21 cDNA library H	2.39	Lu_AD_H23, Lu_SC_H345, Lu_LC_H460
	130362	AA182658	Hs.179817	DKFZP586F0222 protein	2.39	EB_cells, DU145_cells, PC3_cells
	100168	D14874	Hs.394	adrenomedullin	2.39	Fibroblasts 2, Caco2, HS578T_cells
	134261	AA227678	Hs.8084	Human DNA seq from clone 465N24 on chr 1		
30				Contains two novel genes; ESTs; GSSs an	2.39	PRSC_con, MB-MDA-453, LNCaP_cells
	103392	X94563		H.sapiens dbi/acbp gene exon 1 & 2	2.38	EB_cells, Lu_AD_H23, Lu_SC_H69
	129888	U81001	Hs.131891	Human SNRPN mRNA; 3' UTR; partial seq	2.38	LNCaP_cells, Lu_SC_H69, Lu_LC_H460
	130119	T12649	Hs.251653	tubulin; beta; 2	2.38	Lu_AD_H23, Lu_LC_H460, Lu_LC_H460
	118136	N57710	Hs.233952	proteasome (prosome; macropain) subunit;	2.38	293T_cells, OVCAR_cells, HS578T_cells
35	131163	H80107	Hs.23754	ESTs	2.38	Lu_AD_H23, Lu_SC_H69, Lu_SC_H345
	115964	AA446622	Hs.74313	ESTs	2.38	EB_cells, LNCaP_cells, DU145_cells
	135026	H59730	Hs.93231	ESTs	2.37	EB_cells, 293T_cells, Lu_SC_H69
	133300	D51401	Hs.70333	ESTs	2.37	OVCAR_cells, Caco2, CALU6_cells
	129948	H69281	Hs.13643	ESTs	2.37	EB_cells, Lu_AD_H23, Lu_SC_H345
40	112505	R67923	Hs.23368	ESTs	2.37	DU145_cells, OVCAR_cells, 293T_cells
	130715	T98227	Hs.171952	occludin	2.37	Caco2, LNCaP_cells, DU145_cells
	120301	AA192163	Hs.104085	EST	2.37	Lu_AD_H23, EB_cells, PRSC_con
	128062	AA379500	Hs.193155	ESTs	2.37	EB_cells, LNCaP_cells, DU145_cells
	127154	AA789101	Hs.198860	ESTs; Weakly similar to !!!! ALU SUBFAMIL	2.37	HS578T_cells, MCF7, Lu_SC_H69
45	102814	U90716	Hs.79187	coxsackie virus and adenovirus receptor	2.37	OVCAR_cells, DU145_cells, Lu_SC_H345
	120239	Z41691	Hs.65919	ESTs	2.37	EB_cells, DU145_cells, LNCaP_cells
	106829	AA481883	Hs.31236	ESTs; Weakly similar to Unknown [H.sapie	2.37	EB_cells, DU145_cells, OVCAR_cells
	132681	AA435762	Hs.54894	ESTs; Highly similar to unknown [H.sapie	2.37	EB_cells, LNCaP_cells, PRSC_con
	108845	AA132946	Hs.68864	ESTs	2.36	Lu_AD_H23, Lu_AD_358, Lu_SQ_H520
	133226	T85327	Hs.169552	ESTs	2.36	Caco2, MB-MDA-453, MCF7
50	106789	AA478726	Hs.26373	ESTs; Moderately similar to !!!! ALU SUB	2.36	MB-MDA-453, Caco2, OVCAR_cells
	119236	T10166	Hs.237297	ESTs	2.36	EB_cells, 293T_cells, LNCaP_cells
	106619	AA459255	Hs.23956	ESTs	2.36	LNCaP_cells, A549_cells, Caco2
	109178	AA181600	Hs.62741	ESTs	2.36	Lu_SC_H345, LNCaP_cells, EB_cells
	112724	R91753	Hs.17757	ESTs	2.36	Caco2, EB_cells, DU145_cells
55	112655	R85069	Hs.141139	ESTs	2.36	Fibroblasts 2, Lu_AD_H23, Lu_LC_H460
	132820	AA454988	Hs.57621	ESTs	2.36	EB_cells, OVCAR_cells, HS578T_cells
	106155	AA425309	Hs.33287	nuclear factor I/B	2.36	OVCAR_cells, Lu_SC_H345, MB-MDA-453
	114632	AA084742	Hs.194380	ESTs; Weakly similar to !!!! ALU SUBFAMIL	2.35	Lu_SC_H345, Lu_LC_H460, Lu_AD_H23
60	134776	J05582	Hs.89603	mucin 1; transmembrane	2.35	DU145_cells, Lu_AD_H23, Lu_AD_358
	101192	L20859	Hs.78452	solute carrier family 20 (phosphate tran	2.35	PC3_cells, CALU6_cells, MB-MDA-435s
	130349	W16686	Hs.171825	basic helix-loop-helix domain containing	2.35	A549_cells, DU145_cells, HT29_cells
	106389	AA446949	Hs.6236	ESTs	2.35	LNCaP_cells, PC3_cells, DU145_cells
	109637	F04426	Hs.23131	kinesin family member C3	2.35	MB-MDA-435s, A549_cells, Lu_LC_H460
65	101483	M24486	Hs.76768	procollagen-proline; 2-oxoglutarate 4-di	2.35	PC3_cells, HS578T_cells, EB_cells
	131751	H18335	Hs.31562	ESTs	2.35	DU145_cells, MB231_cells, HMEC
	131050	X13967	Hs.2250	leukemia inhibitory factor (cholinergic	2.35	Lu_AD_H23, PC3_cells, PRSC_log
	130097	N21159	Hs.14845	forkhead box O3A	2.34	EB_cells, LNCaP_cells, LNCaP_cells
	134533	AA013468	Hs.241493	natural killer-tumor recognition seq	2.34	EB_cells, HT29_cells, HMEC
70	134839	D63479	Hs.115907	diacylglycerol kinase; delta (130kD)	2.34	Lu_LC_H460, Caco2, DU145_cells
	115690	AA410894	Hs.44159	ESTs	2.34	PC3_cells, EB_cells, OVCAR_cells
	129079	N91011	Hs.108502	ESTs	2.34	Lu_AD_H23, Lu_SC_H69, Lu_AD_358
	123517	AA608525	Hs.243059	EST	2.34	Lu_SC_H345, PC3_cells, MB-MDA-435s
	126239	AA527215	Hs.75879	ribosomal protein L19	2.34	BT474_cells, Lu_LC_H460, Lu_AD_H23
	124440	N46435		ESTs	2.34	Lu_SC_H69, HT29_cells, MB-MDA-435s
75	111468	R05809	Hs.205481	ESTs	2.34	Lu_AD_H23, PRSC_log, Lu_SQ_H520
	129560	H18428	Hs.113613	ESTs; Moderately similar to !!!! ALU SUB	2.34	Lu_SC_H69, Lu_SC_H345, LNCaP_cells

5	104857	AA043219	Hs.19058	ESTs	2.34	Lu_AD_H23, Lu_SC_H345, Lu_SC_H345
	109647	F04587	Hs.28241	ESTs	2.34	HS578T_cells, A549_cells, CALU6_cells
	117160	H97817	Hs.183302	ESTs	2.34	EB_cells, Fibroblasts 2, Lu_SC_H69
	112352	R58974	Hs.167343	ESTs	2.34	EB_cells, Lu_SC_H345, HT29_cells
	113653	T95745	Hs.187433	ESTs	2.34	MB-MDA-435s, MB-MDA-453, Lu_SC_H345
	131606	W56804	Hs.29385	AFG3 (ATPase family gene 3; yeast)-like	2.34	OVCAR_cells, Fibroblasts 2, MB-MDA-435s
	101525	M29536	Hs.12163	eukaryotic translation initiation factor	2.34	EB_cells, Caco2, DU145_cells
	125921	AA775029	Hs.122591	ESTs	2.33	293T_cells, PRSC_log, Lu_SC_H345
10	125775	AA213555	Hs.29205	alpha integrin binding protein 63	2.33	EB_cells, DU145_cells, LNCaP_cells
	108743	AA126917	Hs.71074	ESTs	2.33	Lu_AD_H23, Lu_AD_358, Lu_LC_H460
	133735	AC002045	Hs.251928	nuclear pore complex interacting protein	2.33	LNCaP_cells, Lu_SC_H69, DU145_cells
	120403	AA234916	Hs.243851	ESTs	2.33	MB231_cells, Lu_SC_H345, Lu_SC_H69
	134998	R02207	Hs.92679	ESTs; Weakly similar to microtubule-base	2.33	LNCaP_cells, BT474_cells, MCF7
	108456	AA079326	Hs.143654	ESTs	2.33	HT29_cells, Lu_AD_H23, RPWE_2
15	130552	M86667	Hs.179662	nucleosome assembly protein 1-like 1	2.33	EB_cells, A549_cells, DU145_cells
	111114	N63391	Hs.9238	ESTs	2.33	Caco2, EB_cells, MB-MDA-453
	127767	AI269498	Hs.125543	ESTs; Moderately similar to TADA1 protei	2.33	CALU6_cells, 293T_cells, PC3_cells
	106546	AA454725	Hs.21056	H sapiens mRNA from chromosome 5q21-22;	2.33	OVCAR_cells, Caco2, LNCaP_cells
	122379	AA446110	Hs.250989	EST	2.33	BT474_cells, Fibroblasts 2, MB-MDA-435s
20	133650	D84294	Hs.118174	tetratricopeptide repeat domain 3	2.33	Lu_SC_H345, EB_cells, EB_cells
	106434	AA449099	Hs.8151	ESTs; Weakly similar to atopy related au	2.33	EB_cells, LNCaP_cells, Caco2
	105297	AA233451	Hs.183858	transcriptional intermediary factor 1	2.33	EB_cells, LNCaP_cells, Caco2
	115976	AA447442	Hs.86327	ESTs	2.33	EB_cells, 293T_cells, Lu_SC_H69
25	105788	AA351031	Hs.23965	solute carrier family 22 (organic anion	2.33	EB_cells, Lu_AD_H23, Lu_SC_H345
	113774	W04550	Hs.9927	H sapiens mRNA; cDNA DKFZp564D156 (from	2.32	2.32 OVCAR_cells, EB_cells, Lu_SC_H69
	110617	H68772	Hs.35820	ESTs; Weakly similar to b3418.1 [H.sapie	2.32	Lu_SC_H345, Lu_AD_H23, PRSC_con
	102234	U26312	Hs.8123	chromobox homolog 3 (Drosophila HP1 gamm	2.32	CALU6_cells, LNCaP_cells, A549_cells
	114777	AA151699	Hs.184519	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.32	HT29_cells, Fibroblasts 2, Lu_SC_H345
	125518	R20148	Hs.193851	ESTs	2.32	HT29_cells, HMEC (total RNA), MB231_cells
30	130814	AA256695	Hs.19813	ESTs	2.32	MB-MDA-435s, Lu_SC_H69, PRSC_log
	123473	AA599143		ESTs; Moderately similar to !!!! ALU SUB	2.32	LNCaP_cells, DU145_cells, Lu_SC_H345
	134310	AA313414	Hs.8148	H sapiens clone 24856 mRNA seq; complete	2.32	PC3_cells, LNCaP_cells, OVCAR_cells
	119192	R85375	Hs.237262	EST	2.32	Lu_SC_H69, PRSC_log, PRSC_con
35	114391	AA004876	Hs.133100	ESTs	2.32	PC3_cells, 293T_cells, 293T_cells
	119133	R49144	Hs.119756	ESTs	2.32	PRSC_log, 293T_cells, 293T_cells
	109710	F09792	Hs.12929	ESTs	2.32	Lu_AD_H23, Lu_SC_H69, Lu_SC_H345
	116726	F13681	Hs.42309	ESTs	2.32	MCF7, BT474_cells, MB-MDA-453
	133206	R32993	Hs.6762	ESTs; Weakly similar to similar to leucy	2.31	DU145_cells, 293T_cells, EB_cells
40	135163	AA125988	Hs.199955	ESTs	2.31	Lu_SC_H345, LNCaP_cells, DU145_cells
	111219	N68836	Hs.19247	ESTs	2.31	OVCAR_cells, LNCaP_cells, 293T_cells
	110283	H29565	Hs.12271	ESTs	2.31	BT474_cells, MB231_cells, MB-MDA-453
	103772	AA092473	Hs.8123	chromobox homolog 3 (Drosophila HP1 gamm	2.31	CALU6_cells, MCF7, DU145_cells
	122766	AA459386	Hs.194058	ESTs; Weakly similar to atypical PKC spe	2.31	HT29_cells, BT474_cells, HMEC
	120886	AA365566	Hs.132736	ESTs; Weakly similar to allograft inflam	2.31	DU145_cells, A549_cells, Lu_LC_H460
45	123512	AA600248	Hs.142245	HERV-H LTR-associating 3	2.31	PC3_cells, 293T_cells, DU145_cells
	106644	AA460239	Hs.12680	ESTs	2.31	HS578T_cells, MB231_cells, Lu_SQ_H520
	127359	H72971		KIAA0277 gene product	2.31	Lu_SC_H345, DU145_cells, OVCAR_cells
	105919	AA402494	Hs.3990	ESTs	2.31	HS578T_cells, DU145_cells, LNCaP_cells
	125241	W86291	Hs.121593	ESTs	2.3	HMEC, HMEC (total RNA), EB_cells
50	104624	AA001936	Hs.184721	ESTs	2.3	DU145_cells, PC3_cells, PRSC_log
	128765	AA101767	Hs.10494	ESTs	2.3	EB_cells, HMEC (total RNA), Lu_LC_H460
	108360	AA071539		zm74b6.s1 Stratagene neuroepithelium (#9		
				HYDROXYSTEROID DEHYDROGENASE/DELTA-5-DEL		
55	115682	AA410300	Hs.44618	ESTs	2.3	2.3 HT29_cells, RPWE_2, Lu_AD_H23
	134528	M23161	Hs.84775	Human transposon-like element mRNA	2.3	HT29_cells, Lu_SQ_H520, Lu_AD_H23
	111091	N59858	Hs.33032	H sapiens mRNA; cDNA DKFZp434N185 (from	2.3	EB_cells, CALU6_cells, A549_cells
	134044	AA262475	Hs.78746	phosphodiesterase 8A	2.29	2.3 LNCaP_cells, DU145_cells, PRSC_log
	118229	N62339	Hs.180532	heat shock 90kD protein 1; alpha	2.29	DU145_cells, A549_cells, MCF7
60	110188	H20522	Hs.20969	ESTs	2.29	MCF7, DU145_cells, EB_cells
	125073	T87185	Hs.193638	ESTs; Weakly similar to !!!! ALU CLASS C	2.29	Fibroblasts 2, MB-MDA-435s, Lu_LC_H460
	111495	R07210	Hs.19913	ESTs	2.29	EB_cells, Lu_SC_H345, Lu_SC_H69
	124024	F03077	Hs.106672	ESTs	2.29	CALU6_cells, EB_cells, MCF7
	128230	AA984074	Hs.176757	ESTs	2.29	HS578T_cells, RPWE_2, Lu_AD_358
	125471	AA477571	Hs.152601	UDP-glucose ceramide glucosyltransferase	2.29	LNCaP_cells, DU145_cells, OVCAR_cells
65	120734	AA299949		EST12545 Uterus tumor I H sapiens cDNA 3	2.28	DU145_cells, PRSC_con, PRSC_log
	134349	AA406373	Hs.8208	ESTs	2.28	Lu_AD_H23, Lu_SC_H345, Lu_SC_H69
	123412	AA521443	Hs.187763	ESTs	2.28	DU145_cells, PC3_cells, LNCaP_cells
	116297	AA489042	Hs.59498	ESTs	2.28	BT474_cells, BT474_cells, Lu_SC_H69
	104476	N33807	Hs.223014	protease; serine; 15	2.28	EB_cells, 293T_cells, MB-MDA-453
70	101004	J04101	Hs.248109	v-ets avian erythroblastosis virus E26 o	2.28	LNCaP_cells, MCF7, PC3_cells
	109991	H09813	Hs.12896	KIAA1034 protein	2.28	HT29_cells, MB-MDA-435s, HMEC (total RNA)
	118934	N92571	Hs.54808	ESTs	2.28	EB_cells, CALU6_cells, 293T_cells
	125096	T94328	Hs.194538	ESTs	2.28	HS578T_cells, 293T_cells, A549_cells
	117514	N32226	Hs.124058	ESTs	2.28	Lu_SC_H345, Lu_SC_H69, 293T_cells
75	132792	AA401903	Hs.242985	hemoglobin; gamma G	2.28	CALU6_cells, HMEC, Lu_AD_H23
	129009	AA131421	Hs.107884	ESTs	2.28	OVCAR_cells, Lu_SC_H69, MCF7
						HS578T_cells, CALU6_cells, Caco2

	111658	R16981	Hs.15276	ESTs	2.28	MB-MDA-435s, 293T_cells, A549_cells
	112322	R55757	Hs.26457	EST	2.28	Lu_SC_H345, Lu_SC_H69, Lu_AD_358
	133477	W69310	Hs.740	PTK2 protein tyrosine kinase 2	2.28	EB_cells, PC3_cells, DU145_cells
	132149	T10822	Hs.4095	ESTs	2.28	LNCaP_cells, EB_cells, PC3_cells
5	115119	AA256524	Hs.46847	Human DNA seq from clone 30M3 on chromos		
	102130	U15009	Hs.1575	yeast and archaea bacterial genes; and	2.27	A549_cells, EB_cells, LNCaP_cells
	114343	Z41424	Hs.21259	small nuclear ribonucleoprotein D3 polyp	2.27	LNCaP_cells, Caco2, EB_cells
	106746	AA476436	Hs.7991	ESTs	2.27	HT29_cells, OVCAR_cells, Fibroblasts 2
10	119359	T71021	Hs.93334	ESTs; Highly similar to WS basic-helix-I	2.27	Lu_AD_358, RPWE_2, Lu_AD_H23
	106301	AA435867	Hs.168212	ESTs	2.27	Lu_SC_H69, 293T_cells, DU145_cells
	130280	L13738	Hs.153937	kinesin family member 3B	2.27	OVCAR_cells, LNCaP_cells, EB_cells
	119724	W69468	Hs.47622	activated p21cdc42Hs kinase	2.27	MB-MDA-453, DU145_cells, DU145_cells
	108960	AA150199	Hs.49378	ESTs	2.27	PC3_cells, HT29_cells, A549_cells
15	103489	Y08614	Hs.79090	DKFZP586D0919 protein	2.26	EB_cells, HS578T_cells, Lu_AD_358
	107711	AA015736	Hs.220687	exportin 1 (CRM1; yeast; homolog)	2.26	EB_cells, CALU6_cells, DU145_cells
	131950	W84704	Hs.35380	ESTs	2.26	EB_cells, Lu_AD_H23, Lu_AD_358
	107093	AA609600	Hs.10018	ESTs	2.26	HS578T_cells, OVCAR_cells, MB-MDA-435s
	113649	T95641	Hs.16400	ESTs; Weakly similar to Hrs [H.sapiens]	2.26	LNCaP_cells, OVCAR_cells, DU145_cells
20	105255	AA227498	Hs.3623	ESTs	2.26	Lu_AD_H23, Lu_SC_H69, PRSC_log
	130094	H43286	Hs.167017	gamma-aminobutyric acid (GABA) B recepto	2.26	HS578T_cells, 293T_cells, Lu_SC_H345
	111874	R37959	Hs.13358	ESTs	2.26	Fibroblasts 2, MB231_cells, 293T_cells
	107890	AA026030	Hs.61311	ESTs; Weakly similar to CALPAIN 2; LARGE	2.26	CALU6_cells, Lu_SC_H520, 293T_cells
	124628	N74702	Hs.102834	ESTs	2.26	HT29_cells, MB-MDA-453, PC3_cells
25	119707	W67569	Hs.44143	ESTs; Weakly similar to SNF2alpha protei	2.26	293T_cells, CALU6_cells, CALU6_cells
	106737	AA470080	Hs.36237	ESTs; Moderately similar to CGI-34 prote	2.26	293T_cells, OVCAR_cells, Lu_SC_H345
	117305	N22798	Hs.43248	EST	2.26	LNCaP_cells, DU145_cells, MB-MDA-435s
	134470	X54942	Hs.83758	CDC28 protein kinase 2	2.26	HT29_cells, BT474_cells, Fibroblasts 2
	130734	T99337	Hs.18624	KIAA1052 protein	2.26	DU145_cells, CALU6_cells, LNCaP_cells
30	128561	R69227	Hs.101489	ESTs	2.26	Lu_AD_H23, Lu_SC_H345, Lu_SC_H69
	100670	HG2992-H		Beta-Hexosaminidase, Alpha Polypeptide,	2.26	Lu_SC_H345, DU145_cells, OVCAR_cells
	115953	AA443958	Hs.90960	ESTs	2.26	HT29_cells, BT474_cells, Lu_SC_H345
	129612	H17476	Hs.11615	ESTs; Highly similar to map kinase phosph	2.25	Caco2, 293T_cells, DU145_cells
	111362	N91973	Hs.23595	deoxyribonuclease III; dnaQ/mutD (E. col	2.25	CALU6_cells, LNCaP_cells, PC3_cells
35	116275	AA485453	Hs.250911	interleukin 13 receptor; alpha 1	2.25	Lu_SC_H520, Lu_AD_H23, RPWE_2
	114461	AA024848	Hs.126705	ESTs	2.25	OVCAR_cells, 293T_cells, DU145_cells
	134083	AA278393	Hs.79013	ESTs	2.25	EB_cells, Lu_AD_H23, Lu_AD_H23
	132470	Z24724	Hs.4934	H.sapiens polyA site DNA	2.25	293T_cells, EB_cells, OVCAR_cells
	114718	AA131328		zo8d1.s1 Stratagene neuroepithelium NT2R	2.25	EB_cells, HS578T_cells, Caco2
40	129499	R40395	Hs.242908	lecithin-cholesterol acyltransferase	2.25	2.25 MB-MDA-435s, HT29_cells, Lu_SC_H69
	124758	R38422	Hs.169168	ESTs	2.25	HMEC (total RNA), Fibroblasts 2, HMEC
	130301	X83127	Hs.172471	potassium voltage-gated channel; shaker-	2.25	293T_cells, RPWE_2, Lu_SC_H460
	131263	R38334	Hs.24950	regulator of G-protein signalling 5	2.25	EB_cells, OVCAR_cells, A549_cells
45	107159	AA621340	Hs.10600	ESTs; Weakly similar to ORF YKR081c [S.c	2.25	Lu_AD_H23, EB_cells, Lu_SC_H69
	133262	N72009	Hs.206710	ESTs	2.24	LNCaP_cells, HMEC, EB_cells
	132985	AA093619	Hs.62113	KIAA0717 protein	2.24	Lu_SC_H345, DU145_cells, LNCaP_cells
	114172	Z39043	Hs.21421	ESTs; Weakly similar to cysteine desulfu	2.24	EB_cells, Lu_AD_H23, Lu_AD_358
	127847	AA913387	Hs.126717	ESTs	2.24	293T_cells, CALU6_cells, Lu_SC_H520
50	106499	AA452244	Hs.16727	ESTs	2.24	LNCaP_cells, DU145_cells, Lu_SC_H69
	105095	AA150088	Hs.27023	KIAA0917 protein	2.24	Lu_SC_H345, MB-MDA-453, Lu_SC_H69
	108876	AA134361	Hs.191453	ESTs	2.24	DU145_cells, LNCaP_cells, CALU6_cells
	121971	AA429667	Hs.120405	ESTs	2.24	EB_cells, Lu_SC_H345, Lu_AD_H23
	114334	Z41342	Hs.22941	ESTs	2.24	Lu_AD_H23, 293T_cells, CALU6_cells
55	114565	AA063001	Hs.103527	SH2 domain protein 2A	2.24	DU145_cells, PC3_cells, EB_cells
	115766	AA421761	Hs.77603	ESTs	2.24	Lu_SC_H460, MCF7, HMEC (total RNA)
	130989	AA608546	Hs.21906	ESTs	2.24	Fibroblasts 2, MB-MDA-435s, MB231_cells
	116304	AA489461	Hs.64742	H sapiens mRNA for KIAA0540 protein; par	2.24	PC3_cells, LNCaP_cells, DU145_cells
	111154	N66545	Hs.29169	ESTs	2.24	BT474_cells, EB_cells, LNCaP_cells
60	105561	AA262881	Hs.16029	ESTs; Weakly similar to alternatively sp	2.23	OVCAR_cells, MB-MDA-435s, HMEC
	105939	AA404421	Hs.12258	ESTs	2.23	HS578T_cells, A549_cells, HMEC
	126379	AI085342	Hs.166146	Homer; neuronal immediate early gene; 3	2.23	EB_cells, LNCaP_cells, DU145_cells
	106610	AA458882	Hs.4832	ESTs; Moderately similar to Lasp-1 prote	2.23	HS578T_cells, PC3_cells, RPWE_2
	132786	AA424545	Hs.56851	H sapiens mRNA expressed in placenta	2.23	DU145_cells, MCF7, Lu_SC_H345
65	107206	D20728	Hs.30767	ESTs	2.23	EB_cells, Lu_AD_H23, Fibroblasts 2
	133708	R42172	Hs.75667	synaptophysin	2.23	BT474_cells, Fibroblasts 2, MB-MDA-435s
	135123	AA227567	Hs.9482	target of myb1 (chicken) homolog	2.23	Lu_SC_H345, CALU6_cells, Lu_SC_H69
	132156	AA157401	Hs.4113	S-adenosylhomocysteine hydrolase-like 1	2.23	BT474_cells, MB231_cells, EB_cells
	116934	H75624	Hs.39662	ESTs	2.23	DU145_cells, 293T_cells, LNCaP_cells
70	133660	R87373		ym88e05.r1 Soares adult brain N2b4HB55Y	2.23	CALU6_cells, Lu_SC_H345, Lu_SC_H460
	119468	W23633	Hs.125043	IMAGE:166016 5', mRNA seq.	2.23	DU145_cells, A549_cells, PC3_cells
	101247	L33801	Hs.78802	glycogen synthase kinase 3 beta	2.23	293T_cells, MB-MDA-453, OVCAR_cells
	126008	AA253460		zs06f04.s1 NCI_CGAP_GCB1 H sapiens cDNA	2.23	LNCaP_cells, EB_cells, MB-MDA-435s
75	122938	AA477119		zu37c7.s1 Soares ovary tumor NbHOT H sap	2.23	HT29_cells, PRSC_log, Fibroblasts 2
				TR:G288289 G288289 MITOCHONDRIAL D-LOOP	2.23	PC3_cells, MCF7, MB-MDA-435s

	114148	Z38804	Hs.184777	ESTs; Moderately similar to OPIOID BINDI MOLECULE PRECURSOR [H.sapiens]	2.23	HS578T_cells, Fibroblasts 2, Lu_SC_H345
	103433	X98001	Hs.78948	Rab geranylgeranyltransferase; beta subu	2.22	LNCaP_cells, EB_cells, 293T_cells
5	132954	AA027112	Hs.216194	ESTs	2.22	EB_cells, Lu_AD_H23, Fibroblasts 2
	133228	N90029	Hs.6831	H sapiens clone 1400 unknown protein mRN	2.22	293T_cells, PC3_cells, DU145_cells
	103891	AA242887	Hs.124186	ring finger protein 2	2.22	EB_cells, Lu_SC_H69, Lu_SC_H345
	124883	R75630	Hs.177242	ESTs	2.22	EB_cells, Lu_AD_H23, Lu_SC_H345
	109921	H05734	Hs.30559	ESTs	2.22	Lu_SC_H520, 293T_cells, RPWE_2
	127306	AI305162	Hs.193687	ESTs	2.22	MCF7, HT29_cells, MB-MDA-453
10	102707	U77456	Hs.78103	nucleosome assembly protein 1-like 4	2.22	Caco2, EB_cells, CALU6_cells
	106193	AA427625	Hs.23272	ESTs	2.22	293T_cells, EB_cells, A549_cells
	118819	N79045	Hs.50800	ESTs; Weakly similar to !!!! ALU SUBFAM I	2.22	Lu_SC_H345, Lu_SC_H69, DU145_cells
	134326	U16306	Hs.81800	chondroitin sulfate proteoglycan 2 (vers	2.22	HS578T_cells, PRSC_log, CALU6_cells
15	112241	R51248	Hs.16027	ESTs	2.22	293T_cells, HMEC (total RNA), HMEC (total RNA)
	123693	AA609591	Hs.112728	ESTs	2.22	HT29_cells, HMEC (total RNA), BT474_cells
	129052	AA496297	Hs.182740	ribosomal protein S11	2.22	EB_cells, Lu_AD_H23, Lu_AD_358
	122481	AA448271	Hs.99126	ESTs	2.21	Lu_AD_H23, HT29_cells, Lu_AD_358
	128895	R37753	Hs.106985	ESTs	2.21	EB_cells, Lu_AD_H23, Lu_SC_H345
	124691	R05835	Hs.110153	ESTs; Weakly similar to B-CELL GROWTH FA	2.21	2.21 EB_cells, Lu_AD_H23, Lu_AD_358
20	131556	AA442853	Hs.2869	cyclin-dependent kinase 5; regulatory su	2.21	HT29_cells, Lu_SC_H460, Lu_SC_H69
	128869	AA424570	Hs.106736	ESTs	2.21	EB_cells, Lu_AD_H23, Lu_SC_H69
	107114	AA610089	Hs.11776	U4/U6-associated RNA splicing factor	2.21	MCF7, Lu_SC_H345, DU145_cells
	106255	AA431191	Hs.161489	ESTs	2.21	EB_cells, Caco2, DU145_cells
25	130724	AA370091	Hs.179680	ESTs	2.2	EB_cells, Lu_AD_H23, Lu_SC_H69
	105483	AA255874	Hs.23458	ESTs	2.2	LNCaP_cells, DU145_cells, PC3_cells
	118970	N93503	Hs.54961	stoned B/TFIIA-alpha/beta-like factor	2.2	293T_cells, HS578T_cells, OVCAR_cells
	120805	AA346041	Hs.96844	ESTs	2.2	HT29_cells, HS578T_cells, 293T_cells
	106158	AA425382	Hs.6553	ESTs	2.2	CALU6_cells, PC3_cells, EB_cells
30	102121	U14391	Hs.82251	myosin IC	2.2	A549_cells, EB_cells, Caco2
	109446	AA232125	Hs.87062	ESTs	2.2	HT29_cells, Lu_SC_H460, CALU6_cells
	129515	AA490882	Hs.112227	ESTs	2.2	Lu_SC_H345, BT474_cells, Caco2
	113128	T49325	Hs.8977	ESTs	2.2	Lu_SC_H520, Lu_AD_H23, Lu_AD_358
35	127289	AI041014	Hs.220752	ESTs	2.2	EB_cells, Lu_AD_H23, Lu_AD_H23
	129912	AA047344	Hs.107213	ESTs; Highly similar to NY-REN-6 antigen	2.2	CALU6_cells, A549_cells, EB_cells
	115700	AA411685	Hs.67709	ESTs	2.2	OVCAR_cells, EB_cells, Caco2
	106267	AA431873	Hs.4988	H sapiens clone 24711 mRNA seq	2.2	Lu_SC_H520, EB_cells, PC3_cells
	112881	T03593	Hs.182814	ESTs	2.19	A549_cells, OVCAR_cells, 293T_cells
	116902	H70739		yu69f11.s1 Weizmann Olfactory Epithelium IMAGE:239085 3' similar to contains LTR	2.19	LNCaP_cells, DU145_cells, PC3_cells
40	105621	AA280865	Hs.6375	H sapiens mRNA; cDNA DKFZp564K0222 (from	2.19	2.19 HMEC, Caco2, HMEC (total RNA)
	126991	R31652	Hs.821	biglycan	2.19	Fibroblasts 2, Lu_SC_H69, HS578T_cells
	125466	R08234	Hs.180461	ESTs	2.19	Lu_AD_358, Lu_AD_H23, Lu_SC_H520
	108491	AA082973		zn7g1.s1 Stratagene hNT neuron (#937233) to gb:M3672 6S RIBOSOMAL PROTEIN L7A (H	2.19	2.19 Lu_AD_358, RPWE_2, Lu_SC_H460
45	109978	H09356	Hs.22528	ESTs	2.19	PRSC_log, Lu_SC_H345, Lu_SC_H69
	106990	AA521354	Hs.24758	ESTs	2.19	EB_cells, LNCaP_cells, OVCAR_cells
	122362	AA443919	Hs.96840	ESTs	2.19	EB_cells, Lu_AD_358, PRSC_con
	125367	AI016490	Hs.81964	SEC24 (S. cerevisiae) related gene famil	2.19	HT29_cells, Lu_SC_H69, Lu_AD_H23
50	110716	H97188	Hs.35096	ESTs	2.19	DU145_cells, Fibroblasts 2, PRSC_con
	129297	R11267	Hs.180570	H sapiens chromosome 19; cosmid F22329	2.19	293T_cells, MB-MDA-435s, A549_cells
	104992	AA102652	Hs.22753	ESTs; Weakly similar to coded for by C.	2.18	MCF7, MB-MDA-453, Lu_SC_H520
	119896	W84738	Hs.137319	ESTs	2.18	293T_cells, 293T_cells, OVCAR_cells
	118594	N69022	Hs.49599	ESTs	2.18	Lu_SC_H69, Lu_AD_H23, Lu_SC_H345
55	129786	H98977	Hs.246109	ESTs	2.18	293T_cells, 293T_cells, 293T_cells
	104325	D81608	Hs.150675	polymerase (RNA) II (DNA directed) polyp	2.18	PC3_cells, Lu_SC_H345, LNCaP_cells
	123022	AA480909		aa28f10.s1 NCI_CGAP_GCB1 H sapiens cDNA Alu repetitive element;contains element	2.18	OVCAR_cells, DU145_cells, LNCaP_cells
	133572	W94333	Hs.7499	translocase of inner mitochondrial membr	2.18	Caco2, LNCaP_cells, Lu_SC_H520
60	133363	AA479713	Hs.71962	ESTs	2.18	EB_cells, Lu_AD_H23, Fibroblasts 2
	135361	AA053319	Hs.167700	ESTs	2.18	EB_cells, 293T_cells, Caco2
	128319	AA808904	Hs.115095	ESTs; Weakly similar to RHO-RELATED GTP-DU145_cells	2.18	2.18 Lu_SC_H345, OVCAR_cells,
	128660	AA011597	Hs.177398	ESTs	2.18	EB_cells, Lu_AD_H23, Lu_SC_H520
65	114877	AA235618	Hs.205125	ESTs	2.18	DU145_cells, 293T_cells, OVCAR_cells
	125925	H28737		ESTs; Moderately similar to !!!! ALU SUB	2.18	Lu_SC_H69, Lu_SC_H345, HS578T_cells
	113427	T85105	Hs.15471	ESTs	2.18	EB_cells, Lu_AD_H23, Lu_SC_H69
	117500	N31909	Hs.44278	ESTs	2.18	PRSC_con, Lu_SC_H345, PRSC_log
	131384	F13608	Hs.26226	ESTs	2.18	293T_cells, LNCaP_cells, OVCAR_cells
70	134499	U70370	Hs.84136	paired-like homeodomain transcription fa	2.18	Caco2, BT474_cells, MB231_cells
	128154	AA922969	Hs.127100	ESTs	2.17	MB-MDA-453, MB-MDA-453, Lu_SC_H345
	134585	T48154	Hs.168655	H sapiens mRNA for H-2K binding factor-2	2.17	LNCaP_cells, 293T_cells, PRSC_log
	104987	AA101723	Hs.16683	ESTs	2.17	EB_cells, MCF7, DU145_cells
	132992	AA091017	Hs.6226	ESTs	2.17	Caco2, LNCaP_cells, DU145_cells
75	135311	M36089	Hs.98493	X-ray repair complementing defective rep	2.17	HMEC (total RNA), Fibroblasts 2, HMEC
	113171	T54613	Hs.9761	EST	2.17	HT29_cells, PRSC_con, Lu_SC_H520
	117736	N46999	Hs.46648	ESTs	2.16	PRSC_log, OVCAR_cells, A549_cells



	125181	W58461	Hs.12396	ESTs	2.16	LNCaP_cells, DU145_cells, 293T_cells
	120187	Z40251	Hs.56974	ESTs	2.16	LNCaP_cells, MB-MDA-453, HMEC (total RNA)
	100308	D50532	Hs.54403	macrophage lectin 2 (calcium dependent)	2.16	HT29_cells, Lu_AD_H23, Lu_AD_H23
5	110960	N50887	Hs.26549	ESTs; Weakly similar to KIAA0449 protein	2.16	Caco2, A549_cells, LNCaP_cells
	113608	T93113		ESTs; Moderately similar to !!!! ALU SUB	2.16	Lu_SC_H69, CALU6_cells, 293T_cells
	107538	Z21089	Hs.50094	ESTs; Weakly similar to KALIRIN [R.norve	2.16	HS578T_cells, 293T_cells, DU145_cells
	128703	S76992	Hs.104005	vav 2 oncogene	2.16	RPWE_2, Lu_SC_H69, HT29_cells
	126065	AI366484		ESTs	2.16	293T_cells, CALU6_cells, A549_cells
10	130000	AA465727	Hs.124084	ESTs; Weakly similar to !!!! ALU SUBFAM I	2.16	DU145_cells, LNCaP_cells, OVCAR_cells
	120407	AA235040	Hs.107283	ESTs	2.16	EB_cells, 293T_cells, A549_cells
	121199	AA400371	Hs.97792	ESTs	2.16	Lu_AD_358, Lu_AD_H23, A549_cells
	114963	AA243867	Hs.193055	ESTs	2.16	DU145_cells, PRSC_con, LNCaP_cells
	100343	D63874	Hs.189509	high-mobility group (nonhistone chromoso	2.15	CALU6_cells, MB-MDA-453, Caco2
15	125077	T88822		yd32f5.s1 Soares fetal liver spleen 1NFL	2.15	Lu_AD_H23, Lu_SC_H69, Lu_SC_H345
	117286	N22181		yw36d12.s1 Morton Fetal Cochlea H sapien	2.15	293T_cells, Lu_SC_H345, Lu_SC_H69
	132876	AA130603	Hs.169683	ESTs; Moderately similar to !!!! ALU SUB	2.15	EB_cells, LNCaP_cells, HS578T_cells
	133834	AA147510	Hs.154737	serine protease; umbilical endothelium	2.15	DU145_cells, EB_cells, Caco2
	126908	AA169866		ESTs; Weakly similar to !!!! ALU SUBFAM I	2.15	DU145_cells, LNCaP_cells, OVCAR_cells
20	106900	AA490142	Hs.6193	ESTs	2.15	Fibroblasts 2, Lu_AD_H23, PRSC_con
	129398	AA437374	Hs.234573	H sapiens mRNA for TL132	2.15	MCF7, DU145_cells, LNCaP_cells
	114512	AA044274	Hs.165215	ESTs	2.15	Lu_AD_358, MB-MDA-453, HS578T_cells
	134381	U56637	Hs.184270	capping protein (actin filament) muscle	2.15	LNCaP_cells, EB_cells, PC3_cells
	118848	N80671	Hs.220255	ESTs	2.14	EB_cells, DU145_cells, MCF7
25	115526	AA342049	Hs.69606	ESTs	2.14	293T_cells, Caco2, Lu_SC_H69
	123460	AA598981	Hs.251122	EST	2.14	Lu_SC_H345, DU145_cells, MCF7
	119812	W73951	Hs.58348	ESTs; Weakly similar to CORNIFIN A [H.sa	2.14	293T_cells, HS578T_cells, CALU6_cells
	105263	AA227926	Hs.6682	ESTs	2.14	A549_cells, HMEC (total RNA), EB_cells
	129242	W81679	Hs.5174	ribosomal protein S17	2.14	293T_cells, CALU6_cells, HMEC (total RNA)
30	132348	AA037285	Hs.170311	heterogeneous nuclear ribonucleoprotein	2.14	A549_cells, HT29_cells, Lu_SC_H520
	114425	AA015763	Hs.132812	ESTs	2.14	293T_cells, HS578T_cells, PRSC_con
	127759	AI369384		arylsulfatase D	2.14	DU145_cells, LNCaP_cells, EB_cells
	134069	U29607	Hs.78935	methionine aminopeptidase; eIF-2-associa	2.14	Lu_SC_H345, DU145_cells, MCF7
35	116158	AA461187	Hs.61762	ESTs	2.14	Lu_SC_H69, MCF7, MB-MDA-453
	125627	R35166	Hs.14881	ESTs	2.14	HT29_cells, Fibroblasts 2, BT474_cells
	118684	N71364	Hs.109510	ESTs	2.14	OVCAR_cells, PRSC_con, HS578T_cells
	119419	T97977	Hs.60260	ESTs	2.14	Lu_AD_H23, Lu_SC_H520, Lu_SC_H520
	133097	N67515	Hs.6479	ESTs; Weakly similar to KIAA0872 protein	2.14	EB_cells, Lu_AD_H23, Lu_AD_358
	112121	R45445	Hs.252723	H sapiens mRNA; cDNA DKFZp434D115 (from	2.13	2.13 Lu_AD_H23, Lu_AD_358, BT474_cells
40	114894	AA236019	Hs.188803	ESTs	2.13	MB-MDA-453, MCF7, Lu_SC_H520
	124087	H08773		yi94d5.s1 Soares infant brain 1N1B H sap	2.13	Lu_SC_H69, Fibroblasts 2, HMEC (total RNA)
	111902	R39191	Hs.109445	KIAA1020 protein	2.13	Caco2, 293T_cells, Lu_SC_H69
	119943	W86835	Hs.14158	copine III	2.13	LNCaP_cells, PC3_cells, HS578T_cells
	109276	AA196306	Hs.86045	ESTs	2.13	Lu_SC_H345, Lu_SC_H69, Lu_LC_H460
45	117351	N24581	Hs.43230	ESTs	2.13	HS578T_cells, CALU6_cells, PRSC_con
	116046	AA453461	Hs.94491	H sapiens clone 23585 mRNA seq	2.13	LNCaP_cells, Caco2, EB_cells
	112785	R96478	Hs.16586	ESTs	2.13	EB_cells, Lu_AD_H23, Lu_SC_H69
	115835	AA428576	Hs.41371	ESTs	2.13	EB_cells, Lu_SC_H345, OVCAR_cells
	127499	T49891	Hs.119252	tumor protein; translationally-controlle	2.13	EB_cells, PRSC_con, LNCaP_cells
50	129951	AA019475	Hs.74615	platelet-derived growth factor receptor;	2.13	EB_cells, Lu_AD_H23, Lu_SC_H69
	124270	H79560	Hs.107840	ESTs	2.13	OVCAR_cells, 293T_cells, 293T_cells
	133766	D52420	Hs.184326	cell division cycle 10 (homologous to CD	2.12	CALU6_cells, DU145_cells, PC3_cells
	109248	AA194720	Hs.189996	ESTs; Highly similar to sec61 homolog [H	2.12	HT29_cells, MB231_cells, HMEC (total RNA)
	106724	AA465226	Hs.28631	ESTs	2.12	EB_cells, 293T_cells, DU145_cells
55	100571	HG2264-H		Atpase, Ca2+ Transporting, Plasma Membra	2.12	EB_cells, Lu_AD_H23, Lu_SC_H69
	133017	AA450187	Hs.178518	ESTs	2.12	OVCAR_cells, PC3_cells, 293T_cells
	124313	H94650	Hs.108002	ESTs	2.12	MB-MDA-453, Lu_SC_H345, HT29_cells
	113059	T26925	Hs.172684	vesicle-associated membrane protein 8 (e	2.12	MB-MDA-453, PC3_cells, LNCaP_cells
	113241	T63313	Hs.226136	ESTs; Moderately similar to !!!! ALU SUB	2.12	HMEC (total RNA), BT474_cells, HMEC
60	111952	R40782	Hs.21296	ESTs	2.12	HT29_cells, PC3_cells, A549_cells
	113965	W86519	Hs.19631	ESTs	2.12	PC3_cells, EB_cells, LNCaP_cells
	108059	AA043944	Hs.62663	ESTs	2.12	EB_cells, OVCAR_cells, 293T_cells
	124235	H63994	Hs.221134	ESTs	2.12	Fibroblasts 2, MB-MDA-453, PRSC_con
	106400	AA447621	Hs.31257	ESTs	2.12	DU145_cells, EB_cells, Caco2
65	119590	W44798	Hs.55876	ESTs	2.12	PRSC_log, Lu_SC_H69, Lu_SC_H345
	112434	R63068	Hs.159793	EST	2.11	HS578T_cells, LNCaP_cells, OVCAR_cells
	122731	AA457549		aa92b1.s1 Stratagene fetal retina 93722		
				gb:X5275_ma3 LEUKOSIALIN PRECURSOR (HU		
70	115348	AA281562	Hs.88860	ESTs	2.11	2.11 MB-MDA-453, RPWE_2, MCF7
	128873	AA226768	Hs.109463	ESTs; Weakly similar to predicted using	2.11	EB_cells, Lu_AD_H23, Fibroblasts 2
	133742	T54301	Hs.75844	ESTs	2.11	MB-MDA-435s, EB_cells, LNCaP_cells
	102099	U11870	Hs.194778	interleukin 8 receptor; alpha	2.11	EB_cells, CALU6_cells, DU145_cells
	125840	H05787	Hs.12064	ubiquitin specific protease 22	2.11	Lu_AD_358, PC3_cells, PRSC_con
	105501	AA256604	Hs.31930	ESTs	2.1	EB_cells, LNCaP_cells, Caco2
75	111576	R10334	Hs.15489	ESTs	2.1	Fibroblasts 2, HS578T_cells, MB-MDA-435s
	104275	C02170	Hs.39387	ESTs; Weakly similar to weak similarity	2.1	Lu_SC_H69, PRSC_log, Lu_SC_H345
	117803	N48620	Hs.28483	pregnancy specific beta-1-glycoprotein 9	2.1	HT29_cells, MB231_cells, Lu_SC_H69
						HT29_cells, HMEC, RPWE_2



	122725	AA457407	Hs.152204	transmembrane protease; serine 2	2.1	Lu_SC_H69, Lu_LC_H460, Lu_SC_H345
	120987	AA398233	Hs.111894	KIAA0108 gene product	2.1	Fibroblasts 2, PRSC_con, MCF7
	105932	AA403305	Hs.12185	ESTs; Weakly similar to myosin phosphata	2.1	LNCaP_cells, MCF7, OVCA cells
	118398	N64706	Hs.137282	ESTs	2.1	Lu_SC_H345, HT29_cells, HMEC
5	103679	Z86000		Human DNA seq from PAC 151B14 on chromos		
				receptor subtype 3 (SSTR3), tRNA, ESTs,	2.1	CALU6_cells, A549_cells, Lu_SC_H345
	130303	L40392	Hs.180789	H sapiens (clone S164) mRNA; 3' end of c	2.1	PC3_cells, DU145_cells, LNCaP_cells
	122815	AA461080	Hs.139446	ESTs	2.1	HT29_cells, BT474_cells, MB231_cells
10	105598	AA279439	Hs.20594	ESTs; Weakly similar to misato [D.melano	2.1	EB_cells, Lu_SC_H345, LNCaP_cells
	124869	R69088	Hs.28728	ESTs; Weakly similar to F55A12.9 [C.eleg	2.1	HT29_cells, BT474_cells, MB231_cells
	129599	F10720	Hs.180804	ESTs	2.1	HS578T_cells, HT29_cells, HT29_cells
	110338	H40359	Hs.177256	ESTs	2.09	MCF7, A549_cells, MB-MDA-435s
	134092	H17490	Hs.7905	ESTs; Highly similar to sorting nexin 9	2.09	EB_cells, Fibroblasts 2, HS578T_cells
	133002	AF006082	Hs.62461	ARP2 (actin-related protein 2; yeast) ho	2.09	EB_cells, HS578T_cells, A549_cells
15	115570	AA398343	Hs.94943	ESTs	2.09	Lu_SC_H345, PC3_cells, LNCaP_cells
	120055	W93299	Hs.59363	ESTs; Weakly similar to cytokeratin 20 [	2.09	HMEC (total RNA), HS578T_cells, HS578T_cells
	116332	AA491208	Hs.62620	ESTs	2.09	EB_cells, Lu_AD_H23, Lu_SC_H69
	105415	AA243768	Hs.4232	ESTs; Highly similar to match to ESTs Z4	2.09	LNCaP_cells, Lu_AD_H23, MB-MDA-453
	116607	D80354	Hs.256321	EST	2.09	LNCaP_cells, DU145_cells, RPWE_2
20	126731	AA593973	Hs.232217	ESTs; Weakly similar to !!!! ALU SUBFAMI	2.09	MB231_cells, HT29_cells, HMEC
	102276	U30999	Hs.10247	activated leucocyte cell adhesion molecu	2.09	PC3_cells, HS578T_cells, DU145_cells
	113666	T96077	Hs.17738	EST	2.09	Lu_AD_H23, Lu_AD_H23, Lu_SQ_H520
	101183	L19779	Hs.795	H2A histone family; member O	2.09	LNCaP_cells, MCF7, OVCA cells
	112177	R49025	Hs.22996	ESTs	2.09	Lu_AD_H23, Lu_AD_358, Lu_SC_H69
25	115038	AA252360	Hs.87968	ESTs	2.08	BT474_cells, MB231_cells, HT29_cells
	109638	F04432	Hs.17904	ESTs	2.08	EB_cells, DU145_cells, PC3_cells
	109592	F02475	Hs.26370	ESTs	2.08	Lu_AD_H23, Lu_SQ_H520, Lu_LC_H460
	133740	U68142	Hs.170160	RAB2; member RAS oncogene family-like	2.08	LNCaP_cells, MB-MDA-453, EB_cells
	126716	AA031700	Hs.251962	ESTs	2.08	HS578T_cells, Fibroblasts 2, Lu_SC_H69
30	124055	F10904	Hs.100516	H sapiens clone 23605 mRNA seq	2.08	Lu_SC_H345, OVCA cells, DU145_cells
	113283	T66813	Hs.12947	EST	2.08	EB_cells, Lu_SC_H69, Lu_AD_H23
	120097	W95068	Hs.59621	ESTs	2.08	HS578T_cells, A549_cells, CALU6_cells
	102066	U08471	Hs.352	folate receptor 3 (gamma)	2.08	EB_cells, Lu_AD_H23, Lu_AD_358
35	108712	AA121993		zm24d11.s1 Stratagene pancreas (#93728)		
				similar to gb:Y433 GLUTATHIONE PEROXIDAS		2.08 Lu_SQ_H520, HT29_cells, BT474_cells
	134453	X70683	Hs.83484	SRY (sex determining region Y)-box 4	2.08	EB_cells, Lu_SC_H345, Lu_SC_H69
	103883	AA232836	Hs.87363	ESTs	2.08	HT29_cells, 293T_cells, 293T_cells
	105313	AA233856	Hs.16930	ESTs	2.08	DU145_cells, MB-MDA-435s, HS578T_cells
40	113669	T96148	Hs.17762	ESTs	2.08	EB_cells, Lu_SQ_H520, Fibroblasts 2
	120380	AA227904	Hs.104223	ESTs	2.08	293T_cells, CALU6_cells, A549_cells
	121045	AA398554	Hs.181012	double-stranded RNA-binding zinc finger	2.08	293T_cells, PC3_cells, OVCA cells
	104949	AA070735	Hs.146090	ESTs	2.08	Lu_SC_H69, Lu_SC_H345, RPWE_2
	118751	N74210	Hs.50454	EST	2.08	Lu_AD_H23, Lu_SC_H69, Lu_SC_H345
45	112399	R60920	Hs.26419	H sapiens clone 24510 mRNA seq	2.08	EB_cells, Lu_AD_H23, Lu_SC_H69
	129994	AA599443	Hs.38194	ESTs; Moderately similar to !!!! ALU SUB	2.08	DU145_cells, EB_cells, HS578T_cells
	116402	AA600054	Hs.65302	ESTs	2.08	HT29_cells, BT474_cells, Lu_AD_H23
	125307	Z40583	Hs.101259	ESTs	2.08	HMEC, HMEC (total RNA), EB_cells
	105047	AA132453	Hs.15396	ESTs	2.08	Caco2, HT29_cells, LNCaP_cells
50	128659	T95280	Hs.103315	trinucleotide repeat containing 1	2.08	EB_cells, Lu_AD_H23, Lu_SC_H69
	122301	AA437378	Hs.98791	ESTs	2.08	Lu_SC_H345, Lu_AD_H23, Lu_AD_358
	121974	AA429804	Hs.229675	EST	2.08	HS578T_cells, 293T_cells, OVCA cells
	116905	H71420		ys8c12.s1 Soares fetal liver spleen 1NFL		
				3' similar to contains Alu repetitive e	2.08	Lu_AD_H23, EB_cells, PRSC_con
55	106703	AA463979	Hs.21264	KIAA0782 protein	2.08	EB_cells, Caco2, PRSC_con
	121908	AA427858	Hs.98534	EST	2.07	293T_cells, Lu_SC_H345, CALU6_cells
	135119	T23992	Hs.94769	ESTs; Moderately similar to RAS-RELATED	2.07	HS578T_cells, PRSC_con, OVCA cells
	103558	Z19574	Hs.2785	keratin 17	2.07	RPWE_2, HMEC (total RNA), HMEC
	124209	H57317	Hs.193433	ESTs	2.07	Fibroblasts 2, OVCA cells, 293T_cells
60	133936	AA045083	Hs.77719	gamma-glutamyl carboxylase	2.07	Fibroblasts 2, MB-MDA-453, PRSC_con
	116246	AA479961	Hs.42913	ESTs; Highly similar to ubiquitin-conjug	2.07	EB_cells, LNCaP_cells, LNCaP_cells
	123230	AA490134	Hs.105308	EST	2.07	Lu_AD_H23, Lu_SC_H69, Lu_SC_H345
	127378	AA452696		zx39b05.r1 Soares_total_fetus_Nb2HF8_9w		
				to contains Alu repetitive element;cont	2.07	HS578T_cells, LNCaP_cells, EB_cells
65	110464	H53013	Hs.221901	ESTs	2.07	Fibroblasts 2, Lu_SQ_H520, Lu_SQ_H520
	135191	X07619	Hs.169876	cytochrome P450; subfamily IID (debrisoq		
				polypeptide 7a (pseudogene)	2.07	Lu_AD_H23, Lu_SC_H69, Lu_AD_358
	101267	L36818	Hs.75339	inositol polyphosphate phosphatase-like	2.07	Lu_SC_H345, OVCA cells, Caco2
	105185	AA191495	Hs.189937	ESTs	2.07	Lu_SC_H69, Lu_AD_H23, Lu_SC_H345
70	125366	H60192	Hs.76853	ESTs; Weakly similar to human homolog of	2.07	DU145_cells, Lu_LC_H460, Lu_AD_358
	117472	N30131	Hs.93738	DKFZP434M098 protein	2.07	EB_cells, Lu_SC_H69, 293T_cells
	114235	Z39710	Hs.25341	ESTs	2.07	DU145_cells, BT474_cells, Lu_SC_H69
	109081	AA165268	Hs.72488	ESTs	2.07	Lu_SC_H69, Lu_SC_H345, PC3_cells
	112596	R78212	Hs.163705	ESTs	2.07	MB-MDA-435s, Lu_SQ_H520, MB-MDA-453
75	109254	AA194940	Hs.85956	ESTs; Weakly similar to line-1 protein O	2.07	HS578T_cells, 293T_cells, OVCA cells
	105898	AA401144	Hs.27354	ESTs	2.07	EB_cells, 293T_cells, PRSC_con
	116290	AA488691	Hs.57969	phenylalanine-tRNA synthetase	2.06	Lu_AD_H23, Lu_SC_H345, PRSC_log

	122529	AA449828	Hs.99229	ESTs	2.06	DU145_cells, HS578T_cells, 293T_cells
	104612	R99199	Hs.173063	transducin-like enhancer of split 2; hom	2.06	MB-MDA-435s, 293T_cells, 293T_cells
	116465	AA621650	Hs.41045	ESTs; Weakly similar to KIAA0734 protein	2.06	MB231_cells, HT29_cells, Lu_AD_358
5	123155	AA488414	Hs.76127	hect (homologous to the E6-AP (UBE3A) ca domain (RLD) 1	2.06	DU145_cells, CALU6_cells, PC3_cells
	126752	AI073373	Hs.183275	ESTs	2.06	LNCaP_cells, EB_cells, DU145_cells
	126455	N80749	Hs.111515	ESTs; Weakly similar to predicted using	2.06	CALU6_cells, PRSC_log, OVCAR_cells
	129339	R77869	Hs.28506	ESTs	2.06	EB_cells, BT474_cells, Lu_AD_H23
	115021	AA252028	Hs.39168	ESTs	2.06	Lu_SQ_H520, Fibroblasts 2, EB_cells
10	129054	T67231	Hs.168289	succinate dehydrogenase complex; subunit	2.06	Caco2, LNCaP_cells, EB_cells
	101261	L35545	Hs.82353	endothelial cell protein C/activated pro	2.06	EB_cells, RPWE_2, DU145_cells
	132697	AA281951	Hs.5518	H sapiens mRNA; cDNA DKFZp566J2146 (from	2.06	2.06 OVCAR_cells, LNCaP_cells, DU145_cells
	124380	N26536	Hs.84999	ATPase; Cu++ transporting; beta polypept	2.06	Caco2, Caco2, 293T_cells
	103967	AA303711	Hs.144700	ephA1-B1	2.06	HT29_cells, HMEC (total RNA), HMEC
15	119403	T92935	Hs.119908	ESTs; Highly similar to nucleolar protei	2.06	HMEC, EB_cells, HMEC (total RNA)
	125755	R66080	Hs.191268	H sapiens mRNA; cDNA DKFZp434N174 (from	2.06	2.06 LNCaP_cells, DU145_cells, OVCAR_cells
	101843	M93405	Hs.170008	methylmalonate-semialdehyde dehydrogenas	2.05	LNCaP_cells, MB-MDA-453, EB_cells
	113032	T24024	Hs.7387	DKFZP564B116 protein	2.05	EB_cells, A549_cells, A549_cells
	112563	R72632	Hs.29282	ESTs	2.05	MCF7, HS578T_cells, PRSC_con
20	126432	AA583825	Hs.235860	ESTs	2.05	MB231_cells, HT29_cells, Fibroblasts 2
	101636	M57763	Hs.89474	ADP-ribosylation factor 6	2.05	DU145_cells, LNCaP_cells, PC3_cells
	125174	W51835	Hs.231082	EST	2.05	EB_cells, Fibroblasts 2, Lu_AD_H23
	106168	AA425943	Hs.82208	acyl-Coenzyme A dehydrogenase; very long	2.05	OVCAR_cells, PC3_cells, EB_cells
	135343	AA236796	Hs.9914	folistatin	2.05	HMEC (total RNA), PC3_cells, HMEC
25	105267	AA227956	Hs.25348	folistatin-like 3 (secreted glycoprotei	2.05	HMEC, RPWE_2, HMEC (total RNA)
	134331	AA452020	Hs.234156	ESTs; Weakly similar to CGI-128 protein	2.05	EB_cells, CALU6_cells, A549_cells
	121634	AA417012	Hs.28921	ESTs	2.05	HS578T_cells, EB_cells, Lu_SC_H345
	131394	R72637	Hs.26343	ESTs	2.05	EB_cells, Lu_SC_H69, Lu_AD_H23
	111526	R08260	Hs.20131	ESTs	2.05	Lu_AD_H23, Lu_SC_H69, BT474_cells
30	125049	T79840	Hs.111798	ESTs	2.05	HT29_cells, Lu_AD_H23, Lu_SC_H345
	120433	AA237077	Hs.180777	H sapiens mRNA; cDNA DKFZp564M0264 (from	2.05	2.05 DU145_cells, CALU6_cells, PC3_cells
	129498	AA449789	Hs.75511	connective tissue growth factor	2.05	HS578T_cells, PRSC_log, PRSC_con
	127805	AA740921	Hs.1197	heat shock 10kD protein 1 (chaperonin 10	2.05	DU145_cells, LNCaP_cells, OVCAR_cells
	109275	AA196287	Hs.20303	ESTs; Moderately similar to !!!! ALU SUB	2.05	EB_cells, MB-MDA-453, Fibroblasts 2
35	120683	AA290987	Hs.49657	ESTs; Weakly similar to contains similar	2.04	Lu_AD_358, Lu_SQ_H520, Lu_LC_H460
	135415	X60655	Hs.99967	even-skipped homeo box 1 (homolog of Dro	2.04	Lu_AD_H23, RPWE_2, Lu_SQ_H520
	132925	AA252759	Hs.238296	DKFZP434A033 protein	2.04	293T_cells, HS578T_cells, LNCaP_cells
	101875	M97287	Hs.74592	special AT-rich seq binding protein 1 (b	2.04	EB_cells, Lu_SC_H69, 293T_cells
	101463	M22490	Hs.68879	bone morphogenetic protein 4	2.04	PRSC_con, HT29_cells, MB231_cells
40	129177	T95005	Hs.209587	ESTs	2.04	293T_cells, MB-MDA-435s, Lu_SC_H69
	130726	W88946	Hs.18508	putative glycine-N-acyltransferase	2.04	HT29_cells, Fibroblasts 2, MB-MDA-435s
	105549	AA262417	Hs.5415	ESTs	2.04	DU145_cells, OVCAR_cells, PC3_cells
	124543	N63706	Hs.104573	ESTs	2.04	Caco2, 293T_cells, DU145_cells
45	123062	AA482069	Hs.100847	ESTs	2.04	Lu_AD_358, HT29_cells, HT29_cells
	109464	AA232857	Hs.87100	ESTs	2.04	DU145_cells, Lu_AD_H23, LNCaP_cells
	129619	AA610116	Hs.11663	tetraspan NET-6 protein	2.04	BT474_cells, Caco2, LNCaP_cells
	127545	AA935809	Hs.115899	ESTs	2.04	BT474_cells, MB-MDA-435s, MB-MDA-453
	133068	R73427	Hs.235712	ESTs	2.04	Caco2, OVCAR_cells, MCF7
	113609	T93263	Hs.16875	ESTs; Weakly similar to hypothetical pro	2.04	EB_cells, Lu_SC_H345, PRSC_con
50	106645	AA460270	Hs.27695	midline 1 (Opitz/BBB syndrome)	2.04	A549_cells, 293T_cells, Caco2
	126256	Z21124		HSAAADNVE TEST1, Human adult Testis tiss	2.04	Fibroblasts 2, Fibroblasts 2, MCF7
	129697	R00841	Hs.172069	DKFZP434C212 protein	2.04	HT29_cells, Lu_SQ_H520, BT474_cells
	126730	T19477		A1426R Heart H sapiens cDNA clone A1426,	2.04	EB_cells, Lu_AD_H23, Lu_SC_H69
	125244	W86466	Hs.132756	ESTs; Weakly similar to KIAA0591 protein	2.04	EB_cells, Lu_AD_H23, Lu_LC_H460
55	134762	M91036	Hs.242985	hemoglobin; gamma G	2.04	MB231_cells, Lu_AD_358, HT29_cells
	119564	W38206		Accession not listed in Genbank	2.04	BT474_cells, HT29_cells, Lu_AD_H23
	132523	AB002332	Hs.50722	clock (mouse) homolog	2.04	PC3_cells, OVCAR_cells, PRSC_log
	127758	AI337031	Hs.180195	ESTs	2.04	293T_cells, MB-MDA-435s, A549_cells
60	126471	AA158755	Hs.175652	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.04	EB_cells, Lu_AD_358, Lu_LC_H460
	110911	N45120	Hs.22305	ESTs	2.03	Lu_AD_H23, RPWE_2, Lu_LC_H460
	122317	AA442742	Hs.8693	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.03	EB_cells, Fibroblasts 2, Lu_SC_H345
	100253	D38024	Hs.247951	Humn facioscapulohumeral muscular dystro	2.03	Lu_AD_H23, Lu_AD_358, Lu_SQ_H520
	120431	AA236884	Hs.247323	H sapiens mRNA for G4 protein (G4 gene;	2.03	Lu_SC_H69, EB_cells, Lu_SC_H345
	122449	AA447638	Hs.104977	ESTs	2.03	Lu_SC_H345, Lu_SC_H345, Lu_SQ_H520
65	100961	J00148		Accession not listed in Genbank	2.03	HT29_cells, BT474_cells, HMEC
	130908	W86389	Hs.21122	ESTs; Moderately similar to KIAA0438 [H.	2.03	293T_cells, Lu_SC_H345, OVCAR_cells
	102643	U67849		Human beta-galactoside alpha2,6-sialyitr	2.03	HT29_cells, 293T_cells, Lu_SC_H345
	127932	AA398510	Hs.133148	ESTs	2.03	EB_cells, Lu_SC_H345, Lu_SC_H69
	109207	AA190906	Hs.204692	ESTs	2.03	Lu_SQ_H520, Lu_SC_H345, Lu_SC_H69
70	102598	U62962	Hs.106673	eukaryotic translation initiation factor	2.03	EB_cells, DU145_cells, MCF7
	124470	N51702	Hs.101392	ESTs	2.03	HT29_cells, Fibroblasts 2, HMEC (total RNA)
	104961	AA076672	Hs.33905	ESTs	2.03	Caco2, LNCaP_cells, EB_cells
	124164	H30667	Hs.7535	ESTs; Highly similar to COBW-like placen	2.03	CALU6_cells, CALU6_cells, A549_cells
	126468	AA242853	Hs.237856	ESTs; Moderately similar to cAMP inducib	2.03	MB231_cells, BT474_cells, Fibroblasts 2
75	129683	W05348	Hs.158196	DKFZP434B103 protein	2.03	HT29_cells, MB-MDA-435s, Lu_AD_H23
	105350	AA235737	Hs.186571	ATPase; Na+/K+ transporting; alpha 3 pol	2.03	MB-MDA-453, Lu_SQ_H520, Lu_AD_358

5	129794	AA447772	Hs.14520	eukaryotic translation initiation factor	2.03	EB_cells, Lu_AD_358, Lu_AD_H23
	115664	AA405974	Hs.54673	tumor necrosis factor (ligand) superfamily	2.03	Lu_AD_358, HT29_cells, HT29_cells
	119096	R41672	Hs.91471	ATPase type IV; phospholipid transportin	2.03	HT29_cells, MB231_cells, BT474_cells
	133866	L36151	Hs.171625	phosphatidylinositol 4-kinase; catalytic	2.03	293T_cells, DU145_cells, LNCaP_cells
	132055	N69440	Hs.38132	ESTs	2.03	Lu_SC_H345, MB-MDA-453, MB-MDA-435s
	125691	AI034361	Hs.135150	lung type-I cell membrane-associated gly	2.03	Lu_SC_H345, LNCaP_cells, DU145_cells
	121376	AA405699	Hs.166232	ESTs; Moderately similar to SODIUM- AND TRANSPORTER 2 [H.sapiens]	2.03	LNCaP_cells, HT29_cells, RPWE_2
10	105289	AA233178	Hs.103000	KIAA0831 protein	2.02	PC3_cells, Lu_AD_H23, MB231_cells
	100967	J02621	Hs.251064	high-mobility group (nonhistone chromoso	2.02	MCF7, DU145_cells, OVCAR_cells
	124430	N38913	Hs.221575	ESTs	2.02	MB-MDA-435s, Fibroblasts 2, EB_cells
	128322	AI306331	Hs.133296	ESTs	2.02	HT29_cells, MB-MDA-435s, Lu_SC_H345
	131077	X91809	Hs.22698	G alpha interacting protein	2.02	Lu_AD_H23, RPWE_2, MCF7
15	108033	AA040923	Hs.92200	KIAA0480 gene product	2.02	MCF7, Fibroblasts 2, DU145_cells
	107550	AA001045	Hs.46783	ESTs	2.02	DU145_cells, PC3_cells, OVCAR_cells
	109475	AA233159	Hs.87131	ESTs	2.02	HT29_cells, MB-MDA-435s, Lu_SC_H69
	111400	R00144	Hs.189771	ESTs	2.02	HT29_cells, Fibroblasts 2, HMEC
	117516	N32495	Hs.151560	ESTs	2.02	HT29_cells, HMEC (total RNA), Fibroblasts 2
20	120506	AA257955	Hs.173705	ESTs; Weakly similar to !!!! ALU CLASS C	2.02	MCF7, Fibroblasts 2, LNCaP_cells
	130850	N39306	Hs.20237	DKFZP566C134 protein	2.02	EB_cells, Lu_AD_H23, Lu_LC_H460
	123118	AA486571	Hs.105696	ESTs; Moderately similar to !!!! ALU SUB	2.02	CALU6_cells, 293T_cells, PRSC_log
	111285	N71704	Hs.4310	eukaryotic translation initiation factor	2.02	293T_cells, PC3_cells, EB_cells
	119106	R42362	Hs.91785	ESTs	2.02	CALU6_cells, MB-MDA-453, PC3_cells
25	111370	N92915	Hs.94631	brefeldin A-inhibited guanine nucleotide	2.02	EB_cells, OVCAR_cells, LNCaP_cells
	125013	T67261	Hs.154431	ESTs; Weakly similar to neuronal thread	2.02	Lu_SC_H345, Lu_SC_H69, PRSC_con
	129762	AA460273	Hs.12372	KIAA0517 protein	2.02	EB_cells, MB-MDA-435s, OVCAR_cells
	120704	AA291970	Hs.107054	KIAA0821 protein	2.01	Lu_SC_H69, EB_cells, MB-MDA-453
	105355	AA235985	Hs.26938	Human DNA seq from clone 126A5 on chromo		
30				genes (one with DnaJ domains); the gene		
				family member HKR3. Contains ESTs; STSs;	2.01	Lu_AD_H23, Lu_LC_H460, Lu_SQ_H520
	125952	AA017723		small inducible cytokine A5 (RANTES)	2.01	LNCaP_cells, DU145_cells, MB231_cells
	103478	Y07755	Hs.38991	S100 calcium-binding protein A2	2.01	HMEC (total RNA), HMEC, RPWE_2
	133544	T33873	Hs.74624	protein tyrosine phosphatase; receptor t	2.01	Lu_SC_H345, BT474_cells, HT29_cells
35	112746	R93237		yq11e10.s1 Soares fetal liver spleen 1NF		
				IMAGE:196650 3', mRNA seq.	2.01	PC3_cells, LNCaP_cells, OVCAR_cells
	118513	N67504	Hs.40061	ESTs	2.01	Lu_SC_H345, Lu_SC_H69, PRSC_con
	123423	AA598484	Hs.238476	EST	2.01	EB_cells, Lu_AD_H23, Lu_SC_H345
	127854	AA769520		ESTs; Weakly similar to REGULATOR OF MIT	2.01	HS578T_cells, CALU6_cells,
40				Lu_SQ_H520		
	111843	R36969	Hs.18888	ESTs	2.01	Lu_AD_H23, Lu_AD_358, Lu_SQ_H520
	100221	D28383		Human mRNA for ATP synthase B chain, 5'U	2.01	EB_cells, Lu_AD_H23, LNCaP_cells
	129966	AA452237	Hs.194443	ESTs; Weakly similar to BC37295_2 [H.sap	2.01	Lu_SC_H345, Lu_SC_H69, DU145_cells
	106798	AA478968	Hs.20558	ESTs	2.01	EB_cells, Lu_AD_H23, Lu_LC_H460
45	114636	AA085374		zn13d5.s1 Stratagene hNT neuron (#937233		
				gb:L8441 CYTOCHROME C OXIDASE POLYPEPTI		
	125348	H21585	Hs.191277	ESTs; Moderately similar to ATP binding	2.01	2.01 EB_cells, CALU6_cells, OVCAR_cells
	130620	AA233245	Hs.16773	ESTs	2.01	EB_cells, HS578T_cells, PC3_cells
	106471	AA450118	Hs.25722	ESTs; Weakly similar to ZINC FINGER PROT	2.01	EB_cells, DU145_cells, 293T_cells
	134175	T33128	Hs.7966	ESTs	2	OVCAR_cells, LNCaP_cells, EB_cells
50	117291	N22289		yw36g08.s1 Morton Fetal Cochlea H sapien	2	Lu_SC_H345, Fibroblasts 2, Lu_AD_H23
	134199	U47635	Hs.79877	myotubularin related protein 6	2	MB-MDA-453, OVCAR_cells, CALU6_cells
	128758	AA129545	Hs.181165	eukaryotic translation elongation factor	2	EB_cells, PC3_cells, LNCaP_cells
	112005	R42569	Hs.22444	ESTs	2	Lu_SC_H69, EB_cells, Lu_SC_H345
	122521	AA449433	Hs.149227	ESTs; Weakly similar to PROLINE-RICH PRO2	2	Lu_AD_H23, PRSC_log, Lu_AD_358
55	130356	X84373	Hs.155017	nuclear receptor interacting protein 1	2	HT29_cells, RPWE_2, MB231_cells
	114067	Z38153	Hs.26921	ESTs	2	DU145_cells, PC3_cells, MCF7
	107136	AA620795	Hs.8207	ESTs	2	293T_cells, MB-MDA-435s, HT29_cells
60						LNCaP_cells, PC3_cells, EB_cells

Table 3

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title

	Pkey	Ex Accn	UG_ID	Complete Title	Ratio BS/Met	Top 3 expressing cell lines
10	302347	AF039400	Hs.194659	chloride channel; calcium activated; fam	19.71	EB, NCI-H520, NCI-H23
	316304	AI936587	Hs.221599	ESTs	14.49	PRSC_con, RPWE-2, OVCA-R
15	339196			CH22_FF113D11.GENSCAN.3-1	10.37	NCI-H69, PRSC_con, NCI-H345
	336171			CH22_FGENES.708_3	9.45	NCI-H69, NCI-H460, NCI-H23
	338895			CH22_DJ32110.GENSCAN.9-2	9.31	PC3, BT474, OVCA-R
	333625			CH22_FGENES.223_2	8.96	NCI-H69, PRSC_con, NCI-H345
	333730			CH22_FGENES.258_1	8.82	NCI-H69, BT474, MB-MDA-231
20	320244	AA296922	Hs.129778	gastrointestinal peptide	8.22	BT474, CALU6, DU145
	333643			CH22_FGENES.232_2	7.66	MCF7, NCI-H69, LnCap
	333423			CH22_FGENES.147_3	7.57	HT29, MB-MDA-231, EB
	302332	AI833168	Hs.184507	H sapiens Chromosome 16 BAC clone CIT987	7.55	MB-MDA-231, HT29, MB-MDA-453
	333588			CH22_FGENES.206_2	7.46	HT29, OVCA-R, BT474
25	322033	AL137507		EST cluster (not in UniGene)	7.35	PRSC_con, PRSC_log, NCI-H345
	308601	AI719930		EST singleton (not in UniGene) with exon	6.83	PC3, DU145, DU145
	339044			CH22_DA59H18.GENSCAN.27-5	6.46	NCI-H69, NCI-H345, PRSC_log
	314516	AA371513	Hs.231748	ESTs	6.41	EB, OVCA-R, Caco2
	327805			CH.05_hs gj5867968	6.28	NCI-H69, NCI-H345, PRSC_con
30	334239			CH22_FGENES.364_2	6.09	NCI-H520, MB-MDA-435s, MB-MDA-453
	332958			CH22_FGENES.48_15	6.04	NCI-H69, PRSC_con, PRSC_log
	313386	W85772	Hs.173924	ESTs	5.88	MB-MDA-231, OVCA-R, BT474
	314350	AL037927	Hs.190675	ESTs; Moderately similar to !!!! ALU SUB	5.84	OVCA-R, CALU6, EB
	337170			CH22_FGENES.564-1	5.67	LnCap, CALU6, NCI-H69
35	337503			CH22_FGENES.803-1	5.66	NCI-H345, PRSC_con, RPWE-2
	337562			CH22_C65E1.GENSCAN.1-2	5.53	HT29, MB-MDA-453, BT474
	337219			CH22_FGENES.614-3	5.45	NCI-H69, NCI-H345, PRSC_log
	311331	AI679622	Hs.32225	immunoglobulin alpha 1	5.43	NCI-H69, NCI-H23, NCI-H345
40	314251	AA713589		EST cluster (not in UniGene)	5.41	PC3, EB, LnCap
	336246			CH22_FGENES.746_5	5.34	NCI-H69, NCI-H345, PRSC_log
	335009			CH22_FGENES.472_13	5.31	EB, EB, NCI-H69
	339365			CH22_BA354112.GENSCAN.34-1	5.25	PRSC_con, NCI-H69, PRSC_log
	336088			CH22_FGENES.688_17	5.21	PRSC_con, Caco2, PRSC_log
	334966			CH22_FGENES.465_36	5.16	DU145, BT474, MB-MDA-231
45	334666			CH22_FGENES.418_18	5.15	NCI-H69, NCI-H345, PRSC_log
	316830	AW182106	Hs.127821	ESTs	5.12	NCI-H345, PRSC_con, PRSC_log
	339413			CH22_DJ579N16.GENSCAN.5-8	5.06	NCI-H69, NCI-H345, PRSC_log
	337951			CH22_EM:AC005500.GENSCAN.94-1	5.01	NCI-H345, NCI-H69, PRSC_con
	330153			CH.21_p2 gj4325335	5	PRSC_con, PRSC_log, NCI-H69
50	333987			CH22_FGENES.310_11	4.96	MB-MDA-231, MB-MDA-453, MB-MDA-453
	334304			CH22_FGENES.373_7	4.96	OVCA-R, CALU6, NCI-H23
	338990			CH22_DA59H18.GENSCAN.6-6	4.95	PRSC_log, PRSC_con, NCI-H69
	333152			CH22_FGENES.89_1	4.89	MB-MDA-435s, OVCA-R, A549
	327049			CH.21_hs gj6531965	4.87	PRSC_con, NCI-H345, PRSC_log
55	337225			CH22_FGENES.626-3	4.83	DU145, CALU6, EB
	333496			CH22_FGENES.168_6	4.81	NCI-H69, NCI-H345, PRSC_con
	334451			CH22_FGENES.387_11	4.79	RPWE-2, PRSC_con, NCI-H69
	333594			CH22_FGENES.210_3	4.78	OVCA-R, PC3, HT29
	333635			CH22_FGENES.228_2	4.78	NCI-H69, PRSC_log, PRSC_con
60	336796			CH22_FGENES.176-6	4.73	NCI-H69, NCI-H345, PRSC_log
	333313			CH22_FGENES.138_5	4.72	NCI-H69, NCI-H345, PRSC_log
	336833			CH22_FGENES.242-2	4.7	NCI-H345, NCI-H69, PRSC_con
	336090			CH22_FGENES.689_2	4.7	NCI-H69, PRSC_con, PRSC_log
	336645			CH22_FGENES.26-1	4.63	HT29, OVCA-R, DU145
65	334565			CH22_FGENES.405_5	4.62	NCI-H345, PRSC_log, RPWE-2
	333242			CH22_FGENES.111_6	4.56	NCI-H345, PRSC_log, PRSC_con
	326304			CH.17_hs gj5867277	4.48	OVCA-R, EB, DU145
	337445			CH22_FGENES.769-4	4.47	RPWE-2, NCI-H69, PRSC_log
	327413			CH.02_hs gj5867750	4.46	NCI-H69, PRSC_log, NCI-H345
70	327990			CH.06_hs gj5868218	4.44	PRSC_con, PRSC_log, RPWE-2
	325038	H38304	Hs.21782	ESTs	4.43	PRSC_con, MB-MDA-231, HT29
	314923	AI732489	Hs.136370	ESTs	4.4	HT29, MB-MDA-231, NCI-358
	328859			CH.07_hs gj6381928	4.4	OVCA-R, BT474, A549
	334476			CH22_FGENES.394_7	4.38	OVCA-R, PC3, EB
75	336092			CH22_FGENES.689_6	4.35	PRSC_con, Caco2, PRSC_log
	333965			CH22_FGENES.305_3	4.35	NCI-H69, NCI-H345, PRSC_log

	336402		CH22_FGENES.823_17	4.34	RPWE-2, HT29, OVCA-R
	337947		CH22_EM:AC005500.GENSCAN.90-5	4.33	OVCA-R, DU145, PC3
	337504		CH22_FGENES.803-2	4.33	NCI-H345, PRSC_con, PRSC_log
5	336813		CH22_FGENES.213-6	4.33	DU145, HT29, OVCA-R
	338069		CH22_EM:AC005500.GENSCAN.166-14	4.33	NCI-H69, PRSC_con, NCI-H345
	318538	N28625	caveolin 1; caveolae protein; 22kD	4.31	PC3, A549, BT474
	333631		CH22_FGENES.227_2	4.3	OVCA-R, PRSC_con, LnCap
	302646	M14268	EST	4.27	PRSC_con, PRSC_log, RPWE-2
10	336049		CH22_FGENES.681_2	4.26	HT29, DU145, DU145
	335667		CH22_FGENES.590_18	4.25	NCI-H520, Caco2, MB-MDA-453
	320352	Y13323	disintegrin protease	4.25	MB-MDA-231, DU145, BT474
	304480	AA430373	EST singleton (not in UniGene) with exon	4.22	NCI-358, NCI-H460, NCI-H23
	327273		CH.01_hs gjl5867466	4.22	NCI-H69, NCI-H345, PRSC_con
15	334540		CH22_FGENES.403_5	4.17	NCI-H69, NCI-H345, PRSC_log
	334719		CH22_FGENES.421_30	4.17	NCI-H69, NCI-H345, RPWE-2
	327827		CH.05_hs gjl5867968	4.17	OVCA-R, NCI-H69, CALU6
	333599		CH22_FGENES.212_2	4.17	PRSC_log, NCI-H69, PRSC_con
	329638		CH.12_p2 gjl3779004	4.16	DU145, MB-MDA-231, HT29
20	307556	AI281651	EST singleton (not in UniGene) with exon	4.16	BT474, HT29, CALU6
	336836		CH22_FGENES.247-11	4.15	PRSC_con, NCI-H345, NCI-H69
	323187	AL121180	ESTs	4.14	NCI-H345, MB-MDA-435s, RPWE-2
	336397		CH22_FGENES.823_12	4.13	NCI-H345, PRSC_con, RPWE-2
	325007	AA736429	EST cluster (not in UniGene)	4.13	NCI-H69, PRSC_con, NCI-H345
25	300199	AI304386	ESTs	4.11	NCI-H345, PRSC_con, PRSC_log
	335832		CH22_FGENES.620_6	4.08	NCI-H69, NCI-H345, PRSC_log
	312778	AI631655	ESTs	4.07	NCI-358, NCI-H23, PRSC_con
	323164	AA765301	ESTs	4.06	NCI-H23, A549, HT29
	315871	AW135312	ESTs	4.05	MB-MDA-231, EB, MCF7
30	337452		CH22_FGENES.775-1	4.02	PRSC_con, PRSC_log, NCI-H345
	335265		CH22_FGENES.521_1	4.01	NCI-H69, MCF7, RPWE-2
	335200		CH22_FGENES.508_9	4.01	NCI-H69, PRSC_log, PRSC_con
	336917		CH22_FGENES.346-4	3.99	PRSC_con, NCI-H345, PRSC_log
	336584		CH22_FGENES.847_1	3.98	PRSC_log, PRSC_con, RPWE-2
35	333382		CH22_FGENES.143_21	3.97	EB, A549, HT29
	329436		CH.Y_hs gjl5868883	3.97	BT474, PC3, HT29
	336929		CH22_FGENES.349-3	3.94	NCI-H69, NCI-H345, PRSC_log
	337238		CH22_FGENES.641-3	3.92	NCI-H69, NCI-H345, PRSC_log
	333875		CH22_FGENES.291_11	3.92	PRSC_con, RPWE-2, PRSC_log
40	337069		CH22_FGENES.448-2	3.9	NCI-H69, LnCap, RPWE-2
	332491	M24470	guanosine monophosphate reductase	3.86	OVCA-R, MB-MDA-435s, CALU6
	304623	AA521331	EST singleton (not in UniGene) with exon	3.86	OVCA-R, DU145, PC3
	335348		CH22_FGENES.537_4	3.85	HT29, MB-MDA-231, PC3
	334568		CH22_FGENES.405_9	3.85	NCI-H69, NCI-H345, PRSC_log
45	336924		CH22_FGENES.347-9	3.84	NCI-H345, PRSC_log, RPWE-2
	301654	H81795	EST	3.84	NCI-H520, LnCap, NCI-358
	334677		CH22_FGENES.418_30	3.83	PRSC_con, NCI-H345, NCI-H69
	326688		CH.20_hs gjl5867582	3.83	NCI-H345, PRSC_con, PRSC_log
	327790		CH.05_hs gjl5867977	3.8	PRSC_con, PRSC_log, NCI-H345
50	334591		CH22_FGENES.408_1	3.8	NCI-H69, PRSC_log, NCI-H345
	337974		CH22_EM:AC005500.GENSCAN.106-3	3.78	PRSC_log, PRSC_con, NCI-H345
	311274	AW293128	ESTs	3.78	NCI-H345, PRSC_con, RPWE-2
	326668		CH.20_hs gjl6552455	3.78	NCI-H345, NCI-H69, PRSC_log
55	304195	N35382	EST singleton (not in UniGene) with exon	3.77	NCI-H69, RPWE-2, PRSC_con
	336294		CH22_FGENES.786_4	3.77	PRSC_con, PRSC_log, NCI-H69
	311613	AL046311	ESTs; Weakly similar to !!!! ALU SUBFAM1	3.76	HT29, BT474, MB-MDA-231
	338123		CH22_EM:AC005500.GENSCAN.195-5	3.75	MB-MDA-231, HT29, BT474
	318230	AA558125	EST cluster (not in UniGene)	3.74	RPWE-2, PRSC_con, NCI-H345
	303985	AW514501	Immunoglobulin kappa variable 1D-8	3.73	MB-MDA-231, BT474, PRSC_con
60	336502		CH22_FGENES.833_8	3.72	NCI-H345, RPWE-2, PRSC_con
	334063		CH22_FGENES.327_17	3.71	NCI-H69, NCI-H345, PRSC_con
	333600		CH22_FGENES.213_2	3.7	NCI-H69, OVCA-R, PC3
	339424		CH22_DJ579N16.GENSCAN.14-3	3.69	NCI-H69, NCI-H345, PRSC_con
	336862		CH22_FGENES.297-2	3.67	NCI-H345, PRSC_con, PRSC_log
65	334823		CH22_FGENES.437_5	3.67	RPWE-2, PRSC_log, PRSC_con
	329940		CH.16_p2 gjl6165199	3.66	CALU6, EB, MCF7
	300275	AI632123	ESTs	3.66	PRSC_con, NCI-H69, RPWE-2
	328820		CH.07_hs gjl5868330	3.66	NCI-H69, NCI-H345, PRSC_con
	332398	AA446446	H sapiens clone 24554 unknown mRNA	3.66	PRSC_con, PRSC_log, NCI-H345
70	325791		CH.14_hs gjl6682476	3.65	NCI-H345, BT474, LnCap
	300672	R14469	ESTs	3.65	MCF7, MB-MDA-453, MB-MDA-435s
	338344		CH22_EM:AC005500.GENSCAN.312-8	3.65	NCI-H345, PRSC_log, PRSC_con
	333257		CH22_FGENES.118_5	3.65	DU145, EB, OVCA-R
	332140	AA620724	ESTs	3.65	MB-MDA-453, DU145, MCF7
	337489		CH22_FGENES.799-2	3.63	NCI-H345, NCI-H69, PRSC_log
75	305167	AA663080	EST singleton (not in UniGene) with exon	3.63	OVCA-R, MB-MDA-231, MB-MDA-435s
	336200		CH22_FGENES.719_4	3.61	NCI-H69, PRSC_log, NCI-H345

	339208		CH22_FF113D11.GENSCAN.6-3	3.59	PRSC_con, NCI-H69, PRSC_log
	320090	AB002058	Hs.113275 purinergic receptor P2X-like 1; orphan r	3.58	OVCA-R, LnCap, NCI-H69
	335999		CH22_FGENES.657_1	3.57	NCI-H345, NCI-H69, PRSC_con
5	332909		CH22_FGENES.36_13	3.57	NCI-H345, PRSC_con, PRSC_log
	306531	AA991423	EST singleton (not in UniGene) with exon	3.56	BT474, MB-MDA-453, MB-MDA-435s
	333261		CH22_FGENES.119_1	3.55	HT29, CALU6, MB-MDA-231
	303883	AA176396	Hs.169624 ESTs	3.54	NCI-H69, NCI-H345, RPWE-2
	335831		CH22_FGENES.620_5	3.53	MCF7, BT474, OVCA-R
10	333983		CH22_FGENES.310_7	3.52	NCI-H345, PRSC_con, PRSC_log
	333623		CH22_FGENES.222_2	3.51	NCI-H69, PRSC_con, PRSC_log
	333997		CH22_FGENES.310_22	3.5	NCI-H345, PRSC_con, PRSC_log
	325623		CH.14_hs gj5867000	3.5	CALU6, HT29, BT474
	309151	AI935829	Hs.140 immunoglobulin gamma 3 (Gm marker)	3.49	EB, MCF7, MB-MDA-453
	305080	AA641485	EST singleton (not in UniGene) with exon	3.49	NCI-H23, NCI-H460, NCI-358
15	339268		CH22_BA354112.GENSCAN.10-6	3.47	NCI-H69, NCI-H345, PRSC_con
	310048	AI198352	Hs.105077 ESTs	3.47	Caco2, PRSC_con, NCI-H69
	314758	AA521458	Hs.192738 ESTs	3.46	NCI-H23, NCI-H23, NCI-H520
	334664		CH22_FGENES.418_15	3.45	NCI-H69, PRSC_log, PRSC_con
20	334661		CH22_FGENES.418_9	3.45	NCI-H69, PRSC_con, PRSC_log
	330984	H38678	Hs.32766 H sapiens clone 24803 mRNA seq	3.44	OVCA-R, MCF7, PC3
	333464		CH22_FGENES.160_1	3.44	NCI-H69, MB-MDA-231, MCF7
	333580		CH22_FGENES.199_2	3.42	PRSC_con, NCI-H69, PRSC_log
	313356	AI266254	Hs.132929 ESTs	3.42	RPWE-2, PRSC_con, NCI-H345
25	334518		CH22_FGENES.400_1	3.41	PRSC_log, PRSC_con, RPWE-2
	333627		CH22_FGENES.225_2	3.4	HT29, BT474, BT474
	309641	AW194230	Hs.253100 EST	3.4	HT29, MB-MDA-453, MCF7
	338221		CH22_EM:AC005500.GENSCAN.246-10	3.4	NCI-H69, PRSC_log, NCI-H345
	312993	AI392673	Hs.125230 ESTs	3.4	PRSC_log, NCI-H345, NCI-H345
30	318336	AI971806	Hs.164158 ESTs	3.38	OVCA-R, EB, CALU6
	326218		CH.17_hs gj5867226	3.38	NCI-H460, NCI-H69, NCI-H345
	336231		CH22_FGENES.736_3	3.38	NCI-H69, NCI-H345, PRSC_log
	307912	AI382224	EST singleton (not in UniGene) with exon	3.37	NCI-H345, PRSC_con, RPWE-2
	336161		CH22_FGENES.707_6	3.37	NCI-H69, NCI-H345, RPWE-2
35	300875	AW134756	Hs.192477 ESTs	3.37	RPWE-2, PRSC_log, PRSC_con
	336593		CH22_FGENES.135_1	3.37	PRSC_con, NCI-H69, RPWE-2
	310696	AI431620	Hs.160875 ESTs	3.36	HT29, OVCA-R, BT474
	304745	AA577771	EST singleton (not in UniGene) with exon	3.36	NCI-H345, RPWE-2, PRSC_con
40	308911	AI860287	Hs.156110 Immunoglobulin kappa variable 1D-8	3.36	EB, DU145, CALU6
	336347		CH22_FGENES.815_3	3.36	NCI-H69, PRSC_log, PRSC_con
	334906		CH22_FGENES.452_21	3.33	Caco2, CALU6, MB-MDA-453
	334548		CH22_FGENES.403_13	3.33	NCI-H345, PRSC_con, NCI-H69
	336695		CH22_FGENES.48-4	3.32	NCI-H69, PRSC_log, PRSC_con
45	316684	AA807187	Hs.220783 ESTs; Weakly similar to WNT-1 PROTO-ONCO	3.3	3.31 DU145, EB, MB-MDA-231
	315901	AI521558	Hs.179718 v-myb avian myeloblastosis viral oncogen	3.3	Caco2, LnCap, NCI-H69
	320115	T93574	EST cluster (not in UniGene)	3.3	DU145, HT29, CALU6
	307847	AI363993	Hs.157273 EST	3.3	NCI-H345, PRSC_con, PRSC_log
	327899		CH.06_hs gj5868156	3.28	BT474, MB-MDA-231, A549
	304612	AA514207	EST singleton (not in UniGene) with exon	3.28	DU145, CALU6, LnCap
50	330021		CH.16_p2 gj6671889	3.27	A549, HT29, EB
	338132		CH22_EM:AC005500.GENSCAN.200-2	3.27	MB-MDA-231, CALU6, EB
	323690	AA317497	Hs.188897 ESTs	3.27	RPWE-2, NCI-H345, MCF7
	327362		CH.01_hs gj6552412	3.26	NCI-H69, RPWE-2, PRSC_log
55	333488		CH22_FGENES.167_3	3.26	NCI-H69, NCI-H345, PRSC_log
	334106		CH22_FGENES.330_5	3.26	NCI-H69, PRSC_con, PRSC_log
	306990	AI129298	Hs.146491 EST; Weakly similar to FERRITIN HEAVY CH	3.26	NCI-H345, PRSC_log, PRSC_con
	328420		CH.07_hs gj5868411	3.26	NCI-H69, NCI-H345, PRSC_log
	336214		CH22_FGENES.722_8	3.26	MCF7, EB, OVCA-R
	330565	U51095	Hs.1545 caudal type homeo box transcription fact	3.25	EB, DU145, HT29
60	333879		CH22_FGENES.291_15	3.25	PRSC_con, PRSC_log, NCI-H69
	300145	AI240850	Hs.232016 ESTs	3.25	NCI-H345, PRSC_con, PRSC_log
	327581		CH.03_hs gj5867825	3.25	EB, DU145, MB-MDA-453
	308153	AI500429	Hs.1103 transforming growth factor; beta 1	3.24	MCF7, EB, EB
	308337	AI608947	EST singleton (not in UniGene) with exon	3.24	PRSC_log, PRSC_con, NCI-H345
65	329406		CH.X_hs gj6682547	3.23	DU145, HT29, MB-MDA-231
	325482		CH.12_hs gj5866957	3.23	NCI-H69, NCI-H345, PRSC_con
	337544		CH22_FGENES.833-7	3.22	NCI-H69, NCI-H345, PRSC_con
	337204		CH22_FGENES.595-1	3.22	NCI-H69, PRSC_con, PRSC_log
	309451	AW105128	Hs.246687 EST	3.22	PRSC_con, RPWE-2, NCI-H345
70	337259		CH22_FGENES.649-3	3.2	PRSC_con, NCI-H345, NCI-H69
	336489		CH22_FGENES.831_10	3.2	CALU6, MB-MDA-435s, Caco2
	334804		CH22_FGENES.435_4	3.18	PRSC_log, PRSC_con, RPWE-2
	335739		CH22_FGENES.601_10	3.18	NCI-H69, RPWE-2, PRSC_con
	306264	AA935305	Hs.179779 ribosomal protein L37	3.17	LnCap, NCI-H69, EB
	329386		CH.X_hs gj6004484	3.17	RPWE-2, NCI-H345, PRSC_log
75	323479	AA278246	EST cluster (not in UniGene)	3.16	PRSC_con, NCI-H345, RPWE-2
	304731	AA576085	EST singleton (not in UniGene) with exon	3.16	NCI-H69, LnCap, DU145

	339419		CH22_DJ579N16.GENSCAN.11-11	3.15	NCI-H69, PRSC_log, RPWE-2
	301202	AI536797	Hs.173155 ESTs	3.15	LnCap, NCI-H69, Caco2
	333608		CH22_FGENES.216_3	3.15	NCI-H345, PRSC_con, PRSC_log
	339193		CH22_FF113D11.GENSCAN.1-5	3.14	NCI-H69, NCI-H345, PRSC_con
5	310527	AW293404	Hs.211986 ESTs	3.14	PRSC_log, PRSC_con, RPWE-2
	321146	AA707443	Hs.183983 ESTs	3.14	PRSC_con, NCI-H69, PRSC_log
	333271		CH22_FGENES.121_2	3.13	NCI-H345, NCI-H69, RPWE-2
	330280		CH.05_p2 gjl6671910	3.13	NCI-H69, NCI-H345, PRSC_log
	309977	AW451663	EST singleton (not in UniGene) with exon	3.13	PRSC_con, PRSC_log, RPWE-2
10	307588	AI285535	EST singleton (not in UniGene) with exon	3.13	MB-MDA-231, BT474, BT474
	330551	U39840	Hs.105440 hepatocyte nuclear factor 3; alpha	3.13	MB-MDA-453, LnCap, Caco2
	314404	AW104203	Hs.157505 ESTs	3.13	DU145, EB, OVCA-R
	334030		CH22_FGENES.320_2	3.13	NCI-H69, NCI-H345, PRSC_con
	309108	AI925949	EST singleton (not in UniGene) with exon	3.13	BT474, MCF7, EB
15	317516	AI733250	Hs.192262 ESTs	3.12	OVCA-R, EB, MB-MDA-453
	304161	H71886	EST singleton (not in UniGene) with exon	3.12	PRSC_con, NCI-H69, RPWE-2
	334590		CH22_FGENES.407_13	3.12	NCI-H69, NCI-H345, PRSC_con
	333408		CH22_FGENES.145_6	3.11	PRSC_log, RPWE-2, PRSC_con
	330387	H14624	Hs.31386 ESTs; Highly similar to secreted apoptos	3.11	DU145, OVCA-R, PC3
20	332567	N23730	Hs.25647 v-fos FBJ murine osteosarcoma viral onco	3.11	EB, MB-MDA-453, MCF7
	333682		CH22_FGENES.247_10	3.1	PRSC_con, PRSC_log, RPWE-2
	323152	AI680562	Hs.246192 ESTs; Weakly similar to REGULATOR OF MIT	3.1	3.1 PC3, MB-MDA-453, DU145
	311142	AI638441	Hs.195649 ESTs	3.1	PRSC_con, RPWE-2, PRSC_log
	333441		CH22_FGENES.151_5	3.1	RPWE-2, NCI-H345, PRSC_log
25	326459		CH.19_hs gjl5867400	3.09	EB, CALU6, PC3
	313493	AA910339	Hs.126868 ESTs	3.09	NCI-H345, PRSC_con, RPWE-2
	339356		CH22_BA354I12.GENSCAN.31-1	3.08	NCI-H69, NCI-H345, PRSC_log
	333629		CH22_FGENES.226_5	3.08	NCI-H69, NCI-H345, PRSC_log
	304127	H42981	EST singleton (not in UniGene) with exon	3.07	LnCap, PRSC_con, DU145
30	325691		CH.14_hs gjl5867021	3.07	NCI-H345, PRSC_con, NCI-H69
	333014		CH22_FGENES.61_6	3.07	PRSC_con, PRSC_log, NCI-H345
	327379		CH.02_hs gjl5867795	3.07	PRSC_con, PRSC_log, NCI-H69
	337816		CH22_EM:AC005500.GENSCAN.13-1	3.06	NCI-H69, PRSC_con, PRSC_log
	337954		CH22_EM:AC005500.GENSCAN.96-3	3.06	PRSC_log, NCI-H69, NCI-H345
35	328109		CH.06_hs gjl5868020	3.05	HT29, BT474, MB-MDA-231
	338527		CH22_EM:AC005500.GENSCAN.396-15	3.05	NCI-H69, NCI-H345, PRSC_con
	320083	T87761	EST cluster (not in UniGene)	3.05	BT474, MB-MDA-435s, MCF7
	333466		CH22_FGENES.161_2	3.05	NCI-H345, RPWE-2, PRSC_log
	334788		CH22_FGENES.432_13	3.04	EB, A549, CALU6
40	302681	X97550	EST	3.04	OVCA-R, EB, MB-MDA-453
	336238		CH22_FGENES.743_3	3.03	NCI-H69, PRSC_log, PRSC_con
	337606		CH22_C20H12.GENSCAN.17-2	3.02	HT29, BT474, MB-MDA-231
	333545		CH22_FGENES.180_1	3.02	NCI-H69, NCI-H345, RPWE-2
	309782	AW275156	Hs.156110 Immunoglobulin kappa variable 1D-8	3.02	PRSC_log, PRSC_con, RPWE-2
45	324277	AA429440	Hs.207285 ESTs	3.02	BT474, MB-MDA-231, HT29
	321074	H38098	Hs.32756 ESTs	3.02	PC3, BT474, MB-MDA-231
	337094		CH22_FGENES.465-19	3.01	PRSC_con, PRSC_log, RPWE-2
	313913	AW391342	EST cluster (not in UniGene)	3	NCI-H345, RPWE-2, PRSC_log
	329140		CH.X_hs gjl6017060	3	EB, DU145, PC3
50	335331		CH22_FGENES.535_4	3	MB-MDA-435s, HT29, BT474
	334827		CH22_FGENES.437_9	2.99	CALU6, EB, DU145
	326029		CH.17_hs gjl5867176	2.99	NCI-H345, RPWE-2, PRSC_con
	303100	T09353	EST	2.99	MB-MDA-453, NCI-H345, RPWE-2
	328768		CH.07_hs gjl6017031	2.99	NCI-H345, PRSC_con, NCI-H69
55	329392		CH.X_hs gjl6478815	2.98	NCI-H69, NCI-H345, PRSC_con
	305168	AA663105	EST singleton (not in UniGene) with exon	2.98	LnCap, NCI-H345, MCF7
	300992	AA601213	Hs.191798 ESTs	2.98	Caco2, HT29, NCI-358
	334474		CH22_FGENES.394_5	2.98	NCI-H69, PRSC_con, RPWE-2
	322647	AA007534	Hs.125062 ESTs	2.98	HT29, OVCA-R, A549
60	310620	AI341328	Hs.178953 ESTs	2.97	PRSC_con, RPWE-2, PRSC_log
	328276		CH.07_hs gjl6004471	2.97	NCI-H345, NCI-H69, RPWE-2
	331018	N26904	Hs.24048 ESTs; Weakly similar to FK506/rapamycin-	2.96	Caco2, NCI-H460, A549
	321523	H78472	Hs.191325 ESTs; Weakly similar to cDNA EST yk414c9	2.96	PRSC_con, PRSC_log, NCI-H345
	339280		CH22_BA354I12.GENSCAN.14-12	2.96	NCI-H69, PRSC_log, NCI-H345
65	305967	AA886428	EST singleton (not in UniGene) with exon	2.96	NCI-H520, NCI-358, MB-MDA-453
	335755		CH22_FGENES.604_4	2.95	EB, A549, MB-MDA-453
	323907	AL043098	Hs.165387 ESTs	2.95	PRSC_con, NCI-H345, PRSC_log
	330370		CH.X_p2 gjl6580495	2.95	EB, DU145, MB-MDA-435s
	334529		CH22_FGENES.402_9	2.94	EB, MCF7, DU145
70	339256		CH22_BA354I12.GENSCAN.7-11	2.94	NCI-H69, NCI-H345, PRSC_con
	334783		CH22_FGENES.432_8	2.94	A549, Caco2, PC3
	335266		CH22_FGENES.521_2	2.94	NCI-H69, PRSC_con, PRSC_con
	323707	AA845957	Hs.128385 ESTs	2.94	NCI-H345, PRSC_con, PRSC_log
	336199		CH22_FGENES.719_3	2.93	NCI-H69, NCI-H345, PRSC_log
75	338326		CH22_EM:AC005500.GENSCAN.308-2	2.93	NCI-H69, NCI-H345, NCI-358
	333652		CH22_FGENES.239_1	2.93	PC3, OVCA-R, BT474

	336479		CH22_FGENES.829_39	2.92	NCI-H69, PRSC_con, PRSC_log
	336086		CH22_FGENES.688_15	2.92	PRSC_con, Caco2, CALU6
	338516		CH22_EM:AC005500.GENSCAN.392-6	2.92	NCI-H69, NCI-H345, PRSC_con
5	320121	T93657	EST cluster (not in UniGene)	2.92	EB, BT474, HT29
	305782	AA844730	EST singleton (not in UniGene) with exon	2.92	MB-MDA-453, MCF7, DU145
	339304		CH22_BA354112.GENSCAN.20-16	2.91	PRSC_con, PRSC_log, NCI-H69
	327472		CH.02_hs gjl5867775	2.91	PRSC_log, PRSC_con, RPWE-2
	311458	AW139426 Hs.244718	ESTs	2.91	PRSC_con, PRSC_log, RPWE-2
10	338431		CH22_EM:AC005500.GENSCAN.351-4	2.9	BT474, MCF7, MB-MDA-453
	339230		CH22_BA354112.GENSCAN.1-6	2.89	NCI-H69, NCI-H345, PRSC_log
	320586	NM_00365	EST cluster (not in UniGene)	2.89	OVCA-R, HT29, MB-MDA-231
	304777	AA581692 Hs.2186	eukaryotic translation elongation factor	2.89	OVCA-R, EB, MCF7
	337768		CH22_EM:AC000097.GENSCAN.119-6	2.88	NCI-H69, LnCap, DU145
15	319465	AA319115 Hs.191558	ESTs	2.88	NCI-H460, NCI-H520, NCI-358
	319068	W93011 Hs.110155	ESTs	2.87	BT474, MB-MDA-453, MB-MDA-435s
	330958	H08815 Hs.159824	EST	2.87	OVCA-R, PC3, A549
	334215		CH22_FGENES.357_7	2.87	NCI-H69, PRSC_con, PRSC_log
	333568		CH22_FGENES.185_1	2.87	PRSC_con, PRSC_log, NCI-H69
20	333142		CH22_FGENES.85_5	2.87	NCI-H69, HT29, HT29
	330239		CH.05_p2 gjl6671857	2.87	MB-MDA-453, MB-MDA-453, EB
	302120	R55140 Hs.31075	ESTs; Weakly similar to Weak similarity	2.87	CALU6, MB-MDA-435s, BT474
	338679		CH22_EM:AC005500.GENSCAN.470-1	2.86	NCI-H345, PRSC_log, PRSC_con
	329041		CH.X_hs gjl5868564	2.86	LnCap, PRSC_con, RPWE-2
25	333541		CH22_FGENES.178_3	2.86	NCI-H69, NCI-H345, PRSC_con
	337011		CH22_FGENES.427-6	2.86	NCI-H69, PRSC_log, PRSC_con
	324031	AA375646	EST cluster (not in UniGene)	2.86	NCI-H345, PRSC_log, LnCap
	331842	AA416586 Hs.98232	ESTs	2.86	DU145, OVCA-R, HT29
	336599		CH22_FGENES.350_3	2.85	LnCap, NCI-H69, NCI-H345
30	337586		CH22_C20H12.GENSCAN.5-4	2.85	NCI-H345, NCI-H69, PRSC_con
	336177		CH22_FGENES.712_2	2.85	NCI-H69, PRSC_log, RPWE-2
	337522		CH22_FGENES.819-1	2.85	CALU6, OVCA-R, HT29
	338596		CH22_EM:AC005500.GENSCAN.437-2	2.85	NCI-H69, PRSC_con, NCI-H345
35	309522	AW150044 Hs.252259	ribosomal protein S3	2.85	MB-MDA-453, MB-MDA-435s, MB-MDA-435s
	336981		CH22_FGENES.397-7	2.85	NCI-H69, PRSC_con, PRSC_log
	330286		CH.05_p2 gjl6671913	2.84	NCI-H345, PRSC_log, NCI-H69
	333713		CH22_FGENES.251_2	2.84	RPWE-2, PRSC_con, NCI-H69
	335068		CH22_FGENES.483_5	2.83	MB-MDA-231, NCI-H345, RPWE-2
	305075	AA641288 Hs.181165	eukaryotic translation elongation factor	2.83	EB, LnCap, DU145
40	326380		CH.19_hs gjl5867327	2.82	NCI-H69, PRSC_con, PRSC_log
	334970		CH22_FGENES.466_3	2.82	PRSC_con, NCI-H69, RPWE-2
	337097		CH22_FGENES.471-1	2.82	NCI-H345, NCI-H69, PRSC_log
	323676	AI702835	EST cluster (not in UniGene)	2.82	LnCap, A549, CALU6
	333785		CH22_FGENES.274_4	2.82	OVCA-R, Caco2, MB-MDA-453
45	334175		CH22_FGENES.349_10	2.81	RPWE-2, BT474, MCF7
	337865		CH22_EM:AC005500.GENSCAN.46-5	2.81	Caco2, NCI-H23, BT474
	302585	AA083564 Hs.249220	H sapiens mRNA for hTbr2; complete cds	2.81	EB, DU145, MB-MDA-453
	336623		CH22_FGENES.4-5	2.81	NCI-H345, PRSC_con, NCI-H69
	332854		CH22_FGENES.22_1	2.8	RPWE-2, PRSC_log, PRSC_con
50	336978		CH22_FGENES.384-10	2.8	PRSC_con, NCI-H345, RPWE-2
	326874		CH.20_hs gjl6682507	2.8	RPWE-2, NCI-H345, PRSC_log
	315121	AA565011 Hs.105902	ESTs	2.8	NCI-H345, PRSC_log, RPWE-2
	311185	AI638294 Hs.224665	ESTs	2.8	NCI-H69, NCI-H345, PRSC_log
	334682		CH22_FGENES.419_4	2.8	NCI-H69, PRSC_log, RPWE-2
55	316845	AW418715 Hs.250388	ESTs	2.79	RPWE-2, NCI-H345, PRSC_log
	331599	N74626 Hs.50535	ESTs	2.79	A549, MB-MDA-453, MB-MDA-435s
	315681	AW022054 Hs.136591	ESTs	2.78	NCI-H460, MB-MDA-453, MCF7
	313012	AI207390 Hs.143929	ESTs	2.78	DU145, MB-MDA-453, MCF7
	313476	AA010267	EST cluster (not in UniGene)	2.78	NCI-H520, NCI-H460, HT29
60	327277		CH.01_hs gjl5867473	2.78	DU145, CALU6, EB
	310981	AI494514 Hs.171380	ESTs	2.78	LnCap, RPWE-2, NCI-H460
	335090		CH22_FGENES.490_1	2.77	NCI-H69, PRSC_log, PRSC_con
	328581		CH.07_hs gjl6006033	2.77	HT29, MB-MDA-453, MCF7
	333219		CH22_FGENES.104_11	2.77	NCI-H69, PRSC_log, NCI-H345
65	308311	AI581855	EST singleton (not in UniGene) with exon	2.77	MB-MDA-231, HT29, CALU6
	329760		CH.14_p2 gjl6048280	2.77	CALU6, DU145, EB
	303925	AW469999 Hs.258523	ESTs	2.77	NCI-H69, LnCap, MB-MDA-231
	337628		CH22_C20H12.GENSCAN.28-31	2.77	NCI-H69, LnCap, MB-MDA-453
	333520		CH22_FGENES.174_3	2.77	NCI-H69, NCI-H345, PRSC_con
70	303168	AA872479 Hs.197770	ESTs; Weakly similar to estrogen-respons	2.76	DU145, OVCA-R, MB-MDA-453
	313451	AW138189 Hs.122672	ESTs	2.76	OVCA-R, EB, DU145
	328474		CH.07_hs gjl5868446	2.76	NCI-H69, NCI-H345, RPWE-2
	331988	AA477414 Hs.9242	purine-rich element binding protein B	2.76	MB-MDA-435s, A549, OVCA-R
	306180	AA922503	EST singleton (not in UniGene) with exon	2.76	NCI-H69, DU145, LnCap
75	321071	AA013011 Hs.241502	Cdc42 effector protein 4	2.76	PRSC_log, PRSC_con, NCI-H345
	302972	W73400	EST	2.76	NCI-H345, RPWE-2, NCI-H69
	305185	AA663985 Hs.248038	major histocompatibility complex; class	2.75	DU145, A549, BT474



	335998		CH22_FGENES.656_16	2.75	NCI-H69, PRSC_con, RPWE-2
	319138	R11699	ubiquinol-cytochrome c reductase hinge p	2.75	NCI-H345, NCI-H69, PRSC_con
	336387		CH22_FGENES.822_7	2.75	PRSC_con, RPWE-2, PRSC_log
5	338054		CH22_EM:AC005500.GENSCAN.158-2	2.75	OVCA-R, EB, DU145
	316041	AA719183	EST cluster (not in UniGene)	2.74	DU145, MCF7, MB-MDA-453
	336863		CH22_FGENES.297-4	2.74	MB-MDA-453, MCF7, OVCA-R
	335975		CH22_FGENES.652_9	2.74	CALU6, EB, A549
	302952	AF103179	EST	2.74	CALU6, MB-MDA-435s, BT474
	326122		CH.17_hs gjl5867194	2.74	HT29, Caco2, PC3
10	337427		CH22_FGENES.761-4	2.74	RPWE-2, NCI-H69, PRSC_log
	308063	AI469244	tumor protein; translationally-controlle	2.74	NCI-358, NCI-H23, Caco2
	325433		CH.12_hs gjl5866936	2.74	NCI-H345, PRSC_con, RPWE-2
	316252	AI572633	ESTs	2.74	OVCA-R, MCF7, A549
	310837	AI418688	ESTs	2.74	NCI-H345, PRSC_con, RPWE-2
15	313562	AW467335	ESTs	2.74	HT29, MCF7, MB-MDA-231
	335455		CH22_FGENES.562_15	2.74	NCI-H69, LnCap, PRSC_con
	304792	AA583101	ribosomal protein L10	2.73	EB, OVCA-R, MB-MDA-453
	331979	AA469937	EST	2.73	MCF7, BT474, NCI-H460
	336198		CH22_FGENES.719_2	2.73	NCI-H69, PRSC_con, PRSC_log
20	314698	AI660452	ESTs	2.73	MB-MDA-231, LnCap, BT474
	307954	AI419692	EST singleton (not in UniGene) with exon	2.73	HT29, HT29, EB
	318288	AI088590	ESTs	2.73	PRSC_log, NCI-H345, PRSC_con
	327833		CH.05_hs gjl5867968	2.73	BT474, PC3, MB-MDA-231
25	300221	AW449602	ESTs; Highly similar to NK-TUMOR RECOGNI	2.73	NCI-H520, NCI-358, MB-MDA-453
	326039		CH.17_hs gjl5867179	2.73	MB-MDA-453, EB, EB
	318457	AI149678	ESTs	2.72	PRSC_con, PRSC_log, NCI-H345
	336753		CH22_FGENES.128-9	2.72	MB-MDA-435s, NCI-H520, MCF7
	330086		CH.19_p2 gjl6015293	2.72	HT29, MB-MDA-453, MCF7
30	333566		CH22_FGENES.183_2	2.72	HT29, BT474, OVCA-R
	339384		CH22_BA232E17.GENSCAN.3-22	2.71	NCI-H69, NCI-H345, PRSC_log
	338668		CH22_EM:AC005500.GENSCAN.465-1	2.71	NCI-H69, RPWE-2, PRSC_con
	300798	AI382618	ESTs	2.71	PRSC_con, NCI-H345, PRSC_log
	303745	AI142379	EST	2.71	PRSC_log, PRSC_con, RPWE-2
35	305197	AA666301	EST singleton (not in UniGene) with exon	2.71	EB, NCI-H520, OVCA-R
	338725		CH22_EM:AC005500.GENSCAN.499-1	2.7	CALU6, MB-MDA-453, PC3
	307799	AI351112	EST singleton (not in UniGene) with exon	2.7	HT29, BT474, MCF7
	309598	AW173642	EST	2.69	NCI-358, NCI-H69, NCI-H23
	302727	L10141	EST	2.69	OVCA-R, BT474, PC3
40	308544	AI695133	EST singleton (not in UniGene) with exon	2.69	HT29, CALU6, MB-MDA-435s
	322877	AA079727	EST cluster (not in UniGene)	2.69	NCI-H345, NCI-H69, PRSC_con
	325695		CH.14_hs gjl6552446	2.69	NCI-H69, NCI-H460, NCI-H460
	307728	AI335557	EST singleton (not in UniGene) with exon	2.68	NCI-H69, PRSC_log, NCI-358
	302399	N79624	EST	2.68	NCI-H69, PRSC_con, NCI-H345
45	309343	AW028652	EST singleton (not in UniGene) with exon	2.68	HT29, MB-MDA-231, MB-MDA-231
	339360		CH22_BA354I12.GENSCAN.32-2	2.68	NCI-H69, PRSC_log, PRSC_con
	337821		CH22_EM:AC005500.GENSCAN.13-11	2.68	PRSC_con, PRSC_log, PRSC_log
	337338		CH22_FGENES.717-7	2.68	NCI-H69, PRSC_con, PRSC_log
	334510		CH22_FGENES.398_8	2.68	NCI-H460, NCI-H23, NCI-358
50	300918	AA491286	ESTs	2.68	MB-MDA-435s, CALU6, DU145
	335536		CH22_FGENES.574_2	2.67	NCI-H69, NCI-H345, PRSC_log
	335311		CH22_FGENES.532_4	2.67	MB-MDA-435s, Caco2, A549
	338959		CH22_DJ321H0.GENSCAN.23-31	2.67	NCI-H345, PRSC_con, NCI-H69
	339081		CH22_DA59H18.GENSCAN.37-10	2.67	NCI-H345, RPWE-2, NCI-H69
55	334068		CH22_FGENES.327_23	2.67	PRSC_con, RPWE-2, PRSC_log
	338976		CH22_DA59H18.GENSCAN.1-3	2.66	PRSC_con, PRSC_log, RPWE-2
	325524		CH.12_hs gjl5866981	2.66	NCI-H345, RPWE-2, PRSC_con
	333069		CH22_FGENES.76_5	2.66	NCI-H69, NCI-H345, PRSC_con
	336203		CH22_FGENES.719_7	2.66	OVCA-R, PC3, A549
	333133		CH22_FGENES.83_9	2.66	HT29, OVCA-R, A549
60	304074	T77842	ESTs	2.65	DU145, CALU6, EB
	330919	AA224594	ESTs	2.65	PRSC_con, RPWE-2, LnCap
	333248		CH22_FGENES.115_5	2.65	NCI-H345, PRSC_con, MB-MDA-231
	336665		CH22_FGENES.42-2	2.65	NCI-H69, PRSC_log, PRSC_con
65	315322	AA770599	EST cluster (not in UniGene)	2.65	A549, MB-MDA-453, MB-MDA-435s
	307474	AI264023	EST singleton (not in UniGene) with exon	2.65	NCI-H69, NCI-H345, RPWE-2
	320221	AL050020	DKFZP564C196 protein	2.65	MB-MDA-453, MCF7, HT29
	301767	AW361892	EST	2.65	NCI-H345, PRSC_con, PRSC_log
	327246		CH.01_hs gjl5867547	2.65	EB, OVCA-R, DU145
70	337403		CH22_FGENES.752-2	2.65	PRSC_con, PRSC_log, RPWE-2
	328221		CH.06_hs gjl5868099	2.64	MCF7, MB-MDA-231, BT474
	336759		CH22_FGENES.133-2	2.64	NCI-H69, PRSC_log, PRSC_con
	327532		CH.02_hs gjl6469818	2.64	PC3, CALU6, A549
	305621	AA789095	EST singleton (not in UniGene) with exon	2.64	HT29, MB-MDA-231, MB-MDA-453
75	322931	AA099329	ESTs	2.64	PRSC_con, RPWE-2, NCI-H345
	327278		CH.01_hs gjl5867473	2.64	EB, NCI-H460, NCI-H69
	332235	N51413	ESTs	2.64	DU145, EB, OVCA-R

	332792		CH22_FGENES.3_2	2.63	HT29, Caco2, A549
	312340	Al862668 Hs.176333	ESTs	2.63	NCI-358, NCI-358, HT29
	337484		CH22_FGENES.795-8	2.63	NCI-H69, NCI-H345, PRSC_con
5	325783		CH.14_hs gjl6456780	2.63	EB, OVCA-R, PC3
	303672	AW502380 Hs.210527	ESTs	2.63	PRSC_log, NCI-H345, NCI-H69
	306009	AA894560	EST singleton (not in UniGene) with exon	2.63	HT29, MB-MDA-231, CALU6
	308548	Al695484	EST singleton (not in UniGene) with exon	2.63	PC3, A549, NCI-358
	337930		CH22_EM:AC005500.GENSCAN.81-3	2.62	PC3, OVCA-R, MCF7
	327791		CH.05_hs gjl5867977	2.62	PRSC_log, PRSC_con, NCI-H345
10	330925	AA232678 Hs.87073	ESTs	2.62	OVCA-R, MCF7, LnCap
	327259		CH.01_hs gjl5867454	2.62	NCI-H345, PRSC_con, RPWE-2
	302150	AF061756 Hs.152531	heart and neural crest derivatives expe	2.61	OVCA-R, PC3, A549
	304881	AA598501 Hs.195188	glyceroldehyde-3-phosphate dehydrogenase	2.61	MB-MDA-435s, NCI-H23, MCF7
15	335956		CH22_FGENES.647_3	2.61	DU145, PRSC_con, PC3
	326506		CH.19_hs gjl5867435	2.61	RPWE-2, NCI-H460, NCI-358
	335863		CH22_FGENES.629_8	2.61	PC3, HT29, NCI-358
	334752		CH22_FGENES.428_1	2.61	PRSC_con, NCI-H69, PRSC_log
	333288		CH22_FGENES.128_19	2.61	HT29, NCI-358, Caco2
20	306709	Al024215 Hs.131477	EST	2.61	MB-MDA-435s, MCF7, BT474
	305816	AA854776	EST singleton (not in UniGene) with exon	2.6	MB-MDA-453, MCF7, MB-MDA-435s
	327264		CH.01_hs gjl5867461	2.6	MB-MDA-435s, MB-MDA-435s, MB-MDA-453
	310905	AW075527 Hs.252259	ribosomal protein S3	2.6	OVCA-R, EB, DU145
	324492	AA479507 Hs.135179	ESTs	2.6	DU145, EB, OVCA-R
25	322649	AA526549	EST cluster (not in UniGene)	2.6	PRSC_con, RPWE-2, PRSC_log
	329384		CH.X_hs gjl5868869	2.6	NCI-H69, NCI-H345, PRSC_con
	321240	M62378	EST cluster (not in UniGene)	2.6	BT474, CALU6, MB-MDA-231
	302751	AA299576 Hs.156110	Immunoglobulin kappa variable 1D-8	2.59	MCF7, MB-MDA-453, OVCA-R
	305841	AA860348	EST singleton (not in UniGene) with exon	2.59	NCI-H345, PRSC_log, PRSC_con
30	324180	AA402242 Hs.122799	ESTs	2.58	EB, PC3, HT29
	334196		CH22_FGENES.353_4	2.58	NCI-H345, NCI-H69, PRSC_con
	338451		CH22_EM:AC005500.GENSCAN.359-39	2.58	MB-MDA-435s, NCI-H23, MCF7
	300333	AW297396 Hs.227052	ESTs	2.58	PRSC_con, PRSC_log, NCI-H69
	305046	AA632201	EST singleton (not in UniGene) with exon	2.58	NCI-H460, MB-MDA-453, MB-MDA-435s
35	305648	AA807652 Hs.156110	Immunoglobulin kappa variable 1D-8	2.57	PRSC_con, RPWE-2, NCI-H345
	301744	W22230	EST	2.57	PRSC_con, PRSC_log, NCI-H345
	329182		CH.X_hs gjl6056331	2.57	PRSC_con, RPWE-2, NCI-H345
	318178	AW137425 Hs.158401	ESTs	2.57	MB-MDA-231, PRSC_con, BT474
	330057		CH.17_p2 gjl6478962	2.57	NCI-H345, RPWE-2, PRSC_con
40	326552		CH.19_hs gjl5867308	2.57	NCI-H345, PRSC_con, RPWE-2
	311956	T67085 Hs.188464	ESTs	2.57	HT29, MB-MDA-453, NCI-H460
	327185		CH.01_hs gjl6117805	2.57	CALU6, HT29, EB
	302183	NM_00224	EST	2.57	MCF7, PC3, OVCA-R
	327263		CH.01_hs gjl6525274	2.56	PRSC_con, NCI-H69, PRSC_log
45	339164		CH22_DA59H18.GENSCAN.69-4	2.56	NCI-H69, PRSC_con, NCI-H345
	332763	AA063554 Hs.90959	ESTs	2.56	RPWE-2, NCI-H345, PRSC_con
	330579	U67733 Hs.154437	phosphodiesterase 2A; cGMP-stimulated	2.55	HT29, CALU6, PC3
	329948		CH.16_p2 gjl5540101	2.55	NCI-H460, MCF7, MB-MDA-453
50	300282	AW044305 Hs.236131	ESTs; Highly similar to homeodomain-inte	2.55	NCI-H460, NCI-H23, NCI-H23
	335448		CH22_FGENES.562_5	2.55	MB-MDA-453, BT474, MCF7
	330959	H09174 Hs.26484	HIRA-interacting protein 3	2.55	MB-MDA-453, HT29, MCF7
	307262	Al202100	EST singleton (not in UniGene) with exon	2.55	MCF7, DU145, MB-MDA-435s
	335806		CH22_FGENES.616_8	2.55	NCI-H345, NCI-H69, PRSC_con
	335782		CH22_FGENES.609_4	2.55	Caco2, MB-MDA-453, MB-MDA-435s
55	301703	AW301478	EST	2.55	PC3, MCF7, MB-MDA-453
	329018		CH.X_hs gjl6249620	2.54	NCI-H69, PRSC_log, PRSC_con
	329870		CH.14_p2 gjl6706435	2.54	NCI-H23, NCI-H460, NCI-358
	334504		CH22_FGENES.398_2	2.54	HT29, BT474, MB-MDA-231
	304707	AA564846	EST singleton (not in UniGene) with exon	2.53	NCI-H520, EB, NCI-H460
60	329326		CH.X_hs gjl5868806	2.53	MB-MDA-231, NCI-H345, NCI-H69
	334418		CH22_FGENES.384_5	2.53	NCI-H23, NCI-358, NCI-H460
	338124		CH22_EM:AC005500.GENSCAN.196-2	2.53	NCI-H69, PRSC_con, PRSC_log
	318423	Al362671 Hs.214491	ESTs	2.53	OVCA-R, EB, DU145
	333006		CH22_FGENES.60_3	2.53	NCI-H69, PRSC_con, PRSC_log
65	333668		CH22_FGENES.245_2	2.53	NCI-H69, PRSC_log, PRSC_con
	333567		CH22_FGENES.184_2	2.53	NCI-H69, NCI-H345, PRSC_con
	309592	AW172384	EST singleton (not in UniGene) with exon	2.52	LnCap, NCI-H69, DU145
	328989		CH.09_hs gjl5868535	2.52	MB-MDA-435s, OVCA-R, EB
	326725		CH.20_hs gjl6552456	2.52	PRSC_con, NCI-H345, NCI-H69
70	302996	AF054663	EST	2.52	HT29, BT474, CALU6
	335733		CH22_FGENES.601_3	2.52	NCI-H69, PRSC_log, NCI-H345
	336000		CH22_FGENES.658_1	2.52	LnCap, OVCA-R, DU145
	327774		CH.05_hs gjl5867964	2.52	DU145, CALU6, HT29
	328557		CH.07_hs gjl5868489	2.52	MB-MDA-453, MB-MDA-435s, MCF7
	328228		CH.06_hs gjl5868105	2.52	NCI-H69, NCI-H345, PRSC_con
75	328305		CH.07_hs gjl6004478	2.52	NCI-H69, NCI-H460, PRSC_log
	334010		CH22_FGENES.313_1	2.51	NCI-H69, PRSC_log, PRSC_con

	339033		CH22_DA59H18.GENSCAN.26-1	2.51	NCI-H69, NCI-H345, PRSC_con
	335340		CH22_FGENES.535_17	2.51	NCI-H69, PRSC_con, PRSC_log
	300156	AI245582 Hs.233395	ESTs	2.51	PRSC_con, PRSC_log, NCI-H345
	305880	AA866065 Hs.156110	Immunoglobulin kappa variable 1D-8	2.5	EB, OVCA-R, DU145
5	310841	AI968009 Hs.232024	ESTs	2.5	LnCap, NCI-358, CALU6
	336908		CH22_FGENES.343-2	2.5	NCI-H345, RPWE-2, PRSC_log
	304674	AA541735	EST singleton (not in UniGene) with exon	2.5	RPWE-2, NCI-H69, MCF7
	314521	AW503939 Hs.107149	ESTs; Weakly similar to PTB-ASSOCIATED S2.5	2.5	NCI-H460, EB, Caco2
	307592	AI285739	EST singleton (not in UniGene) with exon	2.5	PRSC_con, NCI-H345, PRSC_log
10	331476	N26190 Hs.43768	ESTs	2.5	NCI-H345, NCI-H69, PRSC_con
	325803		CH.14_hs gjl6552451	2.5	NCI-H345, RPWE-2, PRSC_con
	306549	AA993796	EST singleton (not in UniGene) with exon	2.49	A549, OVCA-R, CALU6
	304833	AA586504	EST singleton (not in UniGene) with exon	2.49	MCF7, DU145, LnCap
	336333		CH22_FGENES.813_1	2.49	NCI-H345, PRSC_con, PRSC_log
15	332320	T71134 Hs.100551	EST	2.49	NCI-H345, LnCap, RPWE-2
	328236		CH.06_hs gjl5868117	2.49	PRSC_con, NCI-H345, PRSC_log
	317335	AI656979 Hs.130210	ESTs	2.49	MCF7, MB-MDA-453, PC3
	339188		CH22_DA59H18.GENSCAN.72-16	2.48	NCI-H69, PRSC_con, PRSC_log
	334235		CH22_FGENES.361_19	2.48	NCI-H520, MB-MDA-453, A549
20	301214	AW450950 Hs.157034	ESTs; Weakly similar to Unknown [H.sapie	2.48	HT29, A549, A549
	332843		CH22_FGENES.19_1	2.48	DU145, CALU6, EB
	337431		CH22_FGENES.763-7	2.48	PRSC_con, RPWE-2, NCI-H69
	336757		CH22_FGENES.131-1	2.48	NCI-H69, PRSC_log, PRSC_con
	305403	AA723748	EST singleton (not in UniGene) with exon	2.48	NCI-H23, DU145, OVCA-R
25	330065		CH.19_p2 gjl6165044	2.48	PRSC_con, PRSC_log, NCI-H69
	309245	AI972447	EST singleton (not in UniGene) with exon	2.48	MB-MDA-231, NCI-H69, HT29
	328876		CH.07_hs gjl6525286	2.47	MB-MDA-231, CALU6, PC3
	333944		CH22_FGENES.302_2	2.47	NCI-H69, RPWE-2, PRSC_log
	328504		CH.07_hs gjl5868471	2.47	LnCap, MB-MDA-453, MB-MDA-435s
30	338120		CH22_EM:AC005500.GENSCAN.195-1	2.47	MB-MDA-231, NCI-H69, PRSC_con
	306710	AI024221	EST singleton (not in UniGene) with exon	2.47	OVCA-R, EB, LnCap
	305064	AA636012	EST singleton (not in UniGene) with exon	2.47	NCI-H69, RPWE-2, PRSC_con
	329995		CH.16_p2 gjl4567166	2.47	OVCA-R, DU145, MB-MDA-453
35	315694	AI821743 Hs.168418	ESTs; Moderately similar to !!!! ALU SUB	2.46	EB, A549, LnCap
	331004	H64622 Hs.32748	ESTs	2.46	EB, MCF7, MB-MDA-435s
	305259	AA679225	EST singleton (not in UniGene) with exon	2.46	PRSC_con, NCI-H345, RPWE-2
	304576	AA496563	EST singleton (not in UniGene) with exon	2.46	PRSC_con, RPWE-2, PRSC_log
	318887	R60487 Hs.21065	ESTs	2.46	NCI-H345, Caco2, Caco2
	308954	AI868958	EST singleton (not in UniGene) with exon	2.46	PRSC_con, PRSC_log, RPWE-2
40	301140	AI807692 Hs.207128	ESTs	2.46	OVCA-R, MB-MDA-231, HT29
	322085	AA088500 Hs.170298	ESTs	2.46	PRSC_log, PRSC_con, NCI-H345
	339130		CH22_DA59H18.GENSCAN.56-3	2.46	NCI-H345, PRSC_con, RPWE-2
	337612		CH22_C20H12.GENSCAN.22-5	2.46	EB, A549, Caco2
45	313765	AW206181 Hs.185981	ESTs; Weakly similar to gag [H.sapiens]	2.45	RPWE-2, PRSC_log, PRSC_con
	311665	AW294254 Hs.223742	ESTs	2.45	PRSC_log, RPWE-2, PRSC_con
	328620		CH.07_hs gjl5868241	2.45	MB-MDA-453, MCF7, MB-MDA-435s
	305361	AA708902	EST singleton (not in UniGene) with exon	2.45	HT29, MB-MDA-435s, A549
	336243		CH22_FGENES.746_1	2.44	OVCA-R, MB-MDA-453, MB-MDA-435s
50	320299	H08323 Hs.177181	ESTs	2.44	PRSC_con, RPWE-2, NCI-H345
	302535	H48676	EST	2.44	MB-MDA-453, EB, DU145
	333465		CH22_FGENES.160_2	2.44	NCI-H69, PRSC_con, PRSC_log
	334109		CH22_FGENES.330_8	2.44	NCI-H69, NCI-H345, PRSC_log
	301749	F12998 Hs.90790	ESTs	2.44	NCI-H345, RPWE-2, PRSC_log
55	324575	AW502257	EST cluster (not in UniGene)	2.44	NCI-H345, PRSC_con, RPWE-2
	337114		CH22_FGENES.494-17	2.44	NCI-H69, PRSC_log, PRSC_con
	336087		CH22_FGENES.688_16	2.44	PRSC_con, Caco2, PRSC_log
	315678	AI657119 Hs.120036	ESTs	2.44	NCI-358, PC3, NCI-H23
	333258		CH22_FGENES.118_6	2.44	MB-MDA-231, HT29, CALU6
60	303798	V00505 Hs.36977	hemoglobin; delta	2.44	MB-MDA-435s, MCF7, MB-MDA-453
	309759	AW268822	EST singleton (not in UniGene) with exon	2.44	MB-MDA-453, EB, MCF7
	318946	AI122843	EST cluster (not in UniGene)	2.44	PC3, OVCA-R, DU145
	321986	AL133656	EST cluster (not in UniGene)	2.44	DU145, CALU6, CALU6
	338151		CH22_EM:AC005500.GENSCAN.207-5	2.44	PRSC_con, PRSC_log, RPWE-2
65	327056		CH.21_hs gjl6531965	2.44	PRSC_con, NCI-H345, RPWE-2
	309605	AW182800	EST singleton (not in UniGene) with exon	2.43	NCI-358, NCI-H23, NCI-H520
	335783		CH22_FGENES.610_3	2.43	PRSC_con, PRSC_log, NCI-H345
	325790		CH.14_hs gjl6381957	2.43	MB-MDA-435s, MB-MDA-453, MB-MDA-453
	339342		CH22_BA354112.GENSCAN.27-10	2.43	BT474, MB-MDA-231, MB-MDA-453
	335777		CH22_FGENES.607_13	2.43	DU145, EB, BT474
70	309972	AW450350 Hs.257283	ESTs	2.43	MCF7, MB-MDA-453, OVCA-R
	308718	AI798009	EST singleton (not in UniGene) with exon	2.43	NCI-H345, PRSC_con, PRSC_log
	338087		CH22_EM:AC005500.GENSCAN.174-16	2.43	DU145, PC3, CALU6
	306930	AI124518	EST singleton (not in UniGene) with exon	2.43	NCI-H69, MCF7, BT474
	319032	AW409728 Hs.80449	ESTs; Weakly similar to cytoplasmic dyne	2.43	RPWE-2, A549, NCI-H69
75	304330	AA157834	EST singleton (not in UniGene) with exon	2.43	MB-MDA-453, PC3, OVCA-R
	320638	R54766 Hs.101120	ESTs	2.43	MCF7, MB-MDA-435s, MB-MDA-453

	335281		CH22_FGENES.524_4	2.43	PC3, LnCap, A549
	317431	AI675790	Hs.132453 ESTs	2.43	NCI-H345, RPWE-2, PRSC_log
	306511	AA988891	EST singleton (not in UniGene) with exon	2.43	OVCA-R, EB, DU145
5	333298		CH22_FGENES.133_4	2.43	EB, DU145, PC3
	328436		CH.07_hs gjl5868417	2.43	EB, LnCap, A549
	333420		CH22_FGENES.146_11	2.43	NCI-H345, NCI-H69, PRSC_log
	338113		CH22_EM:AC005500.GENSCAN.188-13	2.42	DU145, EB, CALU6
	335188		CH22_FGENES.507_3	2.42	EB, A549, BT474
	329164		CH.X_hs gjl5868691	2.42	RPWE-2, PRSC_con, PRSC_log
10	336316		CH22_FGENES.799_11	2.42	MB-MDA-435s, MCF7, NCI-H69
	310831	AI927594	Hs.161142 ESTs	2.42	NCI-H345, PRSC_con, PRSC_log
	327334		CH.01_hs gjl5902477	2.42	MB-MDA-453, MB-MDA-435s, MCF7
	334017		CH22_FGENES.315_2	2.42	PRSC_con, PRSC_log, RPWE-2
15	308138	AI494446	EST singleton (not in UniGene) with exon	2.42	DU145, LnCap, EB
	333074		CH22_FGENES.76_10	2.42	NCI-H69, RPWE-2, PRSC_log
	306546	AA993109	EST singleton (not in UniGene) with exon	2.42	HT29, CALU6, LnCap
	336516		CH22_FGENES.836_1	2.42	NCI-H69, PRSC_con, PRSC_log
	306791	AI042387	EST singleton (not in UniGene) with exon	2.42	CALU6, DU145, EB
	329411		CH.X_hs gjl6682549	2.42	OVCA-R, EB, LnCap
20	308659	AI750091	EST singleton (not in UniGene) with exon	2.41	EB, DU145, CALU6
	313504	AI190405	Hs.143127 ESTs	2.41	DU145, EB, CALU6
	326073		CH.17_hs gjl6682495	2.41	DU145, A549, MB-MDA-435s
	334047		CH22_FGENES.326_5	2.41	PRSC_con, PRSC_log, NCI-H345
	325464		CH.12_hs gjl5866947	2.41	NCI-358, NCI-H23, NCI-H460
25	334764		CH22_FGENES.428_13	2.41	NCI-H69, NCI-H345, RPWE-2
	312737	AI033500	Hs.132895 ESTs	2.41	OVCA-R, DU145, CALU6
	306591	AI000248	EST singleton (not in UniGene) with exon	2.41	MB-MDA-231, MCF7, DU145
	333582		CH22_FGENES.201_2	2.41	NCI-H69, PRSC_con, PRSC_log
30	337843		CH22_EM:AC005500.GENSCAN.30-8	2.4	EB, LnCap, A549
	335284		CH22_FGENES.526_6	2.4	NCI-H69, NCI-H345, PRSC_log
	305134	AA653159	EST singleton (not in UniGene) with exon	2.4	DU145, HT29, MB-MDA-453
	335527		CH22_FGENES.572_7	2.4	DU145, OVCA-R, EB
	336795		CH22_FGENES.176-5	2.4	NCI-H69, NCI-H345, PRSC_log
35	303144	AF202889	EST	2.4	PRSC_con, PRSC_log, NCI-H69
	334948		CH22_FGENES.465_15	2.4	PRSC_con, PRSC_log, RPWE-2
	328860		CH.07_hs gjl6381928	2.4	PRSC_con, PRSC_log, NCI-H345
	322929	AI365585	Hs.146246 ESTs	2.4	NCI-H460, A549, HT29
	333561		CH22_FGENES.180_18	2.4	OVCA-R, EB, DU145
40	338239		CH22_EM:AC005500.GENSCAN.264-5	2.4	NCI-H69, NCI-H345, PRSC_con
	323670	AL040411	Hs.161763 ESTs; Weakly similar to KIAA0738 protein	2.4	DU145, MB-MDA-453, EB
	305903	AA873085	EST singleton (not in UniGene) with exon	2.4	MCF7, A549, NCI-H520
	312573	AW297673	Hs.190526 ESTs	2.4	LnCap, NCI-H460, NCI-H23
	334470		CH22_FGENES.394_1	2.4	NCI-H520, HT29, NCI-H23
45	333272		CH22_FGENES.122_1	2.39	NCI-H345, PRSC_con, RPWE-2
	304010	AW518383	Hs.177592 ribosomal protein; large; P1	2.39	DU145, CALU6, EB
	337316		CH22_FGENES.692-1	2.39	MCF7, BT474, OVCA-R
	316769	AI914939	Hs.212184 ESTs	2.39	PRSC_con, NCI-H345, RPWE-2
	336280		CH22_FGENES.763_4	2.39	NCI-H345, PRSC_log, PRSC_con
50	331223	T98872	Hs.194181 ESTs	2.39	DU145, HT29, PC3
	337172		CH22_FGENES.565-2	2.39	EB, OVCA-R, DU145
	300625	AI671992	Hs.143631 ESTs; Weakly similar to WASP-family prot	2.39	EB, NCI-H520, LnCap
	337092		CH22_FGENES.465-12	2.39	PRSC_con, PRSC_log, NCI-H69
	334528		CH22_FGENES.402_8	2.39	NCI-H345, PRSC_con, NCI-H69
55	338411		CH22_EM:AC005500.GENSCAN.341-7	2.39	NCI-H345, NCI-H69, PRSC_con
	331344	AA357927	Hs.70208 ESTs	2.39	PC3, EB, A549
	334044		CH22_FGENES.323_2	2.38	MB-MDA-231, MCF7, LnCap
	333918		CH22_FGENES.296_7	2.38	RPWE-2, NCI-H345, EB
	317168	AI042614	Hs.125910 ESTs	2.38	NCI-H345, PRSC_con, RPWE-2
60	333424		CH22_FGENES.147_4	2.38	DU145, MCF7, OVCA-R
	317779	AW450515	Hs.128381 ESTs	2.38	EB, DU145, OVCA-R
	315142	AI380577	Hs.190219 ESTs	2.38	OVCA-R, EB, CALU6
	310471	AW270515	Hs.149596 ESTs	2.38	NCI-H460, NCI-H23, NCI-H23
	325049	AW410339	Hs.256310 ESTs; Weakly similar to centaurin beta2	2.38	PRSC_con, RPWE-2, NCI-H345
65	305234	AA670431	EST singleton (not in UniGene) with exon	2.38	MB-MDA-453, MB-MDA-231, A549
	337760		CH22_EM:AC000097.GENSCAN.116-8	2.38	PRSC_con, PRSC_log, RPWE-2
	311502	AW204380	Hs.208662 ESTs	2.38	NCI-H345, NCI-H69, LnCap
	337548		CH22_FGENES.844-5	2.38	MB-MDA-453, MCF7, CALU6
	326981		CH.21_hs gjl6588016	2.38	NCI-H345, NCI-H69, PRSC_con
70	309600	AW182066	EST singleton (not in UniGene) with exon	2.37	RPWE-2, NCI-358, NCI-H69
	328936		CH.08_hs gjl5868500	2.37	OVCA-R, MB-MDA-453, CALU6
	327937		CH.06_hs gjl5868192	2.37	BT474, EB, OVCA-R
	328282		CH.07_hs gjl5868353	2.37	DU145, CALU6, CALU6
	303607	AL046388	Hs.208206 ESTs; Weakly similar to Naf1 alpha prote	2.37	LnCap, PRSC_log, NCI-H345
	304227	N94974	Hs.75344 ribosomal protein S4; X-linked	2.37	EB, PC3, OVCA-R
75	314101	AW452279	Hs.257542 ESTs	2.37	OVCA-R, CALU6, CALU6
	325026	AI671168	Hs.12285 ESTs	2.37	NCI-H345, PRSC_con, PRSC_log

	315015	AI659989	Hs.132625	ESTs	2.37	MB-MDA-453, MB-MDA-231, LnCap
	328662			CH.07_hs gjl6004473	2.37	NCI-H345, RPWE-2, PRSC_con
	305867	AA864572		EST singleton (not in UniGene) with exon	2.37	MCF7, MB-MDA-453, MB-MDA-231
	333296			CH22_FGENES.132_3	2.37	EB, PC3, CALU6
5	331070	R01116	Hs.182059	ESTs	2.36	OVCA-R, MB-MDA-453, A549
	333698			CH22_FGENES.250_12	2.36	HT29, OVCA-R, Caco2
	316423	AA758756	Hs.121380	ESTs	2.36	HT29, MCF7, MB-MDA-435s
	323189	AL121194	Hs.120589	ESTs	2.36	PC3, NCI-H460, DU145
10	318889	Z43296	Hs.18720	programmed cell death 8 (apoptosis-induc	2.36	OVCA-R, A549, MB-MDA-453
	334237			CH22_FGENES.362_1	2.36	NCI-H345, NCI-H69, LnCap
	315931	AI700148	Hs.117328	ESTs	2.36	MCF7, NCI-H345, DU145
	326884			CH.20_hs gjl6682511	2.36	A549, EB, PC3
	333132			CH22_FGENES.83_8	2.36	NCI-H69, HT29, EB
15	306574	AA995719	Hs.76067	heat shock 27kD protein 1	2.36	RPWE-2, PRSC_log, PRSC_con
	324416	AI669524	Hs.194115	ESTs	2.36	NCI-H345, RPWE-2, PRSC_con
	329496			CH.10_p2 gjl3983518	2.35	HT29, MCF7, MB-MDA-231
	320994	H22381		EST cluster (not in UniGene)	2.35	NCI-H23, A549, CALU6
	320481	AA461139	Hs.24372	ESTs; Weakly similar to dJ207H1.1 [H.sap	2.35	PRSC_con, RPWE-2, PRSC_log
	309958	AW444488		EST singleton (not in UniGene) with exon	2.35	NCI-H345, PRSC_con, PRSC_log
20	327009			CH.21_hs gjl5867664	2.35	HT29, BT474, MCF7
	309594	AW172821	Hs.181165	eukaryotic translation elongation factor	2.35	HT29, DU145, EB
	335468			CH22_FGENES.567_4	2.35	NCI-H69, PRSC_con, NCI-H345
	304269	AA069029		EST singleton (not in UniGene) with exon	2.35	PRSC_con, PRSC_log, RPWE-2
	305877	AA865649		EST singleton (not in UniGene) with exon	2.35	A549, MCF7, OVCA-R
25	305700	AA815428		EST singleton (not in UniGene) with exon	2.35	PRSC_con, NCI-H345, PRSC_log
	326423			CH.19_hs gjl5867369	2.34	PC3, MCF7, LnCap
	334560			CH22_FGENES.404_3	2.34	HT29, NCI-H460, MB-MDA-435s
	337100			CH22_FGENES.472-3	2.34	PRSC_log, PRSC_con, RPWE-2
30	301505	AW014374	Hs.144849	ESTs	2.34	CALU6, MB-MDA-231, DU145
	312142	AW298359	Hs.221069	ESTs	2.34	PRSC_con, RPWE-2, PRSC_log
	305787	AA845035		EST singleton (not in UniGene) with exon	2.34	NCI-H23, NCI-H520, NCI-H460
	338686			CH22_EM:AC005500.GENSCAN.472-5	2.33	BT474, MB-MDA-231, MB-MDA-453
	331977	AA465207	Hs.125887	ESTs	2.33	OVCA-R, A549, MB-MDA-435s
35	314687	M79114	Hs.135177	ESTs	2.33	NCI-H69, PRSC_con, NCI-H345
	336089			CH22_FGENES.688_18	2.33	PRSC_con, Caco2, PRSC_log
	338952			CH22_DJ32110.GENSCAN.23-22	2.33	PC3, OVCA-R, HT29
	334612			CH22_FGENES.411_11	2.33	OVCA-R, MB-MDA-453, EB
	338223			CH22_EM:AC005500.GENSCAN.250-10	2.33	DU145, MB-MDA-453, MCF7
40	327845			CH.05_hs gjl6531962	2.32	OVCA-R, MB-MDA-453, PC3
	308187	AI538108	Hs.156110	Immunoglobulin kappa variable 1D-8	2.32	NCI-H69, NCI-358, PRSC_con
	317767	AW294164	Hs.128340	ESTs; Weakly similar to Cdc42 GTPase-act	2.32	BT474, CALU6, MB-MDA-231
	330468	L10343	Hs.112341	protease inhibitor 3; skin-derived (SKAL	2.32	PC3, Caco2, HT29
	319003	R17712		EST cluster (not in UniGene)	2.32	MCF7, PC3, MB-MDA-453
45	323022	AI066733	Hs.133865	ESTs	2.32	CALU6, MB-MDA-231, DU145
	303148	R73167	Hs.127317	ESTs; Weakly similar to CYTOCHROME P450	2.32	2.32 NCI-H345, PRSC_con, RPWE-2
	303215	AW250314		EST	2.32	NCI-H345, PRSC_con, PRSC_log
	318891	H10477	Hs.196208	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.32	NCI-H69, LnCap, NCI-H345
	336653			CH22_FGENES.33-4	2.32	DU145, EB, LnCap
	333329			CH22_FGENES.138_22	2.32	DU145, BT474, MB-MDA-231
50	301980	U69962	Hs.121498	potassium voltage-gated channel; Shab-re	2.31	NCI-H345, MB-MDA-231, LnCap
	336968			CH22_FGENES.375-28	2.31	HT29, BT474, EB
	308539	AI694191		EST singleton (not in UniGene) with exon	2.31	NCI-H345, NCI-H69, PRSC_log
	326417			CH.19_hs gjl5867362	2.31	HT29, MCF7, BT474
55	328851			CH.07_hs gjl6381923	2.31	NCI-H520, NCI-H460, NCI-H23
	329254			CH.X_hs gjl5868733	2.31	RPWE-2, NCI-H345, PRSC_con
	303075	W88779	Hs.59125	ESTs	2.3	DU145, OVCA-R, EB
	335131			CH22_FGENES.497_15	2.3	NCI-H69, NCI-H345, PRSC_log
	303129	AA308334	Hs.172210	MUF1 protein	2.3	LnCap, DU145, HT29
60	327067			CH.21_hs gjl6531965	2.3	NCI-H345, NCI-H69, MB-MDA-435s
	324064	AW137650		EST cluster (not in UniGene)	2.3	DU145, HT29, EB
	325965			CH.16_hs gjl5867147	2.3	NCI-H69, NCI-H345, RPWE-2
	334525			CH22_FGENES.402_4	2.3	NCI-H345, PRSC_con, NCI-H69
	336654			CH22_FGENES.34-2	2.3	BT474, PC3, MB-MDA-453
65	302348	AF100779	Hs.194680	WNT1 inducible signaling pathway protein	2.3	LnCap, CALU6, DU145
	309275	AI989570		EST singleton (not in UniGene) with exon	2.3	NCI-H460, NCI-H23, NCI-H520
	329246			CH.X_hs gjl5868732	2.3	NCI-H69, NCI-H345, PRSC_log
	305557	AA774834		EST singleton (not in UniGene) with exon	2.3	CALU6, CALU6, MCF7
	322907	AA084941		EST cluster (not in UniGene)	2.3	MB-MDA-231, CALU6, EB
70	318683	AI703241	Hs.202653	ESTs; Weakly similar to Xin [M.musculus]	2.29	NCI-H345, PRSC_con, RPWE-2
	309233	AI971416		EST singleton (not in UniGene) with exon	2.29	CALU6, OVCA-R, EB
	308913	AI860692	Hs.119122	ribosomal protein L13a	2.29	MB-MDA-435s, MCF7, HT29
	335827			CH22_FGENES.620_1	2.29	PRSC_con, PRSC_log, RPWE-2
	334066			CH22_FGENES.327_21	2.29	PRSC_con, PRSC_log, NCI-H345
75	302656	AW293005	Hs.220905	ESTs	2.29	NCI-H23, Caco2, CALU6
	308974	AI872290	Hs.140	immunoglobulin gamma 3 (Gm marker)	2.29	CALU6, A549, NCI-H69
	333607			CH22_FGENES.216_2	2.29	OVCA-R, MCF7, A549

	335174		CH22_FGENES.504_4	2.29	HT29, A549, MB-MDA-453
	332028	AA489680 Hs.134406	ESTs; Weakly similar to Dim1p homolog [H	2.29	EB, A549, DU145
	336417		CH22_FGENES.823_39	2.29	NCI-H69, NCI-H345, PRSC_log
5	323426	AA251401	EST cluster (not in UniGene)	2.29	HT29, MB-MDA-231, BT474
	336618		CH22_FGENES.2-1	2.29	NCI-358, NCI-H460, NCI-H69
	310017	AI188739 Hs.148488	ESTs	2.29	NCI-H345, PRSC_log, PRSC_con
	334055		CH22_FGENES.327_6	2.28	DU145, OVCA-R, MB-MDA-453
	337168		CH22_FGENES.562-28	2.28	NCI-H69, PRSC_log, NCI-H345
10	329824		CH.14_p2 gij6630758	2.28	NCI-H23, CALU6, RPWE-2
	333891		CH22_FGENES.292_13	2.28	NCI-H69, MB-MDA-231, RPWE-2
	339127		CH22_DA59H18.GENSCAN.55-1	2.28	PRSC_con, NCI-H345, RPWE-2
	305686	AA812726	EST singleton (not in UniGene) with exon	2.28	NCI-H520, NCI-H23, NCI-H460
	329782		CH.14_p2 gij5912597	2.28	NCI-H69, NCI-H345, PRSC_log
15	311059	AI810001 Hs.175346	ESTs	2.28	MCF7, BT474, MB-MDA-435s
	336934		CH22_FGENES.351-1	2.28	BT474, HT29, MB-MDA-435s
	314893	AA761093	EST cluster (not in UniGene)	2.28	OVCA-R, HT29, DU145
	331596	N72574 Hs.50220	ESTs	2.28	A549, MCF7, NCI-358
	330729	AA258559 Hs.3736	ESTs; Weakly similar to DELTA-LIKE PROTE	2.28	MB-MDA-231, CALU6, MCF7
20	338285		CH22_EM:AC005500.GENSCAN.293-3	2.27	NCI-H69, PRSC_log, PRSC_con
	300154	AI245127 Hs.179331	ESTs	2.27	NCI-H23, NCI-H520, NCI-358
	306383	AA969078 Hs.183698	ribosomal protein L29	2.27	RPWE-2, NCI-H345, PRSC_log
	309005	AI884454	EST singleton (not in UniGene) with exon	2.27	A549, MCF7, BT474
	332995		CH22_FGENES.58_2	2.27	RPWE-2, NCI-H345, PRSC_log
25	337426		CH22_FGENES.761-3	2.27	DU145, EB, CALU6
	337778		CH22_EM:AC000097.GENSCAN.119-20	2.27	NCI-H69, PRSC_con, PRSC_log
	329705		CH.14_p2 gij6065790	2.27	PRSC_con, PRSC_log, RPWE-2
	335971		CH22_FGENES.652_4	2.27	PRSC_log, MB-MDA-231, NCI-H23
30	315862	AI075846 Hs.133996	ESTs	2.27	HT29, MB-MDA-435s, OVCA-R
	316466	AI911204 Hs.126365	ESTs	2.27	NCI-H460, NCI-358, BT474
	334430		CH22_FGENES.385_3	2.27	NCI-H345, NCI-H69, PRSC_con
	331941	AA452257 Hs.99272	ESTs	2.26	PRSC_con, LnCap, PRSC_log
	301230	AW269804 Hs.153019	ESTs	2.26	NCI-H345, PRSC_log, NCI-H520
	317394	AI935024 Hs.190518	ESTs	2.26	NCI-H345, PRSC_con, PRSC_log
35	306220	AA928363	EST singleton (not in UniGene) with exon	2.26	NCI-H345, PRSC_con, PRSC_log
	304134	H54627	EST singleton (not in UniGene) with exon	2.26	DU145, CALU6, PC3
	335421		CH22_FGENES.551_1	2.26	NCI-H69, PRSC_con, PRSC_log
	305260	AA679280 Hs.156110	Immunoglobulin kappa variable 1D-8	2.26	NCI-H345, NCI-H69, PRSC_con
	303592	AA421129	EST	2.26	CALU6, OVCA-R, DU145
40	317982	AI004985 Hs.130607	ESTs	2.26	PC3, MB-MDA-435s, A549
	325304		CH.11_hs gij5866910	2.26	MCF7, CALU6, A549
	334118		CH22_FGENES.330_19	2.26	PRSC_con, NCI-H69, PRSC_log
	335687		CH22_FGENES.596_2	2.26	A549, CALU6, LnCap
45	334035		CH22_FGENES.322_3	2.26	NCI-H345, PRSC_con, RPWE-2
	305454	AA738413	EST singleton (not in UniGene) with exon	2.25	EB, HT29, CALU6
	335902		CH22_FGENES.635_10	2.25	EB, DU145, HT29
	339215		CH22_FF113D11.GENSCAN.6-10	2.25	PRSC_con, PRSC_log, RPWE-2
	328810		CH.07_hs gij5868327	2.25	PC3, OVCA-R, MB-MDA-453
	337396		CH22_FGENES.749-1	2.25	EB, A549, DU145
50	336808		CH22_FGENES.205-3	2.25	NCI-H345, NCI-H69, PRSC_con
	305808	AA853958	EST singleton (not in UniGene) with exon	2.24	MB-MDA-453, DU145, EB
	333571		CH22_FGENES.188_2	2.24	MCF7, MB-MDA-453, PC3
	323023	AA225188 Hs.258539	ESTs	2.24	EB, DU145, CALU6
	334626		CH22_FGENES.416_2	2.24	NCI-H69, NCI-H345, PRSC_log
55	333593		CH22_FGENES.210_2	2.24	NCI-H69, NCI-H345, PRSC_con
	326708		CH.20_hs gij5867593	2.24	NCI-H460, NCI-H23, NCI-H520
	314502	AI041717 Hs.132141	ESTs	2.23	NCI-H345, RPWE-2, PRSC_con
	309181	AI951727	EST singleton (not in UniGene) with exon	2.23	PRSC_con, PC3, MB-MDA-231
	324926	H56196 Hs.117798	ESTs	2.23	EB, EB, DU145
60	333632		CH22_FGENES.227_3	2.23	CALU6, CALU6, MB-MDA-453
	328243		CH.06_hs gij6056292	2.23	PC3, LnCap, LnCap
	327037		CH.21_hs gij6531965	2.23	LnCap, DU145, EB
	307380	AI222985	EST singleton (not in UniGene) with exon	2.23	NCI-H345, PRSC_con, PRSC_log
	334766		CH22_FGENES.428_15	2.23	PRSC_log, NCI-H345, RPWE-2
65	335236		CH22_FGENES.515_8	2.23	OVCA-R, MCF7, BT474
	336615		CH22_FGENES.613_5	2.23	NCI-H69, PRSC_log, PRSC_con
	307558	AI281998	EST singleton (not in UniGene) with exon	2.23	DU145, OVCA-R, CALU6
	308029	AI457115 Hs.62954	ferritin; heavy polypeptide 1	2.23	EB, OVCA-R, MB-MDA-453
	331508	N47559 Hs.46732	EST	2.23	MB-MDA-453, MCF7, BT474
70	320980	AJ237672 Hs.214142	5;10-methylenetetrahydrofolate reductase	2.23	OVCA-R, EB, EB
	304241	AA010976	EST singleton (not in UniGene) with exon	2.23	BT474, MB-MDA-435s, MB-MDA-231
	314682	AI190864 Hs.178226	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.23	MB-MDA-231, MCF7, OVCA-R
	308382	AI624301	EST singleton (not in UniGene) with exon	2.22	OVCA-R, BT474, CALU6
	314476	AW207857 Hs.169604	ESTs	2.22	DU145, EB, A549
75	327864		CH.06_hs gij5868130	2.22	NCI-H69, PRSC_log, PRSC_con
	337279		CH22_FGENES.665-2	2.22	NCI-H345, NCI-H69, PRSC_con
	302263	AA325517	EST	2.22	BT474, NCI-H520, DU145

	322840	AA083710	EST cluster (not in UniGene)	2.22	HT29, MB-MDA-453, CALU6
	307574	AI283549	EST singleton (not in UniGene) with exon	2.22	OVCA-R, CALU6, BT474
	319027	AA716612	EST cluster (not in UniGene)	2.22	LnCap, NCI-H69, NCI-H69
5	305925	AA877883	EST singleton (not in UniGene) with exon	2.22	NCI-H345, NCI-H69, NCI-H69
	329725		CH.14_p2 gjl6065785	2.22	NCI-H69, PRSC_con, NCI-H345
	316194	AW298529	Hs.255774 ESTs	2.22	CALU6, EB, NCI-H520
	301119	AF142579	EST	2.22	A549, OVCA-R, EB
	333815		CH22_FGENES.282_4	2.22	MB-MDA-435s, EB, MB-MDA-453
10	334358		CH22_FGENES.378_1	2.22	NCI-H345, RPWE-2, PRSC_con
	303763	AF043250	Hs.30928 DNA segment on chromosome 19 (unique)	11 2.21	Caco2, NCI-H23, NCI-H520
	335593		CH22_FGENES.581_32	2.21	NCI-H345, PRSC_log, RPWE-2
	334026		CH22_FGENES.318_3	2.21	NCI-H69, PRSC_con, NCI-H345
	322224	AF086064	EST cluster (not in UniGene)	2.21	PRSC_con, PRSC_log, RPWE-2
15	309836	AW295497	Hs.157397 ESTs	2.21	NCI-H345, PRSC_con, RPWE-2
	332669	M33374	Hs.661 NADH dehydrogenase (ubiquinone) 1 beta s	2.21	NCI-H520, CALU6, OVCA-R
	307629	AI300246	EST singleton (not in UniGene) with exon	2.21	MB-MDA-231, MB-MDA-453, HT29
	300470	T87841	EST	2.21	PC3, EB, CALU6
	330064		CH.19_p2 gjl6165044	2.21	NCI-H69, PRSC_con, BT474
20	338819		CH22_DJ246D7.GENSCAN.1-24	2.21	NCI-H69, RPWE-2, PRSC_log
	337797		CH22_EM:AC005500.GENSCAN.3-4	2.21	LnCap, NCI-H69, NCI-H520
	328025		CH.06_hs gjl5902482	2.2	RPWE-2, PRSC_con, PRSC_log
	326240		CH.17_hs gjl5867260	2.2	EB, LnCap, MB-MDA-453
	312865	AW005376	Hs.173280 ESTs	2.2	DU145, DU145, OVCA-R
25	338450		CH22_EM:AC005500.GENSCAN.359-36	2.2	MCF7, MB-MDA-453, MB-MDA-435s
	302532	U60181	Hs.248115 growth hormone secretagogue receptor	2.2	PRSC_con, PRSC_log, PRSC_log
	321132	AA081495	EST cluster (not in UniGene)	2.2	NCI-H23, NCI-H520, NCI-358
	337787		CH22_EM:AC000097.GENSCAN.123-3	2.2	EB, PC3, LnCap
	337032		CH22_FGENES.438-3	2.2	NCI-H69, NCI-H345, RPWE-2
30	300026	M11507	AFFX control: transferrin receptor	2.2	HT29, EB, MB-MDA-231
	333139		CH22_FGENES.83_16	2.2	HT29, MB-MDA-453, Caco2
	334298		CH22_FGENES.372_4	2.2	PRSC_con, PRSC_log, RPWE-2
	335002		CH22_FGENES.470_7	2.2	PRSC_con, NCI-H345, NCI-H345
	335000		CH22_FGENES.470_5	2.2	EB, PC3, A549
	337298		CH22_FGENES.678-3	2.2	NCI-H69, A549, HT29
35	302461	AF104253	Hs.241381 cofactor required for Sp1 transcriptiona	2.2	EB, CALU6, LnCap
	334819		CH22_FGENES.436_15	2.19	CALU6, BT474, Caco2
	300426	AW452660	Hs.253296 ESTs	2.19	DU145, CALU6, HT29
	302569	AC004472	multiple UniGene matches	2.19	RPWE-2, PRSC_log, PRSC_con
40	339401		CH22_BA232E17.GENSCAN.7-7	2.19	NCI-H345, NCI-H69, PRSC_log
	328791		CH.07_hs gjl5868309	2.19	DU145, PC3, HT29
	337333		CH22_FGENES.711-3	2.19	NCI-H69, NCI-H345, PRSC_log
	339363		CH22_BA354I12.GENSCAN.33-6	2.19	NCI-H69, PRSC_log, PRSC_con
	329429		CH.Y_hs gjl5868882	2.19	CALU6, HT29, OVCA-R
45	336927		CH22_FGENES.348-3	2.19	NCI-H69, PRSC_log, NCI-358
	336351		CH22_FGENES.816_3	2.19	DU145, EB, MB-MDA-231
	313466	AA004731	Hs.148876 ESTs	2.19	CALU6, DU145, OVCA-R
	307433	AI244895	EST singleton (not in UniGene) with exon	2.19	NCI-H23, NCI-H23, NCI-358
	336590		CH22_FGENES.51_2	2.19	PRSC_con, NCI-H69, PRSC_log
50	310758	AI770001	Hs.209445 ESTs	2.18	EB, MB-MDA-231, BT474
	327823		CH.05_hs gjl5867968	2.18	PRSC_con, NCI-H69, NCI-H345
	313257	N92638	EST cluster (not in UniGene)	2.18	PRSC_log, RPWE-2, PRSC_con
	335377		CH22_FGENES.543_17	2.18	PC3, MB-MDA-435s, CALU6
	303958	AL042931	EST singleton (not in UniGene) with exon	2.18	NCI-H345, RPWE-2, PRSC_con
55	320153	AF064594	Hs.120360 phospholipase A2; group VI	2.18	LnCap, PC3, MB-MDA-435s
	335201		CH22_FGENES.508_10	2.18	OVCA-R, DU145, HT29
	338591		CH22_EM:AC005500.GENSCAN.434-4	2.18	NCI-H69, NCI-H345, RPWE-2
	331958	AA455960	Hs.99405 ESTs	2.18	MCF7, NCI-H23, NCI-H460
	337218		CH22_FGENES.614-2	2.18	CALU6, A549, MCF7
60	309470	AW118833	EST singleton (not in UniGene) with exon	2.18	PC3, EB, MB-MDA-435s
	331896	AA435495	Hs.97174 H sapiens mRNA; cDNA DKFZp566E164 (from	2.18	2.18 RPWE-2, NCI-H69, PRSC_log
	330275		CH.05_p2 gjl6671904	2.18	NCI-H345, PRSC_log, PRSC_con
	335817		CH22_FGENES.618_5	2.18	A549, Caco2, PC3
	332896		CH22_FGENES.35_10	2.18	NCI-H345, RPWE-2, PRSC_log
65	303294	AA205300	EST	2.17	MB-MDA-435s, A549, MCF7
	338703		CH22_EM:AC005500.GENSCAN.480-2	2.17	HT29, BT474, NCI-H69
	300115	AI215044	Hs.208130 ESTs	2.17	PC3, OVCA-R, HT29
	330979	H22466	Hs.31795 ESTs	2.17	MCF7, EB, MB-MDA-435s
	317246	AW105092	Hs.155690 ESTs	2.17	MB-MDA-453, DU145, EB
70	329078		CH.X_hs gjl5868597	2.17	MB-MDA-453, MB-MDA-231, BT474
	312554	AI222630	Hs.109390 ESTs	2.17	NCI-H520, OVCA-R, MCF7
	323207	AI052795	Hs.192201 ESTs	2.17	NCI-H69, NCI-H345, PRSC_log
	301894	AA484435	Hs.41997 alpha-1-B glycoprotein	2.17	PRSC_con, LnCap, PRSC_log
	329097		CH.X_hs gjl5868624	2.16	MB-MDA-231, MCF7, NCI-358
	328328		CH.07_hs gjl5868375	2.16	NCI-H345, PRSC_con, NCI-H69
75	302671	AA522440	Hs.135917 ESTs	2.16	BT474, DU145, A549
	329201		CH.X_hs gjl5868718	2.16	OVCA-R, PC3, MB-MDA-435s

	329902		CH.15_p2.gij6634760	2.16	PRSC_con, NCI-H69, NCI-H345
	334435		CH22_FGENES.385_10	2.16	PRSC_con, NCI-H345, RPWE-2
	330742	AA400979 Hs.25691	calcitonin receptor-like receptor activi	2.16	MCF7, MB-MDA-453, PC3
5	328484		CH.07_hs.gij5868454	2.16	NCI-H69, PRSC_log, NCI-H345
	334784		CH22_FGENES.432_9	2.16	PRSC_log, RPWE-2, PRSC_con
	337771		CH22_EM:AC000097.GENSCAN.119-10	2.16	NCI-H69, PRSC_con, RPWE-2
	300181	AI284955 Hs.157568	ESTs; Weakly similar to ataxin-2 [M.musc	2.16	DU145, EB, CALU6
	300268	AI539446 Hs.245450	ESTs	2.16	PRSC_con, RPWE-2, PRSC_log
10	309575	AW168096 Hs.195188	glyceraldehyde-3-phosphate dehydrogenase	2.16	A549, NCI-H23, MB-MDA-453
	336548		CH22_FGENES.841_5	2.16	NCI-H345, NCI-H69, MB-MDA-231
	328506		CH.07_hs.gij5868471	2.16	EB, A549, CALU6
	330189		CH.05_p2.gij6165182	2.16	NCI-H460, MCF7, MB-MDA-453
	305480	AA746500 Hs.25911	HLA-B associated transcript-2	2.16	EB, DU145, NCI-358
	302270	R56151	EST	2.16	OVCA-R, MB-MDA-435s, PRSC_con
15	306669	AI004899	EST singleton (not in UniGene) with exon	2.16	PRSC_log, PRSC_con, NCI-H345
	325887		CH.16_hs.gij5867087	2.16	EB, CALU6, NCI-358
	327015		CH.21_hs.gij5867664	2.15	EB, PC3, HT29
	338576		CH22_EM:AC005500.GENSCAN.429-1	2.15	NCI-H69, NCI-H345, PRSC_con
	333592		CH22_FGENES.209_2	2.15	NCI-H69, OVCA-R, PRSC_con
20	317253	AW071241 Hs.199685	ESTs	2.15	MB-MDA-435s, NCI-H23, MB-MDA-453
	302301	R67493 Hs.127150	ESTs; Weakly similar to ZINC FINGER PROT	2.15	PC3, MCF7, MB-MDA-435s
	336858		CH22_FGENES.293-8	2.15	RPWE-2, PRSC_con, NCI-H69
	308417	AI640693 Hs.2186	eukaryotic translation elongation factor	2.15	EB, OVCA-R, CALU6
	338177		CH22_EM:AC005500.GENSCAN.219-5	2.15	NCI-H345, NCI-H23, NCI-H520
25	337592		CH22_C20H12.GENSCAN.6-7	2.15	PC3, A549, HT29
	325945		CH.16_hs.gij5867138	2.15	MB-MDA-453, MB-MDA-435s, DU145
	335262		CH22_FGENES.520_3	2.15	EB, PC3, A549
	333665		CH22_FGENES.244_1	2.15	PRSC_con, RPWE-2, PRSC_log
	333710		CH22_FGENES.250_25	2.14	PRSC_log, NCI-H69, PRSC_con
30	304927	AA604728 Hs.195188	glyceraldehyde-3-phosphate dehydrogenase	2.14	LnCap, PC3, MCF7
	336999		CH22_FGENES.417-20	2.14	NCI-H69, NCI-H345, PRSC_con
	313283	W32480 Hs.157099	ESTs	2.14	EB, MB-MDA-231, A549
	306221	AA928686	EST singleton (not in UniGene) with exon	2.14	NCI-H460, PRSC_con, NCI-H23
	333205		CH22_FGENES.102_5	2.14	NCI-H69, PRSC_con, PRSC_log
35	312932	AI804218 Hs.209614	ESTs	2.14	PRSC_con, NCI-H345, RPWE-2
	328938		CH.08_hs.gij5868500	2.14	HT29, PC3, MB-MDA-453
	326746		CH.20_hs.gij5867611	2.14	NCI-H345, NCI-H69, PRSC_con
	337964		CH22_EM:AC005500.GENSCAN.100-9	2.14	RPWE-2, PRSC_con, PRSC_log
40	337984		CH22_EM:AC005500.GENSCAN.110-2	2.14	EB, DU145, NCI-H345
	337704		CH22_EM:AC000097.GENSCAN.87-6	2.14	NCI-H69, NCI-H460, NCI-358
	302162	AF119046	EST	2.14	MB-MDA-435s, PC3, EB
	303192	AA081755 Hs.8059	ESTs; Highly similar to SYNAPTOTAGMIN IV	2.14	MB-MDA-435s, MB-MDA-453s, MB-MDA-453
	306200	AA926816	EST singleton (not in UniGene) with exon	2.14	MB-MDA-453, CALU6, DU145
45	303996	AW515979 Hs.84298	CD74 antigen (invariant polypptd of majo	2.14	LnCap, MB-MDA-231, BT474
	325409		CH.12_hs.gij5866921	2.14	PRSC_log, PRSC_con, RPWE-2
	308558	AI700145 Hs.172182	poly(A)-binding protein; cytoplasmic 1	2.14	MCF7, EB, MB-MDA-435s
	302185	AA243837 Hs.156915	ESTs	2.14	MB-MDA-453, MCF7, EB
	303021	W39612	EST	2.14	PRSC_con, NCI-H69, RPWE-2
50	301005	AW451916 Hs.210848	ESTs	2.14	DU145, EB, HT29
	336029		CH22_FGENES.672_4	2.14	NCI-H69, PRSC_con, RPWE-2
	305443	AA736653	EST singleton (not in UniGene) with exon	2.14	NCI-358, NCI-H520, NCI-H23
	335485		CH22_FGENES.570_17	2.13	NCI-H460, MB-MDA-435s, MCF7
	304817	AA584712	EST singleton (not in UniGene) with exon	2.13	MCF7, MCF7, NCI-H520
55	309859	AW298760	EST singleton (not in UniGene) with exon	2.13	NCI-H69, PRSC_con, LnCap
	326206		CH.17_hs.gij5867219	2.13	EB, MB-MDA-231, LnCap
	303656	AA437189 Hs.122574	ESTs	2.13	LnCap, MB-MDA-435s, EB
	334745		CH22_FGENES.426_3	2.13	OVCA-R, DU145, MB-MDA-453
60	318504	T26453	EST cluster (not in UniGene)	2.13	RPWE-2, LnCap, CALU6
	306839	AI077385	EST singleton (not in UniGene) with exon	2.13	MCF7, MB-MDA-453, MB-MDA-435s
	303843	W94322 Hs.58094	melanoma inhibitory activity	2.13	MB-MDA-435s, NCI-H345, RPWE-2
	308444	AI659398 Hs.197097	EST	2.13	MB-MDA-453, MCF7, BT474
	301322	AW448965 Hs.256305	ESTs	2.13	NCI-H345, LnCap, PC3
	326997		CH.21_hs.gij5867660	2.13	HT29, A549, CALU6
65	326793		CH.20_hs.gij5867631	2.13	PRSC_log, PRSC_con, MB-MDA-453
	320360	H12405	EST cluster (not in UniGene)	2.12	MB-MDA-231, BT474, HT29
	316301	AW206279 Hs.192009	ESTs	2.12	DU145, DU145, EB
	335371		CH22_FGENES.543_9	2.12	PC3, MB-MDA-435s, DU145
	301178	AA828385	EST	2.12	EB, OVCA-R, LnCap
70	326136		CH.17_hs.gij5867202	2.12	RPWE-2, PRSC_log, PRSC_con
	339213		CH22_FF113D11.GENSCAN.6-8	2.12	OVCA-R, PC3, MB-MDA-231
	335980		CH22_FGENES.653_2	2.12	BT474, BT474, OVCA-R
	314380	AA758797 Hs.192807	ESTs	2.11	PRSC_con, PRSC_log, RPWE-2
	306779	AI041302	EST singleton (not in UniGene) with exon	2.11	NCI-H345, PRSC_con, PRSC_log
75	335774		CH22_FGENES.607_10	2.11	PC3, A549, MB-MDA-453
	334914		CH22_FGENES.457_3	2.11	PRSC_con, NCI-H345, NCI-H69
	304619	AA515554 Hs.119598	ribosomal protein L3	2.11	EB, MB-MDA-453, MB-MDA-435s



	303358	AI199714	Hs.158149	ESTs	2.11	CALU6, OVCA-R, DU145
	306558	AA994743		EST singleton (not in UniGene) with exon	2.11	HT29, MB-MDA-453, CALU6
	337781			CH22_EM:AC000097.GENSCAN.121-3	2.11	PRSC_log, PRSC_con, RPWE-2
	333140			CH22_FGENES.84_1	2.11	HT29, NCI-H69, OVCA-R
5	315081	AI247134	Hs.155281	ESTs	2.11	MB-MDA-453, MCF7, HT29
	302965	AA446441	Hs.138842	ESTs	2.11	NCI-358, NCI-H23, CALU6
	302138	N83965		EST	2.11	PRSC_log, PRSC_con, NCI-H345
	320802	D83824	Hs.185055	BENE protein	2.11	A549, PC3, HT29
	322152	AA565332		EST cluster (not in UniGene)	2.11	A549, CALU6, EB
10	326418			CH.19_hs gjl5867365	2.1	EB, OVCA-R, DU145
	308709	AI783498	Hs.181165	eukaryotic translation elongation factor	2.1	MB-MDA-435s, MB-MDA-453, DU145
	332737	C01852	Hs.84359	hypothetical protein	2.1	NCI-H23, A549, DU145
	333283			CH22_FGENES.128_13	2.1	NCI-H345, RPWE-2, PRSC_con
	328636			CH.07_hs gjl6004473	2.1	DU145, EB, MB-MDA-453
15	329187			CH.X_hs gjl5868713	2.1	NCI-358, NCI-H23, NCI-H460
	305999	AA889603		EST singleton (not in UniGene) with exon	2.1	HT29, OVCA-R, PC3
	333220			CH22_FGENES.104_12	2.1	PRSC_con, PRSC_log, RPWE-2
	335092			CH22_FGENES.492_2	2.1	NCI-H69, PRSC_con, NCI-H345
	304887	AA599355		EST singleton (not in UniGene) with exon	2.1	DU145, EB, MCF7
20	325359			CH.12_hs gjl5866920	2.1	MB-MDA-453, EB, MB-MDA-435s
	330956	H08730	Hs.6933	ESTs	2.1	NCI-H520, PRSC_con, NCI-H345
	323786	AW449315	Hs.165795	ESTs	2.1	OVCA-R, A549, LnCap
	333619			CH22_FGENES.219_3	2.1	BT474, OVCA-R, HT29
	324538	AW502979		EST cluster (not in UniGene)	2.09	CALU6, A549, DU145
25	303405	AA308601		EST	2.09	DU145, CALU6, NCI-H69
	328570			CH.07_hs gjl5868231	2.09	LnCap, MB-MDA-231, DU145
	308971	AI871218	Hs.224731	EST	2.09	NCI-H23, NCI-H460, NCI-358
	330467	K02268	Hs.22584	prodynorphin	2.09	PC3, BT474, MB-MDA-453
	334793			CH22_FGENES.433_5	2.09	EB, DU145, LnCap
30	300908	AA618335	Hs.146137	ESTs; Weakly similar to putative [C.eleg	2.09	NCI-H345, PRSC_log, PRSC_con
	309656	AW197060	Hs.195188	glyceraldehyde-3-phosphate dehydrogenase	2.09	A549, NCI-H23, NCI-H460
	320963	AB029041	Hs.209646	KIAA1118 protein	2.09	PRSC_con, PRSC_log, NCI-H345
	310833	AW295351	Hs.169136	ESTs	2.09	PC3, LnCap, MB-MDA-453
	335693			CH22_FGENES.596_8	2.09	NCI-H69, LnCap, PRSC_log
35	325966			CH.16_hs gjl5867147	2.09	MCF7, CALU6, MB-MDA-453
	329319			CH.X_hs gjl6381976	2.09	NCI-H460, EB, DU145
	338526			CH22_EM:AC005500.GENSCAN.396-14	2.09	NCI-H69, NCI-H345, PRSC_log
	336751			CH22_FGENES.128-5	2.09	NCI-H69, NCI-H345, PRSC_log
	325510			CH.12_hs gjl5866974	2.09	HT29, OVCA-R, CALU6
40	323553	AA292626	Hs.122854	ESTs	2.08	NCI-H345, RPWE-2, NCI-358
	326343			CH.17_hs gjl6525295	2.08	EB, LnCap, DU145
	335470			CH22_FGENES.568_3	2.08	NCI-H69, PRSC_con, PRSC_log
	320122	T93681	Hs.187515	ESTs	2.08	MCF7, MB-MDA-453, BT474
	335320			CH22_FGENES.534_7	2.08	BT474, MB-MDA-231, HT29
45	307120	AI184343		EST singleton (not in UniGene) with exon	2.08	HT29, MCF7, PC3
	338080			CH22_EM:AC005500.GENSCAN.172-11	2.08	LnCap, PC3, HT29
	313113	AI056258	Hs.122523	ESTs	2.08	MCF7, DU145, MB-MDA-453
	337685			CH22_EM:AC000097.GENSCAN.77-1	2.08	NCI-H69, NCI-H345, PRSC_log
	327461			CH.02_hs gjl6004455	2.08	NCI-H23, BT474, NCI-358
50	335895			CH22_FGENES.635_3	2.08	HT29, MB-MDA-231, NCI-H520
	303933	AW471472		EST singleton (not in UniGene) with exon	2.08	MB-MDA-231, BT474, NCI-H345
	314803	AI935159	Hs.166841	ESTs; Weakly similar to MYOSIN LIGHT CHA	2.08	
				NON-MUSCLE ISOZYMES [H.sapiens]	2.08	PC3, A549, BT474
	302722	U53530		EST	2.08	DU145, MB-MDA-435s, OVCA-R
55	307703	AI318588		EST singleton (not in UniGene) with exon	2.08	HT29, MB-MDA-435s, CALU6
	310558	AI334965	Hs.176976	ESTs	2.08	A549, LnCap, PC3
	315276	AA860090		EST cluster (not in UniGene)	2.08	PC3, MCF7, OVCA-R
	306443	AA976950		EST singleton (not in UniGene) with exon	2.07	OVCA-R, PC3, EB
	307961	AI421059		EST singleton (not in UniGene) with exon	2.07	HT29, OVCA-R, CALU6
60	329735			CH.14_p2 gjl6065780	2.07	EB, HT29, OVCA-R
	335193			CH22_FGENES.507_8	2.07	EB, A549, A549
	320347	R34423	Hs.221535	ESTs	2.07	CALU6, A549, EB
	316153	AA724474	Hs.147208	ESTs	2.07	MB-MDA-453, PC3, HT29
	300921	AW293224	Hs.232165	ESTs	2.07	HT29, CALU6, CALU6
65	319264	T65096		EST cluster (not in UniGene)	2.07	MB-MDA-453, MCF7, CALU6
	330204			CH.05_p2 gjl6013606	2.07	OVCA-R, DU145, EB
	317070	AI142037	Hs.125379	ESTs	2.07	PRSC_con, NCI-H345, OVCA-R
	337645			CH22_EM:AC000097.GENSCAN.10-8	2.07	NCI-H345, PRSC_log, NCI-H69
	312501	AW450490	Hs.132886	ESTs	2.07	NCI-H520, CALU6, MCF7
70	335587			CH22_FGENES.581_26	2.07	NCI-H69, NCI-H345, PRSC_log
	311482	AI917706	Hs.129997	ESTs	2.07	NCI-H520, MCF7, MB-MDA-435s
	302488	AF161441		EST	2.07	EB, DU145, CALU6
	304692	AA554202	Hs.76067	heat shock 27kD protein 1	2.07	MCF7, MB-MDA-453, PC3
	325369			CH.12_hs gjl5866920	2.07	DU145, DU145, MB-MDA-453
75	306284	AA936835		EST singleton (not in UniGene) with exon	2.07	BT474, MB-MDA-231, HT29
	337402			CH22_FGENES.752-1	2.07	A549, BT474, DU145

	327418		CH.02_hs gjl5867750	2.07	MCF7, MB-MDA-453, MB-MDA-435s
	317977	AI004775	Hs.205091 ESTs; Weakly similar to WW domain bindin	2.07	BT474, MB-MDA-453, PC3
	331870	AA428560	Hs.161845 EST	2.07	MB-MDA-231, MB-MDA-435s, BT474
5	300750	AA514805	Hs.105464 ESTs	2.07	HT29, BT474, BT474
	336657		CH22_FGENES.35-14	2.07	MB-MDA-453, MCF7, NCI-H460
	336035		CH22_FGENES.678_6	2.07	NCI-H69, PRSC_con, RPWE-2
	325320		CH.11_hs gjl5866870	2.06	NCI-H69, PRSC_log, PRSC_con
	306053	AA905312	EST singleton (not in UniGene) with exon	2.06	HT29, OVCA-R, MB-MDA-231
	333175		CH22_FGENES.95_2	2.06	LnCap, HT29, DU145
10	304491	AA437096	Hs.115502 EST	2.06	MB-MDA-435s, CALU6, CALU6
	310632	AI697536	Hs.176991 ESTs	2.06	NCI-H69, PRSC_log, NCI-H345
	338521		CH22_EM:AC005500.GENSCAN.395-35	2.06	NCI-H345, PRSC_log, PRSC_log
	334900		CH22_FGENES.452_14	2.06	A549, CALU6, NCI-H69
	337451		CH22_FGENES.774-2	2.06	PRSC_con, PRSC_log, RPWE-2
15	308792	AI815153	Hs.195188 glyceraldehyde-3-phosphate dehydrogenase	2.06	DU145, BT474, MB-MDA-453
	336854		CH22_FGENES.280-1	2.06	LnCap, EB, MB-MDA-435s
	304485	AA434076	EST singleton (not in UniGene) with exon	2.06	MB-MDA-231, BT474, CALU6
	326458		CH.19_hs gjl5867400	2.06	EB, DU145, LnCap
	303506	AA340605	Hs.105887 ESTs	2.06	LnCap, MCF7, CALU6
20	333628		CH22_FGENES.226_2	2.06	NCI-H520, NCI-358, NCI-358
	300763	AA190753	EST	2.06	NCI-H69, NCI-H345, PRSC_con
	334836		CH22_FGENES.439_6	2.06	NCI-H345, PRSC_con, RPWE-2
	335217		CH22_FGENES.512_3	2.06	PRSC_log, PRSC_con, NCI-H69
	338970		CH22_DJ32110.GENSCAN.26-3	2.06	A549, MB-MDA-453, LnCap
25	334842		CH22_FGENES.439_21	2.06	DU145, HT29, CALU6
	309309	AW006428	Hs.232857 EST	2.06	EB, DU145, OVCA-R
	332949		CH22_FGENES.47_12	2.06	EB, DU145, OVCA-R
	310530	AW369663	Hs.150150 ESTs	2.06	PRSC_con, PRSC_log, RPWE-2
30	329401		CH.X_hs gjl6682544	2.06	NCI-H69, PRSC_con, RPWE-2
	316893	AA837332	EST cluster (not in UniGene)	2.06	OVCA-R, MCF7, MB-MDA-453
	325022	W95840	Hs.59745 NADH dehydrogenase (ubiquinone) flavopro	2.06	Caco2, NCI-358, OVCA-R
	329839		CH.14_p2 gjl6672062	2.05	MB-MDA-231, RPWE-2, CALU6
	306668	AI004890	EST singleton (not in UniGene) with exon	2.05	DU145, MB-MDA-453, MCF7
35	315604	AW137442	Hs.136965 ESTs	2.05	LnCap, EB, PC3
	318551	AI909951	Hs.239307 tyrosyl-tRNA synthetase	2.05	NCI-H345, PRSC_con, RPWE-2
	339344		CH22_BA354112.GENSCAN.28-1	2.05	BT474, MB-MDA-231, A549
	310621	AI632098	Hs.198099 ESTs	2.05	NCI-H69, RPWE-2, MCF7
	327051		CH.21_hs gjl6531965	2.05	PRSC_con, NCI-H345, PRSC_log
40	336827		CH22_FGENES.236-2	2.05	NCI-H345, A549, MB-MDA-231
	311846	AI078033	Hs.177170 ESTs; Moderately similar to !!!! ALU SUB	2.05	OVCA-R, DU145, CALU6
	335036		CH22_FGENES.475_14	2.05	NCI-H69, PRSC_con, NCI-H345
	313100	N52880	Hs.122817 ESTs	2.05	RPWE-2, NCI-H345, PRSC_log
	301927	AF014459	Hs.113250 retinosischisis (X-linked; juvenile) 1	2.05	MB-MDA-231, NCI-H345, PRSC_con
45	326070		CH.17_hs gjl5867175	2.05	MB-MDA-435s, MB-MDA-231, BT474
	338514		CH22_EM:AC005500.GENSCAN.392-4	2.05	PRSC_con, PRSC_log, RPWE-2
	328098		CH.06_hs gjl5868020	2.05	DU145, CALU6, EB
	301102	AA679361	Hs.249487 ESTs	2.05	NCI-H460, PRSC_con, NCI-H23
	306193	AA923457	EST singleton (not in UniGene) with exon	2.05	NCI-H345, PRSC_con, RPWE-2
50	317027	AA883808	Hs.174148 ESTs	2.05	EB, DU145, CALU6
	336102		CH22_FGENES.693_2	2.04	LnCap, NCI-H69, PRSC_log
	301372	AI239895	Hs.130555 ESTs	2.04	PRSC_con, RPWE-2, PRSC_log
	333252		CH22_FGENES.116_4	2.04	NCI-358, A549, HT29
	322516	AW372340	Hs.159717 ESTs	2.04	HT29, MB-MDA-231, BT474
55	324148	AA393624	EST cluster (not in UniGene)	2.04	RPWE-2, PRSC_con, MB-MDA-231
	338770		CH22_EM:AC005500.GENSCAN.520-1	2.04	PRSC_con, NCI-H69, NCI-H460
	314795	AI798611	Hs.157277 ESTs	2.04	EB, PC3, LnCap
	333004		CH22_FGENES.60_1	2.04	A549, NCI-358, DU145
	302405	AW245825	Hs.211914 NADH dehydrogenase (ubiquinone) Fe-S pro	2.04	NCI-H520, CALU6, Caco2
60	323587	AI905527	Hs.141901 ESTs; Moderately similar to !!!! ALU SUB	2.04	EB, A549, HT29
	300898	AI276278	Hs.157176 ESTs	2.04	PC3, MB-MDA-453, BT474
	301506	AI149878	Hs.143519 ESTs; Weakly similar to testicular tekti	2.04	NCI-H69, RPWE-2, NCI-H345
	325851		CH.16_hs gjl5867067	2.04	MB-MDA-231, HT29, EB
	323945	AI125604	Hs.155117 ESTs	2.04	MCF7, DU145, DU145
65	303265	AW160951	EST	2.04	LnCap, OVCA-R, DU145
	334135		CH22_FGENES.336_2	2.04	PC3, A549, MB-MDA-435s
	329793		CH.14_p2 gjl6522661	2.04	DU145, CALU6, HT29
	332595	AA256431	Hs.3244 G protein pathway suppressor 2	2.04	A549, CALU6, NCI-H23
	316059	AW166388	Hs.250181 ESTs	2.04	MCF7, HT29, A549
	324104	AW246071	Hs.133122 ESTs	2.04	Caco2, A549, MCF7
70	306801	AI052653	EST singleton (not in UniGene) with exon	2.03	EB, LnCap, PC3
	338096		CH22_EM:AC005500.GENSCAN.181-14	2.03	DU145, HT29, CALU6
	327544		CH.03_hs gjl5867797	2.03	PRSC_con, NCI-H69, NCI-H345
	318813	F13195	EST cluster (not in UniGene)	2.03	PRSC_con, RPWE-2, PRSC_log
	325289		CH.11_hs gjl5866903	2.03	EB, OVCA-R, A549
75	311099	T56361	Hs.182167 hemoglobin; gamma A	2.03	HT29, BT474, EB
	316079	AA922213	Hs.121735 ESTs	2.03	LnCap, OVCA-R, EB

	309533	AW151131	EST singleton (not in UniGene) with exon	2.03	MB-MDA-231, BT474, LnCap
	338579		CH22_EM:AC005500.GENSCAN.431-3	2.03	NCI-H69, NCI-H345, RPWE-2
	326549		CH.19_hs gjl5867307	2.03	NCI-H69, Caco2, NCI-H345
5	320012	AI628384 Hs.193745	ESTs	2.03	BT474, MB-MDA-453, MCF7
	334111		CH22_FGENES.330_10	2.03	NCI-H69, MB-MDA-231, BT474
	327123		CH.21_hs gjl6531971	2.03	NCI-H345, NCI-H69, RPWE-2
	324568	AW502311	EST cluster (not in UniGene)	2.03	NCI-H345, NCI-H520, NCI-H460
	306012	AA896989	EST singleton (not in UniGene) with exon	2.03	NCI-H69, PRSC_log, PRSC_con
	303106	AA012877	EST	2.03	RPWE-2, OVCA-R, EB
10	302194	U52219 Hs.158329	G protein-coupled receptor 50	2.03	NCI-H520, NCI-H23, PC3
	326646		CH.20_hs gjl5867562	2.03	NCI-H460, OVCA-R, HT29
	304060	T61464	EST singleton (not in UniGene) with exon	2.03	NCI-H345, PRSC_con, PRSC_log
	304667	AA535602	EST singleton (not in UniGene) with exon	2.03	A549, DU145, EB
15	330514	M83652 Hs.53155	properdin P factor, complement	2.02	NCI-H23, NCI-H460, NCI-358
	310324	AI473273 Hs.159674	ESTs; Weakly similar to GLUTAMATE [H.sap	2.02	NCI-H345, MB-MDA-231, BT474
	330327		CH.08_p2 gjl5919194	2.02	NCI-H345, NCI-H69, PRSC_log
	308447	AI659985	EST singleton (not in UniGene) with exon	2.02	NCI-H345, RPWE-2, PRSC_log
	307778	AI344972 Hs.231496	EST	2.02	NCI-H69, CALU6, OVCA-R
	319459	T87351 Hs.194121	ESTs	2.02	NCI-H460, NCI-358, NCI-H520
20	300935	AA513644 Hs.222815	ESTs; Weakly similar to Wiskott-Aldrich	2.02	DU145, EB, OVCA-R
	314318	AL037405 Hs.176141	ESTs	2.02	PRSC_con, LnCap, PRSC_log
	334779		CH22_FGENES.432_1	2.02	EB, HT29, DU145
	336994		CH22_FGENES.410-2	2.02	NCI-H345, PRSC_con, NCI-H69
	334076		CH22_FGENES.327_31	2.02	OVCA-R, CALU6, EB
25	318116	AW452865 Hs.132339	ESTs	2.02	MB-MDA-231, NCI-H69, NCI-H345
	326783		CH.20_hs gjl6525298	2.02	NCI-H69, PRSC_con, RPWE-2
	336142		CH22_FGENES.705_4	2.02	NCI-H69, PRSC_log, PRSC_con
	320913	AA663733	EST cluster (not in UniGene)	2.02	DU145, EB, CALU6
30	301644	AW239364	EST	2.02	PRSC_con, RPWE-2, PRSC_log
	300944	AW081072 Hs.164624	ESTs; Weakly similar to Slit-3 protein [	2.01	RPWE-2, NCI-H69, NCI-H23
	310080	AW137088 Hs.144857	ESTs	2.01	PRSC_con, NCI-H345, PRSC_log
	311248	AI863918 Hs.195078	ESTs	2.01	NCI-H345, NCI-H69, RPWE-2
	319207	R87679	EST cluster (not in UniGene)	2.01	HT29, A549, NCI-H460
35	334760		CH22_FGENES.428_9	2.01	NCI-358, NCI-H69, PRSC_log
	338368		CH22_EM:AC005500.GENSCAN.325-2	2.01	NCI-H23, NCI-H520, NCI-H460
	317300	AI417007 Hs.166338	ESTs	2.01	NCI-H460, DU145, NCI-H23
	323699	AW178750	EST cluster (not in UniGene)	2.01	MCF7, MB-MDA-453, OVCA-R
	301366	AA907713 Hs.221667	ESTs	2.01	PRSC_con, NCI-H345, RPWE-2
40	333306		CH22_FGENES.137_3	2.01	NCI-H69, NCI-H345, PRSC_con
	328031		CH.06_hs gjl5902482	2.01	MB-MDA-231, NCI-H345, PRSC_con
	301806	AA326007 Hs.12056	asialoglycoprotein receptor 1	2.01	MB-MDA-453, DU145, EB
	300993	AA584930 Hs.191777	ESTs; Weakly similar to XAP-5-like prote	2.01	HT29, NCI-H23, NCI-358
	320042	T84520	EST cluster (not in UniGene)	2.01	PRSC_con, NCI-H345, NCI-H69
45	331082	R17059 Hs.22100	ESTs	2.01	EB, DU145, MB-MDA-435s
	308851	AI829820	EST singleton (not in UniGene) with exon	2.01	DU145, EB, PC3
	301163	AA732066	EST	2.01	OVCA-R, PC3, MB-MDA-435s
	304734	AA576428	EST singleton (not in UniGene) with exon	2.01	LnCap, MB-MDA-453, DU145
	334855		CH22_FGENES.442_6	2.01	NCI-H345, RPWE-2, PRSC_log
	337121		CH22_FGENES.519-1	2.01	NCI-H69, NCI-H345, PRSC_con
50	331838	AA412498 Hs.104778	ESTs	2.01	BT474, BT474, MCF7
	339181		CH22_DA59H18.GENSCAN.72-6	2.01	NCI-H345, PRSC_con, NCI-H69
	327564		CH.03_hs gjl5867811	2.01	BT474, HT29, DU145
	304108	R63932 Hs.28467	EST	2	BT474, OVCA-R, MCF7
55	315036	AA534953 Hs.163297	ESTs	2	MB-MDA-435s, MB-MDA-453, LnCap
	312777	W92809 Hs.138557	ESTs	2	PRSC_con, NCI-H345, MB-MDA-231
	305888	AA868536 Hs.126145	EST	2	HT29, HT29, BT474
	323185	R52177	EST cluster (not in UniGene)	2	EB, A549, BT474
	308681	AI761307	EST singleton (not in UniGene) with exon	2	RPWE-2, PRSC_con, NCI-H345
	325755		CH.14_hs gjl6682474	2	NCI-H345, PRSC_con, PRSC_log
60	324376	AW499705	EST cluster (not in UniGene)	2	DU145, BT474, PC3
	331890	AA432166 Hs.3577	succinate dehydrogenase complex; subunit	2	CALU6, MB-MDA-453, A549

Table 4

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UniGeneID: UniGene number  
 UniGene Title: UniGene gene title

10	Pkey	Exr_Accn	UniG_ID	Complete_Title	Ratio Met/BS	Top 3 expressing cell lines
	313166	AI801098	Hs.151500	ESTs	12.23	Caco2, EB, OVCA-R
	334593			CH22_FGENES.408_3	8.06	NCI-H69, OVCA-R, OVCA-R
15	331084	R20655	Hs.81281	Human clone 23732 mRNA; partial cds	7.89	LnCap, OVCA-R, EB
	324598	AA502659	Hs.163986	ESTs	7.77	OVCA-R, EB, CALU6
	314071	AA192455	Hs.188690	ESTs	7.76	CALU6, EB, DU145
	315178	AW362945	Hs.162459	ESTs	6.81	OVCA-R, EB, CALU6
	325519			CH.12_hs gjl6017036	6.34	NCI-H69, NCI-H345, PRSC_con
20	331433	H68097	Hs.161023	EST	6.16	OVCA-R, A549, EB
	315021	AA533447		EST cluster (not in UniGene)	6.15	PC3, EB, CALU6
	337695			CH22_EM:AC000097.GENSCAN.84-1	5.84	NCI-H69, NCI-H345, DU145
	324048	AA378739		EST cluster (not in UniGene)	5.77	OVCA-R, DU145, EB
	300781	AA731209		EST cluster (not in UniGene) with exon h	5.72	MB-MDA-453, MCF7, MB-MDA-435s
	320701	AI093177	Hs.134923	ESTs	5.68	A549, NCI-H345, NCI-H69
25	332471	AA416967	Hs.120980	nuclear receptor co-repressor 2	5.68	LnCap, A549, OVCA-R
	331858	AA421163	Hs.163848	ESTs	5.66	OVCA-R, DU145, Caco2
	330987	H40988	Hs.131965	ESTs5.35		NCI-H345, OVCA-R, LnCap
	322309	AF086372		EST cluster (not in UniGene)	5.31	OVCA-R, DU145, PC3
	324733	AA582082	Hs.199410	ESTs	5.17	PRSC_con, PRSC_log, NCI-H345
30	313577	AA565051	Hs.155029	ESTs	5.16	OVCA-R, PC3, EB
	310966	AW271974	Hs.210295	ESTs	5.15	NCI-H69, PRSC_log, PRSC_con
	311332	AW292247	Hs.255052	ESTs	5.05	Caco2, OVCA-R, EB
	314522	AI732331	Hs.187750	ESTs; Moderately similar to !!!! ALU CLA	5.04	EB, DU145, HT29
35	330886	AA135606	Hs.189384	ESTs; Weakly similar to !!!! ALU SUBFAM1	4.93	OVCA-R, DU145, Caco2
	313597	AW162263	Hs.249990	ESTs	4.84	NCI-H460, NCI-H345, NCI-H23
	314439	AI539443	Hs.137447	ESTs	4.84	DU145, Caco2, MB-MDA-231
	320807	AA086110	Hs.188536	H sapiens clone 24838 mRNA seq	4.83	PC3, OVCA-R, DU145
	311804	AA135159	Hs.203349	ESTs	4.82	OVCA-R, PC3, Caco2
	321354	AA078493		EST cluster (not in UniGene)	4.81	DU145, EB, OVCA-R
40	325169	H01560	Hs.163818	ESTs; Weakly similar to !!!! ALU SUBFAM1	4.8	NCI-H345, DU145, LnCap
	312828	AI865455	Hs.211818	ESTs; Moderately similar to !!!! ALU SUB	4.78	DU145, DU145, DU145
	321226	AA311443	Hs.251416	H sapiens mRNA; cDNA DKFZp586E2317 (from	4.75	DU145, OVCA-R, MB-MDA-453
	327772			CH.05_hs gjl5867964	4.74	HT29, MB-MDA-231, NCI-H345
45	315642	AA742222	Hs.120634	ESTs	4.7	DU145, EB, MB-MDA-453
	311905	AA555215	Hs.151913	ESTs	4.7	DU145, Caco2, PRSC_con
	312754	R99834	Hs.250383	ESTs	4.59	OVCA-R, PC3, EB
	336637			CH22_FGENES.13-7	4.58	NCI-H69, PRSC_log, NCI-H345
	331644	T99544	Hs.173734	ESTs; Weakly similar to !!!! ALU CLASS B	4.55	OVCA-R, NCI-H345, Caco2
	336984			CH22_FGENES.401-2	4.55	Caco2, Caco2, EB
50	316261	AW134485	Hs.144967	ESTs	4.53	NCI-H460, NCI-H345, Caco2
	300417	AW139492	Hs.245887	ESTs	4.52	DU145, CALU6, EB
	300610	N72596	Hs.99120	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	4.52	OVCA-R, PC3, EB
	324718	AI557019	Hs.116467	ESTs	4.5	LnCap, PC3, PRSC_con
	332170	F04112	Hs.177178	ESTs	4.47	Caco2, DU145, DU145
55	324042	AA377589		EST cluster (not in UniGene)	4.45	NCI-H345, PRSC_con, PRSC_log
	331148	R73816	Hs.17385	ESTs	4.44	CALU6, OVCA-R, EB
	328981			CH.09_hs gjl5868527	4.43	HT29, BT474, NCI-H69
	321920	N63915		EST cluster (not in UniGene)	4.34	Caco2, A549, A549
	320832	AA214584		EST cluster (not in UniGene)	4.34	NCI-H23, CALU6, OVCA-R
60	321971	AI680459	Hs.201441	ESTs	4.33	DU145, HT29, CALU6
	308572	AI707882		EST singleton (not in UniGene) with exon	4.33	MCF7, NCI-H345, OVCA-R
	302459	AF169255		EST cluster (not in UniGene) with exon h	4.28	MB-MDA-231, OVCA-R, LnCap
	321847	T08401		EST cluster (not in UniGene)	4.25	MB-MDA-453, MB-MDA-435s, MB-MDA-231
	337884			CH22_EM:AC005500.GENSCAN.54-2	4.23	HT29, NCI-H23, MB-MDA-435s
65	307494	AI269188	Hs.175656	EST	4.23	NCI-H23, NCI-H520, NCI-358
	314915	AA573072	Hs.187748	ESTs; Weakly similar to !!!! ALU SUBFAM1	4.21	PC3, OVCA-R, Caco2
	336638			CH22_FGENES.14-2	4.21	NCI-H69, NCI-H345, PRSC_log
	319379	T91443	Hs.193963	ESTs	4.2	PC3, OVCA-R, LnCap
	312332	R33041	Hs.106200	ESTs	4.19	NCI-H69, OVCA-R, NCI-H460
70	331445	H89093	Hs.41215	ESTs	4.19	EB, HT29, DU145
	315841	AW136397	Hs.247572	ESTs	4.19	Caco2, MB-MDA-453, LnCap
	315712	AI950133	Hs.120882	ESTs; Moderately similar to !!!! ALU SUB	4.18	LnCap, NCI-H345, OVCA-R
	319559	AA773876	Hs.251597	ESTs	4.15	NCI-H345, Caco2, DU145
	300791	AL138455	Hs.256135	ESTs; Moderately similar to !!!! ALU SUB	4.13	NCI-358, RPWE-2, NCI-H460

	312129	AW300867		EST cluster (not in UniGene)	4.12	OVCA-R, MCF7, A549
	321166	AA411263	Hs.128783	ESTs	4.11	OVCA-R, Caco2, PRSC_con
	313220	AI971981	Hs.118241	ESTs	4.1	OVCA-R, DU145, Caco2
	314022	AW452420	Hs.248678	ESTs	4.1	OVCA-R, EB, PC3
5	321359	AW474412		EST cluster (not in UniGene)	4.1	DU145, OVCA-R, PC3
	328841			CH.07_hs gjl6381920	4.09	NCI-H69, PRSC_log, NCI-H345
	337898			CH22_EM:AC005500.GENSCAN.56-5	4.09	NCI-H345, NCI-H69, OVCA-R
	333245			CH22_FGENES.115_2	4.09	PRSC_log, PRSC_con, NCI-H345
	311958	AI247472	Hs.132965	ESTs	4.06	EB, DU145, CALU6
10	314775	AI149880	Hs.188809	ESTs	4.06	OVCA-R, PC3, EB
	317901	AW150944	Hs.250541	ESTs	4.06	BT474, MB-MDA-453, MB-MDA-435s
	309985	AW452919		EST singleton (not in UniGene) with exon	4.05	MB-MDA-453, NCI-H23, NCI-H520
	311004	AA632846		EST cluster (not in UniGene)	4.05	MB-MDA-453, OVCA-R, EB
	323497	AI523613	Hs.221544	ESTs	4.04	LnCap, OVCA-R, EB
15	323347	W60326	Hs.221716	ESTs	4.04	EB, CALU6, PC3
	331388	AA456852	Hs.43543	suppressor of white apricot homolog 2	4.01	A549, EB, Caco2
	313197	AI738851	Hs.222487	ESTs	3.96	OVCA-R, EB, PC3
	315710	AA931550	Hs.192785	ESTs	3.95	EB, MB-MDA-231, OVCA-R
	316897	AA838114		EST cluster (not in UniGene)	3.94	OVCA-R, A549, MB-MDA-453
20	322564	W86440	Hs.118344	ESTs	3.94	NCI-H460, Caco2, EB
	304605	AA513225		EST singleton (not in UniGene) with exon	3.9	NCI-H345, RPWE-2, BT474
	325726			CH.14_hs gjl6552447	3.9	OVCA-R, LnCap, LnCap
	320190	R32047	Hs.141012	ESTs; Weakly similar to !!!! ALU SUBFAM1	3.89	DU145, NCI-H23, PRSC_log
	331566	N63062	Hs.48703	EST	3.87	NCI-H23, NCI-H460, NCI-358
25	319403	T98413		EST cluster (not in UniGene)	3.86	NCI-H345, PRSC_log, LnCap
	324643	AI436356	Hs.130729	ESTs	3.84	OVCA-R, DU145, NCI-H345
	315298	AI969314	Hs.211377	ESTs	3.82	NCI-H345, PRSC_con, PRSC_log
	321632	AA419617		EST cluster (not in UniGene)	3.81	EB, OVCA-R, A549
30	313219	N74924	Hs.182099	ESTs	3.8	EB, Caco2, OVCA-R
	330833	AA046804		ESTs; Weakly similar to !!!! ALU SUBFAM1	3.8	LnCap, DU145, PC3
	327289			CH.01_hs gjl5867481	3.79	EB, HT29, DU145
	314429	AW300749		EST cluster (not in UniGene)	3.79	OVCA-R, PC3, PRSC_con
	314475	AI911160	Hs.127505	ESTs	3.79	DU145, CALU6, NCI-H69
	317130	AW293995	Hs.192277	ESTs	3.78	EB, PC3, Caco2
35	336635			CH22_FGENES.13-5	3.77	NCI-H69, NCI-H345, PRSC_log
	333323			CH22_FGENES.138_16	3.76	NCI-H460, NCI-H23, PRSC_con
	332135	AA620331	Hs.245351	EST	3.75	NCI-H345, A549, Caco2
	316979	AA861087		EST cluster (not in UniGene)	3.75	NCI-H345, NCI-H69, RPWE-2
40	316435	AI671871	Hs.192618	ESTs; Weakly similar to !!!! ALU CLASS C	3.74	MB-MDA-435s, MCF7, MB-MDA-453
	315422	AW135357	Hs.192374	ESTs	3.73	OVCA-R, A549, EB
	336616			CH22_FGENES.613_5	3.72	NCI-H69, NCI-H345, RPWE-2
	320258	W93241		EST cluster (not in UniGene)	3.71	MB-MDA-231, NCI-H69, EB
	300463	N52510	Hs.186470	ESTs	3.69	OVCA-R, A549, DU145
45	306881	AI088695		EST singleton (not in UniGene) with exon	3.68	CALU6, HT29, EB
	337304			CH22_FGENES.681-6	3.67	MCF7, MB-MDA-453, LnCap
	323693	AW297758	Hs.249721	ESTs	3.67	OVCA-R, MB-MDA-453, DU145
	331073	R07998	Hs.18628	ESTs; Weakly similar to !!!! ALU SUBFAM1	3.67	RPWE-2, NCI-H345, OVCA-R
	318162	AW296277	Hs.132171	ESTs	3.67	MB-MDA-231, DU145, CALU6
	318042	AW294522	Hs.149991	ESTs	3.66	EB, HT29, CALU6
50	308069	AI470895		EST singleton (not in UniGene) with exon	3.64	Caco2, Caco2, NCI-H23
	327614			CH.04_hs gjl6525283	3.62	NCI-H460, NCI-H345, NCI-H69
	337514			CH22_FGENES.809-7	3.62	NCI

	323755	AW300094		EST cluster (not in UniGene)	3.42	PRSC_con, RPWE-2, NCI-H345
	314452	AL042699	Hs.209222	ESTs	3.42	NCI-H345, PRSC_con, PRSC_log
	337911			CH22_EM:AC005500.GENSCAN.59-6	3.42	OVCA-R, PC3, HT29
5	318086	AI025499	Hs.132238	ESTs	3.41	CALU6, LnCap, OVCA-R
	311859	AA704705	Hs.181044	ESTs; Weakly similar to Chain A; Human O Complexed With L-Canaline [H.sapiens]	3.41	LnCap, MB-MDA-435s, A549
	314409	H15560	Hs.131833	ESTs	3.41	NCI-H69, LnCap, LnCap
	323333	AA228883		EST cluster (not in UniGene)	3.41	Caco2, OVCA-R, NCI-H69
10	325690			CH.14_hs gjl5867021	3.4	HT29, CALU6, DU145
	314539	AA398216	Hs.190092	ESTs	3.4	MB-MDA-231, BT474, EB
	310567	AI691065	Hs.155780	ESTs	3.4	PRSC_con, NCI-H345, NCI-H69
	330527	S77356		transcript ch21=oligomycin sensitivity c 8 stomach cancer cell lines, mRNA, 262 n	3.39	NCI-H23, Caco2, A549
	314660	AA436007	Hs.188780	ESTs	3.39	OVCA-R, BT474, Caco2
15	321321	AB033072		EST cluster (not in UniGene)	3.39	NCI-358, EB, Caco2
	323356	AA234009	Hs.188715	ESTs	3.38	DU145, CALU6, CALU6
	328592			CH.07_hs gjl5868227	3.38	MCF7, NCI-358, MB-MDA-231
	311116	AI631195	Hs.232193	ESTs	3.36	NCI-H520, NCI-H23, PRSC_log
	323853	AA393460		EST cluster (not in UniGene)	3.36	DU145, EB, Caco2
20	327740			CH.05_hs gjl5867943	3.35	EB, LnCap, OVCA-R
	326857			CH.20_hs gjl6552460	3.33	NCI-H69, MCF7, NCI-H345
	317787	AW339612	Hs.249364	ESTs	3.31	NCI-H345, PRSC_con, PRSC_log
	325760			CH.14_hs gjl6552449	3.3	EB, CALU6, HT29
	337513			CH22_FGENES.809-4	3.29	LnCap, NCI-H23, NCI-H460
25	336606			CH22_FGENES.429_3	3.29	NCI-H69, A549, NCI-H23
	322895	AW470295	Hs.192152	ESTs	3.29	DU145, Caco2, EB
	314312	AA814971	Hs.257634	ESTs	3.29	RPWE-2, NCI-H69, NCI-H345
	328224			CH.06_hs gjl5868101	3.28	DU145, NCI-H345, LnCap
	336128			CH22_FGENES.701_16	3.27	BT474, NCI-H520, MB-MDA-231
30	332442	AA281323	Hs.4947	ESTs	3.27	Caco2, PC3, NCI-H345
	302514	M14269		EST cluster (not in UniGene) with exon h	3.27	DU145, CALU6, NCI-H520
	313749	AW450376	Hs.130803	ESTs	3.26	OVCA-R, NCI-H69, DU145
	302891	AI681578	Hs.114164	ESTs	3.26	LnCap, NCI-H345, PRSC_log
	334690			CH22_FGENES.420_3	3.25	NCI-H69, RPWE-2, PRSC_con
35	308676	AI761036		EST singleton (not in UniGene) with exon ferritin; light polypeptide	3.25	DU145, MB-MDA-231, HT29
	304254	AA046273	Hs.111334	ESTs	3.24	OVCA-R, DU145, A549
	311994	AA648314	Hs.13849	ESTs	3.24	NCI-H460, NCI-H23, MB-MDA-453
	321020	AB023170	Hs.227850	KIAA0953 protein	3.24	EB, MCF7, MB-MDA-435s
	316724	AA810788	Hs.123337	ESTs	3.23	DU145, OVCA-R, BT474
40	326942			CH.21_hs gjl6004446	3.22	HT29, BT474, NCI-H23
	324824	AI826999	Hs.224624	ESTs	3.21	OVCA-R, MB-MDA-453, EB
	320789	R78712		EST cluster (not in UniGene)	3.21	DU145, LnCap, EB
	315070	AW131368	Hs.186736	ESTs	3.21	Caco2, NCI-358, NCI-H460
	303794	AW241987	Hs.197025	ESTs	3.19	OVCA-R, PC3, LnCap
45	310237	AI884313	Hs.158906	ESTs	3.19	NCI-358, NCI-H345, MCF7
	313960	AA130859		EST cluster (not in UniGene)	3.18	MB-MDA-231, HT29, BT474
	336634			CH22_FGENES.13-4	3.18	NCI-H69, NCI-H345, BT474
	301085	AA779058	Hs.190428	ESTs; Weakly similar to NG26 [H.sapiens]	3.17	NCI-H345, NCI-H345, NCI-358
	313774	AW136836	Hs.144583	ESTs	3.17	Caco2, EB, OVCA-R
50	307177	AI188864		EST singleton (not in UniGene) with exon	3.17	EB, CALU6, CALU6
	324025	AI174861	Hs.190623	ESTs	3.17	OVCA-R, DU145, PC3
	313099	AI307359	Hs.128064	ESTs	3.17	MB-MDA-231, BT474, EB
	305536	AA770682		EST singleton (not in UniGene) with exon	3.17	NCI-358, Caco2, HT29
	331916	AA446131	Hs.124918	ESTs	3.17	EB, OVCA-R, Caco2
55	314912	AI431345	Hs.161784	ESTs	3.17	EB, BT474, MCF7
	303388	AL039604		EST cluster (not in UniGene) with exon h	3.17	HT29, NCI-358, Caco2
	332273	R05818	Hs.173830	ESTs	3.16	MCF7, DU145, EB
	314697	AW088739	Hs.243770	ESTs	3.16	MB-MDA-453, DU145, MCF7
	335344			CH22_FGENES.536_3	3.15	PRSC_log, NCI-H345, PRSC_con
60	326162			CH.17_hs gjl5867168	3.15	BT474, HT29, HT29
	304467	AA424703		EST singleton (not in UniGene) with exon	3.15	NCI-H23, RPWE-2, NCI-H460
	339340			CH22_BA354112.GENSCAN.27-8	3.15	LnCap, OVCA-R, MB-MDA-453
	325393			CH.12_hs gjl5866921	3.13	Caco2, NCI-H23, NCI-358
	315367	AA732484	Hs.169399	ESTs	3.13	OVCA-R, EB, MB-MDA-453
65	307085	AI160868		EST singleton (not in UniGene) with exon	3.12	RPWE-2, PRSC_con, PRSC_log
	313001	N29264	Hs.249591	ESTs; Moderately similar to !!!! ALU SUB	3.12	NCI-H345, OVCA-R, Caco2
	307606	AI290006		EST singleton (not in UniGene) with exon	3.12	MB-MDA-231, HT29, NCI-H23
	325710			CH.14_hs gjl6682473	3.09	NCI-H69, MB-MDA-453, BT474
	313810	AA400079	Hs.257854	ESTs	3.09	EB, DU145, CALU6
70	335482			CH22_FGENES.570_11	3.09	NCI-H460, NCI-358, NCI-H23
	326310			CH.17_hs gjl5867277	3.08	MCF7, MB-MDA-453, PC3
	325742			CH.14_hs gjl6552448	3.08	NCI-H23, NCI-H460, HT29
	312467	AI241809	Hs.75458	ribosomal protein L18	3.08	NCI-358, NCI-H23, NCI-H460
	327309			CH.01_hs gjl6456757	3.07	NCI-H69, MB-MDA-435s, MB-MDA-435s
75	310583	AW205632	Hs.211198	ESTs	3.07	OVCA-R, A549, Caco2
	322373	W25673	Hs.130829	ESTs	3.07	NCI-H69, PRSC_con, NCI-H345

	324497	AW152624	Hs.136340	ESTs	3.06	NCI-H345, RPWE-2, PRSC_con
	315095	AA831815	Hs.243788	ESTs	3.06	Caco2, DU145, EB
	302445	N79647		EST cluster (not in UniGene) with exon h	3.05	OVCA-R, A549, NCI-H460
5	302842	AW383226	Hs.163834	ESTs; Highly similar to Chp [R.norvegicu	3.05	A549, DU145, NCI-H23
	317346	AA952875	Hs.221274	ESTs	3.04	BT474, HT29, HT29
	334650			CH22_FGENES.417_17	3.04	MCF7, BT474, OVCA-R
	306644	AI002913		EST singleton (not in UniGene) with exon	3.04	CALU6, MCF7, BT474
	322682	AI110679		EST cluster (not in UniGene)	3.03	NCI-H345, RPWE-2, OVCA-R
10	311065	AW204582	Hs.224906	ESTs	3.03	PRSC_log, PRSC_con, NCI-H460
	318623	AA355439	Hs.151547	ESTs	3.03	DU145, MB-MDA-435s, HT29
	304978	AA617735		EST singleton (not in UniGene) with exon	3.03	CALU6, BT474, MB-MDA-435s
	305554	AA774567	Hs.121774	EST	3.03	EB, NCI-H460, Caco2
	302574	U66199	Hs.249165	fibroblast growth factor 11	3.03	HT29, DU145, PC3
	336202			CH22_FGENES.719_6	3.02	NCI-H69, NCI-H23, NCI-H23
15	302893	AL117539	Hs.173515	H sapiens mRNA; cDNA DKFZp586H021 (from	3.01	3.02 EB, DU145, CALU6
	315166	AI343966	Hs.158528	ESTs	3.01	Caco2, EB, NCI-H69
	335606			CH22_FGENES.582_3	3.01	NCI-H23, NCI-H520, NCI-H345
	330058			CH.17_p2 gjl6634847	3.01	OVCA-R, HT29, LnCap
	303179	AA071215		EST cluster (not in UniGene) with exon h	3.01	MCF7, RPWE-2, MB-MDA-453
20	307625	AI299617		EST singleton (not in UniGene) with exon	3	MB-MDA-231, LnCap, BT474
	323074	AL119445	Hs.203213	ESTs	3	NCI-H23, NCI-H520, NCI-H460
	336232			CH22_FGENES.736_7	3	HT29, BT474, MB-MDA-231
	334915			CH22_FGENES.457_4	3	NCI-H345, PRSC_con, NCI-H69
	329116			CH.X_hs gjl5868650	3	NCI-H69, PRSC_con, RPWE-2
25	333495			CH22_FGENES.168_5	3	OVCA-R, NCI-H69, NCI-H345
	303756	AI738488	Hs.115838	ESTs	2.99	HT29, PRSC_con, DU145
	332134	AA610123	Hs.139240	DKFZP564F1422 protein	2.99	EB, A549, MCF7
	322916	AW367294	Hs.154091	ESTs	2.99	DU145, DU145, OVCA-R
30	318050	AI052093	Hs.133132	ESTs	2.99	NCI-H345, DU145, NCI-H520
	301019	AI147356	Hs.98722	ESTs	2.99	NCI-358, NCI-H69, MB-MDA-435s
	315213	AA587773	Hs.136494	ESTs	2.98	MB-MDA-231, BT474, LnCap
	339251			CH22_BA354112.GENSCAN.7-5	2.98	NCI-H69, PRSC_log, HT29
	303835	T05645		EST cluster (not in UniGene) with exon h	2.97	BT474, NCI-H345, LnCap
35	300070	AI174603	Hs.256832	ESTs	2.97	DU145, A549, OVCA-R
	320954	AB028953	Hs.204121	KIAA1030 protein	2.97	LnCap, DU145, PC3
	327624			CH.04_hs gjl5867871	2.97	EB, DU145, LnCap
	329029			CH.X_hs gjl6525302	2.96	NCI-H69, PRSC_log, LnCap
	317040	AA868584	Hs.126154	ESTs	2.96	DU145, EB, LnCap
	328016			CH.06_hs gjl5902482	2.96	NCI-H345, PRSC_con, DU145
40	312674	AI762475	Hs.151327	ESTs; Moderately similar to !!!! ALU SUB	2.96	OVCA-R, NCI-H69, NCI-H69
	332301	R70253	Hs.127826	ESTs	2.96	OVCA-R, DU145, MB-MDA-231
	300951	AI732374	Hs.105834	ESTs; Weakly similar to 25 kDa trypsin i	2.95	NCI-358, NCI-H460, Caco2
	318226	AI078446	Hs.134125	ESTs	2.95	NCI-H460, NCI-H23, NCI-358
	311349	AW292933	Hs.254110	ESTs	2.94	EB, DU145, OVCA-R
45	312757	AI285970	Hs.183817	ESTs	2.94	DU145, LnCap, LnCap
	316507	AI381515	Hs.158381	ESTs	2.94	PRSC_con, PRSC_log, RPWE-2
	302278	AF018080	Hs.173730	Mediterranean fever	2.93	EB, NCI-H69, DU145
	311016	AW173166	Hs.243468	ESTs	2.93	NCI-H345, LnCap, LnCap
	323864	AA340724	Hs.214028	ESTs	2.92	EB, Caco2, HT29
50	336632			CH22_FGENES.13-2	2.92	NCI-H69, NCI-H345, MB-MDA-231
	328886			CH.07_hs gjl6588003	2.92	HT29, PC3, LnCap
	301859	T61587		EST cluster (not in UniGene) with exon h	2.92	LnCap, EB, EB
	323775	AA329856	Hs.143022	ESTs	2.92	PRSC_con, PRSC_log, RPWE-2
55	315426	AI391486	Hs.128171	ESTs	2.92	CALU6, EB, A549
	322264	AF086242		EST cluster (not in UniGene)	2.92	Caco2, OVCA-R, DU145
	315135	AA627561	Hs.192446	ESTs	2.91	EB, HT29, DU145
	327982			CH.06_hs gjl5868216	2.91	LnCap, MB-MDA-453, NCI-H69
	314530	AI052358	Hs.131741	ESTs	2.91	NCI-H460, NCI-H520, RPWE-2
60	315003	AA527650	Hs.156037	ESTs	2.9	PRSC_con, RPWE-2, MB-MDA-231
	339032			CH22_DA59H18.GENSCAN.25-1	2.9	NCI-H69, PRSC_con, RPWE-2
	308379	AI623950	Hs.2186	eukaryotic translation elongation factor	2.89	BT474, MB-MDA-231, HT29
	312133	T87714	Hs.221665	ESTs	2.88	Caco2, MB-MDA-453, MCF7
	307992	AI434166		EST singleton (not in UniGene) with exon	2.88	NCI-H520, MCF7, NCI-H23
	308010	AI439190	Hs.181165	eukaryotic translation elongation factor	2.88	Caco2, NCI-H69, NCI-H345
65	320154	AA336019	Hs.119559	ESTs	2.88	MB-MDA-453, DU145, EB
	331496	N34929	Hs.171984	ESTs	2.86	MB-MDA-453, PC3, MCF7
	320016	H57622	Hs.194574	ESTs	2.86	PRSC_con, RPWE-2, PRSC_log
	317923	AW450544	Hs.220751	ESTs	2.86	NCI-H345, PRSC_con, PRSC_log
	301822	X17033	Hs.1142	integrin; alpha 2 (CD49B; alpha 2 subuni	2.86	PC3, BT474, CALU6
70	311759	AA705075	Hs.169536	Rhesus blood group-associated glycoprote	2.85	DU145, HT29, MB-MDA-231
	315083	AI221325	Hs.210655	ESTs	2.84	PRSC_con, RPWE-2, NCI-H345
	317759	AI908455	Hs.202460	ESTs; Weakly similar to hypothetical L1	2.83	HT29, MB-MDA-231, BT474
	313980	AI633205	Hs.159914	ESTs	2.83	Caco2, MB-MDA-453, A549
	310941	AI453402	Hs.173705	ESTs; Weakly similar to !!!! ALU CLASS C	2.83	NCI-H345, MCF7, Caco2
75	313593	AI911488	Hs.213724	ESTs	2.83	LnCap, Caco2, NCI-H460
	314973	AW273128	Hs.254669	EST	2.82	BT474, LnCap, RPWE-2

	310950	AI582758	Hs.170561	ESTs	2.82	EB, MB-MDA-453, LnCap
	323626	AL039822	Hs.207604	ESTs	2.82	PC3, HT29, CALU6
	325410			CH.12_hs gij5866921	2.81	MB-MDA-453, PRSC_con, NCI-358
5	313911	AI565458	Hs.116385	ESTs	2.81	PRSC_con, EB, RPWE-2
	334244			CH22_FGENES.365_5	2.81	OVCA-R, PC3, MB-MDA-453
	309333	AW025709		EST singleton (not in UniGene) with exon	2.81	NCI-H460, NCI-H23, NCI-358
	328467			CH.07_hs gij5868434	2.81	EB, OVCA-R, HT29
	318563	AW250501		EST cluster (not in UniGene)	2.81	BT474, NCI-H23, MB-MDA-231
	326412			CH.19_hs gij5867362	2.81	BT474, PRSC_log, RPWE-2
10	303407	AA309616		EST cluster (not in UniGene) with exon h	2.8	CALU6, NCI-H345, DU145
	328462			CH.07_hs gij5868433	2.8	BT474, CALU6, MCF7
	335157			CH22_FGENES.501_7	2.8	NCI-H69, NCI-H345, PRSC_log
	313458	AA007259	Hs.255853	ESTs	2.79	OVCA-R, DU145, LnCap
	310416	AI695047	Hs.202395	ESTs	2.79	DU145, MB-MDA-435s, PC3
15	317709	AI435973	Hs.128056	ESTs	2.79	NCI-H460, NCI-358, DU145
	321415	AI377596	Hs.3337	transmembrane 4 superfamily member 1	2.79	A549, PC3, OVCA-R
	313693	AW469180	Hs.170651	ESTs	2.79	OVCA-R, MCF7, EB
	309438	AW102802	Hs.225787	ESTs; Moderately similar to hypothetical	2.79	PC3, OVCA-R, DU145
	308961	AI870248		EST singleton (not in UniGene) with exon	2.78	BT474, MB-MDA-231, EB
20	329107			CH.X_hs gij5868626	2.78	DU145, MCF7, MB-MDA-435s
	313975	AW025024	Hs.65114	keratin 18	2.78	Caco2, EB, DU145
	330901	AA157818	Hs.238380	Human endogenous retroviral protease mRN	2.78	PC3, NCI-H520, BT474
	311749	R06249	Hs.13911	ESTs	2.78	OVCA-R, MB-MDA-453, MCF7
	329853			CH.14_p2 gij6682295	2.78	BT474, BT474, HT29
25	322340	AF088076		EST cluster (not in UniGene)	2.77	NCI-H345, Caco2, LnCap
	326806			CH.20_hs gij6469835	2.77	NCI-H69, NCI-H345, MB-MDA-231
	314661	AA436432		EST cluster (not in UniGene)	2.77	NCI-H460, MB-MDA-435s, CALU6
	322135	AF075082		EST cluster (not in UniGene)	2.77	NCI-358, NCI-H460, Caco2
	331849	AA417078	Hs.193767	ESTs	2.77	DU145, EB, CALU6
30	301056	AI797955	Hs.208076	ESTs; Weakly similar to D(4) DOPAMINE RE	2.76	NCI-H69, RPWE-2, PRSC_con
	327739			CH.05_hs gij5867942	2.76	EB, PC3, LnCap
	308016	AI445116		EST singleton (not in UniGene) with exon	2.76	LnCap, HT29, MB-MDA-231
	331549	N56866	Hs.237507	EST	2.76	MB-MDA-453, MCF7, OVCA-R
	331851	AA418599	Hs.98303	caveolin 3	2.75	MB-MDA-231, NCI-H345, BT474
35	315023	AA533505	Hs.185844	ESTs	2.75	PRSC_con, OVCA-R, EB
	335565			CH22_FGENES.579_1	2.75	OVCA-R, EB, A549
	306137	AA916176		EST singleton (not in UniGene) with exon	2.74	EB, LnCap, DU145
	332240	N54803		yv31d2.s1 Soares fetal liver spleen 1NFL		
40				3' similar to contains L1.13 L1 repetit	2.74	DU145, EB, CALU6
	313246	N90762	Hs.159454	ESTs	2.74	NCI-H69, NCI-H345, PRSC_log
	303642	AW299459		EST cluster (not in UniGene) with exon h	2.74	EB, A549, Caco2
	325513			CH.12_hs gij6017035	2.74	MB-MDA-231, NCI-H345, BT474
	337236			CH22_FGENES.639-2	2.74	MCF7, MB-MDA-453, NCI-H69
45	311555	AW407892	Hs.244807	ESTs	2.74	BT474, NCI-H345, NCI-H69
	339266			CH22_BA354I12.GENSCAN.10-4	2.73	CALU6, DU145, OVCA-R
	300127	AW028615	Hs.235224	ESTs; Weakly similar to KIAA0422 [H.sapi	2.73	NCI-H345, RPWE-2, PRSC_log
	311741	R00099	Hs.193642	ESTs	2.72	LnCap, PC3, OVCA-R
	310915	AW449673	Hs.201893	ESTs	2.72	DU145, EB, MB-MDA-435s
	324982	T31689	Hs.98518	ESTs	2.71	PRSC_con, PRSC_log, RPWE-2
50	305030	AA629988		EST singleton (not in UniGene) with exon	2.71	DU145, DU145, NCI-358
	315396	AW296107	Hs.152686	ESTs	2.69	OVCA-R, Caco2, EB
	319098	AI908374		EST cluster (not in UniGene)	2.69	RPWE-2, LnCap, PC3
	309119	AI927384	Hs.228499	EST; Moderately similar to PK-120 precu	2.69	LnCap, NCI-H23, NCI-358
	312095	AW444937	Hs.233482	ESTs	2.68	Caco2, OVCA-R, HT29
55	324316	AI291330		EST cluster (not in UniGene)	2.68	NCI-H460, Caco2, PRSC_log
	331367	AA425688	Hs.41641	ESTs; Weakly similar to CAGH4 [H.sapiens	2.68	MB-MDA-435s, NCI-H520, NCI-H460
	339116			CH22_DA59H18.GENSCAN.49-4	2.68	DU145, EB, CALU6
	324297	AI565566	Hs.168587	ESTs	2.68	PRSC_con, OVCA-R, PRSC_log
	318728	Z30201		EST cluster (not in UniGene)	2.68	LnCap, Caco2, PC3
60	304813	AA584540		EST singleton (not in UniGene) with exon	2.68	BT474, OVCA-R, RPWE-2
	312393	N34376	Hs.191659	ESTs; Weakly similar to !!!! ALU CLASS E	2.68	NCI-H345, PRSC_con, EB
	330671	AB002302	Hs.92236	KIAA0304 gene product	2.67	NCI-358, OVCA-R, Caco2
	305406	AA723860		EST singleton (not in UniGene) with exon	2.66	OVCA-R, EB, MCF7
	330957	H08778	Hs.133521	ESTs	2.66	EB, PC3, OVCA-R
65	300350	AI871129	Hs.172597	ESTs; Weakly similar to zinc finger prot	2.66	NCI-H23, NCI-H520, NCI-H460
	322302	W76021		EST cluster (not in UniGene)	2.66	DU145, OVCA-R, PC3
	321891	AW157424	Hs.165954	ESTs	2.66	EB, OVCA-R, Caco2
	300124	AI217394	Hs.242447	ESTs	2.65	PRSC_con, A549, HT29
	302747	AF062275		EST cluster (not in UniGene) with exon h	2.65	NCI-H23, BT474, MCF7
70	308741	AI802780	Hs.209002	ESTs; Weakly similar to !!!! ALU SUBFAMI	2.65	PC3, EB, OVCA-R
	310802	AI631546	Hs.159732	ESTs	2.65	PRSC_con, PRSC_log, NCI-H69
	300694	AA063406		EST cluster (not in UniGene) with exon h	2.65	BT474, EB, MCF7
	311395	R23313		EST cluster (not in UniGene)	2.64	EB, OVCA-R, DU145
	336538			CH22_FGENES.840_2	2.64	DU145, NCI-H460, NCI-358
75	316473	AA829961		EST cluster (not in UniGene)	2.64	LnCap, OVCA-R, EB
	328134			CH.06_hs gij5868039	2.64	LnCap, EB, CALU6



	329330		CH.X_hs gj5868806	2.64	EB, CALU6, DU145
	316664	AI042101	EST cluster (not in UniGene)	2.64	NCI-H345, MB-MDA-231, PRSC_log
	328015		CH.06_hs gj5902482	2.63	BT474, HT29, MB-MDA-231
5	308991	AI879831	EST singleton (not in UniGene) with exon	2.63	BT474, EB, NCI-H23
	323899	AL042966	EST cluster (not in UniGene)	2.62	DU145, A549, CALU6
	321708	AA476817	EST cluster (not in UniGene)	2.62	EB, A549, CALU6
	301752	T75247	EST cluster (not in UniGene) with exon h	2.62	HT29, BT474, NCI-H345
	309351	AW057547	EST singleton (not in UniGene) with exon	2.62	NCI-H23, PRSC_con, LnCap
10	314412	AI864270	Hs.155654 ESTs	2.62	CALU6, MB-MDA-231, BT474
	309441	AW103055	Hs.244230 EST	2.62	BT474, MB-MDA-231, MB-MDA-453
	335993		CH22_FGENES.656_6	2.61	NCI-H460, NCI-358, NCI-H520
	318196	AI056776	Hs.133397 ESTs	2.6	EB, CALU6, HT29
	322880	AA310521	Hs.50848 ESTs; Weakly similar to KIAA0862 protein	2.6	DU145, A549, PC3
15	300558	AI540051	Hs.122638 ESTs	2.6	OVCA-R, NCI-H69, MCF7
	318594	AA918320	Hs.224581 ESTs	2.6	PC3, MB-MDA-453, DU145
	308554	AI698132	Hs.201923 EST	2.6	LnCap, EB, NCI-H345
	335108		CH22_FGENES.494_14	2.6	NCI-H69, NCI-H345, MB-MDA-231
	312483	AI417526	Hs.184636 ESTs	2.59	PC3, DU145, OVCA-R
20	311981	AW452773	Hs.257612 EST	2.59	NCI-H460, MB-MDA-453, NCI-H23
	319359	F13458	EST cluster (not in UniGene)	2.59	LnCap, NCI-H460, MB-MDA-231
	300230	AI377746	Hs.158846 ESTs	2.59	HT29, NCI-358, NCI-H345
	316504	AW135854	Hs.132458 ESTs	2.59	DU145, EB, CALU6
	322337	AA249804	EST cluster (not in UniGene)	2.59	NCI-H69, NCI-H345, NCI-H345
25	301775	AW247670	EST cluster (not in UniGene) with exon h	2.59	NCI-H345, RPWE-2, PRSC_log
	301089	AA666396	Hs.220727 ESTs	2.58	PRSC_log, PRSC_con, RPWE-2
	331213	T88698	Hs.163862 ESTs	2.58	DU145, EB, OVCA-R
	321121	W23285	EST cluster (not in UniGene)	2.58	NCI-H69, MB-MDA-435s, PC3
	316634	AW241910	Hs.122254 ESTs	2.58	MCF7, HT29, BT474
30	322141	AF075092	EST cluster (not in UniGene)	2.58	PC3, OVCA-R, HT29
	312108	T82331	Hs.127453 ESTs	2.58	A549, CALU6, Caco2
	339071		CH22_DA59H18.GENSCAN.34-1	2.58	CALU6, DU145, EB
	311666	AW389509	Hs.223747 ESTs	2.57	OVCA-R, MB-MDA-231, BT474
	318662	AI285898	Hs.115367 ESTs	2.57	OVCA-R, DU145, EB
35	317010	AA863395	EST cluster (not in UniGene)	2.57	NCI-H520, PRSC_con, NCI-358
	324710	AI742028	Hs.120884 ESTs; Weakly similar to RAS-RELATED PROT	2.57	LnCap, DU145, MB-MDA-453
	327888		CH.06_hs gj5868149	2.56	NCI-H345, MB-MDA-435s, RPWE-2
	336149		CH22_FGENES.706_5	2.56	NCI-H69, PC3, A549
	312816	H74319	Hs.188620 ESTs	2.56	EB, Caco2, NCI-H460
40	327999		CH.06_hs gj5867994	2.56	NCI-358, NCI-H520, NCI-H23
	316761	AI911173	Hs.213722 ESTs	2.55	NCI-H345, NCI-H460, MB-MDA-231
	336958		CH22_FGENES.367-1	2.55	HT29, CALU6, CALU6
	325043	W27919	Hs.32944 inositol polyphosphate-4-phosphatase; ty	2.55	NCI-H460, NCI-H23, HT29
	315417	AW452360	Hs.186770 ESTs	2.55	NCI-H345, NCI-H69, PRSC_con
45	331603	N78656	Hs.161535 EST	2.55	NCI-H345, PRSC_con, PRSC_log
	309403	AW082954	EST singleton (not in UniGene) with exon	2.55	BT474, MB-MDA-231, MCF7
	337289		CH22_FGENES.672-8	2.54	BT474, HT29, MB-MDA-231
	314242	AI570943	Hs.246280 ESTs	2.54	Caco2, MB-MDA-435s, MB-MDA-453
	328053		CH.06_hs gj5902482	2.54	MB-MDA-231, DU145, MB-MDA-453
50	307215	AI193189	EST singleton (not in UniGene) with exon	2.53	HT29, CALU6, MB-MDA-231
	327566		CH.03_hs gj5867811	2.53	NCI-H69, NCI-H520, NCI-H345
	326338		CH.17_hs gj6056311	2.53	PC3, A549, DU145
	318115	AI384027	Hs.159130 ESTs; Moderately similar to !!!! ALU SUB	2.53	DU145, EB, PC3
	307437	AI245683	EST singleton (not in UniGene) with exon	2.52	NCI-H23, NCI-H520, NCI-358
55	322059	AA412371	Hs.121344 ESTs	2.52	EB, DU145, OVCA-R
	322505	AF147315	EST cluster (not in UniGene)	2.52	PRSC_con, RPWE-2, NCI-H69
	314032	AW081897	Hs.193211 ESTs	2.52	NCI-H345, LnCap, DU145
	336125		CH22_FGENES.701_12	2.51	NCI-H69, LnCap, DU145
	312765	AI692908	Hs.181873 ESTs	2.51	NCI-H23, NCI-358, NCI-H520
60	335523		CH22_FGENES.572_3	2.51	HT29, BT474, OVCA-R
	327585		CH.03_hs gj5867825	2.51	HT29, NCI-H460, MB-MDA-453
	323183	AW393850	EST cluster (not in UniGene)	2.51	MB-MDA-231, LnCap, RPWE-2
	314418	AI478722	Hs.232275 ESTs; Moderately similar to !!!! ALU SUB	2.51	EB, DU145, DU145
	313361	AI359782	Hs.137312 ESTs	2.5	CALU6, HT29, DU145
65	305632	AA805276	EST singleton (not in UniGene) with exon	2.5	MB-MDA-453, NCI-H460, NCI-H23
	331689	W90131	Hs.184675 ESTs	2.5	NCI-H69, EB, A549
	323438	AI540243	Hs.113817 ESTs	2.5	NCI-H345, PRSC_con, MB-MDA-231
	315742	AI821724	Hs.143198 H sapiens PAC clone DJ0872F07 from 7q31	2.5	MCF7, MB-MDA-453, MB-MDA-435s
	305971	AA886874	EST singleton (not in UniGene) with exon	2.5	NCI-358, NCI-H23, NCI-H520
	336633		CH22_FGENES.13-3	2.5	NCI-H69, NCI-H345, PRSC_log
70	304746	AA577793	EST singleton (not in UniGene) with exon	2.49	NCI-H69, BT474, MB-MDA-231
	327925		CH.06_hs gj5868172	2.49	NCI-358, NCI-358, NCI-H460
	336055		CH22_FGENES.683_4	2.49	EB, HT29, MB-MDA-231
	328888		CH.07_hs gj6588003	2.48	MB-MDA-435s, MB-MDA-453, PRSC_log
	311244	AW016694	Hs.197689 ESTs	2.48	NCI-H345, MCF7, PC3
75	327155		CH.01_hs gj5867549	2.48	NCI-H69, MB-MDA-231, NCI-H345
	334907		CH22_FGENES.453_2	2.48	DU145, NCI-H345, MB-MDA-231

	314887	AA910236	Hs.139469	ESTs	2.48	DU145, A549, A549
	339435			CH22_DJ579N16.GENSCAN.18-10	2.48	NCI-H69, MCF7, BT474
	334172			CH22_FGENES.349_5	2.48	NCI-H69, NCI-H345, PRSC_log
5	320767	AA299525		EST cluster (not in UniGene)	2.48	NCI-358, NCI-H23, NCI-H460
	336772			CH22_FGENES.156-1	2.47	NCI-358, NCI-358, NCI-H23
	326957			CH.21_hs gjl6469836	2.47	BT474, RPWE-2, PRSC_con
	308505	AI686615	Hs.200778	EST; Weakly similar to SALIVARY PROLINE	2.47	MCF7, MB-MDA-453, MB-MDA-435s
	321325	AB033100		EST cluster (not in UniGene)	2.47	EB, CALU6, A549
10	313149	AW291092	Hs.201058	ESTs	2.47	NCI-H345, PRSC_con, RPWE-2
	338325			CH22_EM:AC005500.GENSCAN.307-7	2.46	BT474, LnCap, EB
	307877	AI368880		EST singleton (not in UniGene) with exon	2.46	NCI-H23, PRSC_log, NCI-H520
	311525	AI799444	Hs.247095	ESTs; Moderately similar to !!!! ALU SUB	2.46	PRSC_con, PRSC_log, NCI-H345
	337023			CH22_FGENES.433-12	2.46	OVCA-R, CALU6, PRSC_con
	300916	AI361798	Hs.164675	ESTs	2.45	LnCap, DU145, CALU6
15	302919	AL137382		EST cluster (not in UniGene) with exon h	2.45	LnCap, MB-MDA-231, CALU6
	320303	AL079289	Hs.137154	H sapiens mRNA full length insert cDNA c	2.45	BT474, MB-MDA-231, MB-MDA-453
	318359	AI097439	Hs.135548	ESTs	2.45	NCI-H460, MB-MDA-453, NCI-H345
	314384	AA535840	Hs.162203	ESTs; Weakly similar to alternatively sp	2.45	OVCA-R, PC3, EB
	326763			CH.20_hs gjl6598307	2.45	NCI-H69, NCI-H345, RPWE-2
20	319900	AW408392		EST cluster (not in UniGene)	2.45	Caco2, NCI-H460, NCI-H23
	314451	AA586368	Hs.190232	ESTs	2.45	PRSC_con, NCI-H345, MB-MDA-231
	300641	AW237699	Hs.118346	ESTs	2.44	NCI-H345, PRSC_log, PRSC_con
	324368	AW299374		EST cluster (not in UniGene)	2.44	PC3, DU145, OVCA-R
	336510			CH22_FGENES.834_5	2.44	NCI-H69, RPWE-2, PRSC_con
25	326876			CH.20_hs gjl6682507	2.44	NCI-H23, NCI-H460, NCI-H520
	307753	AI340509	Hs.182426	ribosomal protein S2	2.44	NCI-H23, NCI-H460, Caco2
	317071	M78728	Hs.132694	ESTs	2.44	NCI-H345, NCI-H69, RPWE-2
	313877	AA767869	Hs.250113	ESTs; Moderately similar to thyroid horm		
				component TRAP150 [H.sapiens]	2.44	DU145, LnCap, CALU6
30	315974	AW029203	Hs.191952	ESTs	2.43	EB, DU145, OVCA-R
	322970	AI885052	Hs.142287	ESTs; Weakly similar to !!!! ALU CLASS F	2.43	NCI-H345, RPWE-2, EB
	317733	AI028257	Hs.132317	ESTs	2.43	CALU6, RPWE-2, OVCA-R
	313599	AA748749	Hs.136742	ESTs	2.42	NCI-H460, NCI-358, NCI-H520
	323014	AA305198		EST cluster (not in UniGene)	2.42	PRSC_con, NCI-H460, RPWE-2
35	324980	AA969121	Hs.254296	ESTs	2.41	MCF7, OVCA-R, PC3
	301326	AA883831	Hs.252924	ESTs	2.41	PRSC_con, PRSC_log, RPWE-2
	308695	AI763350		EST singleton (not in UniGene) with exon	2.41	RPWE-2, NCI-H69, NCI-H345
	330166			CH.02_p2 gjl6648220	2.41	CALU6, DU145, A549
40	317552	AW451400	Hs.127019	ESTs	2.41	NCI-358, NCI-358, NCI-H23
	320572	AI929508	Hs.159590	lymphocyte antigen 6 complex; locus H	2.41	CALU6, HT29, A549
	315618	AI287341	Hs.154029	ESTs; Weakly similar to TRANSCRIPTION FA2.41	2.41	OVCA-R, Caco2, MB-MDA-231
	331610	N91109	Hs.54681	ESTs	2.41	NCI-H23, NCI-H520, NCI-358
	311731	AW393528	Hs.246875	ESTs	2.41	NCI-H69, NCI-H345, PRSC_con
	318571	Z43383	Hs.8053	ESTs	2.4	NCI-358, NCI-H23, NCI-H520
45	334958			CH22_FGENES.465_27	2.4	DU145, PRSC_con, RPWE-2
	323570	AL038623	Hs.208752	ESTs; Weakly similar to !!!! ALU SUBFAM I	2.4	OVCA-R, EB, BT474
	301685	W67730		EST cluster (not in UniGene) with exon h	2.4	MB-MDA-231, NCI-H345, EB
	303849	AW163324		EST cluster (not in UniGene) with exon h	2.4	RPWE-2, PRSC_log, NCI-H345
	325702			CH.14_hs gjl5867028	2.4	NCI-H23, NCI-H460, NCI-H520
50	313074	N48261	Hs.127171	ESTs	2.4	MB-MDA-231, RPWE-2, PRSC_log
	308994	AI880051		EST singleton (not in UniGene) with exon	2.4	RPWE-2, EB, PRSC_con
	330338			CH.08_p2 gjl5457162	2.4	DU145, EB, LnCap
	327274			CH.01_hs gjl5867470	2.4	OVCA-R, DU145, MB-MDA-231
	325953			CH.16_hs gjl5867140	2.4	MB-MDA-453, MB-MDA-435s, MCF7
55	333281			CH22_FGENES.128_7	2.4	NCI-H23, HT29, DU145
	314778	AW079559	Hs.152258	ESTs	2.39	EB, CALU6, Caco2
	317005	AI800251	Hs.197773	ESTs	2.38	MB-MDA-231, BT474, HT29
	334257			CH22_FGENES.367_5	2.38	HT29, NCI-358, MB-MDA-231
60	324783	AA640770		EST cluster (not in UniGene)	2.38	EB, OVCA-R, MB-MDA-453
	300949	AA534325	Hs.162183	ESTs	2.38	NCI-H69, NCI-H345, PRSC_log
	314957	AW029274	Hs.208368	ESTs; Moderately similar to !!!! ALU SUB	2.38	LnCap, DU145, DU145
	324350	AW292501	Hs.157174	ESTs; Weakly similar to similar to SH3-b	2.38	HT29, NCI-H23, NCI-H23
	338235			CH22_EM:AC005500.GENSCAN.260-16	2.38	NCI-H69, NCI-H460, NCI-H23
	300937	AW297302	Hs.255631	ESTs	2.38	PRSC_log, PRSC_con, PRSC_con
65	317439	AW451327	Hs.170623	ESTs	2.38	A549, DU145, EB
	324745	AI742120	Hs.116506	ESTs; Weakly similar to !!!! ALU SUBFAM I	2.38	NCI-358, NCI-H460, BT474
	338306			CH22_EM:AC005500.GENSCAN.302-2	2.38	NCI-H69, PRSC_con, PRSC_log
	318765	Z42071	Hs.23961	ESTs	2.38	LnCap, NCI-H23, NCI-H520
	310254	AI239811	Hs.157491	ESTs	2.37	OVCA-R, DU145, EB
70	305116	AA649244		EST singleton (not in UniGene) with exon	2.37	CALU6, MB-MDA-435s, MB-MDA-453
	324016	AL045285	Hs.246849	ESTs; Moderately similar to !!!! ALU SUB	2.37	EB, DU145, OVCA-R
	322774	AA131111		EST cluster (not in UniGene)	2.37	OVCA-R, EB, A549
	335745			CH22_FGENES.601_16	2.37	PRSC_log, PRSC_con, NCI-H69
	300972	AI979100	Hs.211518	ESTs	2.37	NCI-H69, NCI-H345, PRSC_log
75	338809			CH22_EM:AC005500.GENSCAN.531-10	2.37	NCI-H23, NCI-H69, NCI-H520
	316983	AI480204	Hs.177131	ESTs	2.37	NCI-H345, PRSC_con, PRSC_log

	321308	AI247480	Hs.117029	ESTs	2.37	BT474, NCI-H69, HT29
	323578	AA299492	Hs.168166	ESTs	2.37	LnCap, EB, MB-MDA-453
	335747			CH22_FGENES.601_20	2.36	NCI-H69, LnCap, PRSC_con
5	322362	AF039697		EST cluster (not in UniGene)	2.36	DU145, PRSC_con, NCI-H345
	314430	N76302	Hs.78110	ESTs; Weakly similar to F17A9.2 [C.elega	2.36	DU145, MB-MDA-453, CALU6
	304831	AA586422		EST singleton (not in UniGene) with exon	2.36	NCI-H23, NCI-H460, CALU6
	337432			CH22_FGENES.765-1	2.36	MB-MDA-231, BT474, HT29
	305984	AA887654		EST singleton (not in UniGene) with exon	2.36	DU145, HT29, CALU6
10	313486	AW134523	Hs.247186	ESTs	2.36	DU145, A549, CALU6
	309028	AI889109	Hs.212032	EST	2.36	NCI-358, NCI-H520, NCI-H23
	318292	AI679966	Hs.150603	ESTs	2.35	NCI-H460, Caco2, NCI-H23
	334198			CH22_FGENES.354_4	2.35	NCI-H69, PRSC_log, PRSC_con
	314458	AI217440	Hs.143873	ESTs	2.35	Caco2, A549, PC3
15	333346			CH22_FGENES.139_15	2.35	CALU6, DU145, LnCap
	325408			CH.12_hs gj5866921	2.35	NCI-H460, NCI-H520, NCI-H23
	313758	AA076743	Hs.129770	ESTs	2.35	NCI-H23, MB-MDA-435s, NCI-H345
	309825	AW293701		EST singleton (not in UniGene) with exon	2.35	NCI-H460, NCI-H23, NCI-H520
	303536	R55497	Hs.183941	ESTs; Moderately similar to H beta 58 ho	2.35	DU145, CALU6, NCI-H520
	331534	N51583	Hs.133756	EST	2.35	NCI-H23, NCI-H520, NCI-358
20	325164	T16981	Hs.21963	ESTs	2.34	NCI-H345, PRSC_log, NCI-H460
	327710			CH.04_hs gj5867860	2.34	BT474, MB-MDA-231, NCI-H345
	306351	AA961356		EST singleton (not in UniGene) with exon	2.34	BT474, MB-MDA-231, MB-MDA-435s
	304968	AA614308		EST singleton (not in UniGene) with exon	2.34	CALU6, HT29, MB-MDA-453
	334015			CH22_FGENES.313_7	2.34	HT29, MB-MDA-231, BT474
25	318315	AI091370	Hs.134852	ESTs	2.33	CALU6, NCI-H520, DU145
	306809	AI057134		EST singleton (not in UniGene) with exon	2.33	PC3, DU145, EB
	337697			CH22_EM:AC000097.GENSCAN.86-1	2.33	RPWE-2, PRSC_log, NCI-H345
	329630			CH.11_p2 gj6729060	2.33	NCI-H520, NCI-H23, NCI-H460
	326577			CH.19_hs gj5867317	2.33	NCI-H460, NCI-358, NCI-H23
30	333428			CH22_FGENES.149_1	2.33	NCI-H345, PRSC_con, RPWE-2
	301080	AI479391	Hs.155405	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.33	OVCA-R, MCF7, MCF7
	324829	AA714311		EST cluster (not in UniGene)	2.33	NCI-H460, NCI-358, NCI-H23
	302776	AJ133798		EST cluster (not in UniGene) with exon h	2.32	NCI-H23, NCI-H460, NCI-H520
	325801			CH.14_hs gj6552451	2.32	PRSC_log, MCF7, NCI-H23
35	332122	AA609698	Hs.112389	ESTs	2.32	DU145, HT29, PC3
	314167	AA243633	Hs.208983	ESTs	2.32	DU145, MCF7, PC3
	324023	AA669615	Hs.214226	ESTs	2.31	DU145, NCI-H345, EB
	320503	NM_00589		EST cluster (not in UniGene)	2.31	A549, OVCA-R, PC3
40	312217	T98289		EST cluster (not in UniGene)	2.31	NCI-H23, Caco2, NCI-H69
	321304	AA078293		EST cluster (not in UniGene)	2.31	DU145, OVCA-R, EB
	323517	AA527359	Hs.154366	ESTs	2.31	NCI-H345, DU145, EB
	336455			CH22_FGENES.829_13	2.31	NCI-H345, PRSC_con, RPWE-2
	313352	AW292127	Hs.144758	ESTs	2.31	MCF7, DU145, OVCA-R
45	331457	H93135	Hs.41840	ESTs	2.31	Caco2, NCI-H460, NCI-H23
	333054			CH22_FGENES.73_8	2.31	NCI-H69, NCI-358, NCI-H23
	308598	AI719237		EST singleton (not in UniGene) with exon	2.31	OVCA-R, CALU6, Caco2
	327059			CH.21_hs gj6531965	2.3	NCI-H460, LnCap, LnCap
	334120			CH22_FGENES.333_1	2.3	NCI-H69, RPWE-2, MB-MDA-435s
50	324154	AI457449	Hs.192817	ESTs	2.3	NCI-H460, MB-MDA-453, NCI-358
	326509			CH.19_hs gj6682496	2.3	NCI-H345, CALU6, OVCA-R
	316855	AW291384	Hs.254974	ESTs	2.3	NCI-H345, NCI-H460, BT474
	337918			CH22_EM:AC005500.GENSCAN.66-4	2.3	RPWE-2, NCI-H345, PRSC_log
	317471	AI825351	Hs.144084	ESTs	2.29	HT29, OVCA-R, DU145
55	331023	N32599	Hs.5856	ESTs	2.29	OVCA-R, LnCap, A549
	332231	N48008	Hs.102629	EST	2.29	CALU6, DU145, EB
	309912	AW339671		EST singleton (not in UniGene) with exon	2.29	MB-MDA-435s, PRSC_con, NCI-358
	316427	AI241019	Hs.145644	ESTs	2.29	Caco2, HT29, EB
	313329	AW293704	Hs.122658	ESTs	2.29	OVCA-R, DU145, Caco2
60	335019			CH22_FGENES.474_7	2.29	HT29, CALU6, MB-MDA-231
	324394	F20654	Hs.152128	ESTs; Moderately similar to !!!! ALU SUB	2.29	NCI-H345, MB-MDA-231, RPWE-2
	339357			CH22_BA354112.GENSCAN.31-2	2.29	NCI-H69, OVCA-R, BT474
	322128	AI346033		EST cluster (not in UniGene)	2.28	NCI-H23, NCI-H520, NCI-H460
	301310	AI239457	Hs.130794	ESTs	2.28	OVCA-R, DU145, MB-MDA-231
65	300623	AI929130	Hs.118261	ESTs; Moderately similar to finger prote	2.28	BT474, RPWE-2, PRSC_con
	323409	AL135534		EST cluster (not in UniGene)	2.27	NCI-H345, NCI-358, Caco2
	308406	AI634885		EST singleton (not in UniGene) with exon	2.27	OVCA-R, EB, HT29
	322518	AI133446		EST cluster (not in UniGene)	2.27	DU145, MB-MDA-435s, OVCA-R
	338381			CH22_EM:AC005500.GENSCAN.330-10	2.27	NCI-H69, PRSC_con, PRSC_log
70	316003	AA704584	Hs.119993	ESTs	2.27	NCI-358, NCI-H520, NCI-H23
	307090	AI161024		EST singleton (not in UniGene) with exon	2.27	NCI-H345, DU145, RPWE-2
	300356	AA758411	Hs.121335	ESTs	2.27	LnCap, NCI-H460, Caco2
	331887	AA431328	Hs.98660	ESTs	2.27	NCI-358, NCI-H520, CALU6
	330951	H02566	Hs.191268	H sapiens mRNA; cDNA DKFZp434N174 (from	2.27	2.27 OVCA-R, BT474, BT474
	305547	AA773111		EST singleton (not in UniGene) with exon	2.27	LnCap, DU145, BT474
75	312457	AA776743	Hs.191589	ESTs	2.26	NCI-H345, RPWE-2, PRSC_con
	333929			CH22_FGENES.300_2	2.26	HT29, CALU6, EB

	319845	AA649011	Hs.187902	ESTs	2.26	LnCap, DU145, MCF7
	306739	AI028393		EST singleton (not in UniGene) with exon	2.26	MB-MDA-435s, NCI-358, CALU6
	306919	AI096832		EST singleton (not in UniGene) with exon	2.26	HT29, BT474, PC3
5	333312			CH22_FGENES.138_4	2.26	OVCA-R, DU145, PC3
	334955			CH22_FGENES.465_24	2.25	RPWE-2, PRSC_con, NCI-H345
	312295	AA578233	Hs.173863	ESTs	2.25	OVCA-R, DU145, NCI-H345
	307643	AI302124		EST singleton (not in UniGene) with exon	2.25	CALU6, CALU6, OVCA-R
	324252	AA421989		EST cluster (not in UniGene)	2.25	OVCA-R, EB, A549
10	309767	AW271805		EST singleton (not in UniGene) with exon	2.25	DU145, NCI-H460, CALU6
	311492	AW410240	Hs.4437	ribosomal protein L28	2.25	NCI-H69, NCI-H460, NCI-H520
	312260	H05392	Hs.230597	EST	2.25	Caco2, EB, DU145
	327125			CH.21_hs gjl6531971	2.25	HT29, NCI-358, BT474
	316919	AA845382	Hs.204520	ESTs	2.24	NCI-H23, NCI-H345, NCI-H520
	316361	AI433833	Hs.164159	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.24	DU145, EB, PC3
15	315772	AW515373	Hs.158893	ESTs	2.24	OVCA-R, EB, LnCap
	320236	H03688		EST cluster (not in UniGene)	2.24	NCI-358, DU145, NCI-H23
	315444	AW138821	Hs.221737	ESTs	2.24	NCI-358, CALU6, PRSC_con
	333903			CH22_FGENES.294_1	2.24	MB-MDA-231, BT474, A549
20	335234			CH22_FGENES.515_3	2.24	NCI-H69, PRSC_con, PRSC_log
	333727			CH22_FGENES.256_1	2.23	MB-MDA-231, NCI-H69, BT474
	332002	AA482009	Hs.105104	ESTs	2.23	EB, NCI-H520, HT29
	329611			CH.10_p2 gjl3962478	2.23	BT474, HT29, MB-MDA-231
	310559	AI783594	Hs.155718	ESTs	2.22	BT474, MCF7, MB-MDA-231
25	327315			CH.01_hs gjl5867508	2.22	NCI-H69, EB, EB
	323170	U83527		EST cluster (not in UniGene)	2.22	EB, DU145, LnCap
	331522	N49309	Hs.117012	ESTs	2.22	A549, LnCap, DU145
	313261	AA730472	Hs.142805	ESTs	2.22	OVCA-R, PC3, LnCap
	312740	R97191	Hs.134106	ESTs	2.22	BT474, MCF7, OVCA-R
30	325055	Z44631	Hs.21658	ESTs	2.22	MB-MDA-453, DU145, CALU6
	337895			CH22_EM:AC005500.GENSCAN.56-2	2.22	NCI-H345, PRSC_log, PRSC_con
	307140	AI185762		EST singleton (not in UniGene) with exon	2.22	NCI-H520, NCI-H460, EB
	321643	W76005	Hs.32094	ESTs	2.21	EB, NCI-H345, PRSC_con
35	302683	X85153		EST cluster (not in UniGene) with exon h	2.21	BT474, MB-MDA-231, MCF7
	322644	AA340904		EST cluster (not in UniGene)	2.21	NCI-H460, NCI-H23, NCI-H520
	330415	D83777	Hs.75137	KIAA0193 gene product	2.21	CALU6, A549, Caco2
	302334	AF120491		EST cluster (not in UniGene) with exon h	2.21	NCI-H69, NCI-H345, PC3
	326710			CH.20_hs gjl5867593	2.21	NCI-H520, NCI-358, NCI-H23
40	323561	AA825426	Hs.238832	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.21	NCI-H345, DU145, NCI-H69
	337706			CH22_EM:AC000097.GENSCAN.87-11	2.21	MB-MDA-435s, NCI-358, NCI-H520
	339309			CH22_BA354112.GENSCAN.22-7	2.21	BT474, HT29, PC3
	330436	HG2724-H		Oncogene Tls/Chop, Fusion Activated	2.21	PRSC_con, NCI-H69, Caco2
	312360	AI922972	Hs.196073	ESTs	2.21	OVCA-R, MB-MDA-435s, DU145
	301855	AF053356		multiple UniGene matches	2.2	NCI-H69, HT29, NCI-H23
45	331192	T55182	Hs.152571	ESTs; Highly similar to IGF-II mRNA-bind	2.2	OVCA-R, PC3, CALU6
	315872	AW051819	Hs.204516	ESTs	2.2	LnCap, OVCA-R, EB
	337904			CH22_EM:AC005500.GENSCAN.56-17	2.2	OVCA-R, LnCap, EB
	308258	AI565612		EST singleton (not in UniGene) with exon	2.2	DU145, MB-MDA-231, CALU6
	320965	H18166		EST cluster (not in UniGene)	2.2	DU145, EB, LnCap
50	333910			CH22_FGENES.295_3	2.2	DU145, MB-MDA-231, EB
	300707	AA080921		EST cluster (not in UniGene) with exon h	2.2	BT474, MCF7, HT29
	336011			CH22_FGENES.668_9	2.19	NCI-H460, BT474, NCI-H345
	325712			CH.14_hs gjl6682473	2.19	NCI-H460, NCI-H23, NCI-358
	322738	AF201832		EST cluster (not in UniGene)	2.19	PC3, RPWE-2, PRSC_con
55	335339			CH22_FGENES.535_16	2.19	HT29, PRSC_log, MCF7
	320733	AA738436	Hs.134407	ESTs	2.19	DU145, EB, Caco2
	319412	AA679426	Hs.187505	ESTs	2.19	NCI-H345, PRSC_log, PRSC_con
	337132			CH22_FGENES.526-3	2.19	NCI-H69, NCI-H345, PRSC_con
60	301544	AI951651	Hs.224290	ESTs	2.19	PRSC_con, MB-MDA-231, NCI-H23
	325285			CH.11_hs gjl5866903	2.18	PRSC_con, PRSC_log, MB-MDA-231
	338280			CH22_EM:AC005500.GENSCAN.290-11	2.18	PC3, NCI-358, HT29
	311421	AI701635	Hs.207077	ESTs	2.18	RPWE-2, NCI-H345, NCI-358
	330638	X89576	Hs.159581	matrix metalloproteinase 17 (membrane-in	2.18	HT29, MB-MDA-435s, MB-MDA-453
	326603			CH.20_hs gjl6056312	2.18	CALU6, DU145, HT29
65	319055	AA412305		EST cluster (not in UniGene)	2.18	A549, OVCA-R, MB-MDA-435s
	335451			CH22_FGENES.562_9	2.18	DU145, LnCap, CALU6
	317989	AI203009	Hs.130664	ESTs	2.18	NCI-H345, NCI-H69, NCI-H520
	322024	AA334384		EST cluster (not in UniGene)	2.18	Caco2, PC3, NCI-H520
	300734	AW205197	Hs.240951	ESTs	2.18	NCI-358, A549, EB
70	304022	T02990		EST singleton (not in UniGene) with exon	2.18	NCI-H23, NCI-358, NCI-H460
	330082			CH.19_p2 gjl6015314	2.18	NCI-H23, Caco2, Caco2
	312516	AA363245	Hs.189831	ESTs	2.18	BT474, HT29, MB-MDA-231
	333932			CH22_FGENES.300_5	2.17	PC3, Caco2, EB
	308115	AI479071		EST singleton (not in UniGene) with exon	2.17	BT474, OVCA-R, OVCA-R
75	320184	U91510	Hs.123036	CD39-like 1	2.17	NCI-H520, NCI-358, NCI-H23
	324432	AA464510		EST cluster (not in UniGene)	2.17	CALU6, RPWE-2, HT29
	320882	AI832098		EST cluster (not in UniGene)	2.17	OVCA-R, PC3, BT474

	312251	H03952		EST cluster (not in UniGene)	2.17	NCI-H460, NCI-H23, NCI-358
	315049	AW340486	Hs.121210	ESTs	2.17	NCI-H520, NCI-358, NCI-H23
	305018	AA627127		EST singleton (not in UniGene) with exon	2.17	MB-MDA-231, MB-MDA-453, EB
5	303807	A1792785	Hs.130434	ESTs	2.16	NCI-H345, PRSC_con, PRSC_log
	317792	A1653389	Hs.196121	ESTs	2.16	NCI-H345, PRSC_con, LnCap
	321668	AA872730	Hs.125229	ESTs	2.16	OVCA-R, PC3, MCF7
	328863			CH.07_hs gjl6381929	2.16	PRSC_con, NCI-H345, NCI-H460
	319373	R00371		EST cluster (not in UniGene)	2.16	PRSC_con, RPWE-2, NCI-H345
10	320069	T86541	Hs.189732	ESTs	2.16	NCI-H23, NCI-358, NCI-H345
	320235	AF064090	Hs.129708	tumor necrosis factor (ligand) superfami	2.16	NCI-H23, NCI-H460, NCI-H520
	338880			CH22_DJ32110.GENSCAN.6-2	2.16	BT474, MCF7, OVCA-R
	318314	AI091349	Hs.161133	ESTs	2.16	NCI-H23, NCI-H520, NCI-H460
	332696	D86973	Hs.75354	GCN1 (general control of amino-acid synt	2.16	A549, PC3, DU145
15	331352	AA406133	Hs.7482	KIAA0682 gene product	2.16	PC3, EB, MB-MDA-231
	339019			CH22_DA59H18.GENSCAN.21-15	2.15	LnCap, EB, OVCA-R
	306975	A1127042		EST singleton (not in UniGene) with exon	2.15	MB-MDA-435s, NCI-H520, NCI-358
	318069	AI024557	Hs.131540	ESTs	2.15	Caco2, Caco2, BT474
	312997	AW205686	Hs.135130	ESTs	2.15	NCI-H460, NCI-H23, NCI-358
20	331372	AA433935	Hs.55044	DKFZP586H2123 protein	2.15	PRSC_con, HT29, CALU6
	335049			CH22_FGENES.481_5	2.15	NCI-H69, NCI-H345, PRSC_log
	324280	AA429772	Hs.191610	ESTs	2.15	MB-MDA-453, MB-MDA-435s, MCF7
	330363			CH.X_p2 gjl3126882	2.15	NCI-H23, NCI-H460, NCI-358
	322896	AW470296	Hs.144830	ESTs	2.15	HT29, CALU6, EB
25	321981	AA948204	Hs.127361	ESTs	2.15	MB-MDA-231, DU145, HT29
	333294			CH22_FGENES.130_6	2.14	EB, DU145, MB-MDA-453
	330170			CH.02_p2 gjl6648220	2.14	HT29, MB-MDA-453, PC3
	312973	AI123346	Hs.135241	ESTs	2.14	LnCap, DU145, EB
	311104	AI627352	Hs.201449	ESTs	2.14	NCI-H520, NCI-H23, LnCap
30	325086	T10019	Hs.4194	ESTs	2.14	NCI-H460, NCI-H23, NCI-358
	317182	AW183524	Hs.192298	ESTs	2.14	HT29, BT474, MB-MDA-435s
	323644	AA310711	Hs.124340	ESTs	2.14	RPWE-2, PRSC_con, PRSC_log
	308092	AI474896		EST singleton (not in UniGene) with exon	2.14	BT474, MCF7, MB-MDA-231
	322265	AF086244		EST cluster (not in UniGene)	2.14	NCI-H345, RPWE-2, PRSC_con
35	303521	AA746272		EST cluster (not in UniGene) with exon h	2.14	DU145, MB-MDA-453, EB
	312102	AW439340	Hs.189720	ESTs	2.14	NCI-H23, NCI-H460, MB-MDA-435s
	316559	AI249468	Hs.228251	EST	2.14	NCI-H460, NCI-358, NCI-H23
	338486			CH22_EM:AC005500.GENSCAN.382-8	2.14	NCI-H520, NCI-H23, NCI-H69
	301302	AI825444	Hs.210956	ESTs	2.14	BT474, HT29, MB-MDA-231
40	310591	AI650372	Hs.195979	ESTs	2.14	CALU6, CALU6, Caco2
	316231	AA732301		EST cluster (not in UniGene)	2.14	NCI-H23, NCI-H520, NCI-358
	326559			CH.19_hs gjl5867310	2.14	DU145, NCI-H460, NCI-H23
	324062	AA525291	Hs.204099	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.13	OVCA-R, DU145, EB
	323844	AI811303	Hs.143490	ESTs	2.13	MB-MDA-453, MCF7, MB-MDA-435s
45	333895			CH22_FGENES.293_2	2.13	CALU6, LnCap, DU145
	308264	AI567114	Hs.171454	EST	2.13	DU145, CALU6, MB-MDA-453
	306081	AA908472		EST singleton (not in UniGene) with exon	2.13	HT29, BT474, MB-MDA-231
	333101			CH22_FGENES.79_6	2.13	NCI-H345, NCI-H69, PRSC_log
	328544			CH.07_hs gjl5868486	2.13	NCI-H23, NCI-H69, PRSC_log
50	333355			CH22_FGENES.141_6	2.13	DU145, EB, CALU6
	323397	AI524519	Hs.239699	ESTs	2.13	EB, NCI-H460, NCI-H345
	305697	AA814956		EST singleton (not in UniGene) with exon	2.13	NCI-H520, NCI-H460, NCI-358
	327809			CH.05_hs gjl5867968	2.13	HT29, PC3, OVCA-R
	325092	T10115	Hs.92423	ESTs	2.13	HT29, NCI-358, MB-MDA-231
55	322299	AI971935	Hs.252784	ESTs	2.13	PRSC_con, DU145, DU145
	312145	AA029526	Hs.126706	ESTs	2.12	OVCA-R, A549, MB-MDA-435s
	323704	AA319421	Hs.193577	ESTs	2.12	Caco2, LnCap, OVCA-R
	328971			CH.08_hs gjl6478806	2.12	NCI-358, NCI-H23, NCI-H520
	325338			CH.11_hs gjl5866883	2.12	LnCap, NCI-H69, NCI-H345
60	331332	AA282554	Hs.89034	ESTs	2.12	NCI-H520, NCI-H23, Caco2
	327159			CH.01_hs gjl5867550	2.12	EB, DU145, PC3
	335180			CH22_FGENES.505_2	2.12	LnCap, NCI-H69, A549
	338062			CH22_EM:AC005500.GENSCAN.162-3	2.12	PRSC_con, PRSC_log, NCI-H69
	318350	AI636018	Hs.135538	ESTs	2.12	EB, HT29, DU145
65	312070	AW293140	Hs.108790	ESTs	2.11	Caco2, NCI-H23, A549
	328314			CH.07_hs gjl5868371	2.11	HT29, NCI-H23, NCI-H460
	315869	AI033547	Hs.132826	ESTs	2.11	BT474, CALU6, MCF7
	339246			CH22_BA354I12.GENSCAN.5-9	2.11	CALU6, CALU6, BT474
	329921			CH.16_p2 gjl6165205	2.11	BT474, MB-MDA-231, HT29
70	324981	Z25333	Hs.4947	ESTs	2.11	A549, NCI-H460, NCI-H520
	331291	AA159323	Hs.109929	ESTs	2.11	NCI-H345, A549, PRSC_con
	332729	AA058907	Hs.83190	fatty acid synthase	2.11	NCI-358, LnCap, MB-MDA-453
	325448			CH.12_hs gjl5866941	2.11	DU145, MCF7, CALU6
	314929	AW188286	Hs.143612	ESTs	2.1	EB, BT474, MB-MDA-231
75	301063	AI057634	Hs.124596	ESTs	2.1	NCI-H23, NCI-H460, BT474
	301952	AB029016	Hs.117333	KIAA1093 protein	2.1	OVCA-R, A549, CALU6
	326309			CH.17_hs gjl5867277	2.1	MB-MDA-435s, NCI-H69, MB-MDA-453

	315406	AI823453	Hs.146625	ESTs	2.1	OVCA-R, DU145, EB
	302376	AB007867	Hs.200480	KIAA0407 protein	2.1	OVCA-R, Caco2, HT29
	312181	AA417281	Hs.191595	ESTs	2.1	OVCA-R, A549, DU145
5	334254			CH22_FGENES.366_4	2.1	LnCap, OVCA-R, DU145
	318073	AW167087	Hs.131562	ESTs	2.1	A549, CALU6, EB
	304724	AA569881	Hs.65114	keratin 18	2.1	NCI-H23, NCI-H520, NCI-H460
	332359	W87704	Hs.211558	ESTs	2.1	MB-MDA-435s, PRSC_con, NCI-H460
	331884	AA431302	Hs.98721	EST; Weakly similar to N-copine [H.sapie	2.1	NCI-H345, MB-MDA-231, PRSC_con
10	308226	AI559106	Hs.181165	eukaryotic translation elongation factor	2.1	EB, CALU6, OVCA-R
	324279	AA501412	Hs.191688	ESTs; Weakly similar to Pro-Pol-dUTPase	2.09	OVCA-R, LnCap, PC3
	337203			CH22_FGENES.591-3	2.09	NCI-H69, NCI-H345, MB-MDA-231
	322346	AA227618	Hs.10882	HMG-box containing protein 1	2.09	HT29, BT474, MB-MDA-231
	304470	AA426654	Hs.195188	glyceraldehyde-3-phosphate dehydrogenase	2.09	NCI-H23, CALU6, NCI-H520
15	325977			CH.16_hs gjl6249602	2.09	NCI-H23, NCI-H520, HT29
	304696	AA554758		EST singleton (not in UniGene) with exon	2.09	MB-MDA-435s, NCI-H23, BT474
	317412	AI301528	Hs.132604	ESTs	2.09	Caco2, EB, NCI-358
	315570	AI860360	Hs.160316	ESTs	2.08	PRSC_con, PRSC_log, NCI-H345
	327341			CH.01_hs gjl6017016	2.08	MB-MDA-231, PRSC_con, NCI-H69
20	327431			CH.02_hs gjl5867754	2.08	NCI-H23, NCI-358, NCI-H520
	314685	AI870811	Hs.158709	ESTs; Weakly similar to KIAA0938 protein	2.08	MB-MDA-453, MCF7, OVCA-R
	328624			CH.07_hs gjl5868246	2.08	MCF7, NCI-358, RPWE-2
	303596	AW303377		EST cluster (not in UniGene) with exon h	2.08	RPWE-2, PRSC_con, PRSC_log
	336717			CH22_FGENES.81-1	2.08	BT474, HT29, MCF7
25	317370	AW204139	Hs.174424	ESTs; Weakly similar to p140mDia [M.musc	2.08	NCI-H23, NCI-H460, NCI-H69
	331287	AA149061	Hs.172971	ESTs	2.08	OVCA-R, EB, NCI-H345
	304211	N62228		EST singleton (not in UniGene) with exon	2.08	BT474, MCF7, MB-MDA-231
	315613	AW137420	Hs.192311	ESTs	2.08	PRSC_con, PRSC_log, PRSC_log
	325636			CH.14_hs gjl5867002	2.08	NCI-358, NCI-H460, MB-MDA-453
30	336406			CH22_FGENES.823_21	2.08	HT29, EB, DU145
	301714	F06529		EST cluster (not in UniGene) with exon h	2.08	LnCap, PRSC_log, PRSC_con
	300496	R45159	Hs.221804	ESTs	2.08	PRSC_con, LnCap, RPWE-2
	318970	R21114	Hs.21383	ESTs	2.08	NCI-H23, NCI-H520, NCI-H460
	334115			CH22_FGENES.330_15	2.08	BT474, NCI-H69, HT29
35	308082	AI473682		EST singleton (not in UniGene) with exon	2.08	MB-MDA-435s, NCI-H345, MB-MDA-231
	308282	AI569456		EST singleton (not in UniGene) with exon	2.08	LnCap, EB, PRSC_con
	313038	AW451618	Hs.124195	ESTs	2.07	NCI-H345, PRSC_con, LnCap
	317974	AW444468	Hs.144900	ESTs	2.07	NCI-358, NCI-H23, NCI-H520
	324063	AW292740	Hs.254815	ESTs	2.07	Caco2, NCI-358, NCI-H520
40	334759			CH22_FGENES.428_8	2.07	CALU6, HT29, NCI-H520
	307864	AI367417		EST singleton (not in UniGene) with exon	2.07	NCI-H460, NCI-358, NCI-H23
	304356	AA196027	Hs.195188	glyceraldehyde-3-phosphate dehydrogenase	2.07	HT29, MCF7, MB-MDA-435s
	303929	AW470753		EST singleton (not in UniGene) with exon	2.07	NCI-H345, PRSC_con, RPWE-2
	331857	AA421160	Hs.9456	SWI/SNF related; matrix assocd; actin de	2.07	EB, A549, PC3
45	322814	AI824495	Hs.211038	ESTs	2.06	PRSC_con, RPWE-2, Caco2
	303650	AA430709		EST cluster (not in UniGene) with exon h	2.06	RPWE-2, NCI-H345, PRSC_con
	333403			CH22_FGENES.144_21	2.06	OVCA-R, CALU6, PC3
	313663	AI953261	Hs.169813	ESTs	2.06	NCI-H345, OVCA-R, NCI-H23
	338594			CH22_EM:AC005500.GENSCAN.435-4	2.06	DU145, LnCap, EB
50	334676			CH22_FGENES.418_29	2.06	NCI-H69, PRSC_log, PRSC_con
	310046	AI198032	Hs.210356	ESTs	2.06	MB-MDA-435s, NCI-H23, Caco2
	309169	AI949216		EST singleton (not in UniGene) with exon	2.06	CALU6, EB, NCI-358
	329752			CH.14_p2 gjl6065777	2.06	CALU6, HT29, DU145
	325085	T10001	Hs.4188	ESTs	2.06	EB, OVCA-R, MB-MDA-435s
55	332062	AA521016	Hs.185375	ESTs	2.06	OVCA-R, MB-MDA-453, MCF7
	302074	AA382871	Hs.132794	phosphate cytidyltransferase 1; cholin	2.06	LnCap, EB, NCI-H69
	326344			CH.17_hs gjl6525295	2.06	HT29, BT474, MB-MDA-453
	330855	AA079318		zm98c2.s1 Stratagene colon HT29 (#937221		
				IMAGE:545954 3', mRNA seq	2.06	RPWE-2, LnCap, PRSC_con
60	302525	AF024690	Hs.248056	G protein-coupled receptor 43	2.05	NCI-358, NCI-H23, DU145
	331903	AA436673	Hs.29417	H sapiens mRNA; cDNA DKFZp586B0323 (from	2.05	2.05 Caco2, DU145, A549
	316322	AW296618	Hs.120637	ESTs	2.05	BT474, MB-MDA-453, OVCA-R
	321525	H78875		EST cluster (not in UniGene)	2.05	NCI-H23, PRSC_con, NCI-H520
	305071	AA640579		EST singleton (not in UniGene) with exon	2.05	MB-MDA-231, BT474, HT29
65	326033			CH.17_hs gjl5867178	2.05	HT29, DU145, BT474
	334730			CH22_FGENES.424_5	2.05	BT474, EB, OVCA-R
	305335	AA704235		EST singleton (not in UniGene) with exon	2.05	MCF7, OVCA-R, MB-MDA-453
	320521	N31464	Hs.24743	ESTs	2.05	MB-MDA-453, MB-MDA-231, PC3
	333515			CH22_FGENES.172_5	2.04	NCI-H345, RPWE-2, PRSC_con
70	311020	AI918672	Hs.213783	ESTs	2.04	NCI-H460, NCI-H23, NCI-H520
	324323	AA393739		EST cluster (not in UniGene)	2.04	OVCA-R, PC3, LnCap
	305486	AA748889		EST singleton (not in UniGene) with exon	2.04	NCI-H345, PRSC_log, CALU6
	312162	T91823		EST cluster (not in UniGene)	2.04	NCI-H520, NCI-H23, NCI-358
	330980	H28794	Hs.6659	ESTs	2.04	MCF7, MB-MDA-453, MB-MDA-435s
	317463	AA927290	Hs.130462	ESTs	2.04	NCI-H23, Caco2, NCI-H69
75	303460	AA700155	Hs.117900	ESTs	2.04	DU145, EB, CALU6
	337435			CH22_FGENES.766-2	2.03	NCI-H345, OVCA-R, LnCap

	305464	AA742425	EST singleton (not in UniGene) with exon	2.03	CALU6, NCI-H520, NCI-358
	307918	AI383496	EST singleton (not in UniGene) with exon	2.03	NCI-H23, BT474, MB-MDA-231
	322209	H89360	EST cluster (not in UniGene)	2.03	DU145, OVCA-R, MB-MDA-453
5	310295	AW205198 Hs.149146	ESTs	2.03	NCI-H23, NCI-H460, NCI-358
	325886		CH.16_hs gjl5867087	2.03	NCI-H345, NCI-H345, RPWE-2
	329719		CH.14_p2 gjl6065785	2.03	NCI-H69, RPWE-2, PRSC_con
	309247	AI972768	EST singleton (not in UniGene) with exon	2.03	LnCap, PRSC_con, RPWE-2
	328277		CH.07_hs gjl6004471	2.03	LnCap, RPWE-2, A549
10	307296	AI205705 Hs.147222	EST	2.03	NCI-H460, NCI-358, NCI-H23
	327203		CH.01_hs gjl5867447	2.03	HT29, BT474, MB-MDA-231
	306866	AI086683	EST singleton (not in UniGene) with exon	2.03	BT474, NCI-H345, HT29
	333339		CH22_FGENES.139_8	2.03	HT29, DU145, CALU6
	323115	AI921875	EST cluster (not in UniGene)	2.03	BT474, BT474, MB-MDA-231
15	304811	AA584361	EST singleton (not in UniGene) with exon	2.03	NCI-H23, NCI-358, NCI-H460
	323372	AL135125 Hs.13913	ESTs	2.02	DU145, EB, A549
	312854	AA828713	EST cluster (not in UniGene)	2.02	NCI-H345, PRSC_con, PRSC_log
	307904	AI381019	EST singleton (not in UniGene) with exon	2.02	HT29, MCF7, MB-MDA-453
	332099	AA608983	af5d4.s1 Soares_testis_NHT H sapiens cDN	2.02	PRSC_con, NCI-H345, RPWE-2
20	324634	AI684571 Hs.175831	ESTs	2.02	NCI-H460, Caco2, NCI-358
	335721		CH22_FGENES.599_24	2.02	NCI-H69, PRSC_log, NCI-H345
	312452	AI692643 Hs.172749	ESTs	2.02	HT29, Caco2, MB-MDA-231
	325396		CH.12_hs gjl5866921	2.01	HT29, NCI-H520, NCI-H460
	328770		CH.07_hs gjl6017031	2.01	NCI-H23, NCI-H460, NCI-358
25	335585		CH22_FGENES.581_24	2.01	MB-MDA-453, DU145, MCF7
	335634		CH22_FGENES.584_14	2.01	NCI-H23, NCI-H460, NCI-H69
	338271		CH22_EM:AC005500.GENSCAN.287-1	2.01	MCF7, DU145, PC3
	328607		CH.07_hs gjl5868233	2.01	NCI-H460, NCI-H23, NCI-358
30	307050	AI147341 Hs.146734	EST	2.01	NCI-H520, NCI-H23, NCI-358
	334946		CH22_FGENES.465_13	2.01	CALU6, BT474, DU145
	319793	R56360	EST cluster (not in UniGene)	2.01	NCI-H460, HT29, NCI-358
	307223	AI193698 Hs.184776	ribosomal protein L23a	2.01	NCI-358, NCI-H520, NCI-H23
	312627	AA344698 Hs.133169	ESTs	2.01	PC3, LnCap, MB-MDA-231
	329221		CH.X_hs gjl5868727	2.01	NCI-H345, NCI-H69, NCI-358
35	305145	AA653589	EST singleton (not in UniGene) with exon	2.01	LnCap, EB, OVCA-R
	328428		CH.07_hs gjl5868417	2.01	NCI-H69, MB-MDA-453, BT474
	305990	AA888866 Hs.125919	EST	2.01	NCI-H520, NCI-358, NCI-H23
	319368	R00003 Hs.133171	ESTs	2	OVCA-R, LnCap, PC3
	324805	AA927002 Hs.131350	ESTs	2	NCI-H460, NCI-H23, NCI-358
40	301138	AA719179 Hs.189419	ESTs	2	NCI-H69, NCI-H23, PRSC_con
	304675	AA541740	EST singleton (not in UniGene) with exon	2	NCI-H460, NCI-H520, MB-MDA-231
	326194		CH.17_hs gjl5867213	2	HT29, NCI-358, BT474

**Table 5: H chip – B survivor vs Met query – up in Mets**

5

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title

10

15

20

Pkey	Ex Accn	UniG_ID	Complete_Title	Ratio Met/B surv.
102193	U20758	Hs.313	secreted phosphoprotein 1 (osteopontin;	5.56
128530	AA504343	Hs.183475	Homo sapiens clone 25061 mRNA sequence	4.62
129093	AA262710	Hs.108614	KIAA0627 protein	4.23
124690	R05818	Hs.173830	ESTs	3.96
115558	AA393806	Hs.1010	regulator of mitotic spindle assembly 1	3.39
134261	AA227678	Hs.8084	Humn DNA sequence from clone 465N24 on c3.22	3.22
104792	AA029288	Hs.29147	ESTs; Highly similar to ZINC FINGER PROT	3.17
133770	M69197	Hs.242279	haptoglobin-related protein	3.07

10087080.022702



**Table 6: H chip – B survivor vs Met query – down in Mets**

5

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title

10

15

Pkey	Ex Accn	UniG_ID	Complete_Title	Ratio Met/B surv.
100116	D00654	Hs.77443	actin; gamma 2; smooth muscle; enteric	0.07
101923	S75256		HNL=neutrophil lipocalin (human, ovarian	0.2
129982	M87789	Hs.140	immunoglobulin gamma 3 (Gm marker)	0.2
130064	T67053	Hs.181125	immunoglobulin lambda gene cluster	0.2

10087080.022702

**Table 7: I chip – B survivor vs Met query – up in Mets**

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title

Pkey	Ex_Accn	UniG_ID	Title	Ratio Met/B surv
319379	T91443	Hs.193963	ESTs	19.65
321920	N63915			11.9
324302	AA543008	Hs.136806	ESTs; Weakly similar to !!!! ALU SUBFAM1	9.31
314522	AI732331	Hs.187750	ESTs; Moderately similar to !!!! ALU CLA	5.79
331433	H68097	Hs.161023	EST	4.79
324643	AI436356	Hs.130729	ESTs	4.59
332471	AA416967	Hs.120980	nuclear receptor co-repressor 2	4.58
314915	AA573072	Hs.187748	ESTs; Weakly similar to !!!! ALU SUBFAM1	4.3
321354	AA078493		EST cluster (not in UniGene)	4.26
322309	AF086372		EST cluster (not in UniGene)	3.89
325100	T10265	Hs.116122	ESTs; Weakly similar to coded for by C.	3.81
314071	AA192455	Hs.188690	ESTs	3.74
315178	AW362945	Hs.162459	ESTs	3.66
330987	H40988	Hs.131965	ESTs; Weakly similar to !!!! ALU SUBFAM1	3.51
337898			CH22_EM:AC005500.GENSCAN.56-5	3.21
319403	T98413		EST cluster (not in UniGene)	3.2
331469	N22273	Hs.39140	ESTs	3.15
331549	N56866	Hs.237507	EST	3.14
331644	T99544	Hs.173734	ESTs; Weakly similar to !!!! ALU CLASS B	3.14
313220	AI971981	Hs.118241	ESTs	3.04

**Table 8: I chip – B survivor vs Met query – down in Mets**

5

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UniGeneID: UniGene number  
 UniGene Title: UniGene gene title

10

15

20

25

30

35

Pkey	Ex_Accn	UniG_ID	Title	Ratio Met/B surv
333658			CH22_FGENES.241_4	0.06
333657			CH22_FGENES.241_2	0.07
333654			CH22_FGENES.240_2	0.07
332859			CH22_FGENES.27_2	0.07
333656			CH22_FGENES.240_4	0.07
304480	AA430373		EST singleton (not in UniGene) with exon	0.08
333737			CH22_FGENES.261_1	0.09
308601	AI719930		EST singleton (not in UniGene) with exon	0.1
334030			CH22_FGENES.320_2	0.1
333637			CH22_FGENES.229_2	0.13
302347	AF039400	Hs.194659	chloride channel; calcium activated; fam	0.16
333653			CH22_FGENES.239_2	0.16
333635			CH22_FGENES.228_2	0.19
333647			CH22_FGENES.235_2	0.19
307588	AI285535		EST singleton (not in UniGene) with exon	0.2
337954			CH22_EM:AC005500.GENSCAN.96-3	0.2
333588			CH22_FGENES.206_2	0.21
320244	AA296922	Hs.129778	gastrointestinal peptide	0.22
333642			CH22_FGENES.231_2	0.23
337951			CH22_EM:AC005500.GENSCAN.94-1	0.23
333730			CH22_FGENES.258_1	0.23
333646			CH22_FGENES.234_2	0.24

20070807 080700T

**Table 9: H chip – B survivor vs Met query – up in Mets**

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title

Pkey	Ex Accn	UniGID	Complete Title	Median Mets AI vs Median B-Sur AI
100655	HG2841-HT2970		Albumin, Alt. Splice 5	11.98
124875	R70506	Hs.207693	ESTs; Weakly similar to !!!! ALU SUBFAMI	9.21
102193	U20758	Hs.313	secreted phosphoprotein 1 (osteopontin;	6.73
100654	HG2841-HT2969		Albumin, Alt. Splice 3, Missplicing In Allobalbumin Venezia	6.18
118828	N79496	Hs.50824	EST	5.93
128046	AA873285	Hs.137947	ESTs	5.9
128896	D14446	Hs.107	fibrinogen-like 1	5.17
127917	AA211895	Hs.118831	EST; Highly similar to dJ1163J1.2.1 [H.s	5.11
125090	T91518		ye20f05.s1 Stratagene lung (#937210) Hom	4.47
118579	N68905		small inducible cytokine A5 (RANTES)	4.23
123526	AA608657		ESTs; Moderately similar to !!!! ALU SUB	4.21
128062	AA379500	Hs.193155	ESTs	4.14
119174	R71234		yi54c08.s1 Soares placenta Nb2HP Homo sa	4.11
128530	AA504343	Hs.183475	Homo sapiens clone 25061 mRNA sequence	4.09
119404	T92950		ye27c10.s1 Stratagene lung (#937210) Hom	3.98
118475	N66845	Hs.165411	ESTs; Weakly similar to !!!! ALU CLASS B	3.96
129974	K00629	Hs.199300	Human kpni repeat mma (cdna clone pod-k	3.87
108888	AA135606	Hs.189384	ESTs; Weakly similar to !!!! ALU SUBFAMI	3.85
123963	C13961	Hs.210115	EST	3.8
123523	AA608588	Hs.193634	ESTs	3.76
128230	AA984074	Hs.176757	ESTs	3.75
124090	H09570	Hs.143032	ESTs; Weakly similar to neuronal thread	3.67
124690	R05818	Hs.173830	ESTs	3.58
134261	AA227678	Hs.8084	Human DNA sequence from clone 465N24 on	3.57
126917	AA176225	Hs.193929	ESTs	3.52
126050	H27267	Hs.75860	hydroxyacyl-Coenzyme A dehydrogenase/3-k	3.45
126649	AA856990	Hs.125058	ESTs	3.42
115096	AA255991	Hs.175319	ESTs	3.4
129906	H39216	Hs.239970	ESTs; Weakly similar to ZNF91L [H.sapien	3.38
123022	AA480909		aa28f10.s1 NCI_CGAP_GCB1 Homo sapiens cD	3.38
106145	AA424791	Hs.5734	KIAA0679 protein	3.38
125191	W67257	Hs.138871	ESTs; Weakly similar to !!!! ALU CLASS B	3.36
108836	AA132061	Hs.222727	ESTs; Weakly similar to ubiquitous TPR m	3.3
128710	J04813	Hs.104117	cytochrome P450; subfamily IIIA (niphedi	3.27
123460	AA598981	Hs.251122	EST	3.25
133735	AC002045	Hs.251928	nuclear pore complex interacting protein	3.24
124696	R06273	Hs.186467	ESTs; Moderately similar to !!!! ALU SUB	3.24
120748	AA303153	Hs.237994	EST; Weakly similar to !!!! ALU SUBFAMIL	3.21
133770	M69197	Hs.242279	haptoglobin-related protein	3.17
128336	AI242720	Hs.146043	ESTs; Weakly similar to alternatively sp	3.14
135357	AA235803	Hs.79572	cathepsin D (lysosomal aspartyl protease	3.12
128088	R02443	Hs.186467	ESTs; Moderately similar to !!!! ALU SUB	3.08
124055	F10904	Hs.100516	Homo sapiens clone 23605 mRNA sequence	3.06
124896	R82063	Hs.101594	EST	3.06
127598	AA610677	Hs.168851	ESTs	3.04
116802	H44061	Hs.194026	ESTs	3.01

**Table 10: H chip – B survivor vs Met query – Down in Mets**

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title

10

	Pkey	Ex Accn	UniG_ID	Complete_Title	Ratio Met/B surv.
15	100116	D00654	Hs.77443	actin; gamma 2; smooth muscle; enteric	0.09
	130064	T67053	Hs.181125	immunoglobulin lambda gene cluster	0.11
	129982	M87789	Hs.140	immunoglobulin gamma 3 (Gm marker)	0.12
	131219	C00476	Hs.24395	small inducible cytokine subfamily B (Cy	0.13
	133806	M12759	Hs.76325	Human Ig J chain gene	0.17
20	132982	L02326	Hs.198118	immunoglobulin lambda-like polypeptide 2	0.18
	131713	X57809	Hs.181125	immunoglobulin lambda gene cluster	0.18
	131791	S71043	Hs.32225	immunoglobulin alpha 1	0.2
	133725	V00563	Hs.179543	immunoglobulin mu	0.22
	101923	S75256		HNL=neutrophil lipocalin (human, ovarian	0.23
25	101461	M22430	Hs.76422	phospholipase A2; group IIA (platelets;	0.24
	103448	X99133	Hs.204238	lipocalin 2 (oncogene 24p3)	0.24

10067080.022702

**Table 11: H chip – Met vs Normal query – up in Mets**

5

Pkey: Unique Eos probeset identifier number  
ExAccn: Exemplar Accession number, Genbank accession number  
UnigeneID: Unigene number  
Unigene Title: Unigene gene title

10 Pkey Ex Accn UniG\_ID Complete\_Title Median Mets AI vs Median Normal AI

	100655	HG2841-HT2970	Albumin, Alt. Splice 5	15.91	
	102193	U20758 Hs.313	secreted phosphoprotein 1 (osteopontin;	6.83	
	124875	R70506 Hs.207693	ESTs; Weakly similar to !!!! ALU SUBFAMI	6.68	
15	100654	HG2841-HT2969	Albumin, Alt. Splice 3, Missplicing In Alloalbumin Venezia	5.28	
	124059	F13673 Hs.99769	ESTs	5.11	
	128896	D14446 Hs.107	fibrinogen-like 1	5.05	
	134453	X70683 Hs.83484	SRV (sex determining region Y)-box 4	4.82	
	131564	AA491465 Hs.28792	ESTs	4.78	
20	127917	AA211895 Hs.118831	EST; Highly similar to dJ1163J1.2.1 [H.s	4.76	
	115096	AA255991 Hs.175319	ESTs	4.67	
	104558	R56678 Hs.88959	Human DNA sequence from clone 967N21 on	4.63	
	123526	AA608657	ESTs; Moderately similar to !!!! ALU SUB	4.61	
	125090	T91518	ye20f05.s1 Stratagene lung (#937210) Hom	4.59	
25	129666	M77349 Hs.118787	transforming growth factor; beta-induced	4.58	
	118828	N79496 Hs.50824	EST	4.56	
	128046	AA873285 Hs.137947	ESTs	4.45	
	133421	AA436560 Hs.7327	claudin 1	4.09	
	129158	J05257 Hs.109	dipeptidase 1 (renal)	4.04	
30	128062	AA379500 Hs.193155	ESTs	4.03	
	124696	R06273 Hs.186467	ESTs; Moderately similar to !!!! ALU SUB	4.01	
	118475	N66845 Hs.165411	ESTs; Weakly similar to !!!! ALU CLASS B	3.96	
	104755	AA024482 Hs.9029	DKFZP434G032 protein	3.83	
	104978	AA088458 Hs.19322	ESTs	3.74	
35	118579	N68905	small inducible cytokine A5 (RANTES)	3.7	
	123796	AA620390 Hs.247444	ESTs	3.62	
	127240	AA888387 Hs.243845	ESTs; Moderately similar to !!!! ALU SUB	3.61	
	104105	AA422123 Hs.42457	ESTs	3.55	
40	129349	D86974 Hs.110613	KIAA0220 protein	3.54	
	119329	T51832	ESTs; Moderately similar to !!!! ALU SUB	3.53	
	114617	AA084148 Hs.110659	ESTs	3.52	
	123143	AA487595	aa95e2.s1 Stratagene fetal retina 93722	3.48	
	103119	X63629 Hs.2877	cadherin 3; P-cadherin (placental)	3.48	
45	119404	T92950	ye27c10.s1 Stratagene lung (#937210) Hom	3.47	
	123963	C13961 Hs.210115	EST	3.47	
	116480	C14088 Hs.195188	glyceraldehyde-3-phosphate dehydrogenase	3.4	
	108836	AA132061 Hs.222727	ESTs; Weakly similar to ubiquitous TPR m	3.39	
	120748	AA303153 Hs.237994	EST; Weakly similar to !!!! ALU SUBFAMIL	3.38	
	133770	M69197 Hs.242279	haptoglobin-related protein	3.38	
50	132358	X60486 Hs.46423	H4 histone family; member G	3.37	
	127759	AI369384	arylsulfatase D	3.37	
	129095	L12350 Hs.108623	thrombospondin 2	3.37	
	128261	AI061213 Hs.13179	ESTs; Moderately similar to !!!! ALU SUB	3.36	
	126908	AA169866	ESTs; Weakly similar to !!!! ALU SUBFAMI	3.36	
55	128954	N32118 Hs.209100	DKFZP434C171 protein	3.34	
	119174	R71234	yi54c08.s1 Soares placenta Nb2HP Homo sa	3.33	
	106687	AA463234 Hs.119387	KIAA0792 gene product	3.32	
	128230	AA984074 Hs.176757	ESTs	3.3	
	126649	AA856990 Hs.125058	ESTs	3.25	
60	124620	N74051 Hs.194092	ESTs; Weakly similar to !!!! ALU SUBFAMI	3.24	
	135427		AFFX control: human alu repeats	3.23	
	129967	H99653 Hs.138618	ESTs	3.22	
	125191	W67257 Hs.138871	ESTs; Weakly similar to !!!! ALU CLASS B	3.2	
	124684	R02401 Hs.221078	ESTs	3.2	
65	128010	AA856953 Hs.23348	S-phase kinase-associated protein 2 (p45	3.17	
	119423	T99544 Hs.173734	ESTs; Weakly similar to !!!! ALU CLASS B	3.16	
	123022	AA480909	aa28f10.s1 NCI_CGAP_GCB1 Homo sapiens cD	3.15	
	103654	Z70759	H.sapiens mitochondrial 16S rRNA gene (p	3.13	
	128336	AI242720 Hs.146043	ESTs; Weakly similar to alternatively sp	3.12	
70	124690	R05818 Hs.173830	ESTs	3.1	
	129791	F02778 Hs.173887	KIAA0876 protein	3.07	
	114472	AA028924 Hs.177407	ESTs; Weakly similar to !!!! ALU SUBFAMI	3.07	
	115429	AA284139 Hs.89295	EST	3.06	
75	130020	AA433930 Hs.240443	ESTs; Weakly similar to HNK-1 sulfotrans	3.06	
	126050	H27267 Hs.75860	hydroxyacyl-Coenzyme A dehydrogenase/3-k	3.05	

204220 08078001

	129906	H39216	Hs.239970	ESTs; Weakly similar to ZNF91L [H.sapien	3.04
	123422	AA598484	Hs.238476	EST	3.03
	103059	X57351	Hs.174195	interferon induced transmembrane protein	3.02
	124253	H69742	Hs.102201	ESTs	3.02
5	123523	AA608588	Hs.193634	ESTs	3.02
	132669	AA188378	Hs.54602	ESTs; Weakly similar to 60S RIBOSOMAL PR3.02	
	123196	AA489250	Hs.59403	serine palmitoyltransferase; subunit II	3.01
	122948	AA477483		zu44h2.s1 Soares ovary tumor NbHOT Homo	3.01
	119053	R11501		yf28f1.s1 Soares fetal liver spleen 1NFL	3.01
10	125953	H40829		yo05d11.r1 Soares adult brain N2b5HB55Y	3
	119155	R61715	Hs.138237	ESTs	3

**Table 12: H chip – Met vs Normal query – down in Mets**

5

Pkey: Unique Eos probeset identifier number  
ExAccn: Exemplar Accession number, Genbank accession number  
UnigeneID: Unigene number  
Unigene Title: Unigene gene title

10

Pkey	Ex Accn	UniG_ID	Complete Title	Median Mets AI vs Median Normal AI
103466	Y00339	Hs.155097	carbonic anhydrase II	0.01
104258	AF007216	Hs.5462	solute carrier family 4; sodium bicarbon	0.02
108999	AA156064	Hs.72115	ESTs	0.04
101046	K01160		Accession not listed in Genbank	0.04
133565	H57056	Hs.204831	ESTs	0.05
101346	L76465	Hs.77348	hydroxyprostaglandin dehydrogenase 15-(N	0.05
123137	AA487468	Hs.100686	ESTs; Weakly similar to secreted cement	0.05
134534	X73501	Hs.84905	H. Sapiens mRNA for cytokeratin 20	0.05
118823	N79237	Hs.50813	ESTs; Weakly similar to long chain fatty	0.06
102095	U11313	Hs.75760	sterol carrier protein 2	0.06
111855	R37362	Hs.21351	ESTs	0.06
129105	AA224351	Hs.108681	ESTs	0.07
130320	U19495	Hs.237356	stromal cell-derived factor 1	0.07
113778	W15263	Hs.5422	ESTs	0.07
116786	H25836	Hs.83429	tumor necrosis factor (ligand) superfami	0.07
100116	D00654	Hs.77443	actin; gamma 2; smooth muscle; enteric	0.07
104636	AA004415	Hs.106106	ESTs	0.07
107032	AA599472	Hs.247309	succinate-CoA ligase; GDP-forming; beta	0.08
106605	AA457718	Hs.21103	Homo sapiens mRNA; cDNA DKFZp564B076 (fr	0.08
128906	AA487557	Hs.10706	ESTs	0.08
130016	AA055811	Hs.143131	transmembrane glycoprotein	0.08
113523	T90037	Hs.16686	ESTs	0.08
102638	U67319	Hs.9216	caspase 7; apoptosis-related cysteine pr	0.09
124308	H93575	Hs.227146	Homo sapiens mRNA; cDNA DKFZp564J142 (fr	0.09
129519	AA298786	Hs.112242	ESTs	0.09
134749	L10955	Hs.89485	carbonic anhydrase IV	0.09
130366	L11708	Hs.155109	hydroxysteroid (17-beta) dehydrogenase 2	0.09
109272	AA195718	Hs.86030	ESTs	0.09
102124	U14528	Hs.29981	solute carrier family 26 (sulfate transp	0.1
132711	N73702	Hs.238927	ESTs	0.1
131861	D11925	Hs.184245	KIAA0929 protein Msx2 interacting nuclea	0.1
133806	M12759	Hs.76325	Human Ig J chain gene	0.1
102571	U60115		Homo sapiens skeletal muscle LIM-protein	0.1
114846	AA234929	Hs.44343	ESTs	0.11
131328	V01512	Hs.25647	v-fos FBJ murine osteosarcoma viral onco	0.11
106569	AA455983	Hs.117816	sorcin	0.11
103542	Z11793	Hs.3314	selenoprotein P; plasma; 1	0.11
128915	C02386	Hs.107139	ESTs	0.11
120914	AA377254	Hs.97107	EST	0.11
130867	J04093	Hs.2056	UDP glycosyltransferase 1	0.11
110837	N30796	Hs.17424	ESTs; Weakly similar to semaphorin F [H.	0.12
101877	M97496	Hs.778	guanylate cyclase activator 1B (retina)	0.12
132617	AA171913	Hs.5338	carbonic anhydrase XII	0.12
129113	AA147646	Hs.108740	DKFZP586A0522 protein	0.12
133435	T23983	Hs.7365	ESTs	0.13
132836	F09557	Hs.57929	slit (Drosophila) homolog 3	0.13
125832	AA628600	Hs.117587	ESTs	0.13
104613	AA001049	Hs.24713	Homo sapiens mRNA; cDNA DKFZp586G0123 (f	0.13
132903	AA235404	Hs.5985	Homo sapiens clone 25186 mRNA sequence	0.13
119479	W32094	Hs.55501	ESTs	0.14
131273	AA421139	Hs.173542	ESTs	0.14
106674	AA461303	Hs.7946	DKFZP586D1519 protein	0.14
108980	AA151676	Hs.33455	peptidyl arginine deiminase; type II	0.14
103211	X73079	Hs.205126	polymeric immunoglobulin receptor	0.14
131219	C00476	Hs.24395	small inducible cytokine subfamily B (Cy	0.15
116459	AA621399	Hs.64193	ESTs	0.15
130219	R77539	Hs.15285	ESTs	0.15
113863	W68388	Hs.21288	ESTs; Weakly similar to KIAA0704 protein	0.15
101564	M32886	Hs.117816	sorcin	0.15
109502	AA233837	Hs.44755	ESTs; Weakly similar to membrane glycopr	0.15
107222	D51235	Hs.82689	tumor rejection antigen (gp96) 1	0.15
135237	AA454930	Hs.9691	ESTs	0.15



	112483	R66534	Hs.28403	ESTs	0.15	
	132387	R70914	Hs.8997	heat shock 70kD protein 1	0.15	
	130343	AA490262	Hs.15485	ESTs; Weakly similar to APICAL-LIKE PROT	0.16	
5	105496	AA256323	Hs.25264	DKFZP434N126 protein	0.16	
	104037	AA372630	Hs.100347	differentially expressed in hematopoietic	0.16	
	101461	M22430	Hs.76422	phospholipase A2; group IIA (platelets;	0.16	
	116551	D20458	Hs.229071	EST	0.16	
	133889	AA099391	Hs.211582	myosin; light polypeptide kinase	0.16	
10	103653	Z70295	Hs.32966	guanylate cyclase activator 2B (uroguany	0.16	
	101070	L02785	Hs.1650	down-regulated in adenoma	0.17	
	131501	AA121127	Hs.181307	H3 histone; family 3A	0.17	
	133515	X98311	Hs.74466	carcinoembryonic antigen-related cell ad	0.17	
	108604	AA099820	Hs.49696	ESTs	0.17	
15	132982	L02326	Hs.198118	immunoglobulin lambda-like polypeptide 2	0.17	
	131676	C20785	Hs.30514	ESTs	0.17	
	134675	AA250745	Hs.87773	protein kinase; cAMP-dependent; catalyti	0.17	
	133441	M82962	Hs.179704	meprin A; alpha (PABA peptide hydrolase)	0.18	
	130455	X17059	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	0.18	
	131734	D62965	Hs.31297	ESTs	0.18	
20	100749	HG3521-HT3715		Ras-Related Protein Rap1b	0.18	
	116724	F13665	Hs.65641	ESTs	0.18	
	129265	X68277	Hs.171695	dual specificity phosphatase 1	0.18	
	102347	U37518	Hs.83429	tumor necrosis factor (ligand) superfami	0.18	
	114542	AA055768	Hs.122576	ESTs	0.18	
25	123900	AA621223	Hs.112953	EST	0.19	
	121780	AA422086	Hs.124660	ESTs	0.19	
	115662	AA405715	Hs.64179	hypothetical protein	0.19	
	113803	W42789	Hs.31446	ESTs	0.19	
	105493	AA256268	Hs.10283	ESTs	0.19	
30	113195	T57112		yc20g11.s1 Stratagene lung (#937210) Hom	0.19	
	129462	D84239	Hs.111732	IgG Fc binding protein	0.19	
	133664	X86693	Hs.75445	hevin	0.2	
	126180	R18070	Hs.3712	ubiquinol-cytochrome c reductase; Rieske	0.2	
35	100687	HG3115-HT3291		Golli-Mbp (Gb:L18862)	0.2	
	130064	T67053	Hs.181125	immunoglobulin lambda gene cluster	0.2	
	101367	M12963	Hs.73843	alcohol dehydrogenase 1 (class I); alpha	0.2	
	132254	L20826	Hs.430	plastin 1 (I isoform)	0.2	
	105646	AA282147	Hs.5888	ESTs	0.2	
40	132883	AA047151	Hs.5897	Homo sapiens mRNA; cDNA DKFZp586P1622 (f	0.21	
	132618	AA253330	Hs.5344	adaptor-related protein complex 1; gamma	0.21	
	108931	AA147186	Hs.250746	ESTs	0.22	
	131421	X64177	Hs.2667	metallothionein 1H	0.22	
	107295	T34527	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	0.22	
45	103576	Z26317	Hs.2631	desmoglein 2	0.22	
	105173	AA182030	Hs.8364	ESTs	0.22	
	134843	H60595	Hs.90061	progesterone binding protein	0.22	
	102009	U02680	Hs.82643	protein tyrosine kinase 9	0.23	
	123997	D51171	Hs.78902	voltage-dependent anion channel 2	0.23	
50	106609	AA458652	Hs.32181	ESTs	0.23	
	101300	L40391	Hs.6445	Homo sapiens (clone s153) mRNA fragment	0.23	
	129717	AA481670	Hs.12150	ESTs; Weakly similar to retinal short-ch	0.23	
	108565	AA085342	Hs.1526	ATPase; Ca++ transporting; cardiac muscl	0.23	
	121314	AA402799	Hs.182538	ESTs	0.23	
55	124803	R45480	Hs.164866	cyclin K	0.23	
	130208	AA620556	Hs.15250	peroxisomal D3;D2-enoyl-CoA isomerase	0.23	
	132888	AA490775	Hs.5920	UDP-N-acetylglucosamine-2-epimerase/N-ac	0.23	
	132720	Z69881	Hs.5541	ATPase; Ca++ transporting; ubiquitous	0.23	
	102239	U26726	Hs.1376	hydroxysteroid (11-beta) dehydrogenase 2	0.23	
60	115764	AA421562	Hs.91011	anterior gradient 2 (Xenopus laevis) hom	0.24	
	130558	H96654	Hs.15984	ESTs; Weakly similar to gene pp21 protei	0.24	
	122666	AA455052	Hs.99387	ESTs	0.24	
	134495	D63477	Hs.84087	KIAA0143 protein	0.24	
	124017	F02202	Hs.100960	ESTs	0.24	
65	106925	AA491261	Hs.37558	Homo sapiens clone 23923 mRNA sequence	0.24	
	115187	AA261805	Hs.44021	ESTs	0.24	
	105309	AA233790	Hs.4104	ESTs; Weakly similar to cDNA EST yk386g7	0.24	
	124457	N50114	Hs.128704	ESTs	0.24	
	130616	AA233763	Hs.16726	Homo sapiens mRNA; cDNA DKFZp564A132 (fr	0.25	
70	105795	AA369245	Hs.17448	ESTs; Weakly similar to !!!! ALU SUBFAMI	0.25	
	134579	N23222	Hs.85963	CD36 antigen (collagen type I receptor;	0.25	

**Table 13: H chip – Met vs Normal query – up in Mets**

5

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UniGeneID: UniGene number  
 UniGene Title: UniGene gene title

10

Pkey	Ex Accn	UniG_ID	Complete_Title	Ratio Met/Normal
102193	U20758	Hs.313	secreted phosphoprotein 1 (osteopontin);	8.457
111307	N73988	Hs.37477	ESTs; Weakly similar to CGI-141 protein	6.05
103119	X63629	Hs.2877	cadherin 3; P-cadherin (placental)	5.207
131564	AA491465	Hs.28792	ESTs	5.136
119729	W69747	Hs.94806	KIAA1062 protein	4.667
124059	F13673	Hs.99769	ESTs	4.398
123987	C21171	Hs.95497	ESTs; Weakly similar to GLUCOSE TRANSPOR	4.292
128817	N47524	Hs.28491	spermidine/spermine N1-acetyltransferase	3.964
133770	M69197	Hs.242279	haptoglobin-related protein	3.823
130412	AA406554	Hs.241572	golgi autoantigen; golgin subfamily a; 5	3.719
104755	AA024482	Hs.9029	DKFZP434G032 protein	3.702
132676	AA283035	Hs.54813	ESTs	3.645
134453	X70683	Hs.83484	SRY (sex determining region Y)-box 4	3.581
124690	R05818	Hs.173830	ESTs	3.446
106949	AA496805	Hs.177425	KIAA0964 protein	3.42
130724	AA370091	Hs.179680	ESTs	3.402
128992	R49693	Hs.107708	ESTs	3.32
133421	AA436560	Hs.7327	claudin 1	3.255
103047	X55990	Hs.73839	ribonuclease; RNase A family; 3 (eosinop	3.229
102990	X51441	Hs.181062	serum amyloid A1	3.149
115429	AA284139	Hs.89295	EST	3.114
129158	J05257	Hs.109	dipeptidase 1 (renal)	3.019
123533	AA608751	Hs.244904	ESTs; Weakly similar to !!!! ALU SUBFAMI	3.011

20220"08048007

**Table 14: H chip – Met vs Normal query – down in Mets**

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title

PkeyY	Ex Accn	UniG_ID	Complete_Title	Ratio Met/Normal
103466	Y00339	Hs.155097	carbonic anhydrase II	0.012
104258	AF007216	Hs.5462	solute carrier family 4; sodium bicarbon	0.025
108999	AA156064	Hs.72115	ESTs	0.034
101046	K01160		Accession not listed in Genbank	0.041
133565	H57056	Hs.204831	ESTs	0.042
101346	L76465	Hs.77348	hydroxyprostaglandin dehydrogenase 15-(N	0.043
102095	U11313	Hs.75760	sterol carrier protein 2	0.054
111855	R37362	Hs.21351	ESTs	0.055
130320	U19495	Hs.237356	stromal cell-derived factor 1	0.058
123137	AA487468	Hs.100686	ESTs; Weakly similar to secreted cement	0.06
107222	D51235	Hs.82689	tumor rejection antigen (gp96) 1	0.06
102638	U67319	Hs.9216	caspase 7; apoptosis-related cysteine pr	0.063
128906	AA487557	Hs.10706	ESTs	0.065
129105	AA224351	Hs.108681	ESTs	0.069
110837	N30796	Hs.17424	ESTs; Weakly similar to semaphorin F [H.	0.069
100116	D00654	Hs.77443	actin; gamma 2; smooth muscle; enteric	0.071
116786	H25836	Hs.83429	tumor necrosis factor (ligand) superfami	0.074
130867	J04093	Hs.2056	UDP glycosyltransferase 1	0.075
132836	F09557	Hs.57929	slit (Drosophila) homolog 3	0.076
131861	D11925	Hs.184245	KIAA0929 protein Msx2 interacting nuclea	0.081
106674	AA461303	Hs.7946	DKFZP586D1519 protein	0.084
109272	AA195718	Hs.86030	ESTs	0.088
132711	N73702	Hs.238927	ESTs	0.091
106569	AA455983	Hs.117816	sorcin	0.092
104636	AA004415	Hs.106106	ESTs	0.093
118823	N79237	Hs.50813	ESTs; Weakly similar to long chain fatty	0.094
134534	X73501	Hs.84905	H. Sapiens mRNA for cytokeratin 20	0.095
119479	W32094	Hs.55501	ESTs	0.096
113778	W15263	Hs.5422	ESTs	0.098
128482	U83908	Hs.100407	programmed cell death 4	0.102
124653	N92884	Hs.109641	ESTs	0.106
133407	AA093348	Hs.7306	secreted frizzled-related protein 1	0.108
135237	AA454930	Hs.9691	ESTs	0.109
116250	AA480975	Hs.44829	ESTs	0.111
132617	AA171913	Hs.5338	carbonic anhydrase XII	0.112
131273	AA421139	Hs.173542	ESTs	0.113
116710	F10577	Hs.70312	ESTs	0.114
131791	S71043	Hs.32225	immunoglobulin alpha 1	0.114
112483	R66534	Hs.28403	ESTs	0.115
132017	W67251	Hs.37331	Homo sapiens vav 3 oncogene (VAV3) mRNA	0.116
124308	H93575	Hs.227146	Homo sapiens mRNA; cDNA DKFZp564J142 (fr	0.117
114846	AA234929	Hs.44343	ESTs	0.119
116551	D20458	Hs.229071	EST	0.12
105299	AA233511	Hs.194720	ATP-binding cassette; sub-family G (WHIT	0.122
130366	L11708	Hs.155109	hydroxysteroid (17-beta) dehydrogenase 2	0.122
133806	M12759	Hs.76325	Human Ig J chain gene	0.122
104776	AA026349	Hs.31412	ESTs	0.125
129565	X77777	Hs.198726	vasoactive intestinal peptide receptor 1	0.125
131272	AA423884	Hs.139033	paternally expressed gene 3	0.127
105774	AA348014	Hs.23412	ESTs	0.128
134604	M22995	Hs.865	RAP1A; member of RAS oncogene family	0.128
134711	X04011	Hs.88974	cytochrome b-245; beta polypeptide (chro	0.128
129113	AA147646	Hs.108740	DKFZP586A0522 protein	0.133
123995	D51119	Hs.100090	tetraspan 3	0.133
129168	T90621	Hs.109052	chromosome 14 open reading frame 2	0.133
123891	AA621103	Hs.99216	ESTs; Moderately similar to !!!! ALU SUB	0.135
132694	M60830	Hs.5509	ecotropic viral integration site 2B	0.135
135342	W60097	Hs.99120	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	0.135
131510	AA207114	Hs.27842	ESTs; Weakly similar to similar to 1-acy	0.137
133652	AA287383	Hs.7540	ESTs	0.137
134749	L10955	Hs.89485	carbonic anhydrase IV	0.139
106586	AA456598	Hs.256269	ESTs	0.139

	106893	AA489636	Hs.25253	ESTs	0.139	
	101070	L02785	Hs.1650	down-regulated in adenoma	0.14	
	114293	Z40718	Hs.20196	adenylate cyclase 9	0.14	
	113966	W86600	Hs.9842	ESTs	0.141	
5	101185	L19872	Hs.170087	aryl hydrocarbon receptor	0.145	
	131492	AA393876	Hs.1255	nuclear receptor subfamily 2; group F; m	0.145	
	133889	AA099391	Hs.211582	myosin; light polypeptide kinase	0.145	
	120914	AA377254	Hs.97107	EST	0.147	
	118771	N74690	Hs.50547	ESTs	0.149	
10	105496	AA256323	Hs.25264	DKFZP434N126 protein	0.151	
	131011	R41771	Hs.22146	ESTs	0.153	
	106210	AA428239	Hs.10338	ESTs	0.154	
	114069	Z38161	Hs.197335	plasma glutamate carboxypeptidase	0.154	
	133011	AA042990	Hs.171921	sema domain; immunoglobulin domain (Ig);	0.154	
15	115967	AA446887	Hs.42911	ESTs	0.154	
	102571	U60115		Homo sapiens skeletal muscle LIM-protein	0.155	
	100587	HG3115-HT3291		Golli-Mbp (Gb:L18862)	0.155	
	132903	AA235404	Hs.5985	Homo sapiens clone 25186 mRNA sequence	0.155	
	125832	AA628600	Hs.117587	ESTs	0.155	
20	130064	T67053	Hs.181125	immunoglobulin lambda gene cluster	0.157	
	123264	AA491003	Hs.99824	BCE-1 protein	0.159	
	130919	AA291710	Hs.21276	collagen; type IV; alpha 3 (Goodpasture	0.159	
	103542	Z11793	Hs.3314	selenoprotein P; plasma; 1	0.161	
	101478	M23379	Hs.758	RAS p21 protein activator (GTPase activa	0.162	
25	108921	AA142913	Hs.71721	ESTs	0.164	
	100642	HG2743-HT3926		Caldesmon 1, Alt. Splice 6, Non-Muscle	0.167	
	132109	AA599801	Hs.40098	ESTs	0.167	
	115719	AA416997	Hs.59622	ESTs	0.169	
	128915	C02386	Hs.107139	ESTs	0.171	
30	117634	N36421	Hs.107854	ESTs; Weakly similar to SODIUM- AND CHLO		0.172
	129462	D84239	Hs.111732	IgG Fc binding protein	0.174	
	131328	V01512	Hs.25647	v-fos FBJ murine osteosarcoma viral onco	0.176	
	130343	AA490262	Hs.15485	ESTs; Weakly similar to APICAL-LIKE PROT	0.177	
	115764	AA421562	Hs.91011	anterior gradient 2 (Xenopus laevis) hom	0.177	
35	122261	AA436830	Hs.98902	ESTs	0.179	
	106605	AA457718	Hs.21103	Homo sapiens mRNA; cDNA DKFZp564B076 (fr		0.179
	109991	H09813	Hs.12896	KIAA1034 protein	0.181	
	101300	L40391	Hs.6445	Homo sapiens (clone s153) mRNA fragment	0.181	
40	123080	AA485303	Hs.205126	polymeric immunoglobulin receptor	0.182	
	130016	AA055811	Hs.143131	transmembrane glycoprotein	0.186	
	122666	AA455052	Hs.99387	ESTs	0.188	
	105453	AA252893	Hs.9001	ESTs	0.189	
	108980	AA151676	Hs.33455	peptidyl arginine deiminase; type II	0.19	
	100248	D31888	Hs.78398	KIAA0071 protein	0.192	
45	130036	AA195260	Hs.206738	ESTs; Moderately similar to !!!! ALU SUB	0.192	
	110882	N36001	Hs.17348	ESTs; Weakly similar to !!!! ALU SUBFAM1	0.193	
	131676	C20785	Hs.30514	ESTs	0.195	
	111029	N54792	Hs.24697	cytidine monophosphate-N-acetylneuramini	0.196	
50	131257	AA256042	Hs.24908	ESTs	0.196	
	133348	T23517	Hs.7149	ESTs	0.196	
	133784	AA214305	Hs.76173	ESTs	0.196	
	113863	W68388	Hs.21288	ESTs; Weakly similar to KIAA0704 protein	0.197	
	103158	X67235	Hs.118651	hematopoietically expressed homeobox	0.198	
	102347	U37518	Hs.83429	tumor necrosis factor (ligand) superfami	0.2	
55	111351	N90223	Hs.23392	ESTs	0.2	
	123495	AA599850	Hs.106747	ESTs; Weakly similar to similar to BPTI/	0.2	
	123802	AA620448	Hs.61408	Homo sapiens clone 24760 mRNA sequence	0.2	
	129243	H88033	Hs.109727	KIAA0733 protein	0.2	
60	130219	R77539	Hs.15285	ESTs	0.2	
	131171	H04644	Hs.167619	ESTs; Weakly similar to !!!! ALU SUBFAM1	0.2	
	133746	U44378	Hs.75862	MAD (mothers against decapentaplegic; Dr	0.2	
	116459	AA621399	Hs.64193	ESTs	0.201	
	109613	F03031	Hs.27519	ESTs	0.202	
	133435	T23983	Hs.7365	ESTs	0.202	
65	103002	X52001	Hs.1408	endothelin 3	0.204	
	125153	W38294		Accession not listed in Genbank	0.204	
	131919	AA121266	Hs.34641	ESTs	0.204	
	100749	HG3521-HT3715		Ras-Related Protein Rap1b	0.205	
	105085	AA147537	Hs.4811	ESTs	0.208	
70	124571	N67470	Hs.173074	DKFZP564O1863 protein	0.21	
	129519	AA298786	Hs.112242	ESTs	0.21	
	116724	F13665	Hs.65641	ESTs	0.21	
	132932	T15482	Hs.6093	ESTs	0.21	
	113803	W42789	Hs.31446	ESTs	0.211	
75	110792	N24899	Hs.6630	ESTs	0.212	
	105178	AA187490	Hs.21941	ESTs	0.212	

	107295	T34527	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	0.212	
	115262	AA279112	Hs.88594	ESTs	0.213	
	115839	AA429038	Hs.40541	ESTs	0.213	
5	103211	X73079	Hs.205126	polymeric immunoglobulin receptor	0.214	
	108604	AA099820	Hs.49696	ESTs	0.215	
	105173	AA182030	Hs.8364	ESTs	0.217	
	108539	AA084677	Hs.54558	ESTs; Weakly similar to protein B [H.sap	0.217	
	109984	H09594	Hs.10299	ESTs	0.217	
	133536	Y00264	Hs.177486	amyloid beta (A4) precursor protein (pro	0.217	
10	129965	T71333	Hs.13854	ESTs	0.219	
	114542	AA055768	Hs.122576	ESTs	0.219	
	132982	L02326	Hs.198118	immunoglobulin lambda-like polypeptide 2	0.22	
	101809	M86849		Homo sapiens connexin 26 (GJB2) mRNA, co	0.222	
15	105795	AA369245	Hs.17448	ESTs; Weakly similar to !!!! ALU SUBFAMI	0.222	
	132119	H99211	Hs.40334	ESTs	0.222	
	132733	R25385	Hs.123654	KIAA0824 protein	0.222	
	109415	AA227219	Hs.110826	trinucleotide repeat containing 9	0.222	
	113083	T40530	Hs.8241	ESTs; Weakly similar to heat shock prote	0.223	
	107053	AA600147	Hs.5741	ESTs; Weakly similar to NADH-cytochrome	0.224	
20	103653	Z70295	Hs.32966	guanylate cyclase activator 2B (uroguany	0.225	
	104613	AA001049	Hs.24713	Homo sapiens mRNA; cDNA DKFZp586G0123 (f	0.225	0.225
	126180	R18070	Hs.3712	ubiquinol-cytochrome c reductase; Rieske	0.227	
	132015	D11900	Hs.3731	ESTs	0.227	
	130616	AA233763	Hs.16726	Homo sapiens mRNA; cDNA DKFZp564A132 (fr	0.227	0.227
25	132883	AA047151	Hs.5897	Homo sapiens mRNA; cDNA DKFZp586P1622 (f	0.23	0.23
	123169	AA488892	Hs.104472	ESTs; Weakly similar to Gag-Pol polyprot	0.233	
	115187	AA261805	Hs.44021	ESTs	0.234	
	116787	H28581	Hs.15641	ESTs	0.234	
	113195	T57112		yc20g11.s1 Stratagene lung (#937210) Hom	0.235	
30	130707	W45457	Hs.203559	ESTs	0.235	
	124803	R45480	Hs.164866	cyclin K	0.235	
	116844	H64938	Hs.38331	ESTs	0.235	
	102759	U81607	Hs.788	A kinase (PRKA) anchor protein (gravin)	0.238	
	130584	AA009839	Hs.180841	tumor necrosis factor receptor superfami	0.238	
35	133240	D31161	Hs.68613	ESTs	0.238	
	132952	AA425154	Hs.61426	ESTs	0.239	
	132720	Z69881	Hs.5541	ATPase; Ca++ transporting; ubiquitous	0.24	
	131734	D62965	Hs.31297	ESTs	0.24	
	111890	R38678	Hs.12365	ESTs	0.241	
40	102325	U35139	Hs.50130	neodin (mouse) homolog	0.244	
	104968	AA084602	Hs.29669	ESTs	0.244	
	105674	AA284755	Hs.214742	CDW52 antigen (CAMPATH-1 antigen)	0.244	
	120519	AA258585	Hs.129887	cadherin 19 (NOTE: redefinition of symbo	0.244	
	134675	AA250745	Hs.87773	protein kinase; cAMP-dependent; catalyti	0.244	
45	130642	M63438	Hs.156110	Immunoglobulin kappa variable 1D-8	0.245	
	134418	R78190	Hs.82933	ESTs; Weakly similar to cDNA EST EMBL:TO	0.245	
	115137	AA257976	Hs.56156	ESTs	0.245	
	131713	X57809	Hs.181125	immunoglobulin lambda gene cluster	0.246	
	108931	AA147186	Hs.250746	ESTs	0.246	
50	106609	AA458652	Hs.32181	ESTs	0.248	
	115559	AA393810	Hs.41067	ESTs	0.25	
	133985	L34657	Hs.78146	platelet/endothelial cell adhesion molec	0.25	
	134088	D43636	Hs.79025	KIAA0096 protein	0.25	
55	134487	R38185	Hs.83954	Homo sapiens unknown mRNA	0.25	

**Table 15: I chip – Met vs Normal query – up in Mets**

5

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UniGeneID: UniGene number  
 UniGene Title: UniGene gene title

10

Pkey	Ex_Accn	UniG_ID	Title	Ratio Met/Normal
319379	T91443	Hs.193963	ESTs	18.71
321920	N63915		EST cluster (not in UniGene)	11.9
15 314522	AI732331	Hs.187750	ESTs; Moderately similar to !!!! ALU CLA	7.23
315720	AW291875	Hs.163900	ESTs	6.06
308010	AI439190	Hs.181165	eukaryotic translation elongation factor	5.76
313774	AW136836	Hs.144583	ESTs	5.01
20 300734	AW205197	Hs.240951	ESTs	3.98
337895			CH22_EM:AC005500.GENSCAN.56-2	3.98
312339	AA524394		EST cluster (not in UniGene)	3.66
331644	T99544	Hs.173734	ESTs; Weakly similar to !!!! ALU CLASS B	3.53
324643	AI436356	Hs.130729	ESTs	3.52
25 324302	AA543008	Hs.136806	ESTs; Weakly similar to !!!! ALU SUBFAM1	3.41
314912	AI431345	Hs.161784	ESTs	3.33
319403	T98413		EST cluster (not in UniGene)	3.32
308676	AI761036		EST singleton (not in UniGene) with exon	3.27
331858	AA421163	Hs.163848	ESTs	3.22
315178	AW362945	Hs.162459	ESTs	3.21
30 321354	AA078493		EST cluster (not in UniGene)	3.18
337898			CH22_EM:AC005500.GENSCAN.56-5	3.16
322682	AI110679		EST cluster (not in UniGene)	3.15
313197	AI738851	Hs.222487	ESTs	3.1
308991	AI879831		EST singleton (not in UniGene) with exon	3.08
35 310016	AW449612	Hs.152475	ESTs	3.05

**Table 16: I chip – Met vs Normal query – down in Mets**

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UniGeneID: UniGene number  
 UniGene Title: UniGene gene title

Pkey	Ex_Accn	UniG_ID	title	Ratio Met/Normal
303041	AF127035		EST cluster (not in UniGene) with exon h	0.02
302360	AJ010901	Hs.198267	mucin 4; tracheobronchial	0.03
301948	AA344647	Hs.116724	aldo-keto reductase family 1; member B11	0.03
336091			CH22_FGENES.689_3	0.04
333657			CH22_FGENES.241_2	0.04
333658			CH22_FGENES.241_4	0.04
333737			CH22_FGENES.261_1	0.05
333656			CH22_FGENES.240_4	0.05
302347	AF039400	Hs.194659	chloride channel; calcium activated; fam	0.06
336084			CH22_FGENES.688_13	0.06
330385	AA449749	Hs.31386	ESTs; Highly similar to secreted apoptos	0.06
304487	AA434241		EST singleton (not in UniGene) with exon	0.07
302292	AF067797		EST cluster (not in UniGene) with exon h	0.07
334030			CH22_FGENES.320_2	0.07
332859			CH22_FGENES.27_2	0.07
333654			CH22_FGENES.240_2	0.07
303270	AL120518	Hs.105352	ESTs	0.08
320352	Y13323	Hs.145296	disintegrin protease	0.08
333637			CH22_FGENES.229_2	0.08
324094	AA382603		EST cluster (not in UniGene)	0.08
320590	U67058	Hs.168102	Human proteinase activated receptor-2 mR	0.08
330622	X63597	Hs.2996	sucrase-isomaltase	0.08
331441	H75860	Hs.39720	ESTs	0.08
308601	AI719930		EST singleton (not in UniGene) with exon	0.09
323770	AA722425		EST cluster (not in UniGene)	0.09
335188			CH22_FGENES.507_3	0.09
333730			CH22_FGENES.258_1	0.09
304480	AA430373		EST singleton (not in UniGene) with exon	0.09
336081			CH22_FGENES.688_10	0.1
332071	AA598594	Hs.112475	ESTs	0.1
318538	N28625	Hs.74034	caveolin 1; caveolae protein; 22kD	0.1
311331	AI679622	Hs.32225	immunoglobulin alpha 1	0.1
319668	NM_002731		EST cluster (not in UniGene)	0.11
332567	N23730	Hs.25647	v-fos FBJ murine osteosarcoma viral onco	0.11
319395	AW062570	Hs.13809	ESTs	0.11
315594	AI983437	Hs.155145	ESTs	0.11
321539	N98619	Hs.62461	ARP2 (actin-related protein 2; yeast) ho	0.12
333647			CH22_FGENES.235_2	0.12
333588			CH22_FGENES.206_2	0.12
321286	AI380940		EST cluster (not in UniGene)	0.12
320727	U96044		EST cluster (not in UniGene)	0.13
335687			CH22_FGENES.596_2	0.13
324611	AA743462	Hs.165337	ESTs	0.14
335115			CH22_FGENES.496_2	0.14
324660	AA541644	Hs.186044	ESTs	0.14
337951			CH22_EM:AC005500.GENSCAN.94-1	0.14
302332	AI833168	Hs.184507	Homo sapiens Chromosome 16 BAC clone CIT	0.14
300921	AW293224	Hs.232165	ESTs	0.14
333646			CH22_FGENES.234_2	0.14
335116			CH22_FGENES.496_3	0.14
320211	AL039402	Hs.125783	DEME-6 protein	0.15
336092			CH22_FGENES.689_6	0.15
330673	D57823	Hs.92962	Sec23 (S. cerevisiae) homolog A	0.16
303042	AF129532		EST cluster (not in UniGene) with exon h	0.16
337954			CH22_EM:AC005500.GENSCAN.96-3	0.16
336645			CH22_FGENES.26-1	0.16
335651			CH22_FGENES.590_2	0.16
314499	AL044570	Hs.147975	ESTs	0.17
336124			CH22_FGENES.701_9	0.17
315199	AA877996	Hs.125376	ESTs	0.17
324525	AW044647	Hs.196284	ESTs	0.17
320825	NM_004751		EST cluster (not in UniGene)	0.18

20087080.022702

	302049	AA377072	Hs.129792	Homo sapiens Chromosome 16 BAC clone CIT	0.18
	336083			CH22_FGENES.688_12	0.18
	333653			CH22_FGENES.239_2	0.18
5	323243	W44372		EST cluster (not in UniGene)	0.19
	316610	AW087973	Hs.126731	ESTs	0.19
	315033	AI493046	Hs.146133	ESTs	0.19
	330551	U39840	Hs.105440	hepatocyte nuclear factor 3; alpha	0.19
	333642			CH22_FGENES.231_2	0.19
10	301281	AA843986	Hs.190586	ESTs	0.2
	333626			CH22_FGENES.224_2	0.21
	303792	C75094	Hs.199839	ESTs; Highly similar to NG22 [H.sapiens]	0.21
	332325	T79428	Hs.191264	ESTs	0.21
	321223	AA431366		EST cluster (not in UniGene)	0.21
15	333635			CH22_FGENES.228_2	0.22
	314645	AI808999	Hs.207570	ESTs	0.22
	322929	AI365585	Hs.146246	ESTs	0.22
	324718	AI557019	Hs.116467	ESTs	0.22
	335652			CH22_FGENES.590_3	0.22
20	307783	AI347274		EST singleton (not in UniGene) with exon	0.22
	331344	AA357927	Hs.70208	ESTs	0.22
	336088			CH22_FGENES.688_17	0.23
	320802	D83824	Hs.185055	BENE protein	0.23
	335692			CH22_FGENES.596_7	0.23
25	333593			CH22_FGENES.210_2	0.23
	335667			CH22_FGENES.590_18	0.24
	314853	AA729232	Hs.153279	ESTs	0.24
	320244	AA296922	Hs.129778	gastrointestinal peptide	0.24
	300601	AI762130	Hs.165619	ESTs	0.24
30	305080	AA641485		EST singleton (not in UniGene) with exon	0.25
	335189			CH22_FGENES.507_4	0.25



**Table 17: B survivor vs Mets – Up in B survivor**

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigenelD: Unigene number  
 Unigene Title: Unigene gene title

Pkey	Ex Accn	UniG_ID	Completa Title	Ratio BS/Met
101006	J04132	Hs.97087	CD3Z antigen; zeta polypeptide (TIT3 com	7.28
114173	Z39050	Hs.21963	ESTs	6.13
130284	X82206	Hs.153961	ARP1 (actin-related protein 1; yeast) ho	5.77
100787	HG3872-HT4142		Immunoglobulin Gamma Heavy Chain, V(6)Djc Regions (Gb:U13200)	5.63
132461	AA405775	Hs.49005	hypothetical protein	5.62
133806	M12759	Hs.76325	Human Ig J chain gene	5.46
133747	D86972	Hs.75863	KIAA0218 gene product	5.45
123328	AA496968	Hs.105403	EST	5.28
132671	X76302	Hs.54649	putative nucleic acid binding protein RY	5.25
132018	AA293194	Hs.3737	ESTs	5.22
100186	D17516	Hs.4748	adenylate cyclase activating polypeptide	5.14
107155	AA621202	Hs.7946	DKFZP586D1519 protein	5.1
103566	Z22555	Hs.180616	CD36 antigen (collagen type I receptor;	5.06
113355	T79203	Hs.14480	ESTs	4.99
129040	U38864	Hs.108139	zinc finger protein 212	4.96
130214	H78003	Hs.15266	ESTs	4.93
129550	AA480991	Hs.113025	ESTs	4.92
129704	W81301	Hs.12064	ubiquitin specific protease 22	4.91
116425	AA609574	Hs.51483	ESTs	4.77
105166	AA179787	Hs.30570	polyglutamine binding protein 1	4.65
118765	N74442	Hs.183696	ESTs	4.6
108999	AA156064	Hs.72115	ESTs	4.57
112756	R93908	Hs.35258	ESTs	4.54
111655	R16884	Hs.187462	ESTs	4.48
119392	T90672	Hs.238859	ESTs	4.42
131957	AA609008	Hs.183232	ESTs	4.41
129275	D82061	Hs.109993	Ke6 gene; mouse; human homolog of	4.4
113634	T95085	Hs.125182	ESTs	4.4
127187	AA297138	Hs.207422	ESTs	4.32
101147	L13266	Hs.105	glutamate receptor; ionotropic; N-methyl	4.3
134901	S78873	Hs.90875	RAB interacting factor	4.26
100896	HG4593-HT4998		Sodium Channel 1	4.24
100687	HG3115-HT3291		Golli-Mbp (Gb:L18862)	4.21
129758	AA599552	Hs.183770	Homo sapiens mRNA; cDNA DKFzP566P2346 (f	4.19
105440	AA252243	Hs.22851	ESTs	4.16
131551	AA127867	Hs.28608	ESTs	4.15
113761	T99373	Hs.189786	ESTs	4.09
105897	AA401091		ESTs	4.07
129495	AA382529	Hs.239676	ESTs	4.06
103436	X98206		H.sapiens mRNA for UV-B repressed sequen	4.03
104673	AA007633	Hs.20010	ESTs	4.03
128886	L36720	Hs.106880	bystin-like	4.02
100702	HG3236-HT3413		Neurofibromatosis 2 Tumor Suppressor (Gb:L27065)	3.99
123547	AA608820	Hs.124085	KIAA0921 protein	3.98
134877	AA455241	Hs.90527	ESTs	3.97
123650	AA609332	Hs.180696	ESTs	3.94
106482	AA451672	Hs.108824	ESTs; Weakly similar to cDNA EST yk415c1	3.94
101909	S69265		Homo sapiens mRNA for PLE21 protein; com	3.93
108390	AA075070		zm86b6.s1 Stratagene ovarian cancer (#93 LYMPHOCYTE ANTIGEN LY-6A.2/LY-6E.1 PREC	3.93
135403	U06643	Hs.99923	lectin; galactoside-binding; soluble; 7	3.89
121038	AA398536	Hs.97365	ESTs	3.88
128496	T83496	Hs.100610	ESTs	3.86
108785	AA128946		ESTs	3.86
119838	W79499	Hs.58580	ESTs	3.85
130109	L12060	Hs.1497	retinoic acid receptor; gamma	3.84
134538	U79288	Hs.85053	KIAA0513 gene product	3.83
110310	H38209	Hs.32728	EST	3.81
110433	H49425	Hs.32992	ESTs	3.78
111834	R36138	Hs.152458	ESTs	3.76
130903	N27086	Hs.21068	ESTs	3.74
105142	AA164851	Hs.15380	ESTs; Weakly similar to HERV-E envelope	3.73

	130248	U84569	Hs.153452	chromosome 21 open reading frame 2	3.73	
	130645	AA020942	Hs.17200	STAM-like protein containing SH3 and ITA	3.73	
	123378	AA521043	Hs.185832	ESTs	3.73	
5	103985	AA313880		EST185737 Colon carcinoma (HCC) cell lin	3.73	
	112397	R60822	Hs.26805	EST	3.72	
	100980	J03069	Hs.72931	v-myc avian myelocytomatosis viral oncog	3.72	
	102609	U64863	Hs.158297	programmed cell death 1	3.7	
	108974	AA151402	Hs.46531	ESTs	3.7	
10	130192	Y12661	Hs.171014	VGF nerve growth factor inducible	3.69	
	131318	X51699	Hs.2558	bone gamma-carboxyglutamate (gla) protei	3.68	
	113759	T99364	Hs.16074	Homo sapiens mRNA; cDNA DKFZp5641153 (fr	3.66	
	133712	L19267	Hs.198836	dystrophin myotonia-containing WD repea	3.65	
	134229	R15108	Hs.8037	ESTs	3.65	
15	134241	AA300265	Hs.80540	KIAA0195 gene product	3.65	
	124699	R06413	Hs.112278	arrestin; beta 1	3.62	
	107343	U03115	Hs.103945	Human V beta T-cell receptor (TCRBV) gen	3.62	
	128511	AA425636	Hs.10082	potassium intermediate/small conductance	3.62	
	105466	AA253412	Hs.21489	ESTs	3.61	
20	131377	R41389	Hs.26159	ESTs	3.6	
	119135	R49548	Hs.169681	death effector domain-containing	3.6	
	132982	L02326	Hs.198118	immunoglobulin lambda-like polypeptide 2	3.59	
	128514	H84261	Hs.100843	ESTs; Weakly similar to similar to GTP-b	3.56	
	102396	U41804	Hs.54411	putative T1/ST2 receptor binding protein	3.55	
25	134945	R50247	Hs.91600	ESTs	3.55	
	134913	X60483	Hs.91031	H4 histone family; member D	3.54	
	102053	U07664	Hs.37035	homeo box HB9	3.52	
	121569	AA412686	Hs.97955	ESTs	3.52	
30	132560	AA005315	Hs.204524	ESTs; Weakly similar to KIAA0747 protein	3.51	
	118456	N66580	Hs.161496	EST; Weakly similar to HC1 ORF [M.muscul	3.51	
	111518	R08160	Hs.222529	ESTs; Weakly similar to !!!! ALU SUBFAMI	3.51	
	116795	H38858	Hs.251783	EST	3.5	
	130377	AA378316	Hs.155182	KIAA1036 protein	3.5	
	121774	AA421758	Hs.98361	ESTs	3.49	
35	123413	AA521448	Hs.103845	ESTs	3.49	
	133798	AA444115	Hs.76277	ESTs; Weakly similar to salivary proline	3.49	
	135183	X93996	Hs.239663	myeloid/lymphoid or mixed-lineage leukem	3.48	
	132479	AA477715	Hs.4953	golgi autoantigen; golgin subfamily a; 3	3.47	
	117191	H99394	Hs.40339	EST	3.47	
40	130942	X87852	Hs.21432	H.sapiens mRNA for SEX gene	3.46	
	130700	D55696	Hs.18069	protease; cysteine; 1 (legumain)	3.43	
	131301	T17386	Hs.164501	ESTs	3.43	
	100818	HG4018-HT4288		Opioid-Binding Cell Adhesion Molecule	3.43	
	103393	X94612	Hs.41749	protein kinase; cGMP-dependent; type II	3.43	
45	131337	AA228116	Hs.170204	KIAA0551 protein	3.42	
	133403	X68688	Hs.72991	zinc finger protein 33b (KOX 31)	3.42	
	124728	R16231	Hs.106620	Homo sapiens clone 23950 mRNA sequence	3.41	
	123168	AA488881	Hs.105218	EST	3.39	
	123324	AA496932	Hs.105399	KIAA0809 protein	3.38	
50	106947	AA496685	Hs.37936	suppressor of variegation 3-9 (Drosophil	3.38	
	116717	F11065	Hs.79363	ESTs	3.36	
	102794	U88629	Hs.173334	ELL-RELATED RNA POLYMERASE II; ELONGATIO	3.34	
	117503	N31963	Hs.44286	ESTs	3.33	
	112220	R50295	Hs.25703	ESTs	3.33	
55	106340	AA441792	Hs.22857	chord domain-containing protein 1	3.33	
	106308	AA436186	Hs.30662	ESTs	3.32	
	130894	D16105	Hs.210	leukocyte tyrosine kinase	3.31	
	120039	W92548	Hs.94985	ESTs	3.31	
	131428	U17838	Hs.26719	PR domain containing 2; with ZNF domain	3.3	
60	113285	T66830	Hs.182712	ESTs	3.3	
	109458	AA232648	Hs.87068	ESTs	3.29	
	132134	AA242904	Hs.40637	proline-rich Gla (G-carboxyglutamic acid	3.29	
	118964	N93330	Hs.54937	Homo sapiens clone 24722 unknown mRNA; p	3.29	
	127621	A1218205	Hs.116204	ESTs	3.29	
65	135149	U40002	Hs.95351	lipase; hormone-sensitive	3.28	
	114371	Z41835	Hs.27810	ESTs	3.28	
	130043	AA055404	Hs.193953	ESTs; Weakly similar to !!!! ALU SUBFAMI	3.27	
	121347	AA405181	Hs.97972	ESTs	3.25	
	105754	AA302657	Hs.192028	ESTs	3.25	
70	121327	AA404286	Hs.173125	peptidylprolyl isomerase F (cyclophilin	3.25	
	111204	N68295	Hs.37982	ESTs	3.25	
	120949	AA397830	Hs.98347	ESTs; Weakly similar to GLIOMA PATHOGENE	3.25	
	130024	U15197	Hs.241560	Human histo-blood group ABO protein mRNA	3.24	
	125005	T61449	Hs.193727	ESTs	3.24	
75	121067	AA398662	Hs.97302	ESTs	3.24	
	120996	AA398281	Hs.143684	ESTs	3.23	
	117101	H94043	Hs.24341	DKFZP5861419 protein	3.23	

130708	U40490	Hs.18136	nicotinamide nucleotide transhydrogenase	3.23	
130270	L40399	Hs.153820	hypothetical protein	3.22	
131605	AA256220	Hs.29383	ESTs	3.22	
100854	HG4194-HT464		Sodium/Hydrogen Exchanger 5	3.22	
123026	AA481072	Hs.99743	ESTs	3.21	
108328	AA070204		zm68b3.s1 Stratagene neuroepithelium (#9	3.2	
104259	AF007833	Hs.159265	Homo sapiens kruppel-related zinc finger	3.2	
133711	J04130	Hs.75703	small inducible cytokine A4 (homologous	3.2	
112261	R52145	Hs.25894	ESTs; Highly similar to hypothetical pro	3.19	
119529	W38053		Accession not listed in Genbank	3.19	
122386	AA446221	Hs.6092	F-box protein containing leucine-rich re	3.19	
109157	AA179161	Hs.73562	ESTs	3.19	
119903	W85707	Hs.75936	erythrocyte membrane protein band 4.9 (d	3.18	
127452	AA491317		aa65c01.r1 NCI_CGAP_GCB1 Homo sapiens cD	3.18	3.18
124229	H62793	Hs.221892	ESTs	3.18	
129221	AA417126	Hs.109571	translocase of inner mitochondrial membr	3.17	
133185	AA481404	Hs.6686	ESTs	3.16	
121479	AA411911	Hs.98110	ESTs	3.16	
133872	T79868	Hs.180903	hypothetical protein	3.16	
132504	U12897	Hs.5022	imprinted in Prader-Willi syndrome	3.16	
103089	X60382	Hs.179729	collagen; type X; alpha 1 (Schmid metaph	3.15	
129654	AA019943	Hs.118463	H.sapiens mRNA for unknown liver orphan	3.15	
117295	N22360	Hs.43153	ESTs	3.15	
107349	U48224	Hs.158321	beaded filament structural protein 2; ph	3.14	
103451	X99459	Hs.154782	adaptor-related protein complex 3; sigma	3.14	
114854	AA235056	Hs.120244	ESTs	3.14	
121044	AA398551	Hs.97374	ESTs	3.13	
128582	U22963	Hs.101840	major histocompatibility complex; class	3.13	
112598	R78565	Hs.138395	EST	3.13	
113170	T54342	Hs.222506	ESTs	3.13	
111714	R23146	Hs.23466	ESTs	3.13	
111809	R33616	Hs.24688	EST	3.12	
115249	AA278961	Hs.71124	ESTs	3.11	
103228	X75546	Hs.230	fibromodulin	3.11	
129944	L00389	Hs.1361	cytochrome P450; subfamily I (aromatic c	3.11	
107927	AA028915	Hs.237709	EST	3.11	
130297	H94949	Hs.171955	trophinin-assisting protein (tastin)	3.1	
125742	H81181	Hs.183654	ESTs; Weakly similar to unknown [S.cerev	3.1	
134802	L35546	Hs.89709	glutamate-cysteine ligase (gamma-glutamyl	3.1	
112560	R72293	Hs.6179	Homo sapiens mRNA; cDNA DKFZp586K2322 (f	3.1	3.1
129266	AA343881	Hs.209061	sudD (suppressor of bimD6; Aspergillus n	3.09	
126982	AA211419		small inducible cytokine A5 (RANTES)	3.09	
131594	H29723	Hs.29261	ESTs; Weakly similar to serine protease	3.08	
134910	AA431320	Hs.9100	ESTs	3.08	
103505	Y09912	Hs.33102	transcription factor AP-2 beta (activati	3.08	
110525	H57330	Hs.37430	EST	3.07	
123276	AA491270	Hs.187946	ESTs	3.06	
130519	H91819	Hs.10669	ESTs; Moderately similar to KIAA0400 [H.	3.06	
126621	AA192638		zq01h08.r1 Stratagene muscle 937209 Homo	3.05	
134327	AF006041	Hs.178743	death-associated protein 6	3.04	
103513	Y10209		H.sapiens mRNA for CD3L protein	3.04	
131243	R16667	Hs.24752	spectrin SH3 domain binding protein 1	3.04	
115187	AA261805	Hs.44021	ESTs	3.04	
107543	Z43703	Hs.4552	Homo sapiens HRIHFB2157 mRNA; partial cd	3.04	
134051	S67070	Hs.78846	heat shock 27kD protein 2	3.04	
113461	T86737	Hs.193536	ESTs	3.03	
130490	X57522	Hs.158164	ATP-binding cassette; sub-family B (MDR/	3.03	
128843	AA234141	Hs.203004	katanin p80 (WD40-containing) subunit B	3.03	
100941	HG862-HT862		Transition Protein 2	3.03	
122268	AA436855	Hs.178202	ESTs	3.02	
107425	W26719	Hs.30204	ESTs	3.02	
130930	U19261		TNF receptor-associated factor 1	3.02	
132958	W90398	Hs.6147	KIAA1075 protein	3.02	
100973	J02888	Hs.73956	NAD(P)H menadiene oxidoreductase 2; diox	3.01	
140924	AA058532	Hs.28774	ESTs	3.01	
129998	Y10055	Hs.162808	phosphoinositide-3-kinase; catalytic; de	3.01	
130023	X13461	Hs.239600	calmodulin-like 3	3.01	
129536	M33493	Hs.184504	tryptase; alpha	3	
112015	R42836	Hs.23198	ESTs	3	
103036	X54925	Hs.83169	matrix metalloproteinase 1 (interstitial	2.99	
100756	HG3565-HT3768		Zinc Finger Protein (Gb:M88357)	2.99	
103425	X97301		H.sapiens mRNA for Ptg-11 protein	2.99	
118291	N63076	Hs.138746	EST	2.98	
125877	H15229		ym30g04.r1 Soares infant brain 1NIB Homo		
			repetitive element ;, mRNA sequence.	2.98	
101371	M13232	Hs.36989	coagulation factor VII (serum prothrombi	2.98	

	102958	X15675	Hs.93174	Human endogenous retrovirus pHE.1 (ERV9)	2.97	
	121183	AA400138	Hs.97703	ESTs	2.97	
	119241	T12559	Hs.221382	ESTs	2.96	
5	115067	AA253458	Hs.91299	postmeiotic segregation increased 2-like	2.96	
	126196	AA084394		zn05g10.s1 Stratagene hNT neuron (#93723	2.96	
	111642	R16153	Hs.128740	ESTs; Highly similar to DNB-5 [H.sapiens	2.95	
	100898	HG4638-HT5050		Spliceosomal Protein Sap 49	2.95	
	129370	AA287879	Hs.110796	ESTs; Moderately similar to GTP-binding	2.94	
	128915	C02386	Hs.107139	ESTs	2.94	
10	101868	M96233	Hs.82891	glutathione S-transferase M4	2.94	
	124394	N29724		gamma2-adaptin	2.93	
	103559	Z19585	Hs.75774	thrombospondin 4	2.93	
	107882	AA025630	Hs.17801	ESTs; Moderately similar to serine/proli	2.93	
	134919	T99639	Hs.91142	KH-type splicing regulatory protein (FUS	2.92	
15	110293	H30258	Hs.37165	collagen; type IX; alpha 2	2.92	
	132433	AA082546	Hs.48516	ESTs	2.92	
	127347	AA428350		ESTs	2.92	
	121976	AA429807	Hs.98632	ESTs	2.91	
20	133025	AA135492	Hs.6318	ESTs; Highly similar to peroxisomal shor	2.91	
	133413	S72043	Hs.73133	metallothionein 3 (growth inhibitory fac	2.91	
	111694	R22035	Hs.23331	ESTs	2.91	
	128369	F12681	Hs.205300	ESTs	2.9	
	102464	U49260	Hs.3828	mevalonate (diphospho) decarboxylase	2.9	
25	135358	C21431	Hs.99486	ESTs; Weakly similar to aralar1 [H.sapie	2.9	
	108661	AA113287	Hs.65905	ESTs; Weakly similar to PTB-ASSOCIATED S2.9	2.9	
	102185	U20230		Human guanyl cyclase C gene, partial cds	2.89	
	122071	AA431787	Hs.98762	EST	2.89	
	102040	U06088	Hs.159479	galactosamine (N-acetyl)-6-sulfate sulfa	2.89	
30	115689	AA410645	Hs.199014	ESTs	2.88	
	135110	T15817	Hs.193788	nitric oxide synthase 2A (inducible; hep	2.88	
	118729	N73717	Hs.161526	EST	2.88	
	129518	AA369807	Hs.112238	ESTs	2.88	
35	125788	R74309	Hs.44499	small EDRK-rich factor 2	2.87	
	128650	U57971	Hs.103124	ATPase; Ca++ transporting; plasma membra	2.87	
	125936	H30751	Hs.182859	lifeguard	2.87	
	100779	HG3731-HT4001		Immunoglobulin Heavy Chain, Vdjc Regions (Gb:L23566)	2.87	
	104451	M13299	Hs.102119	blue cone pigment	2.86	
	133539	M21574	Hs.74615	platelet-derived growth factor receptor;	2.86	
40	119506	W37833	Hs.55563	ESTs	2.86	
	126568	AA190515		zp85d12.r1 Stratagene HeLa cell s3 93721	2.86	
	134184	X53742	Hs.79732	fibulin 1	2.86	
	127633	A1339609	Hs.152733	potassium voltage-gated channel; Isk-rel	2.86	
	128716	AA045978	Hs.173611	NADH dehydrogenase (ubiquinone) Fe-S pro	2.86	
45	107135	AA620782	Hs.23247	ESTs	2.85	
	117748	N47317	Hs.141858	ESTs	2.85	
	124030	F04143	Hs.151032	Homo sapiens clone 23856 unknown mRNA; p	2.85	
	135120	AA449841	Hs.108300	NOT3 (negative regulator of transcrip	2.84	
	102156	U17977		HSU17977 Humn fibroblast cDNA H sapiens	2.84	
50	129418	AA401401	Hs.11127	PET112 (yeast homolog)-like	2.84	
	103222	X74795	Hs.77171	minichromosome maintenance deficient (S.	2.84	
	125145	W38001		Accession not listed in Genbank	2.83	
	100560	HG2228-HT2305		Crystallin, Beta B	2.83	
	105370	AA236476	Hs.22791	ESTs; Weakly similar to transmembrane pr	2.83	
55	127036	A1468598		ESTs	2.83	
	128788	AA029073	Hs.105685	ESTs	2.83	
	119523	W38041		Accession not listed in Genbank	2.82	
	126436	N31224	Hs.211579	melanoma adhesion molecule	2.82	
	126559	R15866	Hs.170263	tumor protein 53-binding protein; 1	2.82	
60	118183	N59287	Hs.48361	EST	2.82	
	101298	L40387	Hs.118633	2'-5'oligoadenylate synthetase-like	2.81	
	131830	U33054	Hs.32959	G protein-coupled receptor kinase 2 (Dro	2.81	
	124173	H41281	Hs.107619	ESTs	2.81	
	102295	U32581		Homo sapiens KIAA0421 mRNA; partial cds	2.81	
	129719	N66396	Hs.167766	ESTs; Moderately similar to Pro-a2(XI) [	2.81	
65	126573	AA482023	Hs.155218	E1B-55kDa-associated protein 5	2.81	
	125477	A1270093	Hs.234642	aquaporin 3	2.81	
	106492	AA451896	Hs.7922	ESTs; Weakly similar to contains similar	2.8	
				p19; an RNA polymerase II elongation fa	2.8	
70	132881	T86118	Hs.58875	ESTs	2.8	
	114733	AA133778	Hs.95734	ESTs	2.79	
	104618	AA001611	Hs.186494	ESTs	2.79	
	134137	F10045	Hs.79347	KIAA0211 gene product	2.79	
	133212	U82979	Hs.67846	leukocyte Ig-like receptor; subfamily B	2.78	
75	100882	HG4460-HT4729		Immunoglobulin Heavy Chain, Vdjc Regions (Gb:L23564)	2.78	
	104756	AA024622	Hs.15813	solute carrier family 22 (organic cation	2.78	
	129861	N69507	Hs.129849	DKFZP564M182 protein	2.78	

	120824	AA347548	Hs.96876	ESTs	2.78
	100684	HG3107-HT3283		Plasma Membrane Calcium Pump Hpmca2a	2.78
	121789	AA423970	Hs.178111	ESTs	2.78
5	101647	M59941	Hs.118200	colony stimulating factor 2 receptor; be	2.78
	113722	T97957	Hs.202948	ESTs; Weakly similar to alternatively sp	2.77
	115107	AA256371	Hs.186645	ESTs	2.77
	111464	R05518	Hs.19521	ESTs	2.77
	108446	AA079120		zm95e1.s1 Stratagene colon HT29 (#937221	2.77
10	123921	AA621329	Hs.250671	Hu DNA seq frm clone 1163J1 on chr 22q13	2.77
	134445	M59488	Hs.83384	S100 calcium-binding protein; beta (neur	2.76
	114132	Z38688	Hs.24192	ESTs	2.76
	120500	AA256430	Hs.132525	ESTs	2.76
15	101860	M95610	Hs.37165	collagen; type IX; alpha 2	2.76
	134430	H52105	Hs.8309	KIAA0747 protein	2.76
	124152	H27216	Hs.107635	ESTs	2.76
	132268	AA058833	Hs.23445	ESTs; Weakly smlr to similar to M. muscu	2.76
	116257	AA481493	Hs.88537	ESTs	2.76
20	102438	U46570	Hs.7733	tetratricopeptide repeat domain 1	2.75
	122393	AA446334	Hs.99064	ESTs	2.75
	107653	AA010210	Hs.47041	ESTs	2.75
	123674	AA609473	Hs.105187	ESTs; Moderately similar to kinesin like	2.75
	129858	T66906	Hs.12970	ESTs	2.75
25	130117	U06641	Hs.150207	UDP glycosyltransferase 2 family; polype	2.75
	133464	M13982	Hs.73917	interleukin 4	2.75
	127039	AA233366	Hs.256491	ESTs	2.74
	128318	AA418202	Hs.13810	ESTs	2.74
	123363	AA504818	Hs.171279	ESTs	2.74
30	127654	AA649249	Hs.75640	natriuretic peptide precursor A	2.74
	132067	L20860	Hs.178382	glycoprotein Ib (platelet); beta polypep	2.74
	125664	AA948418	Hs.25744	ESTs; Weakly similar to Ydr412wp [S.cere	2.73
	132354	L05187	Hs.211913	small proline-rich protein 1A	2.73
	101568	M33764	Hs.75212	ornithine decarboxylase 1	2.73
35	101438	M20777	Hs.159263	Homo sapiens; alpha-2 (VI) collagen	2.73
	116233	AA479082	Hs.61142	ESTs	2.73
	122194	AA435882	Hs.97531	ESTs	2.72
	113995	W88466	Hs.22010	ESTs	2.72
	124251	H68286	Hs.107924	ESTs	2.71
40	120583	AA281304	Hs.78614	complement component 1; q subcomponent b	2.71
	134958	U72507	Hs.234216	Human 40871 mRNA partial sequence	2.71
	124280	H85835	Hs.100058	dihydropyrimidinase-like 4	2.71
	130113	M64673	Hs.1499	heat shock transcription factor 1	2.71
	106588	AA456612	Hs.25682	ESTs; Weakly smlr to PHOSPHATIDYLETHANOL	2.71
45	132023	F01927	Hs.3743	ESTs; Weakly similar to proline-rich pro	2.7
	112284	R53558	Hs.26052	ESTs	2.7
	107897	AA026240	Hs.61387	ESTs	2.7
	122610	AA453598	Hs.99336	ESTs	2.7
	119070	R27788	Hs.52302	ESTs	2.7
50	103491	Y08836		Homo sapiens mRNA for HRX-like protein	2.7
	108225	AA058843	Hs.161620	EST	2.7
	105829	AA398290	Hs.21965	ESTs	2.69
	127749	AI251757	Hs.145234	ESTs	2.69
	128428	AI185718	Hs.143900	ESTs	2.69
55	108409	AA075578		zm88h3.s1 Stratagene ovarian cancer (#93	2.69
	114739	AA134923	Hs.103833	ESTs; Weakly similar to predicted using	2.68
	128821	D87002	Hs.135	multiple UniGene matches	2.68
	107412	W26105	Hs.8961	ESTs	2.68
	117012	H85893	Hs.194387	ESTs; Weakly similar to !!!! ALU SUBFAMI	2.68
60	135262	AA416551	Hs.9732	ESTs	2.68
	105367	AA236397	Hs.20304	ESTs	2.68
	134771	L13939	Hs.89576	adaptor-related protein complex 1; beta	2.68
	105036	AA128617	Hs.25549	ESTs	2.68
	125093	T92930	Hs.186750	ESTs	2.68
65	119340	T61899	Hs.90677	ESTs; Highly similar to CGI-82 protein [	2.67
	132603	H62900	Hs.53066	hsp70-interacting protein	2.67
	113733	T98386	Hs.184548	ESTs	2.67
	123564	AA608902	Hs.112612	ESTs	2.66
	116059	AA454165	Hs.53455	ESTs	2.66
	125803	R79373	Hs.29852	ESTs	2.66
70	123012	AA479962	Hs.139636	EST	2.66
	106080	AA418046	Hs.35124	ESTs	2.66
	128809	T59668	Hs.102267	lysyl oxidase	2.66
	104354	H08988	Hs.113759	ESTs	2.66
	107068	AA609028	Hs.8032	ESTs	2.65
75	101418	M17754	Hs.1276	BN51 (BHK21) temperature sensitivity com	2.65
	135157	AA460138	Hs.95582	SRY (sex-determining region Y)-box 20	2.65

	123312	AA496258	Hs.99601	ESTs	2.65
	130034	C00350	Hs.14454	chromosome 2 open reading frame 1	2.65
	103897	AA248870	Hs.55058	ESTs	2.65
5	117771	N47961	Hs.46794	ESTs	2.65
	109980	H09529	Hs.98693	DKFZP586J0917 protein	2.64
	121966	AA429653	Hs.98616	EST	2.64
	114233	Z39652	Hs.27457	ESTs	2.64
	129594	R70379	Hs.115396	Human germline IgD chain gene; C-region;	2.63
10	102319	U34587	Hs.66578	corticotropin releasing hormone receptor	2.63
	111700	R22212	Hs.23361	ESTs	2.63
	127365	AA001628	Hs.74335	heat shock 90kD protein 1; beta	2.63
	104205	AA496240	Hs.17270	DKFZP434C211 protein	2.63
	124559	N66223	Hs.135928	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.63
15	106351	AA442772	Hs.191987	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.63
	121903	AA427605	Hs.258742	myosin-binding protein C; cardiac	2.62
	116442	AA620310	Hs.184343	ESTs; Weakly similar to KIAA0585 protein	2.62
	127041	F06090		HSC0WG031 normalized infant brain cDNA H	2.62
	132860	U93049	Hs.58435	FYN-binding protein (FYB-120/130)	2.62
20	131591	L22454	Hs.180069	nuclear respiratory factor 1	2.61
	118118	N56901	Hs.47995	ESTs	2.61
	134809	X52611	Hs.18387	transcription factor AP-2 alpha (activat	2.61
	117706	N45091	Hs.46472	ESTs	2.61
	127488	AA312179	Hs.178617	ESTs; Weakly similar to CGI-82 protein [	2.61
25	114891	AA235984	Hs.87469	ESTs	2.6
	116426	AA609668	Hs.71657	ESTs	2.6
	132589	AA432197	Hs.5260	ESTs; Weakly similar to CGI-08 protein [	2.6
	128410	AA452788		zx39g11.r1 Soares_total_fetus_Nb2HF8_9w	2.6
30	106081	AA418394	Hs.25354	ESTs	2.6
	129919	R02003	Hs.191208	ESTs; Weakly similar to weak similarity	2.59
	124672	R00307	Hs.188504	ESTs	2.59
	122758	AA459013	Hs.99742	X-ray repair complementing defective rep	2.59
	125656	AA040118	Hs.78687	neutral sphingomyelinase (N-SMase) activ	2.59
35	130052	J00220	Hs.145288	Human Ig active epsilon1 5' UT; V-D-J re	2.59
	134878	U28055	Hs.250826	macrophage stimulating; pseudogene 9	2.59
	131908	L05624	Hs.3446	mitogen-activated protein kinase kinase	2.59
	126470	AA843339	Hs.193168	ESTs; Weakly similar to CGI-52 protein [	2.59
	132353	M31651	Hs.46319	sex hormone-binding globulin	2.58
	119588	W44559	Hs.142525	ESTs	2.58
40	131757	D17532	Hs.316	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	2.58
	118114	N56875	Hs.143212	cystatin F (leukocystatin)	2.58
	128200	A1279952	Hs.158037	ESTs; Weakly similar to transcription re	2.58
	131208	C14586	Hs.24220	Homo sapiens mRNA; cDNA DKFZp566M051 (fr	2.58
	124721	R11131	Hs.154966	ESTs	2.57
45	108706	AA121820		Homo sapiens mRNA for KIAA0842 protein;	2.57
	118831	N79592	Hs.50838	ESTs	2.57
	115708	AA412212	Hs.44033	ESTs	2.57
	107233	D59322	Hs.22595	ESTs	2.57
	129559	AA234945	Hs.11360	ESTs	2.57
50	126953	AA743849	Hs.127286	ESTs	2.56
	108165	AA055221	Hs.63168	ESTs	2.56
	104069	AA401547	Hs.172694	ESTs	2.56
	112146	R46512	Hs.25374	ESTs	2.56
	108384	AA074891	Hs.124917	ESTs; Highly similar to KIAA0838 protein	2.56
55	131779	R49047	Hs.179779	ribosomal protein L37	2.56
	111829	R36070	Hs.25079	EST	2.55
	103424	X97267	Hs.155975	protein tyrosine phosphatase; receptor t	2.55
	100133	D13118	Hs.80986	ATP synthase; H+ transporting; mitochond	2.55
	130208	AA620556	Hs.15250	peroxisomal D3;D2-enoyl-CoA isomerase	2.55
60	124649	N92593	Hs.102907	ESTs	2.55
	106511	AA452865	Hs.206713	UDP-Gal:betaGlcNAc beta 1;4- galactosylt	2.55
	128467	AA176446	Hs.180428	ESTs; Weakly similar to hypothetical 43.	2.55
	113524	T90072	Hs.15060	ESTs	2.55
	107821	AA020991	Hs.172856	ESTs	2.55
65	111900	R39044	Hs.25318	Homo sapiens clone 25194 mRNA sequence	2.54
	109908	H05255	Hs.203237	EST	2.54
	132069	D87454	Hs.192966	KIAA0265 protein	2.54
	130660	T95262	Hs.17538	ESTs	2.54
	112983	T23443	Hs.7111	ESTs	2.54
70	128279	H08885		y188b08.r1 Soares infant brain 1NIB Homo	2.54
	106415	AA447994	Hs.29188	ESTs	2.53
	116741	H03268	Hs.181746	EST	2.53
	103148	X66362	Hs.2994	PCTAIRE protein kinase 3	2.53
	132336	AA342422	Hs.45073	ESTs	2.53
	129484	R92488	Hs.111989	ESTs	2.53
75	110169	H19696	Hs.31612	ESTs; Moderately similar to CAGH4 [H.sap	2.53
	116880	H68380	Hs.144174	EST	2.53

	133511	X04106	Hs.74451	calpain; small polypeptide	2.53	
	126037	M85772	Hs.6066	KIAA1112 protein	2.53	
	132678	AA599876	Hs.5486	ESTs	2.53	
5	128751	AA442274	Hs.183176	ESTs	2.52	
	133664	X86693	Hs.75445	hevin	2.52	
	126977	AA309665		EST180547 Jurkat T-cells V Homo sapiens	2.52	
	120697	AA291522	Hs.97250	EST	2.52	
	128571	AA416619	Hs.101661	ESTs	2.52	
10	104422	H86858	Hs.132909	ESTs	2.52	
	122372	AA446008	Hs.99044	EST	2.52	
	112154	R46769	Hs.25388	ESTs	2.52	
	126900	R16034	Hs.12701	ESTs; Highly similar to plasmolipin [H.s	2.51	
	115000	AA251342	Hs.144584	ESTs	2.51	
15	110632	H72344	Hs.171635	ESTs	2.51	
	129154	N23673	Hs.108969	mannosidase; alpha; class 2B; member 1	2.51	
	107440	W28069	Hs.251993	ESTs; Weakly similar to similar to zinc	2.51	
	105694	AA287109	Hs.37883	ESTs	2.51	
	106249	AA430388	Hs.13144	ESTs; Weakly similar to ORF YGR038w [S.c	2.51	
20	134462	U11037	Hs.83620	sel-1 (suppressor of lin-12; C.elegans)-	2.51	
	101800	M85276	Hs.105806	granulysin	2.51	
	119884	W81606	Hs.58662	Homo sapiens mRNA; cDNA DKFZp564G212 (fr	2.51	2.51
	110289	H29829	Hs.31524	ESTs	2.51	
	125506	H54273	Hs.154073	UDP-galactose transporter related	2.51	
25	102954	X15393	Hs.2813	motilin	2.51	
	127851	AI469331	Hs.130497	ESTs; Weakly similar to CHLORIDE CONDUCT	2.5	2.5
	126179	AI191445	Hs.143855	ESTs; Highly similar to IROQUOIS-CLASS H	2.5	
	129443	W69967	Hs.111497	ESTs; Moderately similar to neuronal pro	2.5	
	104480	N41486	Hs.99654	protein-O-mannosyltransferase 1	2.5	
30	115580	AA398695	Hs.144339	Hu DNA seq frm clone 495O10 on chr 6q26- Prot L37A) pseudogene; last exon of gene for a novel prot smlr to worm E04F6.2; ESTs; STSs and GSSs	2.5	2.5
	119595	W45031	Hs.55878	EST	2.5	
	103336	X85785	Hs.183	Duffy blood group	2.5	
35	102792	U87964	Hs.227576	GTP binding protein 1	2.49	
	129643	L27584	Hs.250712	calcium channel; voltage-dependent; beta	2.49	
	134503	U34880	Hs.84183	diphtheria toxin resistance protein reqrd	2.49	
	117245	N20989	Hs.42927	ESTs	2.49	
	126888	H78745	Hs.1063	small nuclear ribonucleoprotein polypept	2.49	
40	135313	D63484	Hs.98508	KIAA0150 protein	2.49	
	121186	AA400156	Hs.183294	ESTs	2.49	
	130651	X04445	Hs.1734	inhibin; alpha	2.49	
	134218	AA227480	Hs.80205	pim-2 oncogene	2.49	
	104008	AA334630		EST38874 Embryo, 9 week Homo sapiens cDN	2.49	2.49
45	129705	X78706	Hs.12068	carbamate acetyltransferase	2.49	
	127900	AI143912	Hs.121824	ESTs	2.49	
	104609	R96417	Hs.107795	ESTs	2.48	
	131628	U47292	Hs.2979	trefoil factor 2 (spasmolytic protein 1)	2.48	
	132184	U51003	Hs.419	distal-less homeo box 2	2.48	
50	130450	U70735	Hs.15591	COP9 subunit 6 (MOV34 homolog; 34 kD)	2.48	
	101679	M62628	Hs.163271	Human alpha-1 Ig germline C-region membr	2.48	
	120858	AA350147	Hs.96940	EST	2.48	
	101012	J04444	Hs.697	cytochrome c-1	2.48	
	110453	H52133	Hs.33026	ESTs; Weakly similar to similar to Enter	2.48	
55	133771	M68891	Hs.760	GATA-binding protein 2	2.48	
	102944	X14445	Hs.37092	fibroblast growth fctr 3 (murine mammary	2.48	
	113269	T65159	Hs.85044	ESTs	2.48	
	107069	AA609045	Hs.11759	ESTs; Weakly similar to !!!! ALU CLASS B	2.48	
60	100476	HG1019-HT1019		Serine Kinase Psk-H1	2.47	
	106457	AA449718	Hs.27801	zinc finger protein 278	2.47	
	105718	AA291629	Hs.74335	heat shock 90kD protein 1; beta	2.47	
	104925	AA058683	Hs.5548	Homo sapiens clone 23765 mRNA sequence	2.47	
	109913	H05527	Hs.31588	ESTs	2.47	
	103412	X96698	Hs.42957	methyltransferase-like 1	2.47	
65	102326	U35246	Hs.226025	vacuolar protein sorting 45A (yeast homo	2.47	
	116813	H49911	Hs.93102	ESTs	2.47	
	123690	AA609566	Hs.112723	EST	2.47	
	124714	R09486	Hs.193118	ESTs	2.47	
	126154	AI004105	Hs.14232	ESTs; Moderately similar to KIAA0563 pro	2.47	
70	118880	N90168	Hs.54593	EST	2.47	
	122274	AA437094	Hs.184456	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.46	
	129600	N78980	Hs.11567	ESTs; Moderately similar to unknown [H.s	2.46	
	121356	AA405437	Hs.93581	Homo sapiens mRNA; cDNA DKFZp586E171 (fr	2.46	2.46
	109560	F01778	Hs.8154	ESTs	2.46	
75	123342	AA504336	Hs.31659	thyroid hormone receptor-associated prot	2.46	
	128032	AI150084	Hs.126678	ESTs	2.46	
	129101	H90310	Hs.108665	ESTs; Weakly similar to CELL-CYCLE NUCLE	2.46	2.46

	131185	M25753	Hs.23960	cyclin B1	2.46	
	121451	AA411008	Hs.98085	EST	2.46	
	104328	D81932		HUM424C5B Hu fetal brain (TFujiwara) H s	2.46	
5	126543	AA723810	Hs.69517	ESTs; Highly similar to differentially e	2.45	
	123600	AA609106	Hs.112644	ESTs	2.45	
	131020	AA411756	Hs.20594	ESTs; Weakly similar to misato [D.melano	2.45	
	134191	W28902	Hs.7979	KIAA0736 gene product	2.45	
	130446	X79510	Hs.155693	protein tyrosine phosphatase; non-recept	2.45	
10	131613	R88228	Hs.29595	JM4 protein	2.45	
	118864	N89670	Hs.42148	ESTs; Weakly similar to Su(P) [D.melanog	2.45	
	104232	AB002351	Hs.10587	KIAA0353 protein	2.45	
	122604	AA453489	Hs.99333	ESTs	2.45	
	120626	AA285064	Hs.104485	EST	2.45	
15	116655	F03866	Hs.68090	ESTs	2.44	
	116267	AA485080	Hs.256539	ESTs	2.44	
	114944	AA243172	Hs.87619	TED protein	2.44	
	127629	AA293279	Hs.29173	ESTs	2.44	
	120350	AA211300	Hs.104166	ESTs	2.44	
20	103620	Z47087	Hs.182643	transcription elongation factor B (SIII)	2.44	
	131420	Z11737	Hs.2664	flavin containing monooxygenase 4	2.44	
	131312	AA399226	Hs.25527	tight junction protein 3 (zona occludens	2.43	
	122812	AA461044	Hs.142980	EST	2.43	
	135100	AA398926	Hs.251108	Homo sapiens mRNA; chromosome 1 specific	2.43	
25	113464	T86931	Hs.16295	ESTs	2.43	
	100045	M11507		AFFX control: transferrin receptor	2.43	
	128975	AA092129	Hs.107538	ESTs; Moderately similar to /prediction	2.43	
	103688	AA011479	Hs.154701	ESTs	2.43	
	127331	F20186		HSPD05873 HM3 Homo sapiens cDNA clone 05	2.43	
30	107337	T97111	Hs.191235	ESTs; Weakly similar to Ydr324cp [S.cere	2.43	
	122171	AA435750	Hs.98830	EST	2.43	
	107601	AA004636	Hs.50223	ESTs	2.43	
	119800	W73523	Hs.58314	ESTs	2.43	
	104886	AA053348	Hs.144626	growth differentiation factor 11	2.42	
35	122899	AA469960	Hs.178420	ESTs; Highly similar to WASP interacting	2.42	
	125933	AI308037	Hs.84120	ESTs; Weakly similar to nucleoporin p62	2.42	
	121664	AA417291	Hs.97978	ESTs	2.42	
	125450	AA377194	Hs.238909	ESTs; Weakly similar to POLYPOSIS LOCUS	2.42	
	114611	AA081374	Hs.108110	DKFZP547E2110 protein	2.42	
40	111595	R11492	Hs.191225	ESTs	2.42	
	111671	R19368	Hs.229084	EST	2.42	
	110687	H93005	Hs.177311	ESTs	2.42	
	103019	X53414	Hs.144567	alanine-glyoxylate aminotransferase (oxa	2.42	
	119076	R36634	Hs.235534	ESTs	2.42	
45	130589	AA234308	Hs.16441	DKFZP434H204 protein	2.42	
	125975	AA495891	Hs.152290	ESTs; Highly similar to PACAP type-3/VP	2.42	
	106380	AA446188	Hs.16614	ESTs	2.41	
	121965	AA429652	Hs.104901	EST	2.41	
	121604	AA416788	Hs.98259	EST	2.41	
50	100885	HG4490-HT4876		Proline-Rich Protein Prb4, Allele	2.41	
	117807	N48701	Hs.46523	EST	2.41	
	119840	W79525	Hs.58586	ESTs	2.41	
	102458	U48861	Hs.54397	cholinergic receptor; nicotinic; beta po	2.41	
	116152	AA460920	Hs.215683	ESTs; Moderately similar to !!!! ALU SUB	2.41	
55	126741	AA522512	Hs.29759	Homo sapiens mRNA; cDNA DKFZp586L2123 (f	2.41	
	103381	X92715	Hs.3057	zinc finger protein 74 (Cos52)	2.41	2.41
	124837	R55630	Hs.233602	KIAA0596 protein	2.41	
	129322	AA437153	Hs.110407	ESTs; Weakly similar to coded for by C.	2.4	
	129291	AA281930	Hs.110099	core-binding factor; runt domain; alpha	2.4	
60	124789	R43803	Hs.78110	ESTs; Weakly similar to F17A9.2 [C.elega	2.4	
	133253	Y00970	Hs.183088	acrosin	2.4	
	118990	N94447	Hs.55047	EST	2.4	
	134897	R71427	Hs.9081	phenylalanyl-tRNA synthetase beta-subuni	2.4	
	116572	D45654	Hs.65582	DKFZP586C1324 protein	2.4	
65	104294	D14539	Hs.234774	myeloid/lymphoid or mixed-lineage leukem	2.4	
	118764	N74440	Hs.205264	ESTs	2.4	
	117437	N27645		yw5e3.s1 Weizmann Olfactory Epithelium H	2.4	
				3' similar to contains L1.t3 L1 repetit	2.4	
70	111651	R16733	Hs.20499	ESTs	2.39	
	109583	F02322	Hs.26135	ESTs	2.39	
	125969	R94247	Hs.193879	ESTs	2.39	
	130647	AA457216	Hs.214190	interleukin enhancer binding factor 1	2.39	
	113708	T97467	Hs.18065	ESTs	2.39	
	133469	L03785	Hs.170482	myosin; light polypeptide 5; regulatory	2.39	
75	118266	N62837	Hs.48647	immunoglobulin-like transcript 7	2.39	
	121656	AA417248	Hs.98212	ESTs	2.39	
	126530	AI422841	Hs.180086	ESTs	2.39	



	123708	AA609648	Hs.207767	EST	2.39	
	107875	AA025308	Hs.61182	ESTs	2.39	
	111711	R22891	Hs.7093	ESTs	2.39	
5	131405	U79255	Hs.26468	amyloid beta (A4) precursor protein-bind	2.39	
	127454	AA502957	Hs.153590	ESTs	2.39	
	132341	AA448419	Hs.45209	ESTs	2.38	
	133673	D87673	Hs.75486	heat shock transcription factor 4	2.38	
	113213	T58607		ya94a02.s1 Stratagene placenta (#937225)	2.38	
10	106230	AA429356	Hs.12047	ESTs	2.38	
	116692	F09261	Hs.66103	ESTs	2.38	
	126197	AA172284	Hs.103657	ESTs; Weakly similar to CH-TOG PROTEIN	2.38	
	115966	AA446866	Hs.71371	ESTs	2.38	
	132636	U65785	Hs.5417	oxygen regulated protein (150kD)	2.38	
15	109965	H09077	Hs.30895	EST	2.38	
	130203	L14754	Hs.1521	immunoglobulin mu binding protein 2	2.38	
	131332	R50487	Hs.25717	ESTs	2.38	
	119105	R42357	Hs.91453	ESTs	2.37	
	129253	W69316	Hs.109778	ESTs; Weakly similar to similar to beta-	2.37	
20	113602	T92558	Hs.17036	ESTs	2.37	
	118102	N55272	Hs.145798	ESTs	2.37	
	100734	HG3432-HT3620		Fibroblast Growth Factor Receptor K-Sam, Alt. Splice 3, K-Sam lii	2.37	
	111533	R08548	Hs.251651	EST	2.37	
	130813	U12259	Hs.198	paired box gene 3 (Waardenburg syndrome	2.37	
25	119180	R80413	Hs.92520	ESTs	2.37	
	109335	AA211443	Hs.86492	ESTs	2.37	
	107386	U97698	Hs.159593	mucin 6; gastric	2.36	
	122486	AA448328	Hs.115527	ESTs	2.36	
	112997	T23548	Hs.167467	ESTs	2.36	
30	109674	F09051	Hs.21837	ESTs; Weakly similar to KIAA0927 protein	2.36	
	128868	AA423827	Hs.106730	hypothetical protein	2.36	
	127027	R17261		yg12g07.r1 Soares infant brain 1N1B H sa	2.36	
	123099	AA485931	Hs.79	aminoacylase 1	2.36	
	115716	AA416767	Hs.43498	ESTs; Weakly similar to ORF YKL201c [S.c	2.36	
35	130830	D86982	Hs.20060	KIAA0229 protein	2.36	
	109051	AA159920	Hs.72322	ESTs	2.36	
	130181	R39552	Hs.151608	Homo sapiens clone 23622 mRNA sequence	2.36	
	131114	R46233	Hs.23107	ESTs	2.36	
	123589	AA609047	Hs.188922	ESTs	2.36	
40	130872	U03891		phorbolin (similar to apolipoprotein B m	2.36	
	131962	H78550	Hs.2780	jun D proto-oncogene	2.36	
	130502	M55067	Hs.1583	neutrophil cytosolic factor 1 (47kD; chr	2.36	
	121785	AA423883	Hs.142442	ESTs	2.35	
	125405	T97171	Hs.121570	ESTs	2.35	
45	103682	AA000993		ESTs	2.35	
	125649	T77395	Hs.194816	stomatin-like protein 1	2.35	
	115452	AA285019	Hs.55263	ESTs; Highly similar to mitochondrial di	2.35	
	129338	T56800	Hs.47274	Homo sapiens mRNA; cDNA DKFZp564B176 (fr	2.35	2.35
	106105	AA421268	Hs.149443	putative tumor suppressor	2.35	
50	134770	R72079	Hs.89575	CD79B antigen (immunoglobulin-associated	2.35	
	119422	T99496	Hs.229598	EST	2.35	
	109869	H02849	Hs.30345	EST	2.35	
	134314	AA263032	Hs.81634	ATP synthase; H+ transporting; mitochond	2.35	
	114989	AA251097	Hs.189119	ESTs	2.35	
55	122619	AA453755	Hs.191515	ESTs	2.35	
	133129	AA428580	Hs.65551	ESTs	2.35	
	128465	AA416762	Hs.100221	nuclear receptor subfamily 1; group H; m	2.35	
	115636	AA402715	Hs.58389	ESTs	2.35	
	130836	J05068	Hs.2012	transcobalamin I (vitamin B12 binding pr	2.34	
60	132385	Y10256	Hs.47007	serine/threonine protein-kinase	2.34	
	107776	AA018820	Hs.221147	ESTs	2.34	
	109791	F10669	Hs.13228	DRE-antagonist modulator; calsenilin	2.34	
	124409	N33212	Hs.107197	ESTs	2.34	
	131068	AA397916	Hs.22595	ESTs	2.34	
65	121079	AA398719	Hs.14169	ESTs; Weakly similar to CREB-binding pro	2.34	
	124662	N94340	Hs.171835	ESTs; Weakly smlr to PUT PRE-MRNA SPLICI	2.34	2.34
	133820	M13686	Hs.177582	surfactant; pulmonary-associated protein	2.34	
	129424	M55593	Hs.111301	matrix metalloproteinase 2 (gelatinase A	2.34	
	109066	AA161377	Hs.72404	EST	2.34	
70	100339	D63485	Hs.181359	KIAA0151 gene product	2.34	
	100809	HG3991-HT4261		Cpg-Enriched Dna, Clone E18	2.34	
	120844	AA349417	Hs.96917	ESTs	2.33	
	124927	R96146	Hs.221459	ESTs	2.33	
	109779	F10527	Hs.3353	Homo sapiens clone 24940 mRNA sequence	2.33	
75	101171	L16842	Hs.119251	ubiquinol-cytochrome c reductase core pr	2.33	
	110805	N26904	Hs.24048	ESTs; Weakly similar to FK506/rapamycin-	2.33	
	125440	A1090982	Hs.31895	ESTs	2.33	

	133159	AC000061	Hs.663	cystic fibrosis transmembr conductance re	2.33
	101829	M91368	Hs.129763	solute carrier family 8 (sodium/calcium	2.33
	126492	AA778565	Hs.142505	ESTs	2.33
5	102774	U83303	Hs.164021	small inducible cytokine subfamily B (CX	2.33
	130480	N50809	Hs.15760	ESTs; Weakly similar to similar to Yeast	2.33
	126878	AI424759	Hs.238928	ESTs	2.33
	117338	N23889	Hs.43466	ESTs	2.32
	118662	N70877	Hs.13055	ESTs	2.32
10	130354	AA416685	Hs.155001	UNC13 (C. elegans)-like	2.32
	106760	AA477330	Hs.12293	ESTs	2.32
	124294	H90573	Hs.102298	EST	2.32
	119428	W02129	Hs.55242	EST	2.32
	132629	Z40942	Hs.5383	ESTs	2.32
15	127998	AA854161	Hs.143585	ESTs	2.32
	132728	AA293334	Hs.5566	ESTs; Highly similar to RAS-RELATED PROT	2.32
	120292	AA189116	Hs.96168	ESTs	2.32
	107598	AA004528	Hs.169444	ESTs	2.32
	128164	AI478174	Hs.144846	ESTs	2.32
20	105753	AA299789	Hs.15277	ESTs	2.31
	131256	AA262340	Hs.24907	coronin; actin-binding protein; 2B	2.31
	110891	N38863	Hs.234392	platelet-activating factor acetylhydrola	2.31
	116767	H13689	Hs.92530	ESTs	2.31
	100545	HG2147-HT2217		Mucin 3, Intestinal (Gb:M55405)	2.31
25	125264	W88995	Hs.167641	ESTs; Weakly similar to C15H9.5 [C.elega	2.31
	118387	N64579		yz51d11.s1 Morton Fetal Cochlea H sapien	2.31
	104335	D83847	Hs.183864	elastase 3B	2.31
	107464	W42944	Hs.171939	ESTs	2.31
	112304	R54798	Hs.26239	ESTs	2.31
30	134313	AA136100	Hs.6673	trinucleotide repeat containing 15	2.31
	116322	AA490900	Hs.58643	ESTs; Highly similar to JAK3B [H.sapiens	2.31
	111275	N70970	Hs.35006	ESTs	2.31
	100109	AJ000480	Hs.143513	phosphoprotein regulated by mitogenic pa	2.31
	109338	AA211717	Hs.86507	ESTs	2.31
35	134432	AA053022	Hs.8312	ESTs	2.31
	129649	AD000092	Hs.182628	Homo sapiens DNA from chr 19p13.2 cosmid	2.31
				EKLF; GCDH; CRTG; and RAD23A genes; gen	2.31
	122623	AA453990	Hs.99248	ESTs	2.31
	112070	R43976	Hs.236310	EST	2.31
40	127683	AA668123	Hs.134170	ESTs	2.31
	104920	AA057620	Hs.30807	ESTs; Highly similar to dJ186O1.1 [H.sap	2.31
	106064	AA417373	Hs.15898	ESTs	2.31
	106782	AA478487		ESTs	2.31
	126709	AA028159	Hs.47234	ESTs	2.3
45	105129	AA158386	Hs.186476	ESTs	2.3
	105719	AA291644	Hs.36793	ESTs	2.3
	121698	AA418399	Hs.10351	KIAA0308 protein	2.3
	119069	R27619	Hs.231046	EST	2.3
	130388	U72515	Hs.189583	putative protein similar to nessy (Droso	2.3
50	103444	X98801	Hs.74617	dynactin 1 (p150; Glued (Drosophila) hom	2.3
	114604	AA076128		zm18g4.s1 Stratagene pancreas (#93728) H	2.3
				3' similar to SW:RS1A_HUMAN P3927 4S RI	2.3
	103878	AA227635	Hs.202588	ESTs	2.3
	105828	AA398276	Hs.11962	ESTs	2.3
55	119778	W72920	Hs.58244	ESTs	2.3
	120401	AA234309	Hs.193011	ESTs	2.3
	116290	AA488691	Hs.57969	phenylalanine-tRNA synthetase	2.3
	130479	R44163	Hs.12457	Homo sapiens clone 23770 mRNA sequence	2.3
	104253	AF002672	Hs.152944	loss of heterozygosity; 11; chromosomal	2.29
60	132615	H66367	Hs.53358	ESTs; Weakly similar to !!!! ALU SUBFAMI	2.29
	121954	AA429598	Hs.98587	ESTs	2.29
	101336	L49169	Hs.75678	FBJ murine osteosarcoma viral oncogene h	2.29
	127247	AA313802	Hs.6289	growth factor receptor-bound protein 2	2.29
	117300	N22565	Hs.43212	ESTs	2.29
65	122229	AA436198	Hs.103902	ESTs	2.29
	125106	T95766	Hs.189760	ESTs	2.29
	128083	R16100	Hs.166476	ESTs	2.29
	131279	AA089853	Hs.25197	STIP1 homology and U-Box containing prot	2.29
	133838	M97796	Hs.180919	inhibitor of DNA binding 2; dominant neg	2.29
70	111837	R36447	Hs.24453	ESTs	2.29
	111435	R01620	Hs.19198	ESTs	2.29
	123613	AA609158	Hs.112656	EST	2.29
	133560	AA256365	Hs.7486	protein expressed in thyroid	2.29
	122896	AA469952	Hs.97899	ESTs; Weakly similar to dal2; len:343; C	2.29
75	113378	T80627	Hs.14757	ESTs	2.29
	127174	AA293204	Hs.139352	ESTs	2.29
	120153	Z39582	Hs.65777	EST	2.29

	112741	R93080	Hs.35035	ESTs	2.28	
	132152	AA044784	Hs.4105	Homo sapiens mRNA; cDNA DKFZp586A0618 (f	2.28	2.28
	109790	F10665	Hs.25031	ESTs	2.28	
5	113776	W04657	Hs.24248	ESTs	2.28	
	102934	X13451		Hu mRNA for lymphocyte lineage-restricted	2.28	
	126168	AA322034		EST24690 Cerebellum II Homo sapiens cDNA2.28		
	126363	N94706		Human Chromosome 16 BAC clone CIT987SK-A	2.28	2.28
	101427	M19508		Human myeloperoxidase gene, exons 1-4	2.28	
10	132616	AA386264	Hs.5337	isocitrate dehydrogenase 2 (NADP+); mito	2.28	
	105537	AA258813	Hs.27160	ESTs	2.28	
	126527	AA548559	Hs.103853	ESTs	2.28	
	115359	AA281936	Hs.88914	ESTs	2.28	
	108474	AA079667		zm93d1.s1 Stratagene ovarian cncr (#9372	2.28	
15	120685	AA291066	Hs.105099	ESTs	2.28	
	126171	AA704771	Hs.191942	ESTs	2.28	
	112858	T02963	Hs.4454	ESTs	2.28	
	121817	AA424826	Hs.98475	EST	2.28	
	107895	AA026150	Hs.61384	ESTs	2.28	
20	131161	Z38223	Hs.23735	potassium voltage-gated channel; subfami	2.28	
	135173	M72885	Hs.95910	Human GOS2 protein gene; complete cds	2.27	
	103182	X69819	Hs.99995	intercellular adhesion molecule 3	2.27	
	113889	W72720	Hs.194347	ESTs	2.27	
	128984	AA319615	Hs.238030	secretory carrier membrane protein 2	2.27	
25	101531	M29877	Hs.576	fucosidase; alpha-L- 1; tissue	2.27	
	115916	AA436889	Hs.91910	ESTs	2.27	
	129892	H96850	Hs.89674	dolichyl-diphosphooligosaccharide-protei	2.27	
	103035	X54871	Hs.77690	RAB5B; member RAS oncogene family	2.27	
	126479	T78141		ESTs	2.27	
30	125778	R71976	Hs.161791	ESTs; Weakly similar to !!!! ALU SUBFAMI	2.27	
	108132	AA053586	Hs.63048	ESTs	2.27	
	111017	N53965	Hs.256327	ESTs	2.27	
	127165	AA359719	Hs.127121	ESTs	2.27	
	126446	AI421309	Hs.118926	DKFZP586K0919 protein	2.26	
35	107864	AA025061	Hs.61246	ESTs	2.26	
	122277	AA437133	Hs.98936	ESTs	2.26	
	115604	AA400378	Hs.49391	ESTs	2.26	
	105061	AA134824	Hs.4865	ESTs	2.26	
	118549	N68163	Hs.49455	EST	2.26	
40	110509	H56493	Hs.61960	ESTs; Moderately similar to HYPOTHETICAL	2.26	2.26
	114088	Z38280	Hs.26971	Human Chromosome 16 BAC clone CIT987SK-2		
	103225	X74837	Hs.2750	mannosidase; alpha; class 1A; member 1	2.26	
	125842	AA746654	Hs.5181	proliferation-associated 2G4; 38kD	2.26	
	104538	R25069	Hs.175681	ESTs	2.26	
45	130304	U09368	Hs.154205	zinc finger protein 140 (clone pHZ-39)	2.26	
	120680	AA290743	Hs.97242	ESTs	2.26	
	124062	H00440	Hs.144524	ESTs; Weakly similar to signal transduce	2.26	
	103289	X80915	Hs.1573	growth differentiation factor 5 (cartila	2.26	
	109286	AA197273	Hs.191324	ESTs	2.26	
50	128555	U62739	Hs.101408	branched chain aminotransferase 2; mitoc	2.26	
	129439	AA171694	Hs.111461	ceruloplasmin (ferroxidase)	2.26	
	109221	AA192755	Hs.85840	ESTs; Weakly similar to stac [H.sapiens]	2.26	
	109906	H05084	Hs.28077	ESTs; Highly similar to GDP-mannose pyro	2.26	
	130540	U35234	Hs.159534	protein tyrosine phosphatase; receptor t	2.26	
55	122870	AA465158	Hs.192861	Spi-B transcription factor (Spi-1/PU.1 r	2.26	
	120219	Z41124	Hs.66045	EST	2.26	
	128021	AI001136	Hs.78223	N-acylaminoacyl-peptide hydrolase	2.26	
	121732	AA421047	Hs.98330	ESTs	2.26	
	107817	AA020781	Hs.60847	ESTs	2.25	
60	101069	L02648	Hs.84232	transcobalamin II; macrocytic anemia	2.25	
	103065	X58399	Hs.81221	Human L2-9 transcript of unrearranged im	2.25	
	118019	N52585	Hs.47517	ESTs	2.25	
	122220	AA436011	Hs.98187	ESTs	2.25	
	109161	AA179392	Hs.73601	EST	2.25	
65	128699	K03207	Hs.103972	proline-rich protein BstNI subfamily 4	2.25	
	101914	S71824	Hs.167988	neural cell adhesion molecule 1	2.25	
	102697	U74667	Hs.6364	Tat interactive protein (60kD)	2.25	
	119939	W86753	Hs.82407	ESTs	2.25	
	127793	AI298835	Hs.30445	ESTs; Weakly similar to transcription re	2.25	
70	104450	L77564	Hs.103978	serine/threonine kinase 22B (spermiogene	2.25	
	133096	AA136042	Hs.131053	ESTs	2.25	
	115416	AA283893	Hs.203866	ESTs	2.25	
	117056	H90322	Hs.41387	EST	2.25	
	115598	AA400129	Hs.65735	ESTs	2.25	
75	121267	AA401397	Hs.165296	ESTs; Highly similar to kallikrein-like	2.25	
	104778	AA026397	Hs.11039	Homo sapiens clone 24804 mRNA sequence	2.25	
	110926	N48252	Hs.135287	ESTs	2.24	

	102795	U88667	Hs.198396	ATP-binding cassette; sub-family A (ABC1	2.24
	118643	N70324	Hs.49840	ESTs	2.24
	103304	X82240	Hs.2484	T-cell leukemia/lymphoma 1A	2.24
5	134814	Z48475	Hs.89771	glucokinase (hexokinase 4) regulatory pr	2.24
	125912	AA171719	Hs.5233	eukaryotic translation initiation factor	2.24
	134365	R32377	Hs.82240	syntaxin 3A	2.24
	117224	N20300	Hs.218707	ESTs	2.24
	107169	AA621601	Hs.184446	ESTs; Weakly similar to small GTP-bindin	2.24
10	133948	M59916	Hs.77813	sphingomyelin phosphodiesterase 1; acid	2.24
	101426	M19483	Hs.25	ATP synthase; H+ transporting; mitochond	2.24
	119922	W86196	Hs.177384	ESTs	2.24
	123361	AA504810	Hs.139649	EST	2.24
	123915	AA621298	Hs.112967	ESTs	2.24
	123540	AA608792	Hs.112591	EST	2.24
15	124978	T40560	Hs.221759	ESTs	2.24
	102354	U38268		Human cytochrome b pseudogene, partial c	2.24
	124198	H53099	Hs.198271	NADH dehydrogenase (ubiquinone) 1 alpha	2.24
	102160	U18235	Hs.121561	ATP-binding cassette; sub-family A (ABC1	2.24
	107520	X76091	Hs.100007	regulatory factor X; 2 (influences HLA c	2.24
20	131589	U52100	Hs.29191	epithelial membrane protein 2	2.24
	126633	AA206993	Hs.154145	guanine nucl binding protein (G protein)	2.23
	130887	AA258379	Hs.155986	angiotensin receptor-like 2	2.23
	119894	W84670	Hs.58518	EST	2.23
	124544	N63837	Hs.40500	similar to S. cerevisiae RER1	2.23
25	103104	X61587	Hs.75082	ras homolog gene family; member G (rho G	2.23
	110119	H17306	Hs.177229	ESTs	2.23
	131411	AA464043	Hs.26506	ESTs; Weakly similar to NY-REN-45 antige	2.23
	102346	U37359	Hs.227297	meiotic recombination (S. cerevisiae) 11	2.23
	106003	AA411167	Hs.8734	ESTs; Moderately similar to !!!! ALU CLA	2.23
30	122564	AA452251	Hs.98669	ESTs	2.23
	133688	U42031	Hs.7557	FK506-binding protein 5	2.23
	132096	AA131410	Hs.3964	Homo sapiens clone 24877 mRNA sequence	2.23
	110038	H11746	Hs.31097	ESTs	2.23
	123788	AA620293	Hs.112853	ESTs	2.23
35	135070	X99350	Hs.93974	forkhead box J1	2.23
	104908	AA055841	Hs.154396	ESTs	2.22
	128674	AA025001	Hs.169452	ESTs	2.22
	100810	HG3992-HT4262		Cpg-Enriched Dna, Clone E35	2.22
40	120065	W93579	Hs.59478	EST	2.22
	122775	AA459692	Hs.112143	ESTs	2.22
	125443	H71482	Hs.177592	ribosomal protein; large; P1	2.22
	118617	N69666	Hs.183413	ESTs; Moderately similar to !!!! ALU SUB	2.22
	128001	AI167814	Hs.166664	ESTs	2.22
45	128160	AI279080	Hs.149971	ESTs; Moderately similar to !!!! ALU CLA	2.22
	106608	AA458644	Hs.27115	ESTs	2.22
	103485	Y08409	Hs.248415	thyroid hormone responsive SPOT14 (rat)	2.22
	135008	AA173423	Hs.92918	ESTs; Weakly similar to R07G3.8 [C.elega	2.22
	110122	H17333	Hs.159837	EST	2.22
50	128397	AI393421	Hs.14032	ESTs	2.22
	110231	H24359	Hs.28733	ESTs	2.22
	123188	AA489092	Hs.177726	ESTs	2.22
	131903	AA481723	Hs.3436	deleted in oral cancer (mouse; homolog)	2.22
	122649	AA454616	Hs.90336	ATPase; H+ transporting; lysosomal (vacu	2.22
55	133090	AA448228	Hs.6468	ESTs	2.22
	108002	AA037664	Hs.55067	ESTs; Weakly similar to T07F12.1 gene pr	2.22
	133120	X64559	Hs.65424	tetranectin (plasminogen-binding protein	2.21
	114263	Z40073	Hs.6045	ESTs	2.21
	125518	R20148	Hs.193851	ESTs	2.21
60	128613	U78551	Hs.102482	Homo sapiens gallbladder mucin MUC5B mRN	2.21
	102773	U83192	Hs.23731	discs; large (Drosophila) homolog 4	2.21
	119526	W38049		Accession not listed in Genbank	2.21
	126844	AA299325		EST11903 Uterus tumor I Homo sapiens cDN	2.21
	105860	AA399251	Hs.180933	ESTs; Weakly similar to methyl-CpG bindi	2.21
	126957	AA733145	Hs.194560	ESTs	2.21
65	108959	AA150107	Hs.81810	ESTs	2.2
	131663	AA423926	Hs.30318	ESTs	2.2
	127468	H02941	Hs.8888	ESTs	2.2
	104483	N42776	Hs.146233	ESTs	2.2
	123848	AA620773	Hs.221996	ESTs	2.2
70	101623	M55905	Hs.75342	malic enzyme 2; NAD(+)-dependent; mitoch	2.2
	120872	AA357993	Hs.96996	ESTs	2.2
	135033	AA173241	Hs.93454	ESTs	2.2
	122286	AA437259	Hs.104944	EST	2.2
	114862	AA235174	Hs.50250	ESTs	2.2
75	100255	D38047	Hs.78466	proteasome (prosome; macropain) 26S subu	2.2
	103063	X58234	Hs.123178	translocase of inner mitochondrial membr	2.2

	132777	R56898	Hs.56663	ESTs	2.2
	133082	AA457129	Hs.6455	RuvB (E coli homolog)-like 2	2.2
	127529	AA558980	Hs.191750	ESTs	2.2
5	114602	AA075642	Hs.103594	deleted in malignant brain tumors 1	2.2
	120722	AA293435	Hs.97277	ESTs	2.2
	102675	U72512		Human B-cell receptor associated protein	2.2
	128551	H09058	Hs.237323	N-acetylglucosamine-phosphate mutase; DK	2.2
	112020	R43001	Hs.22298	EST	2.2
10	123625	AA609216	Hs.112666	EST	2.2
	120315	AA194266	Hs.178393	ESTs	2.2
	122081	AA431992	Hs.104920	ESTs	2.19
	101798	M85220		Accession not listed in Genbank	2.19
	111501	R07444	Hs.163118	ESTs	2.19
	132832	D63482	Hs.57734	KIAA0148 gene product	2.19
15	100544	HG2147-HT2217		Mucin 3, Intestinal (Gb:M55405)	2.19
	106835	AA482077	Hs.33713	ESTs; Weakly similar to hypothetical pro	2.19
	132934	AA076145	Hs.61053	ESTs	2.19
	108762	AA127515	Hs.71787	ESTs; Highly similar to 30S ribosomal pr	2.19
20	120164	Z39733	Hs.158159	FAT tumor suppressor (Drosophila) homolo	2.19
	135395	L08096	Hs.99899	tumor necrosis factor (ligand) superfami	2.19
	101717	M69013	Hs.1686	guanine nucleotide binding protein (G pr	2.19
	121172	AA400013	Hs.97750	EST	2.18
	114861	AA235123	Hs.40719	ESTs	2.18
	120851	AA349662	Hs.174248	ESTs	2.18
25	121083	AA398736	Hs.97653	EST	2.18
	107171	AA621624	Hs.28088	Homo sapiens clone 24515 mRNA sequence	2.18
	128754	D31446	Hs.10488	Breakpoint cluster region protein; uteri	2.18
	100149	D13897	Hs.169249	peptide YY	2.18
30	132405	AA323787	Hs.4770	KIAA1068 protein	2.18
	114666	AA112274		zm27g6.s1 Stratagene pancreas (#93728) H	2.18
				element; contains element LTR8 repetitiv	2.18
	127008	AA223879		zr10g05.r1 Stratagene NT2 neuronal precu	2.18
	110373	H42896	Hs.29438	ESTs	2.18
35	119354	T66942	Hs.100651	golgi SNAP receptor complex member 2	2.18
	130115	M31627	Hs.149923	X-box binding protein 1	2.18
	130514	AA161085	Hs.15871	ESTs; Weakly similar to acid phosphatase	2.18
	128848	H08077	Hs.217179	ESTs; Weakly similar to T27A1.5 [C.elega	2.18
	110161	H19312	Hs.28096	ESTs	2.18
40	132367	X82224	Hs.46634	cysteine conjugate-beta lyase; cytoplasm	2.18
	125882	H45538	Hs.101448	metastasis associated 1	2.17
	113837	W57698	Hs.8888	ESTs	2.17
	106376	AA444004	Hs.6084	ESTs	2.17
	113755	T99075	Hs.18570	ESTs	2.17
45	107525	X91817	Hs.102866	transketolase-like 1	2.17
	119207	R93186	Hs.84298	CD74 antigen (invar polypept of maj hist	2.17
	131862	AA236365		3-phosphoglycerate dehydrogenase	2.17
	115514	AA297739	Hs.55609	ESTs; Weakly similar to ISOLEUCYL-TRNA S	2.17
	112290	R53940	Hs.26016	ESTs	2.17
50	126136	H83353		yv82f02.r1 Soares melanocyte 2NbHM Homo	2.17
	121574	AA412712	Hs.119325	Huntingtin-interacting protein A	2.17
	118530	N67900	Hs.118446	ESTs	2.16
	132327	AA203285	Hs.44892	ESTs; Weakly similar to dJ733D15.1 [H.sa	2.16
	100564	HG2239-HT2324		Potassium Channel Protein (Gb:Z11585)	2.16
55	129376	AA022622	Hs.13543	ESTs; Weakly similar to hypothetical pro	2.16
	135317	X86012	Hs.98602	Human DNA sequence from intron 22 of the	2.16
				9.5kb repeated region; int22h-1; involv	2.16
	114973	AA250845	Hs.87762	ESTs	2.16
	107559	AA001504	Hs.59860	ESTs	2.16
60	111014	N53787	Hs.191117	ESTs	2.16
	101250	L34060	Hs.79133	cadherin 8	2.16
	110697	H93721	Hs.20798	ESTs	2.16
	126843	AA450166	Hs.22641	ESTs; Moderately similar to predicted pr	2.16
	108272	AA063616	Hs.43773	ESTs	2.16
65	125012	T66935	Hs.104859	ESTs	2.16
	111639	R16101	Hs.140834	EST	2.15
	123157	AA488443	Hs.100426	DKFZP564A063 protein	2.15
	102315	U34252	Hs.2533	aldehyde dehydrogenase 9 (gamma-aminobut	2.15
	131897	AA287623	Hs.3426	GTPase; human homolog of E. coli essenti	2.15
70	121528	AA412253	Hs.238909	ESTs; Weakly similar to POLYPOSIS LOCUS	2.15
	122806	AA460707	Hs.106397	ESTs	2.15
	125727	H00958	Hs.181641	ESTs	2.15
	133279	AA069571	Hs.6957	Homo sapiens clone 24616 mRNA sequence	2.15
	103219	X74570	Hs.75268	sialyltransferase 4C (beta-galactosidase	2.15
75	120881	AA362144	Hs.104601	EST	2.15
	134060	D42039	Hs.78871	KIAA0081 protein	2.15
	106598	AA457140	Hs.11411	DKFZP566O084 protein	2.15

	125576	R66208	yi30h03.r1 Soares placenta Nb2HP H sapie	
			contains Alu repetitive element; contain	2.15
	126727	AA037230	Hs.135084	cystatin C (amyloid angiopathy and cereb
	101490	M25629	Hs.123107	kallikrein 1; renal/pancreas/salivary
5	129708	AA417181	Hs.120858	ESTs
	100627	HG2702-HT2798		Serine/Threonine Kinase (Gb:Z25424)
	121703	AA418671	Hs.104807	ESTs
	106809	AA479704	Hs.220324	Human DNA seq frm clone 283E3 on chr 1p36
10			Female Reproductive tract MIFR1; -2; MM	2.14
	129525	F03873	Hs.112306	Homo sapiens clone 24955 mRNA sequence;
	100478	HG1067-HT1067		Mucin (Gb:M22406)
	118593	N69020	Hs.207689	EST
	114047	W94427	Hs.3807	ESTs; Weakly similar to PHOSPHOLEMMAN PR
	128823	AA478207	Hs.10632	ESTs; Moderately similar to sex-determin
15	100534	HG1980-HT2023		Tubulin, Beta 2
	105757	AA321146	Hs.30596	ESTs
	109617	F03192	Hs.26789	ESTs; Weakly similar to dJ162H14.1 [H.sa
	121547	AA412448	Hs.104777	ESTs
	119420	T98291	Hs.102484	glutathione S-transferase A3
20	120274	AA177051		nc02a02.s1 NCI_CGAP_Pr3 Homo sapiens cDN
			repetitive element; contains element LTR	2.14
	132933	AA598702	Hs.6101	bone morphogenetic protein 6
	133405	X07881	Hs.73031	proline-rich protein BstNI subfamily 3
	119811	W73922	Hs.49047	ESTs
25	134536	AA457735	Hs.850	IMP (inosine monophosphate) dehydrogenas
	105125	AA157799	Hs.6980	aldo-keto reductase family 7; member A2
	101398	M15881	Hs.1137	uromodulin (uromucoid; Tamm-Horsfall gly
	132751	AA397901	Hs.55993	ESTs
	115777	AA424142	Hs.39384	putative secreted ligand homologous to f
30	123193	AA489228	Hs.136956	ESTs
	116875	H67749	Hs.161022	EST
	107271	D60607	Hs.34931	EST
	134551	R44839	Hs.8526	i-beta-1;3-N-acetylglucosaminyltransfera
	113413	T83739	Hs.186512	ESTs
35	120522	AA258843	Hs.258748	ESTs
	119965	W87738	Hs.59039	EST
	131283	AA101601	Hs.183986	herpesvirus entry mediator B (poliovirus
	107347	U43628	Hs.102598	mucosal vascular addressin cell adhesion
	116490	C14265	Hs.66450	ESTs
40	100563	HG2239-HT2324		Potassium Channel Protein (Gb:Z11585)
	110441	H50302	Hs.19845	ESTs; Highly similar to protein phosphat
	101035	J05158	Hs.73858	carboxypeptidase N; polypeptide 2; 83kD
	132500	AA047297	Hs.50107	ESTs; Moderately similar to CDO [H.sapie
45	129807	L34820	Hs.5299	aldehyde dehydrogenase 5 family; member
	106250	AA430466	Hs.28890	ESTs
	113569	T91086	Hs.162070	EST
	122911	AA470087	Hs.239726	ESTs
	107452	W28988	Hs.250746	ESTs
	111824	R35661	Hs.25006	EST
50	132831	U53442	Hs.57732	mitogen-activated protein kinase 11
	110244	H26742	Hs.25367	ESTs; Weakly similar to ALR [H.sapiens]
	128918	H85347	Hs.107164	spectrin; beta; non-erythrocytic 1
	133728	M10901	Hs.75772	nuclear receptor subfamily 3; group C; m
	122476	AA448211	Hs.99164	ESTs
55	132004	L37360	Hs.37054	ephrin-A3
	113971	W86760	Hs.220682	ESTs
	103386	X92972	Hs.80324	protein phosphatase 6; catalytic subunit
	131120	AA443676	Hs.23133	ESTs; Weakly similar to alcohol sulfotra
	102186	U20285		G protein pathway suppressor 1
60	103694	AA018541	Hs.60580	zinc finger protein
	111995	R42333	Hs.20893	ESTs
	124436	N39596	Hs.182584	ESTs
	100306	D50495	Hs.80598	transcription elongation factor A (SII);
	103084	X59932	Hs.77793	c-src tyrosine kinase
65	115092	AA255903	Hs.80975	CD39-like 4
	121579	AA416543	Hs.111981	ESTs
	127101	AI349351	Hs.118944	ESTs
	121195	AA400273	Hs.97791	ESTs
	112721	R91484	Hs.30853	ESTs
70	113253	T64207	Hs.55296	HLA-B associated transcript-1
	120838	AA348887	Hs.96907	ESTs
	114122	Z38582	Hs.12751	ESTs
	112635	R82298	Hs.29497	ESTs
	103785	AA095600	Hs.225647	ESTs
75	128260	AA331445		EST35277 Embryo, 8 week I Homo sapiens c
	122987	AA479155	Hs.103364	ESTs

	110374	H42983	Hs.227263	ESTs	2.11
	116595	D60625	Hs.177656	calmodulin 1 (phosphorylase kinase; delt	2.11
	126117	H78617	yu26a08.r1	Soares fetal liver spleen 1NF	2.11
5	116610	D80448	Hs.45177	ESTs	2.11
	111430	R01248	Hs.19165	ESTs	2.11
	106700	AA463929	Hs.28701	ESTs	2.11
	120181	Z40121	Hs.65870	ESTs; Weakly similar to Pro-Pol-dUTPase	2.1
	132545	AA147218	Hs.5105	ESTs	2.1
10	105005	AA115253	Hs.28805	ESTs	2.1
	126702	U54602	Hs.2785	keratin 17	2.1
	124096	H10060	Hs.101687	EST	2.1
	132720	Z69881	Hs.5541	ATPase; Ca++ transporting; ubiquitous	2.1
	121926	AA428559	Hs.104895	ESTs	2.1
15	125734	AA157445	Hs.227391	DKFZP547E1010 protein	2.1
	122368	AA443963	Hs.104964	EST	2.1
	116910	H72014	Hs.161031	ESTs; Weakly similar to SYNAPTOTAGMIN I	2.1
	113171	T54613	Hs.9761	EST	2.1
	134629	U00951	Hs.87150	Human clone A9A2BR11 (CAC)n/(GTG)n repea	2.1
20	105712	AA291293	Hs.25219	ESTs	2.1
	106931	AA495918	Hs.26714	ESTs	2.1
	114278	Z40424	Hs.27728	ESTs	2.1
	116615	D80666	Hs.45203	ESTs	2.09
	100189	D21089	Hs.320	xeroderma pigmentosum; complementation g	2.09
25	119500	W37694	Hs.55561	ESTs	2.09
	129605	S72493	Hs.115947	keratin 16 (focal non-epidermolytic palm	2.09
	133912	X62744	Hs.77522	major histocompatibility complex; class	2.09
	129636	N34942	Hs.11782	ESTs	2.09
30	106372	AA443941	Hs.4992	tumor suppressing subtransferable candid	2.09
	101885	M98539	Hs.8272	prostaglandin D2 synthase (21kD; brain)	2.09
	132749	AA235989	Hs.55967	short stature homeobox 2	2.09
	135042	X91348	Hs.93522	putative non-coding transcript (DiGeorge	2.09
	109404	AA224594	Hs.86941	ESTs	2.09
	101333	L47738	Hs.80313	p53 inducible protein	2.09
35	100114	D00596	Hs.82962	thymidylate synthetase	2.09
	130536	T17045	Hs.159492	spastic ataxia of Charlevoix-Saguenay (s	2.09
	125772	R83903	Hs.78040	KDEL (Lys-Asp-Glu-Leu) endoplasmic retic	2.09
	132192	AA247569	Hs.4209	ESTs	2.09
	124697	R06273	Hs.186467	ESTs; Moderately similar to !!!! ALU SUB	2.09
40	127694	AI247780	Hs.117036	ESTs	2.08
	127895	AA772600	Hs.187998	ESTs; Weakly similar to ATP-binding cass	2.08
	121315	AA402883	Hs.82269	progesterone-associated endometrial prote	2.08
				endometrial alpha-2-globulin; alpha ute	2.08
45	112150	R46576	Hs.23239	ESTs	2.08
	105054	AA133584	Hs.26333	JM1 protein	2.08
	113151	T51620	Hs.9326	EST	2.08
	118783	N75285	Hs.50593	ESTs; Moderately similar to cytoplasmic	2.08
	126748	AA249580	Hs.239975	ESTs; Moderately similar to CDO [H.sapie	2.08
	135160	U77643	Hs.95655	secreted and transmembrane 1	2.08
50	107518	X60152		zinc finger protein 2	2.08
	126055	N28990		yx39g04.r1 Soares melanocyte 2NbHM Homo	2.08
	116982	H81933	Hs.40317	ESTs	2.08
	101756	M77235	Hs.169331	sodium channel; voltage-gated; type V; a	2.08
	116935	H75763	Hs.53468	ESTs	2.08
55	118556	N68408	Hs.194637	Homo sapiens mRNA; cDNA DKFZp564D113 (fr	2.08
	129812	L07807	Hs.166161	dynammin 1	2.08
	121946	AA429411	Hs.104888	ESTs	2.08
	133843	AA489045	Hs.76691	Homo sapiens clone 25100 mRNA sequence;	2.08
	122170	AA435744	Hs.163913	ESTs	2.08
60	122399	AA446449	Hs.231112	EST	2.08
	105775	AA348274	Hs.6664	ESTs	2.08
	123943	AA621553	Hs.112998	ESTs	2.08
	105771	AA347967	Hs.256267	neuroblastoma RAS viral (v-ras) oncogene	2.08
	114454	AA021091	Hs.226208	ESTs	2.08
65	125802	R78852	Hs.151099	ESTs	2.08
	131556	AA442853	Hs.2869	cyclin-dependent kinase 5; regulatory su	2.08
	118837	N79836	Hs.216338	ESTs	2.08
	107345	U26209	Hs.102307	solute carrier family 13 (sodium-depende	2.08
	131324	H58690	Hs.25625	ESTs	2.08
70	105233	AA216759	Hs.191132	ESTs	2.07
	112886	T03864	Hs.7436	putative acyltransferase	2.07
	120252	AA169400	Hs.152701	DKFZP434F124 protein	2.07
	114867	AA235310	Hs.52899	ESTs; Moderately similar to !!!! ALU SUB	2.07
	106715	AA464955	Hs.126062	ESTs; Weakly similar to EPIDERMAL GROWTH	2.07
75	125560	R51281	Hs.13692	ESTs; Highly similar to PROTEIN TSG24 [M	2.07
	112270	R53021	Hs.203358	ESTs	2.07
	134626	S82198	Hs.8709	caldecrin (serum calcium decreasing fact	2.07

	115723	AA417345	Hs.54846	ESTs	2.07	
	123895	AA621192	Hs.112949	EST	2.07	
	119906	W85818		ESTs; Moderately similar to !!!! ALU SUB	2.07	
5	108559	AA085161		zn12c5.s1 Stratagene hNT neuron (#937233 IMAGE:54728 3' similar to TR:G1151228 G	2.07	
	101246	L33799	Hs.202097	procollagen C-endopeptidase enhancer	2.07	
	100663	HG2915-HT3059		Major Histocompatibility Complex, Class I, E (Gb:M20022)	2.07	
	114178	Z39063	Hs.17930	Humn DNA seq frm clone 1033B10 on chr 6p for GaIT3 (beta3-Galactosyltransferase)	2.07	
10	125672	AA152281	Hs.78601	uroporphyrinogen decarboxylase	2.07	
	118052	N53360	Hs.165133	ESTs	2.07	
	102387	U41163	Hs.229731	solute carrier family 6 (neurotransmitte	2.07	
	127305	AA535148	Hs.255277	ESTs	2.07	
15	101182	L19711	Hs.76111	dystroglycan 1 (dystrophin-associated gl	2.07	
	131111	R33245	Hs.23076	ESTs; Weakly similar to putative [C.eleg	2.07	
	112441	R63388	Hs.28412	ESTs	2.06	
	117796	N48571	Hs.46689	EST	2.06	
	116099	AA456309	Hs.58831	regulator of Fas-induced apoptosis	2.06	
20	125559	AA307550	Hs.119571	collagen; type III; alpha 1 (Ehlers-Danl	2.06	
	135271	AA397763	Hs.97562	ESTs	2.06	
	106083	AA418545	Hs.31659	thyroid hormone receptor-associated prot	2.06	
	133419	U67369	Hs.73172	growth factor independent 1	2.06	
	127816	AA743646	Hs.120604	ESTs	2.06	
25	127502	AA614422	Hs.183502	ESTs	2.06	
	129371	M10321	Hs.110802	von Willebrand factor	2.06	
	108417	AA075716		zn89e5.s1 Stratagene ovarian cancer (#93 CLUSTERIN PRECURSOR (HUMAN); mRNA sequ	2.06	
	102837	U94585	Hs.13495	requiem; apoptosis response zinc finger	2.06	
30	124226	H62396	Hs.190266	ESTs	2.06	
	102254	U28131		Human HMGI-C chimeric transcript mRNA, p	2.06	
	128472	X87212	Hs.10029	cathepsin C	2.06	
	107545	Z82022	Hs.26433	dolichyl-phosphate (UDP-N-acetylglucosam	2.06	
	135311	M36089	Hs.98493	X-ray repair complementing defective rep	2.06	
35	121727	AA420973	Hs.104234	ESTs	2.06	
	131846	U02619	Hs.331	general transcription factor IIIC; polyp	2.06	
	120415	AA235810	Hs.182522	ESTs	2.06	
	110529	H57686	Hs.37486	ESTs	2.06	
	104996	AA112307	Hs.105894	Homo sapiens mRNA; cDNA DKFZp434G231 (fr	2.06	
40	110351	H41222	Hs.196459	ESTs	2.06	
	131261	AA223746	Hs.171776	inositol(myo)-1(or 4)-monophosphatase 1	2.06	
	110585	H62223	Hs.133526	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.06	
	129420	AA234259	Hs.99816	ESTs	2.06	
	103796	AA112595	Hs.31146	Human DNA sequence from clone 1042K10 on lyase (EC 4.3.2.2; Adenylosuccinase; AS 3). Contains ESTs; STSs; GS	2.06	
45	119782	W72982	Hs.58262	ESTs	2.06	
	108641	AA112059		ATP synthase; H+ transporting; mitochond	2.06	
	134875	U66672	Hs.180513	ATP-binding cassette; sub-family A (ABC1	2.06	
50	106832	AA482015	Hs.30114	ESTs; Highly similar to C8 [H.sapiens]	2.06	
	109403	AA224413	Hs.86937	ESTs	2.06	
	115485	AA287667	Hs.188804	ESTs	2.06	
	102923	X12517	Hs.1063	small nuclear ribonucleoprotein polypept	2.06	
	123320	AA496792	Hs.139572	EST	2.05	
55	111901	R39066	Hs.17638	ESTs	2.05	
	106558	AA455111	Hs.182447	heterogeneous nuclear ribonucleoprotein	2.05	
	126885	AA293052	Hs.10101	ESTs; Weakly similar to coded for by C.	2.05	
	113429	T85190	Hs.179808	ESTs	2.05	
	102270	U30255	Hs.75888	phosphogluconate dehydrogenase	2.05	
60	103204	X72475	Hs.192989	H.sapiens mRNA for rearranged Ig kappa l	2.05	
	106666	AA461072	Hs.37916	ESTs	2.05	
	100947	HG907-HT907		Mg44	2.05	
	102578	U60666	Hs.57693	testis specific leucine rich repeat prot	2.05	
	105827	AA398255	Hs.31520	ESTs	2.05	
	122324	AA442830	Hs.98921	EST	2.05	
65	101025	J04823	Hs.81097	cytochrome c oxidase subunit VIII	2.05	
	115861	AA431768	Hs.90259	ESTs; Weakly similar to alpha 1 [H.sapie	2.05	
	108081	AA045306	Hs.42996	ESTs	2.05	
	133994	X74929	Hs.242463	keratin 8	2.05	
70	119131	R46700	Hs.129692	ESTs; Moderately similar to !!!! ALU SUB	2.05	
	129793	AA300151	Hs.126857	ESTs	2.05	
	101653	M60284	Hs.161305	tachykinin receptor 2	2.05	
	120300	AA191648	Hs.131476	ESTs	2.05	
	106519	AA453415	Hs.8763	Hu DNA sequence from clone 889N15 on chr Thymocyte Marker CTX; the possibly alte	2.05	
75	114291	Z40690	Hs.123666	Homo sapiens mRNA full length insert cDN	2.05	
	105747	AA293719	Hs.30251	ESTs; Weakly similar to GLUCOSE-6-PHOSPH	2.04	



	125325	AA332944	Hs.8402	adenylate cyclase 3	2.04	
	119978	W88623	Hs.59190	EST	2.04	
	102449	U48231	Hs.46348	bradykinin receptor B1	2.04	
5	101454	M21812	Hs.50889	myosin light chain 2	2.04	
	116086	AA455904	Hs.86023	ESTs	2.04	
	102297	U32674	Hs.198252	G protein-coupled receptor 9	2.04	
	130889	D57622	Hs.20985	sin3-associated polypeptide; 30kD	2.04	
	100196	D21853	Hs.79768	KIAA0111 gene product	2.04	
10	120967	AA398111	Hs.97503	ESTs	2.04	
	105735	AA293096	Hs.32417	ESTs	2.04	
	135031	R41604	Hs.9344	ESTs; Weakly similar to !!!! ALU SUBFAMI	2.04	
	104882	AA052954	Hs.29546	ESTs	2.04	
	132619	AA404565	Hs.53447	ESTs; Moderately similar to kinesin ligh	2.04	
15	127993	AA847856	Hs.124565	ESTs	2.04	
	116441	AA620299	Hs.91696	ESTs	2.04	
	102272	U30610	Hs.41682	killer cell lectin-like receptor subfam	2.04	
	119566	W38209		Accession not listed in Genbank	2.04	
	116622	D81171	Hs.45208	ESTs; Weakly similar to collagen type VI	2.04	
20	127182	AA248620	Hs.166011	catenin (cadherin-associated protein); d	2.04	
	116870	H67146	Hs.38564	ESTs	2.04	
	115448	AA284845	Hs.165051	ESTs	2.04	
	127231	AA434584		zw52c03.r1 Soares_total_fetus_Nb2HF8_9w	2.04	
	103457	X99728		H.sapiens NDUFV3 gene, exon 3	2.04	
25	134737	U00802	Hs.89434	drebrin 1	2.04	
	117046	H89505		yu81f4.s1 Soares fetal liver spleen 1NFL	2.04	
				to contains Alu repetitive element, mR	2.04	
	124579	N68345	Hs.127179	ESTs; Weakly similar to TERATOCARCINOMA-	2.04	
	112132	R45970	Hs.236349	EST	2.04	
30	132281	AA133300	Hs.43803	leukocyte-associated Ig-like receptor 2	2.03	
	103668	Z83741	Hs.248174	H2A histone family; member M	2.03	
	113501	T89107	Hs.13262	ESTs	2.03	
	125021	T70060	Hs.163918	ESTs	2.03	
	115754	AA420998	Hs.178095	ESTs	2.03	
35	123405	AA521370	Hs.191708	ESTs	2.03	
	102054	U07695	Hs.155227	EphB4	2.03	
	115627	AA401910	Hs.119175	ESTs; Weakly similar to ZINC FINGER PROT	2.03	
	129252	AA234663	Hs.109773	ESTs	2.03	
	103417	X96849		H.sapiens 5' mRNA of PECAM-1 molecule	2.03	
40	133721	U11863	Hs.75741	amiloride binding protein 1 (amine oxida	2.03	
	114176	Z39059	Hs.27267	ESTs; Weakly similar to tetraspan TM4SF	2.03	
	123966	C14068	Hs.21806	ESTs; Moderately similar to similar to N	2.03	
	134236	D45371	Hs.80485	adipose most abundant gene transcript 1	2.03	
45	116381	AA598614	Hs.65394	ESTs	2.03	
	103711	AA046737	Hs.102792	ESTs	2.03	
	109316	AA206914	Hs.86322	EST	2.03	
	123793	AA620343	Hs.112858	ESTs	2.03	
	128462	M69238	Hs.166172	aryl hydrocarbon receptor nuclear transl	2.03	
	117690	N40467	Hs.93834	ESTs	2.03	
50	113301	T67452	Hs.13104	EST	2.03	
	134563	AA173430	Hs.85335	Homo sapiens mRNA; cDNA DKFZp564D1462 (f	2.03	
	108316	AA070160		zm69f4.s1 Stratagene neuroepithelium (#9	2.03	
	135239	AA454599	Hs.19399	Homo sapiens chromosome 19; fosmid 39554	2.03	
	120342	AA207105	Hs.45068	Homo sapiens mRNA; cDNA DKFZp434i143 (fr	2.02	
55	103493	Y08976	Hs.234759	H.sapiens mRNA for FEV protein	2.02	
	114204	Z39259	Hs.26096	ESTs	2.02	
	125425	H62307	Hs.18575	ESTs; Weakly similar to KIAA0246 [H.sapi	2.02	
	133027	AA402624	Hs.63236	synuclein; gamma (breast cancer-specific	2.02	
	131323	H54036	Hs.25619	death-associated protein kinase 3	2.02	
60	121515	AA412133	Hs.104696	ESTs	2.02	
	129780	AA291526	Hs.124699	ESTs	2.02	
	131292	AF005039	Hs.200600	secretory carrier membrane protein 3	2.02	
	132973	AA035446	Hs.214361	ESTs	2.02	
	103727	AA059415	Hs.6289	growth factor receptor-bound protein 2	2.02	
65	113174	T54659	Hs.9779	ESTs	2.02	
	120964	AA398085	Hs.142390	ESTs	2.02	
	134303	AA457242	Hs.8141	etoposide-induced mRNA	2.02	
	128118	T81623	Hs.21765	hypothetical protein of unknown functio	2.02	
	121087	AA398751	Hs.97304	ESTs	2.02	
70	102806	U90306		Human iroquois-class homeodomain protein	2.02	
	103195	X70940	Hs.2642	eukaryotic translation elongation factor	2.02	
	126767	C17148		C17148 Clontech human aorta polyA+ mRNA	2.02	
	105179	AA189083	Hs.21974	ESTs; Moderately similar to mBOCT [M.mus	2.02	
	116797	H40486		yn87a08.s1 Soares adult brain N2b5HB55Y	2.02	
75				3' similar to contains Alu repetitive e	2.02	
	133268	AA099404	Hs.69307	ESTs	2.02	
	123951	AA621721	Hs.231130	EST	2.02	

	115463	AA286819	Hs.69485	ESTs; Weakly similar to similar to other	2.02
	110603	H65776	Hs.222403	ESTs	2.02
	101234	L29277	Hs.142258	signal transducer and activator of trans	2.02
5	121208	AA400470	Hs.97805	ESTs	2.02
	122598	AA453465	Hs.99329	ESTs	2.02
	110668	H84882	Hs.33791	ESTs; Weakly similar to K:Cl cotransport	2.02
	117137	H96670	Hs.42221	ESTs	2.02
	119389	T88826	Hs.90973	ESTs	2.01
	102940	X13956	Hs.24998	Human 12S RNA induced by poly(rI); poly(	2.01
10	100748	HG3517-HT3711		Alpha-1-Antitrypsin, 5' End	2.01
	103012	X52638	Hs.739	6-phosphofructo-2-kinase/fructose-2,6-bi	2.01
	132755	AA609201	Hs.182635	ESTs	2.01
	130842	H39589	Hs.20159	ESTs; Highly similar to CGI-92 protein [	2.01
15	133599	M64788	Hs.75151	RAP1; GTPase activating protein 1	2.01
	117250	N21081	Hs.15299	HMBA-inducible	2.01
	115124	AA256666	Hs.39156	ESTs	2.01
	128155	AA926843	Hs.143302	ESTs	2.01
	130574	AA379087	Hs.16178	apoptosis antagonizing transcription fac	2.01
20	132601	R78838	Hs.54943	fracture callus 1 (rat) homolog	2.01
	117428	N27366	Hs.43933	EST	2.01
	121108	AA399053	Hs.97529	EST	2.01
	130518	X69550	Hs.159161	Rho GDP dissociation inhibitor (GDI) alp	2.01
	110606	H66049	Hs.19085	ESTs; Weakly similar to putative p150 [H	2.01
25	120606	AA282956		z15h4.s1 NCI_CGAP_GCB1 Homo sapiens cDN	2.01
				SW:CADR_MOUSE P3938 RETINAL-CADHERIN PR	2.01
	130070	T47969	Hs.194660	ceroid-lipofuscinosis; neuronal 3; juven	2.01
	130331	Z80783	Hs.239884	H2B histone family; member L	2.01
	109599	F02602	Hs.6749	ESTs	2.01
30	131749	W78211	Hs.31547	ESTs; Highly similar to NADH:ubiquinone	2.01
	129463	AA376905	Hs.111742	ESTs; Weakly similar to !!!! ALU SUBFAMI	2.01
	114880	AA235698	Hs.65862	ESTs	2.01
	114745	AA135523	Hs.139064	EST	2.01
	115637	AA402727	Hs.76925	ESTs; Highly similar to R31167_2; partia	2.01
35	109043	AA159605	Hs.72580	ESTs	2.01
	128901	Z41411	Hs.107040	ESTs	2.01
	124427	N36812	Hs.178663	ESTs	2
	100673	HG3033-HT3194		Spliceosomal Protein Sap 62	2
	108436	AA078801		zm94a9.s1 Stratagene colon HT29 (#937221	2
40	123764	AA610019	Hs.112654	ESTs	2
	129343	N70791	Hs.180060	ESTs	2
	122794	AA460254	Hs.105043	EST	2
	128688	AA161469	Hs.103755	receptor-interacting serine-threonine ki	2
	115592	AA399543	Hs.48026	ESTs	2
45	111693	R22007	Hs.23321	EST	2
	113353	T79186	Hs.14468	ESTs	2

**Table 18: B survivor vs Mets – Up in Mets**

5

Pkey: Unique Eos probeset identifier number  
ExAccn: Exemplar Accession number, Genbank accession number  
UnigeneID: Unigene number  
Unigene Title: Unigene gene title

10

Pkey	Ex Accn	UniG ID	Complete Title	Ratio BS/Met
------	---------	---------	----------------	--------------

106024	AA412059	Hs.111742	ESTs; Weakly similar to !!!! ALU SUBFAMI	0.17
110930	N48603	Hs.14947	ESTs	0.18
105772	AA347973	Hs.221132	ESTs	0.2

15

133271	Z48633	Hs.6940	H.sapiens mRNA for retrotransposon	0.2
107109	AA609943	Hs.32793	ESTs	0.24
109593	F02506	Hs.159591	thyroid hormone receptor interactor 8	0.24
123016	AA480103	Hs.111730	ESTs; Weakly similar to alternatively sp	0.25
100739	HG3484-HT3678		Protein Kinase (Gb:M59287)	0.25

20

130252	U92014	Hs.153527	Human clone 121711 defective mariner tra	0.26
105149	AA169253	Hs.8958	ESTs	0.26
115412	AA283804	Hs.193552	ESTs	0.27
105952	AA405263	Hs.181400	ESTs	0.28
106596	AA456981	Hs.35349	ESTs	0.28

25

120249	AA167567	Hs.133325	ESTs	0.28
111676	R19414	Hs.166459	ESTs	0.29
111161	N66767	Hs.124145	ESTs	0.29
109364	AA215379	Hs.50418	ESTs	0.29
132316	U28831		Human protein immuno-reactive with anti-	0.3

30

104030	AA363131	Hs.222992	ESTs; Weakly similar to TRANSFORMATION-S	0.3
109825	F13663	Hs.16798	ESTs	0.3
111110	N63165	Hs.23618	ESTs	0.31
135315	W90583	Hs.9853	ESTs	0.32
104792	AA029288	Hs.29147	ESTs; Highly similar to ZINC FINGER PROT	0.33

35

123562	AA608893	Hs.190065	ESTs	0.33
116079	AA455286	Hs.54982	ESTs; Weakly similar to !!!! ALU SUBFAMI	0.33
110671	H87770	Hs.153800	ESTs	0.33
108819	AA130986	Hs.193253	ESTs	0.34
115558	AA393806	Hs.1010	regulator of mitotic spindle assembly 1	0.34

40

104781	AA026617	Hs.21610	ESTs; Highly similar to BAI1-associated	0.34
111236	N69324	Hs.12526	Homo sapiens clone 23903 mRNA sequence	0.34
113341	T77866	Hs.189703	ESTs	0.35
125371	AI084676	Hs.133266	ESTs; Moderately similar to Sqv-7-like p	0.35
115890	AA435853	Hs.44114	ESTs; Weakly similar to CGI-73 protein [	0.35

45

113571	T91116	Hs.15713	ESTs	0.35
121683	AA417911	Hs.175663	ESTs	0.35
105489	AA256157	Hs.24115	ESTs	0.35
116320	AA490866	Hs.39429	ESTs	0.36
111917	R39882	Hs.21397	ESTs	0.36

50

127568	T53722		ya91c06.r3 Stratagene placenta (#937225)	0.36
123541	AA608794	Hs.112592	ESTs	0.36
123131	AA487207	Hs.193272	ESTs	0.36
125069	T86914	Hs.194485	ESTs	0.36
114757	AA136725	Hs.161990	ESTs	0.37

55

132778	AA446695	Hs.5671	Homo sapiens clone 23926 mRNA sequence	0.37
123132	AA487233	Hs.106711	eukaryotic translation initiation factor	0.37
134029	AA378597	Hs.143601	ESTs; Moderately similar to 67A9.b [D.me	0.37
126956	AI434405	Hs.171957	triple functional domain (PTPRF interact	0.38
106869	AA487563	Hs.188813	ESTs	0.38

60

107818	AA020957	Hs.167948	ESTs	0.38
129974	K00629	Hs.199300	Human kpni repeat mma (cdna clone pcd-k	0.38
129477	D49728	Hs.1119	nuclear receptor subfamily 4; group A; m	0.38
119369	T79020	Hs.245915	ESTs; Weakly similar to kinase-related p	0.39
114021	W91995	Hs.16145	ESTs	0.39

65

122024	AA431296	Hs.139433	EST	0.39
130014	N50959	Hs.143102	amine oxidase; copper containing 2 (reti	0.39
110163	H19326	Hs.22073	ESTs; Highly similar to J KAPPA-RECOMBIN	0.39
104641	AA004652	Hs.18564	ESTs	0.39
124777	R41933	Hs.140237	ESTs	0.39

70

125382	AA713494	Hs.194660	ceroid-lipofuscinosis; neuronal 3; juven	0.4
120406	AA234999	Hs.111279	ESTs; Weakly similar to unnamed protein	0.4
132734	R23653	Hs.164250	ESTs	0.4
117001	H84719	Hs.40721	EST	0.4
120905	AA371602	Hs.182930	ESTs; Highly similar to PHOSPHATIDYLINOS0.4	0.4

75

125488	AA355158	Hs.41181	Homo sapiens mRNA; cDNA DKFZp727C191 (fr	0.4
--------	----------	----------	--	-----

	121989	AA430044	Hs.193784	Homo sapiens mRNA; cDNA DKFZp586K1922 (f	0.4
	127921	AA806616	Hs.209523	ESTs	0.4
	119830	W74700	Hs.53478	ESTs	0.41
5	106292	AA435571	Hs.148560	ESTs	0.41
	102762	U82303	Hs.123080	Homo sapiens unknown protein mRNA; parti	0.41
	113518	T89731		ye11f06.s1 Stratagene lung (#937210) H s	
				to contains Alu repetitive element;cont	0.41
	100635	HG2724-HT2820		Oncogene Tls/Chop, Fusion Activated	0.41
10	113319	T70356	Hs.193141	ESTs; Weakly similar to coding sequence	0.41
	121319	AA402935	Hs.194242	ESTs; Weakly similar to !!!! ALU CLASS B	0.42
	111818	R34382	Hs.24779	ESTs	0.42
	104883	AA052959	Hs.177409	ESTs; Highly similar to dJ1119D9.2 [H.sa	0.42
	129258	W95592	Hs.251946	ESTs; Moderately similar to POLYADENYLAT0.42	
15	130576	T86475	Hs.16193	Homo sapiens mRNA; cDNA DKFZp586B211 (fr	0.43
	106354	AA443271	Hs.26764	KIAA0546 protein	0.43
	108841	AA132524	Hs.70614	ESTs	0.43
	113922	W80741	Hs.37890	ESTs	0.43
	120997	AA398285	Hs.97598	EST	0.43
20	108158	AA054597	Hs.221935	ESTs	0.43
	124516	N58185	Hs.131830	ESTs	0.43
	114477	AA032013	Hs.144260	EST	0.43
	104290	C16652	Hs.107205	Homo sapiens mRNA; cDNA DKFZp434L2221 (f	0.43
	126700	A1318412	Hs.108258	actin binding protein; macrophin (microf	0.44
	110887	N38770	Hs.4283	ESTs	0.44
25	116141	AA460420	Hs.44949	ESTs	0.44
	110689	H93046	Hs.15571	ESTs	0.44
	115314	AA280583	Hs.256501	ESTs	0.44
	110904	N39453	Hs.27371	Homo sapiens mRNA; cDNA DKFZp566J123 (fr	0.44
30	109482	AA233375	Hs.78085	ESTs	0.44
	102284	U31449	Hs.11881	transmembrane 4 superfamily member 4	0.44
	118654	N70582	Hs.49892	ESTs	0.44
	115334	AA281244	Hs.65300	ESTs	0.44
	113149	T51588		ESTs; Moderately similar to !!!! ALU SUB	0.44
35	113721	T97931	Hs.18190	EST	0.44
	111299	N73808	Hs.24936	ESTs	0.44
	103778	AA094107	Hs.7187	ESTs; Weakly similar to similar to glyco	0.44
	113204	T57865	Hs.10310	EST	0.44
	100315	D50857	Hs.82295	dedicator of cyto-kinesis 1	0.44
40	115254	AA279024	Hs.194437	ESTs	0.44
	125500	H46104	Hs.244624	ESTs	0.44
	117387	N26011	Hs.53810	ESTs	0.45
	135113	W42450	Hs.206833	ESTs	0.45
	124517	N58204	Hs.199945	ESTs	0.45
45	120379	AA227849	Hs.238380	Human endogenous retroviral protease mRN	0.45
	119205	R91954	Hs.153699	ESTs	0.45
	128266	T70341	Hs.131897	ESTs	0.45
	104106	AA422123	Hs.42457	ESTs	0.45
	115864	AA432080	Hs.81200	ESTs	0.45
50	113771	W02695	Hs.18714	ESTs	0.45
	126515	A1124649	Hs.252708	Homo sapiens mRNA; cDNA DKFZp586O031 (fr	0.45
	127823	AA524806	Hs.78869	transcription elongation factor A (SII);	0.45
	116665	F04405	Hs.223654	EST	0.45
	106355	AA443272	Hs.27836	ESTs	0.45
55	132693	AA621429	Hs.55075	KIAA0410 gene product	0.45
	107388	W01587	Hs.173319	ESTs	0.45
	110688	H93021	Hs.182937	peptidylprolyl isomerase A (cyclophilin	0.46
	116893	H69569	Hs.191316	EST	0.46
	105375	AA236542	Hs.9512	ESTs; Moderately similar to !!!! ALU SUB	0.46
60	115601	AA400277	Hs.48849	ESTs	0.46
	106896	AA489707	Hs.29896	ESTs; Weakly similar to proline-rich pro	0.46
	111770	R27975	Hs.187469	ESTs	0.46
	115663	AA405838	Hs.40507	ESTs	0.46
	131404	AA504744	Hs.26461	ESTs; Weakly similar to gc-rich sequence	0.46
65	108622	AA101828	Hs.189956	ESTs	0.46
	128286	A1025771	Hs.144090	ESTs	0.46
	105760	AA338960	Hs.28170	ESTs	0.46
	100020			AFFX control: BioB-3	0.46
	105209	AA205072	Hs.227743	KIAA0980 protein	0.47
70	111975	R41724	Hs.149566	ESTs	0.47
	114688	AA121403	Hs.144331	ESTs	0.47
	116994	H83918	Hs.40528	ESTs	0.47
	118401	N64762	Hs.49053	EST	0.47
	110997	N52540	Hs.74316	desmoplakin (DPI; DPII)	0.47
75	123791	AA620331	Hs.245351	EST	0.47
	109858	H02266	Hs.167451	ESTs	0.47
	115470	AA287122	Hs.48391	ESTs	0.47

	130606	AA402109	Hs.16593	ESTs	0.47
	116067	AA454827	Hs.124823	ESTs	0.47
	125881	AA775807	Hs.150741	2',3'-cyclic nucleotide 3' phosphodiester	0.47
5	124028	F04112	Hs.177178	ESTs	0.47
	108995	AA155574	Hs.172702	ESTs	0.47
	125102	T95105	Hs.173772	ESTs	0.47
	110421	H48462	Hs.36093	ESTs; Weakly similar to reverse transcri	0.47
	105658	AA282914	Hs.10176	ESTs	0.47
10	129046	AA195678	Hs.108258	actin binding protein; macrophin (microf	0.47
	113639	T95128	Hs.17529	ESTs	0.48
	132575	AA045365	Hs.5188	ESTs; Weakly similar to 60S RIBOSOMAL PR0.48	0.48
	132592	AA129390	Hs.5285	ESTs	0.48
	107619	AA004955	Hs.60015	ESTs	0.48
15	118664	N70907	Hs.230619	EST	0.48
	127612	AA917801	Hs.116076	ESTs	0.48
	112319	R55615	Hs.26432	ESTs; Weakly similar to finger protein H	0.48
	113635	T95087	Hs.15543	ESTs	0.48
	119344	T62969	Hs.193348	ESTs	0.48
20	121080	AA398720	Hs.177953	ESTs	0.48
	133686	X83378	Hs.211614	chloride channel 6	0.48
	130395	R54534	Hs.87889	helicase-moi	0.49
	127530	AA563806	Hs.145728	ESTs	0.49
	132971	AA033951	Hs.61700	ESTs	0.49
25	127132	AA721156	Hs.190440	ESTs	0.49
	129980	T72661	Hs.13969	ESTs	0.49
	105323	AA234112	Hs.29075	ESTs	0.49
	114439	AA018937	Hs.128629	ESTs	0.49
	107632	AA007242	Hs.60179	EST	0.49
30	130952	AB002296	Hs.21560	Human mRNA for KIAA0298 gene; complete c0.49	0.49
	127595	AA927308	Hs.130464	ESTs	0.49
	124276	H83465	Hs.221934	ESTs	0.49
	125935	H30721	Hs.30172	ESTs	0.49
	131275	U45974	Hs.25156	Human phosphatidylinositol (4,5) bisphos	0.49
35	131196	C20633	Hs.24129	ESTs	0.49
	125505	AI127843	Hs.155071	ESTs	0.5
	113327	T71776	Hs.12097	ESTs	0.5
	104709	AA017146	Hs.34579	ESTs; Moderately similar to !!!! ALU SUB	0.5
	115772	AA423972	Hs.8154	ESTs	0.5
40	118296	N63150	Hs.48723	ESTs	0.5
	131453	C20596	Hs.26985	KIAA0457 protein	0.5
	104734	AA019528	Hs.32677	ESTs	0.5
	119358	T70550	Hs.193651	ESTs; Weakly similar to alternatively sp	0.5

**Table 19: B survivor vs Mets – Up in B survivor**

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title

Pkey	Ex Accn	UniG_ID	Complete Title	Ratio BS/Met
333601			CH22_FGENES.213_4	5.5
325300			CH.11_hs gij5866908	4.67
333642			CH22_FGENES.231_2	4.64
333591			CH22_FGENES.208_4	4.46
332859			CH22_FGENES.27_2	4.39
304013	AW518573	Hs.156110	Immunoglobulin kappa variable 1D-8	4.23
333791			CH22_FGENES.274_10	4.18
327641			CH.04_hs gij5867890	4.03
321172	H49160	Hs.133472	ESTs	3.9
334125			CH22_FGENES.334_4	3.88
333646			CH22_FGENES.234_2	3.88
326554			CH.19_hs gij5867308	3.84
333650			CH22_FGENES.238_3	3.82
333647			CH22_FGENES.235_2	3.79
333626			CH22_FGENES.224_2	3.68
314671	AW236550	Hs.131914	ESTs	3.68
310847	AI420523	Hs.161282	ESTs	3.67
333657			CH22_FGENES.241_2	3.65
338522			CH22_EM:AC005500.GENSCAN.395-36	3.64
329464			CH.Y_hs gij6456788	3.6
328868			CH.07_hs gij6381930	3.6
333637			CH22_FGENES.229_2	3.59
329737			CH.14_p2 gij6065779	3.5
317828	AI791749	Hs.128896	ESTs	3.44
330520	M96995	Hs.6289	growth factor receptor-bound protein 2	3.44
339271			CH22_BA354112.GENSCAN.11-2	3.44
314927	AI735482	Hs.159580	ESTs	3.42
334782			CH22_FGENES.432_7	3.42
313138	AW138842	Hs.196669	ESTs	3.4
332650	H51596	Hs.5541	ATPase; Ca++ transporting; ubiquitous	3.38
338648			CH22_EM:AC005500.GENSCAN.460-6	3.38
325677			CH.14_hs gij5867017	3.34
312639	H50648	Hs.213221	ESTs; Weakly similar to !!!! ALU SUBFAM1	3.33
326545			CH.19_hs gij5867307	3.32
318364	R44616	Hs.138280	ESTs; Moderately similar to !!!! ALU SUB	3.3
308385	AI625428		EST singleton (not in UniGene) with exon	3.26
328569			CH.07_hs gij6004480	3.26
328582			CH.07_hs gij6006033	3.24
310975	AI492857	Hs.170940	ESTs	3.24
336883			CH22_FGENES.322-2	3.21
324425	AW236939	Hs.172154	ESTs	3.2
337870			CH22_EM:AC005500.GENSCAN.48-3	3.19
306624	AI001043		EST singleton (not in UniGene) with exon	3.17
319091	Z45264		EST cluster (not in UniGene)	3.16
335247			CH22_FGENES.516_8	3.12
324945	AA088768		EST cluster (not in UniGene)	3.1
319468	R06504		EST cluster (not in UniGene)	3.09
301635	AI590720	Hs.192662	ESTs; Weakly similar to ZINC FINGER PROT	3.08
321215	AW378128	Hs.120243	ESTs; Weakly similar to CGI-56 protein [	3.04
328507			CH.07_hs gij5868473	3.03
330266			CH.05_p2 gij6671885	3.02
326249			CH.17_hs gij5867263	3.01
325649			CH.14_hs gij6588011	2.99
304575	AA496437		EST singleton (not in UniGene) with exon	2.98
304559	AA488050		EST singleton (not in UniGene) with exon	2.97
338412			CH22_EM:AC005500.GENSCAN.341-25	2.96
308707	AI769997		EST singleton (not in UniGene) with exon	2.95
313027	N34307	Hs.184003	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.95
306590	AI000246		EST singleton (not in UniGene) with exon	2.95
306183	AA922622		EST singleton (not in UniGene) with exon	2.94
308611	AI735372	Hs.203820	EST; Moderately similar to TRANSLATIONAL	2.94
332454	T63265	Hs.11186	ESTs; Weakly similar to transformation-r	2.94

	330061		CH.17_p2 gij6721261	2.94
	317671	AW138139 Hs.244598	ESTs	2.93
	338705		CH22_EM:AC005500.GENSCAN.480-4	2.93
5	333737		CH22_FGENES.261_1	2.9
	337756		CH22_EM:AC000097.GENSCAN.109-3	2.9
	333572		CH22_FGENES.189_1	2.89
	335349		CH22_FGENES.539_2	2.89
	328835		CH.07_hs gij5868339	2.89
10	319886	AA984628	EST cluster (not in UniGene)	2.88
	311247	AI655313 Hs.197692	ESTs	2.87
	303887	R72672 Hs.193484	ESTs; Weakly similar to Similarity with	2.86
	337564		CH22_C65E1.GENSCAN.1-7	2.85
	333225		CH22_FGENES.107_3	2.84
	314938	AA515635	EST cluster (not in UniGene)	2.83
15	305803	AA846052	EST singleton (not in UniGene) with exon	2.83
	305264	AA679505	EST singleton (not in UniGene) with exon	2.83
	332646	AA386264 Hs.5337	isocitrate dehydrogenase 2 (NADP+); mito	2.81
	338508		CH22_EM:AC005500.GENSCAN.391-1	2.81
20	308097	AI475411	EST singleton (not in UniGene) with exon	2.81
	301130	AW194167 Hs.149418	ESTs; Weakly similar to salivary proline	2.8
	325571		CH.12_hs gij6552439	2.8
	307054	AI148181 Hs.176835	EST	2.8
	337456		CH22_FGENES.777-2	2.79
25	317870	AI797066 Hs.201995	ESTs	2.79
	303171	AA065003 Hs.64179	hypothetical protein	2.78
	333717		CH22_FGENES.253_3	2.76
	303778	AW505368	EST cluster (not in UniGene) with exon h	2.76
	304918	AA602697	EST singleton (not in UniGene) with exon	2.76
30	319373	RO0371	EST cluster (not in UniGene)	2.75
	336072		CH22_FGENES.685_4	2.74
	306023	AA897764	EST singleton (not in UniGene) with exon	2.74
	336127		CH22_FGENES.701_15	2.74
	337355		CH22_FGENES.728-1	2.73
35	337885		CH22_EM:AC005500.GENSCAN.54-3	2.73
	308506	AI686791 Hs.119598	ribosomal protein L3	2.73
	300629	AA152119 Hs.155101	ATP synthase; H+ transporting; mitochond	2.73
	333043		CH22_FGENES.70_4	2.72
	327736		CH.05_hs gij5867940	2.72
40	333007		CH22_FGENES.60_4	2.72
	321966	AL122111	EST cluster (not in UniGene)	2.72
	323179	AW452576 Hs.156875	ESTs	2.72
	332459	AA609625 Hs.112933	Homo sapiens Tax interaction protein 40	2.71
	326224		CH.17_hs gij5867230	2.71
45	329114		CH.X_hs gij5868650	2.7
	333577		CH22_FGENES.196_2	2.69
	300413	AW090347 Hs.243443	ESTs	2.67
	304055	RO7994	EST singleton (not in UniGene) with exon	2.67
50	301013	AI935304 Hs.125262	DKFZP586G1624 protein	2.67
	337848		CH22_EM:AC005500.GENSCAN.33-1	2.66
	327946		CH.06_hs gij5868206	2.66
	306300	AA937573	EST singleton (not in UniGene) with exon	2.66
	331071	RO1646 Hs.200538	ESTs	2.65
	304841	AA587541	EST singleton (not in UniGene) with exon	2.65
55	301321	AI860987 Hs.189097	ESTs	2.65
	311280	AI767957 Hs.197737	ESTs; Weakly similar to Y38A8.1 gene pro	2.65
	338843		CH22_DJ246D7.GENSCAN.8-1	2.64
	335720		CH22_FGENES.599_23	2.64
	333670		CH22_FGENES.245_4	2.64
60	313588	AI803591 Hs.209667	ESTs	2.64
	335750		CH22_FGENES.602_4	2.63
	333240		CH22_FGENES.111_4	2.63
	332721	R70212 Hs.79630	CD79A antigen (immunoglobulin-associated	2.62
	338747		CH22_EM:AC005500.GENSCAN.511-1	2.62
65	303582	AA377444	EST cluster (not in UniGene) with exon h	2.62
	336898		CH22_FGENES.330-1	2.62
	325835		CH.16_hs gij6552452	2.62
	301660	F13112	EST cluster (not in UniGene) with exon h	2.61
	335968		CH22_FGENES.652_1	2.61
	336705		CH22_FGENES.63-2	2.6
70	309815	AW292760	EST singleton (not in UniGene) with exon	2.6
	339220		CH22_FF113D11.GENSCAN.6-15	2.6
	308582	AI709056	EST singleton (not in UniGene) with exon	2.6
	334260		CH22_FGENES.367_8	2.6
75	309963	AW449073	EST singleton (not in UniGene) with exon	2.6
	300178	AI282665 Hs.166969	ESTs	2.59
	335690		CH22_FGENES.596_5	2.59

5	308127	AI492187		EST singleton (not in UniGene) with exon	2.59	
	337835			CH22_EM:AC005500.GENSCAN.22-4	2.58	
	333251			CH22_FGENES.116_3	2.58	
	330319			CH.08_p2 gjl5932415	2.58	
	314490	AI758114	Hs.197032	ESTs	2.57	
10	305934	AA878815	Hs.75442	albumin	2.57	
	329665			CH.14_p2 gjl6272129	2.57	
	328558			CH.07_hs gjl5868489	2.57	
	336094			CH22_FGENES.691_3	2.57	
	307899	AI380270		EST singleton (not in UniGene) with exon	2.57	
15	339312			CH22_BA354112.GENSCAN.22-10	2.57	
	336442			CH22_FGENES.827_8	2.57	
	317894	R60848		EST cluster (not in UniGene)	2.56	
	330435	HG2689-HT2785		Mucin 5b, Tracheobronchial (Gb:X74955)	2.56	
	327304			CH.01_hs gjl5867494	2.56	
20	308859	AI830787		EST singleton (not in UniGene) with exon	2.55	
	302224	AI951549	Hs.161166	KIAA1094 protein	2.55	
	304324	AA137045		EST singleton (not in UniGene) with exon	2.54	
	338090			CH22_EM:AC005500.GENSCAN.176-3	2.53	
	334797			CH22_FGENES.434_5	2.52	
25	303535	AL043430		EST cluster (not in UniGene) with exon h	2.52	
	339037			CH22_DA59H18.GENSCAN.26-5	2.52	
	327846			CH.05_hs gjl6531962	2.52	
	325271			CH.11_hs gjl5866901	2.52	
	312385	R42885	Hs.215555	ESTs	2.51	
30	302816	AI733918	Hs.204112	ESTs; Weakly similar to alternatively sp	2.51	
	316941	AW449871	Hs.124591	ESTs	2.5	
	300184	AI285912	Hs.254515	ESTs	2.5	
	333762			CH22_FGENES.270_2	2.5	
	317028	AA962623	Hs.189144	ESTs; Weakly similar to RENAL SODIUM-DEP	2.5	2.5
35	326266			CH.17_hs gjl5867264	2.49	
	326005			CH.16_hs gjl5867112	2.49	
	301971	AJ003125	Hs.120330	a disintegrin-like and metalloprotease (	2.48	
	326539			CH.19_hs gjl5867307	2.48	
	338896			CH22_DJ32110.GENSCAN.9-4	2.48	
40	306773	AI040750		EST singleton (not in UniGene) with exon	2.47	
	336279			CH22_FGENES.763_3	2.47	
	321017	AL050345	Hs.227637	hypothetical protein	2.47	
	306090	AA908609		EST singleton (not in UniGene) with exon	2.47	
	333216			CH22_FGENES.104_8	2.46	
45	338593			CH22_EM:AC005500.GENSCAN.435-2	2.46	
	333587			CH22_FGENES.205_2	2.46	
	300396	AW295466	Hs.232051	ESTs	2.45	
	304693	AA554263		EST singleton (not in UniGene) with exon	2.45	
	338934			CH22_DJ32110.GENSCAN.18-2	2.45	
50	325751			CH.14_hs gjl6682474	2.45	
	334137			CH22_FGENES.337_1	2.45	
	333581			CH22_FGENES.200_1	2.45	
	302083	AI422807	Hs.134012	C1q-related factor	2.44	
	307318	AI208577		EST singleton (not in UniGene) with exon	2.44	
55	302181	AW374284	Hs.157732	Homo sapiens chromosome 19; cosmid R2689	2.44	2.44
	337425			CH22_FGENES.761-1	2.44	
	336227			CH22_FGENES.730_2	2.44	
	314657	AI015953	Hs.125265	ESTs	2.44	
	338529			CH22_EM:AC005500.GENSCAN.398-10	2.44	
60	333680			CH22_FGENES.247_7	2.43	
	324834	AJ003258	Hs.250891	ESTs	2.43	
	305093	AA642917		EST singleton (not in UniGene) with exon	2.43	
	335787			CH22_FGENES.611_3	2.43	
	311704	AI655206	Hs.121512	ESTs; Moderately similar to kinesin like	2.43	
65	329382			CH.X_hs gjl5868868	2.42	
	334785			CH22_FGENES.432_10	2.42	
	330130			CH.21_p2 gjl6002196	2.42	
	327206			CH.01_hs gjl5867447	2.41	
	319235	F11330	Hs.177633	ESTs	2.41	
70	334691			CH22_FGENES.420_4	2.4	
	327610			CH.04_hs gjl5867868	2.4	
	327646			CH.04_hs gjl5867894	2.4	
	337093			CH22_FGENES.465-18	2.4	
	335081			CH22_FGENES.488_4	2.4	
75	333576			CH22_FGENES.193_2	2.4	
	337604			CH22_C20H12.GENSCAN.16-5	2.4	
	329879			CH.15_p2 gjl6466518	2.4	
	328444			CH.07_hs gjl5868420	2.39	
	335700			CH22_FGENES.598_1	2.39	
	331255	Z41009	Hs.21446	ESTs; Weakly similar to HYPOTHETICAL PRO	2.33	2.33



	327927		CH.06_hs gij5868173	2.39
	334354		CH22_FGENES.377_1	2.39
	308517	AI689279	EST singleton (not in UniGene) with exon	2.39
5	303669	AW499648 Hs.233750	copine V	2.39
	333648		CH22_FGENES.237_2	2.38
	318318	AI653893 Hs.174463	ESTs; Weakly similar to alpha3b subunit	2.38
	338336		CH22_EM:AC005500.GENSCAN.310-8	2.38
	304125	H40976	EST singleton (not in UniGene) with exon	2.38
10	304983	AA617786	EST singleton (not in UniGene) with exon	2.38
	334935		CH22_FGENES.464_3	2.38
	314326	AW170057 Hs.133179	ESTs	2.38
	330406	D49490 Hs.76901	for protein disulfide isomerase-related	2.38
	307646	AI302236	EST singleton (not in UniGene) with exon	2.38
15	338911		CH22_DJ32110.GENSCAN.11-3	2.38
	319952	T79532 Hs.225725	ESTs; Moderately similar to CGI-101 prot	2.37
	336878		CH22_FGENES.318-5	2.37
	338140		CH22_EM:AC005500.GENSCAN.203-6	2.37
	300564	AI383878 Hs.225588	ESTs	2.37
20	304635	AA523976	EST singleton (not in UniGene) with exon	2.37
	334091		CH22_FGENES.327_47	2.37
	336328		CH22_FGENES.812_7	2.37
	325310		CH.11_hs gij5866864	2.37
	338043		CH22_EM:AC005500.GENSCAN.153-2	2.37
25	307090	AI161024	EST singleton (not in UniGene) with exon	2.37
	335768		CH22_FGENES.607_2	2.37
	334969		CH22_FGENES.466_2	2.37
	333640		CH22_FGENES.230_2	2.36
	330002		CH.16_p2 gij6623963	2.36
30	338829		CH22_DJ246D7.GENSCAN.5-12	2.36
	323808	AW250114	EST cluster (not in UniGene)	2.36
	327755		CH.05_hs gij5867955	2.35
	306426	AA975039	EST singleton (not in UniGene) with exon	2.35
35	336481		CH22_FGENES.830_1	2.35
	335163		CH22_FGENES.502_7	2.35
	322012	AL137357	EST cluster (not in UniGene)	2.35
	337345		CH22_FGENES.723-1	2.35
	334625		CH22_FGENES.414_3	2.35
40	320957	AI878933	EST cluster (not in UniGene)	2.35
	334915		CH22_FGENES.457_4	2.35
	336295		CH22_FGENES.787_1	2.35
	321556	N46402 Hs.14570	ESTs	2.35
	338491		CH22_EM:AC005500.GENSCAN.385-2	2.35
45	335517		CH22_FGENES.571_34	2.34
	330639	X90872 Hs.75854	SULT1C sulfotransferase	2.34
	310383	AI263102 Hs.145596	ESTs	2.34
	331526	N49967 Hs.46624	ESTs	2.34
	334396		CH22_FGENES.381_2	2.34
50	332993		CH22_FGENES.57_2	2.34
	327487		CH.02_hs gij5867785	2.34
	335920		CH22_FGENES.636_16	2.33
	336463		CH22_FGENES.829_22	2.33
	319000	Z44318	EST cluster (not in UniGene)	2.33
	332992		CH22_FGENES.57_1	2.33
55	332920		CH22_FGENES.37_6	2.33
	337590		CH22_C20H12.GENSCAN.6-5	2.33
	327059		CH.21_hs gij6531965	2.33
	334399		CH22_FGENES.382_5	2.33
	300982	AA837754	EST cluster (not in UniGene) with exon h	2.32
60	327430		CH.02_hs gij5867754	2.32
	326808		CH.20_hs gij6682504	2.32
	309324	AW015373	EST singleton (not in UniGene) with exon	2.32
	329779		CH.14_p2 gij6002090	2.32
	330492	M25809 Hs.64173	ATPase; H+ transporting; lysosomal (vacu	2.31
65	330080		CH.19_p2 gij6015314	2.31
	334342		CH22_FGENES.375_20	2.31
	336306		CH22_FGENES.793_5	2.31
	336400		CH22_FGENES.823_15	2.31
	323735	AA323714	EST cluster (not in UniGene)	2.31
70	334496		CH22_FGENES.397_12	2.31
	336075		CH22_FGENES.687_1	2.31
	335566		CH22_FGENES.580_1	2.31
	337657		CH22_EM:AC000097.GENSCAN.32-9	2.31
	327816		CH.05_hs gij5867968	2.3
75	308465	AI672480	EST singleton (not in UniGene) with exon	2.3
	330112		CH.19_p2 gij6015238	2.3
	304465	AA421948	EST singleton (not in UniGene) with exon	2.3

	308449	AI660854		EST singleton (not in UniGene) with exon	2.3	
	328171			CH.06_hs gjl5868071	2.3	
	328271			CH.06_hs gjl6552415	2.3	
	328803			CH.07_hs gjl6004475	2.3	
5	330063			CH.19_p2 gjl6165044	2.29	
	312281	H11643		EST cluster (not in UniGene)	2.29	
	328974			CH.09_hs gjl5868520	2.29	
	333859			CH22_FGENES.290_18	2.29	
10	326253			CH.17_hs gjl5867263	2.29	
	325703			CH.14_hs gjl5867028	2.29	
	338925			CH22_DJ32110.GENSCAN.14-3	2.29	
	328552			CH.07_hs gjl5868489	2.29	
	337244			CH22_FGENES.646-8	2.29	
15	314770	AI732722	Hs.187694	ESTs	2.29	
	324560	AW502208		EST cluster (not in UniGene)	2.29	
	310603	AW376860	Hs.156398	ESTs	2.29	
	337363			CH22_FGENES.733-2	2.29	
	308015	AI440174	Hs.228907	EST; Weakly similar to GUANINE NUCLEOTID	2.28	2.28
20	309206	AI961962		EST singleton (not in UniGene) with exon	2.28	
	337455			CH22_FGENES.777-1	2.28	
	327605			CH.03_hs gjl6004463	2.28	
	301611	W22172	Hs.59038	ESTs	2.28	
	317222	AI206964	Hs.130051	ESTs	2.28	
25	338278			CH22_EM:AC005500.GENSCAN.290-3	2.28	
	337291			CH22_FGENES.673-2	2.27	
	337913			CH22_EM:AC005500.GENSCAN.59-10	2.27	
	306406	AA971973		EST singleton (not in UniGene) with exon	2.27	
	332947			CH22_FGENES.47_10	2.27	
30	321763	W01148		EST cluster (not in UniGene)	2.27	
	304424	AA293494		EST singleton (not in UniGene) with exon	2.27	
	303782	T64737		EST cluster (not in UniGene) with exon h	2.27	
	326943			CH.21_hs gjl6004446	2.27	
	324977	R14439	Hs.209194	ESTs	2.27	
35	325480			CH.12_hs gjl5866957	2.27	
	327743			CH.05_hs gjl5867944	2.27	
	333221			CH22_FGENES.105_1	2.26	
	336498			CH22_FGENES.833_3	2.26	
	321583	H84421		EST cluster (not in UniGene)	2.26	
40	334191			CH22_FGENES.352_6	2.26	
	327089			CH.21_hs gjl6531965	2.26	
	310001	F18939	Hs.153827	ESTs	2.26	
	304056	R08577		EST singleton (not in UniGene) with exon	2.25	
	324700	AW504745	Hs.103913	ESTs; Moderately similar to !!!! ALU SUB	2.25	
45	330637	X86371	Hs.95659	lethal giant larvae (Drosophila) homolog	2.25	
	307642	AI302103		EST singleton (not in UniGene) with exon	2.25	
	336985			CH22_FGENES.402-6	2.25	
	334425			CH22_FGENES.384_13	2.25	
	321216	AI078042	Hs.126691	ESTs	2.25	
50	315785	AW205946	Hs.150319	ESTs	2.25	
	305809	AA853998	Hs.124580	EST	2.25	
	331334	AA284858	Hs.89134	ESTs	2.25	
	317131	AI991125	Hs.189109	ESTs	2.25	
	334216			CH22_FGENES.358_1	2.24	
	330330			CH.08_p2 gjl5670267	2.24	
55	326923			CH.21_hs gjl6456782	2.24	
	333774			CH22_FGENES.272_5	2.24	
	324311	AA443061	Hs.202520	ESTs	2.24	
	338551			CH22_EM:AC005500.GENSCAN.413-2	2.24	
60	306716	AI024916	Hs.251354	ESTs	2.24	
	337689			CH22_EM:AC000097.GENSCAN.77-5	2.24	
	300079	AI192520	Hs.147178	EST	2.23	
	334617			CH22_FGENES.411_16	2.23	
	336890			CH22_FGENES.326-10	2.23	
	334495			CH22_FGENES.397_10	2.23	
65	327301			CH.01_hs gjl5867493	2.23	
	337856			CH22_EM:AC005500.GENSCAN.41-3	2.23	
	307072	AI150424	Hs.146817	EST	2.23	
	330515	M85247		H.sapiens dopamine D1A receptor gene, co	2.22	
70	325943			CH.16_hs gjl5867138	2.22	
	338947			CH22_DJ32110.GENSCAN.21-4	2.22	
	317465	AW197361	Hs.131360	ESTs	2.22	
	332458	M33493	Hs.184504	trypsin; alpha	2.22	
	333195			CH22_FGENES.98_17	2.22	
	304837	AA587139		EST singleton (not in UniGene) with exon	2.22	
75	307602	AI288843	Hs.231239	EST	2.22	
	337078			CH22_FGENES.457-1	2.22	

	335862		CH22_FGENES.629_7	2.22	
	301979	L28168	Hs.121495	potassium voltage-gated channel; Isk-rel	2.22
	335668		CH22_FGENES.590_19	2.22	
5	305068	AA639618		EST singleton (not in UniGene) with exon	2.21
	329034		CH.X_hs gjl5868561	2.21	
	318403	AI131241	Hs.143234	ESTs	2.21
	328058		CH.06_hs gjl5902482	2.21	
	335513		CH22_FGENES.571_28	2.21	
10	330803	AA004699	Hs.150580	putative translation initiation factor	2.21
	331427	H54764	Hs.237339	EST	2.21
	338973		CH22_DJ32110.GENSCAN.27-6	2.2	
	336723		CH22_FGENES.85-3	2.2	
	327290		CH.01_hs gjl5867483	2.2	
	337240		CH22_FGENES.644-1	2.2	
15	306201	AA926818		EST singleton (not in UniGene) with exon	2.2
	303659	AA868464	Hs.126263	ESTs; Highly similar to FIBRILLARIN [H.s	2.2
	334517		CH22_FGENES.399_7	2.2	
	334189		CH22_FGENES.352_4	2.2	
20	335199		CH22_FGENES.508_8	2.2	
	333705		CH22_FGENES.250_19	2.2	
	305794	AA845324		EST singleton (not in UniGene) with exon	2.2
	303273	AA316069		EST cluster (not in UniGene) with exon h	2.2
	313384	W85694	Hs.118335	ESTs	2.2
25	329158		CH.X_hs gjl5868687	2.2	
	337551		CH22_FGENES.847-8	2.2	
	328792		CH.07_hs gjl5868309	2.2	
	303737	AW502711		EST cluster (not in UniGene) with exon h	2.19
	324529	AW502466		EST cluster (not in UniGene)	2.19
30	323103	Z45529	Hs.92030	ESTs	2.19
	333773		CH22_FGENES.272_4	2.19	
	337906		CH22_EM:AC005500.GENSCAN.56-19	2.19	
	327129		CH.21_hs gjl6531976	2.19	
	305710	AA826544		EST singleton (not in UniGene) with exon	2.19
35	335595		CH22_FGENES.581_34	2.19	
	323646	AA310926	Hs.154412	ESTs	2.19
	328368		CH.07_hs gjl5868388	2.19	
	325802		CH.14_hs gjl6552451	2.19	
	337167		CH22_FGENES.562-27	2.19	
40	305059	AA635756		EST singleton (not in UniGene) with exon	2.18
	321445	AW245524	Hs.121590	ESTs; Weakly similar to ZINC FINGER PROT	2.18
	332790		CH22_FGENES.2_4	2.18	
	336750		CH22_FGENES.128-4	2.18	
	310999	AI520706	Hs.171012	ESTs	2.18
45	329798		CH.14_p2 gjl6523160	2.18	
	327012		CH.21_hs gjl5867664	2.18	
	304599	AA506638		EST singleton (not in UniGene) with exon	2.18
	335351		CH22_FGENES.539_4	2.18	
	310661	AI354717	Hs.223908	ESTs	2.18
50	332791		CH22_FGENES.3_1	2.17	
	333022		CH22_FGENES.65_1	2.17	
	310502	AI458973	Hs.170422	ESTs	2.17
	324963	AA853440		EST cluster (not in UniGene)	2.17
	325275		CH.11_hs gjl5866902	2.17	
55	328338		CH.07_hs gjl5868377	2.17	
	333063		CH22_FGENES.75_6	2.17	
	308895	AI858423		EST singleton (not in UniGene) with exon	2.17
	338685		CH22_EM:AC005500.GENSCAN.472-4	2.16	
	325655		CH.14_hs gjl5867007	2.16	
60	332420	H49570	Hs.108074	ESTs; Weakly similar to CEREBELLIN 1 PRE	2.16
	337216		CH22_FGENES.613-10	2.16	
	335660		CH22_FGENES.590_11	2.16	
	337145		CH22_FGENES.542-2	2.16	
	335753		CH22_FGENES.604_2	2.16	
65	301766	R02224		EST cluster (not in UniGene) with exon h	2.16
	303442	AI953998	Hs.152510	ESTs; Weakly similar to L-SERINE DEHYDRA	2.16
	311009	AI949701	Hs.210589	ESTs	2.16
	307093	AI167606		EST singleton (not in UniGene) with exon	2.16
	300262	AI874402	Hs.170810	ESTs	2.16
70	337989		CH22_EM:AC005500.GENSCAN.112-7	2.16	
	326263		CH.17_hs gjl5867264	2.16	
	319402	W21298		EST cluster (not in UniGene)	2.16
	321010	Y17456	Hs.227150	Homo sapiens LSFR2 gene; last exon	2.16
	301706	AI929150	Hs.241496	ESTs	2.16
75	307412	AI241753	Hs.241507	ribosomal protein S6	2.16
	335662		CH22_FGENES.590_13	2.15	
	332480	AA092932	Hs.12570	tubulin-specific chaperone d	2.15

	329273		CH.X_hs gil5868762	2.15	
	339383		CH22_BA232E17.GENSCAN.3-20	2.15	
	332795		CH22_FGENES.5_1	2.15	
5	335227		CH22_FGENES.513_13	2.15	
	326925		CH.21_hs gil6456782	2.15	
	332403	AA424199 Hs.106529	ESTs; Highly similar to CGI-65 protein [	2.15	
	317786	AI859605 Hs.155686	ESTs	2.15	
	326582		CH.19_hs gil5867318	2.15	
10	336494		CH22_FGENES.832_11	2.15	
	329656		CH.14_p2 gil6448516	2.15	
	307581	AI284415	EST singleton (not in UniGene) with exon	2.15	
	335670		CH22_FGENES.591_2	2.14	
	332452	AA040369 Hs.11170	SYT interacting protein	2.14	
	309387	AW079943 Hs.156110	Immunoglobulin kappa variable 1D-8	2.14	
15	308427	AI652677 Hs.195055	EST	2.14	
	322027	NM_004551	EST cluster (not in UniGene)	2.14	
	301693	Z45023	EST cluster (not in UniGene) with exon h	2.14	
	334308		CH22_FGENES.373_11	2.14	
20	301131	AW134518 Hs.131807	ESTs	2.13	
	338495		CH22_EM:AC005500.GENSCAN.387-1	2.13	
	329600		CH.10_p2 gil3962481	2.13	
	307980	AI431696	EST singleton (not in UniGene) with exon	2.13	
	337260		CH22_FGENES.652-15	2.13	
25	304655	AA527887	EST singleton (not in UniGene) with exon	2.13	
	303141	AF195951	EST cluster (not in UniGene) with exon h	2.13	
	327957		CH.06_hs gil5868210	2.13	
	334317		CH22_FGENES.374_1	2.13	
30	302870	AF011407	EST cluster (not in UniGene) with exon h	2.13	
	333806		CH22_FGENES.278_2	2.13	
	329947		CH.16_p2 gil5540101	2.13	
	309602	AW182523	EST singleton (not in UniGene) with exon	2.13	
	322790	AI700273 Hs.122162	ESTs; Weakly similar to KIAA0557 protein	2.13	
	337706		CH22_EM:AC000097.GENSCAN.87-11	2.13	
35	306894	AI092731	EST singleton (not in UniGene) with exon	2.13	
	325530		CH.12_hs gil6525289	2.12	
	321087	AL110227 Hs.241533	Homo sapiens mRNA; cDNA DKFZp434J194 (fr	2.12	2.12
	309853	AW298169 Hs.57553	tousled-like kinase 2	2.12	
	326822		CH.20_hs gil6117831	2.12	
40	328776		CH.07_hs gil5868309	2.12	
	335112		CH22_FGENES.494_20	2.12	
	334564		CH22_FGENES.405_4	2.12	
	333455		CH22_FGENES.157_4	2.12	
45	317395	R55044 Hs.124130	ESTs	2.12	
	334221		CH22_FGENES.360_1	2.12	
	331374	AA442134 Hs.70573	ESTs; Weakly similar to HINT PROTEIN [H.	2.12	
	304473	AA428343 Hs.140	immunoglobulin gamma 3 (Gm marker)	2.12	
	328907		CH.08_hs gil5868493	2.12	
	319448	R05539 Hs.108738	ESTs	2.12	
50	333676		CH22_FGENES.247_3	2.12	
	324767	AA630931 Hs.34348	Homo sapiens mRNA; cDNA DKFZp434P0235 (f	2.12	2.12
	318585	Z43405	EST cluster (not in UniGene)	2.12	
	331732	AA251192 Hs.177708	ESTs	2.12	
	329553		CH.10_p2 gil3962492	2.12	
55	336910		CH22_FGENES.343-6	2.12	
	326959		CH.21_hs gil6469836	2.12	
	305417	AA725228	EST singleton (not in UniGene) with exon	2.11	
	301573	AI150328 Hs.226402	ESTs; Weakly similar to mitochondrial ci	2.11	
	326935		CH.21_hs gil6004446	2.11	
60	335176		CH22_FGENES.504_6	2.11	
	337210		CH22_FGENES.603-5	2.11	
	311284	AW027025 Hs.239262	ESTs	2.11	
	330240		CH.05_p2 gil6671858	2.11	
	327463		CH.02_hs gil6004455	2.11	
65	332938		CH22_FGENES.41_3	2.11	
	332785		CH22_FGENES.1_1	2.11	
	301035	AI358105 Hs.123164	ESTs	2.1	
	305712	AA826701	EST singleton (not in UniGene) with exon	2.1	
	318651	AW003150 Hs.240165	ESTs	2.1	
70	302753	M74299	EST cluster (not in UniGene) with exon h	2.1	
	334635		CH22_FGENES.417_2	2.1	
	319447	AA456745	EST cluster (not in UniGene)	2.1	
	301204	AW008544 Hs.239994	ESTs	2.1	
	333950		CH22_FGENES.303_6	2.1	
75	325947		CH.16_hs gil5867138	2.1	
	337683		CH22_EM:AC000097.GENSCAN.76-1	2.1	
	328962		CH.08_hs gil6456775	2.1	

	336655		CH22_FGENES.34-3	2.1
	336596		CH22_FGENES.163_2	2.1
	330486	M13755 Hs.833	interferon-stimulated protein; 15 kDa	2.1
5	314356	AA531607 Hs.125143	ESTs	2.09
	314976	AA524725 Hs.162108	ESTs	2.09
	336650		CH22_FGENES.29-6	2.09
	339026		CH22_DA59H18.GENSCAN.22-6	2.09
	302395	AW297357 Hs.114606	ESTs	2.09
10	323280	AI910263	EST cluster (not in UniGene)	2.09
	338857		CH22_DJ32110.GENSCAN.1-1	2.09
	335374		CH22_FGENES.543_12	2.09
	308766	AI808510	EST singleton (not in UniGene) with exon	2.09
	331027	N48584 Hs.6168	KIAA0703 gene product	2.09
	337853		CH22_EM:AC005500.GENSCAN.37-1	2.09
15	302498	NM_002991	EST cluster (not in UniGene) with exon h	2.09
	312607	AI337440 Hs.169375	ESTs	2.09
	314309	Z44049 Hs.184352	ESTs; Weakly similar to cDNA EST EMBL:D3	2.09
	311695	AI142078 Hs.135562	ESTs	2.09
20	333280		CH22_FGENES.126_2	2.09
	333518		CH22_FGENES.173_3	2.09
	337199		CH22_FGENES.583-11	2.09
	337819		CH22_EM:AC005500.GENSCAN.13-9	2.08
	300546	AA214450 Hs.250913	ESTs	2.08
25	322577	AA354452 Hs.59075	ESTs; Weakly similar to WD40 protein Cia	2.08
	336028		CH22_FGENES.672_1	2.08
	300238	AI394673 Hs.254030	ESTs	2.08
	307429	AI243573	EST singleton (not in UniGene) with exon	2.08
	326444		CH.19_hs gil5867385	2.08
30	310641	AI345597 Hs.254727	ESTs	2.08
	337633		CH22_C20H12.GENSCAN.32-1	2.08
	336008		CH22_FGENES.668_6	2.08
	339030		CH22_DA59H18.GENSCAN.24-1	2.08
	333952		CH22_FGENES.303_8	2.08
35	329149		CH.X_hs gil5868685	2.08
	335192		CH22_FGENES.507_7	2.08
	308225	AI557713 Hs.177592	ribosomal protein; large; P1	2.08
	330519	M94172 Hs.69949	calcium channel; voltage-dependent; L ty	2.08
	331809	AA402482 Hs.97312	ESTs	2.07
40	324837	AJ003669 Hs.246171	ESTs	2.07
	332608	D00749 Hs.36972	CD7 antigen (p41)	2.07
	327291		CH.01_hs gil5867483	2.07
	315936	AW069807 Hs.247094	ESTs; Moderately similar to !!!! ALU SUB	2.07
	317917	AI143593 Hs.129419	ESTs	2.07
45	328674		CH.07_hs gil5868254	2.07
	338654		CH22_EM:AC005500.GENSCAN.460-55	2.07
	320828	AJ012590 Hs.194728	hexose-6-phosphate dehydrogenase (glucos	2.07
	337896		CH22_EM:AC005500.GENSCAN.56-3	2.07
	335310		CH22_FGENES.532_3	2.07
50	300076	AW074835 Hs.145223	ESTs	2.07
	303588	AL046182	EST cluster (not in UniGene) with exon h	2.07
	328848		CH.07_hs gil6381921	2.07
	318723	C18060	EST cluster (not in UniGene)	2.07
	335352		CH22_FGENES.539_5	2.07
55	339316		CH22_BA354I12.GENSCAN.22-15	2.06
	335873		CH22_FGENES.631_1	2.06
	335261		CH22_FGENES.520_2	2.06
	322032	AL079807	EST cluster (not in UniGene)	2.06
	308771	AI809301	EST singleton (not in UniGene) with exon	2.06
60	310024	AI252661 Hs.145224	ESTs	2.06
	320555	R36212 Hs.235534	ESTs	2.06
	319314	T74062	EST cluster (not in UniGene)	2.06
	334642		CH22_FGENES.417_9	2.06
	335767		CH22_FGENES.607_1	2.06
65	336159		CH22_FGENES.707_3	2.06
	336358		CH22_FGENES.818_1	2.06
	334687		CH22_FGENES.419_12	2.06
	339389		CH22_BA232E17.GENSCAN.4-7	2.06
	335898		CH22_FGENES.635_6	2.06
70	328847		CH.07_hs gil6381920	2.06
	313431	W91884	EST cluster (not in UniGene)	2.06
	313270	AI374993 Hs.159611	ESTs	2.06
	339211		CH22_FF113D11.GENSCAN.6-6	2.06
	333860		CH22_FGENES.290_19	2.06
75	308952	AI868157 Hs.224226	EST	2.06
	305471	AA743947	EST singleton (not in UniGene) with exon	2.06
	300619	AA991438 Hs.233293	ESTs	2.06

	302962	AI693349	Hs.228981	ESTs	2.06
	332446	AA112799	Hs.238756	ESTs; Weakly similar to unknown [H.sapie	2.06
	334972			CH22_FGENES.468_2	2.05
	330196			CH.05_p2 gij6165140	2.05
5	304754	AA579795		EST singleton (not in UniGene) with exon	2.05
	309726	AW248521	Hs.195188	glyceraldehyde-3-phosphate dehydrogenase	2.05
	333939			CH22_FGENES.301_5	2.05
	304836	AA587008		EST singleton (not in UniGene) with exon	2.05
10	302087	AA324163		EST cluster (not in UniGene) with exon h	2.05
	308424	AI650714		EST singleton (not in UniGene) with exon	2.05
	304347	AA176914		EST singleton (not in UniGene) with exon	2.05
	333141			CH22_FGENES.85_1	2.05
	310573	AW292180	Hs.156142	ESTs	2.05
15	337565			CH22_C65E1.GENSCAN.1-11	2.05
	304295	AA084082		EST singleton (not in UniGene) with exon	2.05
	326624			CH.20_hs gij5867553	2.05
	326443			CH.19_hs gij5867385	2.04
	339012			CH22_DA59H18.GENSCAN.19-2	2.04
	337384			CH22_FGENES.745-1	2.04
20	332326	T79623	Hs.111787	ESTs	2.04
	303706	AW501525		EST cluster (not in UniGene) with exon h	2.04
	336046			CH22_FGENES.679_8	2.04
	301770	R05887		EST cluster (not in UniGene) with exon h	2.04
	326726			CH.20_hs gij5867597	2.04
25	330485	M11186	Hs.113216	oxytocin; prepro- (neurophysin I)	2.04
	332956			CH22_FGENES.48_13	2.04
	300021	M97935		AFFX control: STAT1	2.04
	306872	AI086920		EST singleton (not in UniGene) with exon	2.03
30	302744	L03151		EST cluster (not in UniGene) with exon h	2.03
	338507			CH22_EM:AC005500.GENSCAN.390-11	2.03
	334020			CH22_FGENES.317_1	2.03
	333870			CH22_FGENES.291_3	2.03
	330552	U40223	Hs.248157	pyrimidinergic receptor P2Y; G-protein c	2.03
35	335486			CH22_FGENES.570_18	2.03
	339374			CH22_BA232E17.GENSCAN.2-5	2.03
	328384			CH.07_hs gij5868392	2.03
	334690			CH22_FGENES.420_3	2.03
	310318	AI733942	Hs.145338	ESTs	2.03
40	325893			CH.16_hs gij5867088	2.03
	331373	AA435513	Hs.178170	ESTs; Weakly similar to DUAL SPECIFICITY	2.03
	329784			CH.14_p2 gij5912597	2.03
	335087			CH22_FGENES.488_11	2.03
	310582	AI336563	Hs.254585	ESTs	2.03
45	332611	R06751	Hs.1600	chaperonin containing TCP1; subunit 5 (e	2.03
	339258			CH22_BA354I12.GENSCAN.8-3	2.03
	336851			CH22_FGENES.274-1	2.03
	305596	AA780664	Hs.8734	ESTs; Moderately similar to !!!! ALU CLA	2.03
	330364			CH.X_p2 gij3126882	2.03
50	302940	AL137619		EST cluster (not in UniGene) with exon h	2.03
	317349	AA923657	Hs.126359	ESTs; Weakly similar to !!!! ALU SUBFAM1	2.03
	309869	AW300314		EST singleton (not in UniGene) with exon	2.03
	333422			CH22_FGENES.147_2	2.03
	325233			CH.10_hs gij6381943	2.03
55	330586	U77968	Hs.79564	neuronal PAS domain protein 1	2.03
	336725			CH22_FGENES.88-1	2.02
	334157			CH22_FGENES.340_7	2.02
	303357	AW006352	Hs.159643	ESTs; Weakly similar to MLD [H.sapiens]	2.02
	328533			CH.07_hs gij5868482	2.02
60	309210	AI962817		EST singleton (not in UniGene) with exon	2.02
	327412			CH.02_hs gij5867750	2.02
	333172			CH22_FGENES.94_7	2.02
	334869			CH22_FGENES.447_3	2.02
	301047	AA971465	Hs.116136	ESTs	2.02
65	329394			CH.X_hs gij6478817	2.02
	301736	F12128		EST cluster (not in UniGene) with exon h	2.02
	335591			CH22_FGENES.581_30	2.02
	338234			CH22_EM:AC005500.GENSCAN.260-7	2.02
	334433			CH22_FGENES.385_8	2.02
	334904			CH22_FGENES.452_18	2.02
70	318443	AI939323	Hs.157714	ESTs; Weakly similar to NEUR ACETYLCHOLI	2.02
	300151	AI243445	Hs.189654	ESTs	2.01
	310348	AI478563	Hs.145519	ESTs	2.01
	310898	AI439868	Hs.165742	ESTs	2.01
	332860			CH22_FGENES.27_3	2.01
75	301699	AI879117		EST cluster (not in UniGene) with exon h	2.01
	332554	W96450	Hs.23111	phenylalanine-tRNA synthetase-like	2.01

	327994		CH.06_hs gi 5868218	2.01	
	315613	AW137420 Hs.192311	ESTs	2.01	
	335356		CH22_FGENES.541_3	2.01	
5	334028		CH22_FGENES.318_7	2.01	
	335277		CH22_FGENES.523_3	2.01	
	308657	AI749855 Hs.236497	EST; Weakly similar to GLANDULAR KALLIKR	2.01	2.01
	305913	AA876109	EST singleton (not in UniGene) with exon	2.01	
	323681	AW247730 Hs.102548	glucocorticoid receptor DNA binding fact	2.01	
	333533		CH22_FGENES.175_20	2.01	
10	328753		CH.07_hs gi 5868298	2.01	
	302397	L01694 Hs.211523	guanine nucleotide binding protein (G pr	2.01	
	304643	AA526588	EST singleton (not in UniGene) with exon	2.01	
	333065		CH22_FGENES.75_8	2.01	
	316192	AA904441 Hs.221286	ESTs	2	
15	302533	L36149 Hs.248116	chemokine (C motif) XC receptor 1	2	
	312988	AA813689 Hs.123436	ESTs	2	
	333612		CH22_FGENES.217_7	2	
	333615		CH22_FGENES.217_10	2	
	316085	AI027959 Hs.132300	ESTs	2	
20	337936		CH22_EM:AC005500.GENSCAN.85-7	2	
	330972	H18467 Hs.118983	ESTs; Weakly similar to diaphanous 1 [H.	2	

20/220" 080/800T

**Table 20: B survivor vs Mets – Up in Mets**

5

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UniGeneID: UniGene number  
 UniGene Title: UniGene gene title

10	Pkey	Ex Accn	UniG_ID	Complete Title	Ratio BS/Met
	316625	AA780307	Hs.122156	ESTs	0.28
	316076	AW297895	Hs.116424	ESTs	0.3
	315943	AA699756	Hs.117335	ESTs	0.38
15	317198	AI810384	Hs.128025	ESTs	0.38
	320082	AA487678	Hs.189738	ESTs	0.39
	313510	AI147291	Hs.154006	ESTs	0.39
	323683	AI380045	Hs.225033	ESTs	0.39
20	318558	AW402677	Hs.90372	ESTs	0.4
	310264	AI915771	Hs.148867	ESTs	0.4
	314945	AW276866	Hs.192715	ESTs	0.41
	313403	W86995	Hs.113157	ESTs	0.42
	321505	H73183	Hs.129885	ESTs	0.43
	312171	AW444619	Hs.138211	ESTs	0.43
25	324585	AI823969	Hs.132678	ESTs	0.44
	316695	AA809844		EST cluster (not in UniGene)	0.44
	319818	AA825819	Hs.136952	ESTs	0.44
	337522			CH22_FGENES.819-1	0.45
30	324714	AA574312	Hs.245737	ESTs	0.45
	315060	AA551104	Hs.189048	ESTs	0.46
	300548	AI026836	Hs.114689	ESTs	0.47
	304483	AA431441		EST singleton (not in UniGene) with exon	0.47
	313096	AI422367	Hs.163533	ESTs	0.47
35	306501	AA987294		EST singleton (not in UniGene) with exon	0.47
	329086			CH.X_hs gjl5868604	0.47
	320176	AA167566	Hs.133325	ESTs	0.47
	320418	AI674461	Hs.199638	ESTs	0.47
	302982	W92391	Hs.198222	ESTs; Weakly similar to C2H2-type zinc f	0.48
	315609	AW207535	Hs.224012	ESTs	0.48
40	317056	AA904908	Hs.250643	ESTs	0.48
	314361	AL038765	Hs.161304	ESTs	0.49
	315169	AI371390	Hs.158667	ESTs	0.49
	323743	AA324992	Hs.257168	ESTs	0.49
	313903	AW167439	Hs.190651	ESTs	0.49
45	315061	AA551196	Hs.188952	ESTs	0.49
	300969	AI140799	Hs.76230	ribosomal protein S10	0.5
	331950	AA454595	Hs.99369	ESTs	0.5
	315076	AI623817	Hs.168457	ESTs	0.5
	300975	AI283548	Hs.149668	ESTs	0.5



**TABLE 1-20A**

5 **Table 1-20A**, shows the accession numbers for those pkeys lacking unigeneID's for Tables 1-20. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank  
10 accession numbers for sequences comprising each cluster are listed in the "Accession" column.

15 Pkey: Unique Eos probeset identifier number  
CAT number: Gene cluster number  
Accession: Genbank accession numbers

Pkey CAT Number Accession

20 108446 112224\_1 AA085383 AA126091 AA074174 AA075373 AA079120 AA070831 AA075978 AA075372 AA128503  
108474 116896\_1 AA115179 AA079667 AA115897 AA079771  
100635 10605\_34 BE259039 W29128 AW410299 X72990 BE246492 NM\_005243 X66899 AI909006 AW248151 AL031186 AA012966 BE273549  
25 BE311429 BE253102 Y07848 BE538102 BE256863 BE261240 BE312156 BE618412 BE257322 BE262046 AW806629  
AA376777 AA325384 BE256808 BE251039 BE257878 BE275352 AA357169 AW403562 AA204995 AA093259 W95953  
BE256279 BE336683 BE252465 BE251266 AA380754 BE294942 AA380941 AA380999 BE297164 BE249995 BE294719  
BE295372 AI270673 BE305132 BE563752 BE295357 AI525421 BE263980 AA057505 AA020915 BE266318 BE206948  
AI474020 BE296420 BE297374 BE408545 BE019366 BE407372 BE266180 BE279437 R58233 T19567 BE300738 AW381179  
30 AA357571 AW361285 AA436908 AA301019 AA301022 N20202 BE408777 BE548638 BE167415 AA071260 BE088429  
BE280092 W23117 T19568 R51681 AW402216 W22784 BE185607 AI457224 BE544120 AL134874 S72620 AA375079 D51319  
AW818280 BE514686 AW853024 BE563744 AA300469 T07592 BE622190 BE272834 W21781 BE315450 BE542367 BE393120  
AA988441 H55137 BE562296 BE622502 BE395960 AA329733 AA332348 AI768317 AA456866 AI497832 AW878437 AA857042  
35 U18018 BE621418 AI818790 AI949507 BE397693 AI885545 AI858854 AI355147 BE169028 S62138 AW732191 AA856891  
BE266060 X71427 BE268557 AF095890 AW001288 AI799634 AI623498 AA071346 BE547662 BE261446 AI564543 BE559759  
U35622 BE314249 BE264915 AI638591 AI538385 AW090025 BE384754 AI888689 AW778800 AI925273 AA075797 AW949130  
40 AV660275 AW438697 AI587137 AI524121 AA806249 AW628247 AA808241 AI244388 AI761125 AW117672 AA911782  
AI129250 AA654447 H55291 BE258050 BE206162 W95867 AA857187 AI871378 AI660103 AW103827 AI220929 AW149949  
BE465561 AI302857 AW168841 D82190 AW249814 AI623432 AI687358 AW951077 R51592 W60458 AI092863 AW474693  
D12765 AI911646 D82208 D82187 AW074031 AI358527 AW338497 AY970893 AW072573 AA205364 AI858886 AA012830  
45 AW148763 AI863056 AA548656 BE250325 AI016994 AI864005 BE046122 AI497746 C75340 R58896 D82141 AW168240  
C19048 AI741090 D29465 AI222365 AA948288 AI583522 AW572212 AI091290 AA582727 AA579897 AA570629 W60883  
AW516989 AL038160 AA577334 AI865872 AA994043 AA922583 AA464778 AA209178 AI829479 AI370235 BE246529  
AA384177 AA456255 AI699730 W60654 AL035744 AA862042 R32756 AI886886 AA993087 AI289479 AA627840 AA464184  
AI619503 R32755 AW075358 AI432315 AA457024 AA020865 R92132 AA454629 AA746059 AA454643 AA456240 AA826984  
BE163738 AI806470 AI991074 AI802560 AA587095 AA558714 AA968521 N87780 AI538246 N71794 AV661738 AI368903  
50 AA362570 AI989445 AI674962 S75762 BE245204 AA975296 D20123 AW005704 AA693328 AA582270 AI918474 AW205707  
AI696299 AA220990 AA101538 T29030 H27201 AW262526 AI610530 AA126840 AA126790 X92120 AW367868 BE299644  
BE299451 AA476561 BE300044 AA134363 BE295222 AA307504 N42337 AA319098 N39502 AW964461 N57241 BE299049  
N86332 R51156 AA085859 T75212 AA133939 AA147129 AA156161 BE543953 BE538848 AA133676 BE299745 AA135050  
55 AA218535 AW406401 AW411287 BE410528 C01410 NM\_004083 BE314959 AA836413 AA085862 AW024370 AA471059  
AW467508 AA001025 AI828231 AA633221 T95517 AA147038 AA476447 AW027012 AW078627 BE513200 AI192297  
AA886279 AW081806 AA316185 AA010506 AI269929 W93139 AI682935 AA609555 AA378028 AI093877 AA999997 AA730698  
AI143923 AW575315 AA890550 AA494353 AW576601 AI796336 AA826130 AA609207 AI539618 AI088539 AI089090 AA825505  
60 AA632978 AA015892 AW204713 AA156495 AA824613 AA133630 N29826 AA527476 AI633352 T27908 AA134364 AA133940  
AW043601 H37775 AA772375 AA057871 AA047888 AA054225 H86568 AA001511 H25718 AW189507 AA165589 AA054433  
H85549 AA165486 AA058972 AA454911 AA464064 AA493802 AA428253 R85508 AW302469 AI611812 BE162582 F11073  
T95518 N26811 AI783929 H40669 AW611745 AI658803 R51042 R45276 AA528386 AA782875 AW880218 AL138391 AA314536  
65 AW949338 AA149466 AA149552 AI346513 AA216776 BE349131 AW007654 AI141803 AA622688 AI185131 AW057635  
AA101539 AA627986 H27202 AI536847 W93084 AI973148 AI246788 AW572108 AI469414 AA454835 AA612707 AA430746  
AI084991 AA010400 AA856636 AA463928 AI248310 R07170 AA834033 D12244 AI655670 AA054350 AA639480 AI702067  
AI475389  
100643 3931\_1 NM\_005032 M34427 AA332167 AW409711 AL119718 BE297581 BE299855 AA082284 AA226855 AA149568 AW391953  
70 M22299 BE163594 AW847881 AW366993 BE142871 AW847885 AW604137 AW847753 AW847886 AW376442 U48350  
AW607478 AA373011 AA334080 BE294177 AL121355 AA302236 BE540666 BE170588 AA346884 BE541512 AA226818  
AA082001 AA366490 AW604122 AA205784 AW607791 BE168496 AA058497 T64373 BE165633 AW802804 AW847878  
AA187408 AA088397 AI751745 AA344103 AA034463 AI906008 AA363580 AA379193 AI332642 AI143569 W52748 W52754  
AA385532 AA085967 F05943 AA363422 AA133444 AA133477 AA029541 N48387 N83348 AA376066 AA147671 W70187  
AA316255 BE174987 AA452776 AA089605 AL047776 BE162673 H39532 BE168406 AA357654 AA328728 AW813442 D57844  
AW839748 AW839663 D57357 AA334536 AW268674 AW950788 AW409888 AI160544 D57821 AW664382 D25884 AI755101  
AW130365 AI609094 AI984064 AI806523 AA492516 AI755258 BE157210 AA374884 AI983923 AI831088 AA706501 AI754957

10067080-022702

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

100670 22023\_1

100673 21517\_2

108559 41469\_9  
108569 118606\_1  
100700 17137\_1

100734 35197\_1

100739 2738\_3  
117040 46956\_1  
100748 41861\_1  
100760 1334\_7  
100779 458\_127

100787 458\_127

130872 21268\_1

108641 853\_-13  
100818 19604\_3

130930 2773\_1

124394 5590\_5

100882 458\_127

100885 12707\_3  
100896 205\_6  
100898 8542\_1

AI688651 AI088623 AI336114 N38752 T56004 AA845200 AA858377 BE157397 AW069347 AA045366 AW316918 AW130372  
AI355398 BE157396 AI751746 AI375820 AA129935 W60002 N24781 AI805924 W60009 AA044283 AA121161 AI539277  
AA301885 AW019944 AA133445 AA101108 AA033559 W70060 AA617751 AI986261 AI023234 D82235 AA085846 AW754181  
D82093 D82100 AA147653 AA600256 D57884 AI753982 AI568050 AI146490 AW302280 AI433051 AA329188 AW572150  
AW166345 AI337981 AA778973 N67577 AA227207 AA838281 C06190 AL046997 AI217662 AI752979 AW627538 AI127171  
AI440461 T64184 AA845190 AA227111 AA877394 R60962 AA505646 AA770545 AI696264 AA953747 AA904094 AA058318  
D57026 T17158 AA578545 AW085082 BE148939 AW815069 BE152843 BE149068 BE149036 AW815073 AW753691 BE149040  
AW815065 BE152842 BE149072 AW753692 AW815055 BE152837 BE152849 BE152840 AW815070 BE152829 BE152846  
BE148972 BE149042 BE149074 AW753668 BE152832 BE152841 BE149082 BE149050 AA347261 BE152852 BE152847  
R65797 F02189 AA483448 AI954410 AA865375 BE152836 BE152838 BE152839 T17300 BE152844 BE152833 BE152834  
AA029542 AI567601 AI362353 BE162140 AI381384 BE152851 D57038 D57043 AI418363 AA133478 BE149051 BE149083  
BE152850 BE149052 BE149084 AA886686 BE149064 BE149032 AA044093 AA129934 AA303976 BE157211 AA187291  
BE152830 AA046552 BE149047 BE149079 BE149033 BE149065 BE149044 BE149076 BE149053 BE149085 BE149034  
BE149066 BE149048 BE149080 BE149038 BE149070 BE149045 BE149077  
AA332178 BE259177 BE545625 T09105 S62076 M16424 NM\_000520 BE244309 F13516 BE251567 BE514981 AL119537  
AA336739 BE261801 AA278642 N32708 T77034 W24621 W42478 AW630382 AW856214 AA134234 M13520 BE379212  
AA287459 BE019379 BE297192 BE162970 AW405668 AW403322 BE272280 BE208703 BE304428 BE162807 BE162828  
BE162887 BE078944 BE163025 BE162878 BE162909 BE162898 BE162791 BE162880 BE073563 BE163086 BE162896  
BE162770 BE073565 BE162906 BE162913 BE162947 BE162803 BE262199 BE162811 BE080697 BE315095 AW206024  
AI291054 BE087364 AL046839 AA304422 AA847660 AA669876 BE392765 AI567798 AW026644 AW151258 AA996314  
AI828660 AI571158 T61941 AW103503 AW172698 AI923115 AI823709 T62167 AW771381 AW151782 AI799284 AW242271  
AA128031 BE261306 BE312241 AI674880 BE261057 AA630684 AA831305 AI139546 AW082447 AA916854 AA916855 T05970  
AA599395 AA921680 AI244674 AI041920 AA424998 AI362999 W42543 T51260 AI362486 AI699366 AI827925 AI027381  
AI027370 AI209049 AA782220 AI334014 AI279051 AI217711 AI674210 AI193370 AI701683 T23782 AI927545 AI784291  
AA128007 AI370630 AI972736 AA853763 N92379 AI916746 AA639633 AA907603 AI479452 AW950971 T28985 AI685825  
AA563654 AA745291 AW089417 F10858 AI354227 R38108 AI668647 AA994088 AI740910 AW880973 AI739410 AI480346  
N78987 AI473892 BE162903 BE254430 BE260426 AA650012 AW006426  
AW403342 AW248986 BE561709 AA357312 BE311834 BE389496 BE294887 AW732696 BE047868 AI702383 BE019155  
AI702367 BE408966 BE280458 BE313759 BE513492 BE535404 BE280258 AC005263 NM\_007165 L21990 AW732711  
AI564920 AW249094 BE265365 AW607186 AW607346 BE005217 H27211 U46230 BE260066 BE207043 BE546782 AW248659  
AA085228 AA085161  
AA082885 AA114265 AA085398 AA113184  
AA932794 BE540417 AW409802 AW410765 BE296651 BE294197 BE164813 AW381886 AW381806 AL048654 AW403058  
BE207228 AA464654 AW966967 AA326831 BE407277 BE408669 AA476527 AA115576 AA359697 AA476357 AA449939  
BE263719 AL045304 W21442 R28919 BE395990 AA252273 AI346812 BE538487 AA507160 W93950 N42025 AI088439  
AL134931 AA031524 AI887287 AW470017 AA476423 AA464553 AW410766 AI569421 AA577476 AI248935 AI912371  
AW615674 AA824237 AA807746 AA827377 AA890268 AA476309 AI086424 AW409698 AA031553 AW451901 AI520934  
AW050554 R49825 N30302 AA532541 W94004 N93402 AA115549 AA331202 L25665 NM\_005275 AA436745 AI122671 R49779  
R18508  
AI807481 AI500404 AI092260 BE348962 AI143675 AA772399 AA772398 AI368565 AI379172 AI083781 AI871363 AA843793  
NM\_000141 M87770 X52832 M55614 Z71929 W05259 AA548551 AI498743 BE081295 BE162251 F05643 AI127918 H83199  
W07463 BE551725 R28404 AW206461 AW590506 AI885536 N69800 R93496 R25381 AA443093 AI143063 AI284647 AI703144  
AA309032 AA309031 AW949426 AW949428 AI638387 AI638356 R77173 R38513 T89263 F01900 H87979 R70205 AA664355  
AA235910 AA033657 AI436212 N50463 AI433805 AI081876 AI421090 AW020818 AI559529 AI887420 BE154202 AA889062  
AA723410 BE537575 AA236812 AI218552 AI264866 AI290617 AA424365 AA424505 AW073347 AA032183 AI142488 N55322  
AI884363 AI336070 N67307 AA608928 T94993 AW514184 AA724695 N66630 AI379638 AI274671 AW628470 AA235346  
AA687581 AI073906 AI263602 AI869111 AI805693 AI423808 AI076491 AI374640 H82967 AA776567 AA256191 T29856  
AA953586 AI140801 AI805484 AA984329 R93497 AI017114 AI263355 N81103 AW418776 D57474 AI918460 AA256152  
AI683268 AI042628 AW196650 C00195 AI918567 T28903 N95383 R13671 T94939 AI275235 AA235751 T84335  
M59287 L29222 AI251890 BE244986 AI708332  
AW970600 AA503323 H89218 AF086031 H89112  
X06096 X05826  
AW794626 M27126 M27014  
BE561958 BE561728 BE397612 BE514391 BE269037 BE514207 BE562381 BE514256 BE514403 BE514250 BE397832  
BE269598 BE559865 BE396881 BE560031 BE514199 BE560037 BE560454  
BE561958 BE561728 BE397612 BE514391 BE269037 BE514207 BE562381 BE514256 BE514403 BE514250 BE397832  
BE269598 BE559865 BE396881 BE560031 BE514199 BE560037 BE560454  
U61084 NM\_004900 U61083 AI761325 AI826909 H79385 T81886 AI222763 N68038 AI281048 H79274 AA603662 AA721720  
T71211 C00488 AA994672 AW136970 AW368715 AA380767 AL022318  
AA112059  
U79251 AA843851 R38201 R66461 R44908 AA683289 H17477 R37364 R52832 AW298336 AA351391 NM\_002545 L34774  
AA296886 AW967001 T28889 R13451 T77331 AL119196 AL118830 H08459 AW892812 AW905838 H17585 R52878  
NM\_005658 U19261 BE622108 AA313592 AW950162 H25107 R71725 R50630 AI524201 AI476301 AW014547 AW195770  
AI378122 AI554908 AI927196 AI913959 AW044513 R50534 AI379950 AI311593 BE043305 R82981 AA769375 R77429  
AW196220 AI269033 AA883433 R71691 F11489 AW771234 AA402642 AA399408 AW771244 AI400707 R55446  
AI950447 AW027427 AI640151 AI139433 AI400708 AW779975 AI739122 AI384000 AW079410 AI473425 AA150109 AI766579  
AI351784 AI209046 AI474732 N29724 AI382653  
BE561958 BE561728 BE397612 BE514391 BE269037 BE514207 BE562381 BE514256 BE514403 BE514250 BE397832  
BE269598 BE559865 BE396881 BE560031 BE514199 BE560037 BE560454  
X07881 NM\_006249 X07637 AA376715 AA376677 X07715 X07704 S80916  
M91803 X65362  
BE387614 R51501 AA199714 AW674779 F08178 BE269071 AA376313 H08264 AA380420 H18785 AL042151 BE277758  
BE267438 NM\_005850 L35013 BE540833 BE390902 BE391494 BE277459 BE385592 BE390612 BE384263 BE387779  
BE388647 BE537373 BE547158 AW409585 AW374033 AW602185 AA355725 AW577548 AW935015 AW935160 W40232  
AW938647 AW374332 AA434040 BE293488 AL138361 BE560260 AI745075 AA317980 AW949382 AI834311 AI653582  
AI831042 AI361878 AA618606 AA279052 AI424969 AA199715 AW769374 AI828422 AW044307 AI862816 AI203583 AW084461

10087080.022702

5  
10706 13255\_3  
108710 133560\_1  
108712 14671\_1  
10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75

AA121820  
AA121959 AA121960  
AA335738 AI817426 AA099503 AA643106 AA650582 AW188499 AA155785 AW024305 AA992590 AW793619 AA121250  
H93101 AA994582 AW007456 AW799974 AA535738 AI460362 AI571942 AW517220 BE044613 AI830018 H50382 AW391334  
AA741035 AI697291 W37616 AA866185 AW264926 H52854 AW796893 AI660673 AA464961 AI808376 H13850 H81969  
W92615 H41636 H73900 H66731 AA281556 AA026801 AA479538 AA588901 AA446262 R86974 H84761 R62958 H70493  
AI991716 AI833075 AW800109 R54692 W94542 R78651 AI694890 AW845181 W31325 AA224371 AA359813 AW178868  
H53738 F22305 AI874075 AI567440 AA853303 H25886 AA550734 AI874064 AW148463 AI586928 T28979 AW950966 AI828723  
AI918890 F16942 AA223763 AA630985 AA402644 N70971 AI147210 AW410026 AA485517 AI129376 AW337522  
AW136362 AI123362 AI281243 AW339600 AI478990 AI339256 AW768289 AI660065 AI309560 AI141111 AI280844 AI338227  
AI310719 AA733112 AA903203 AI073351 AI348225 AA974151 AI141386 AI311925 AI042124 AI193176 AI186999 AI735528  
AI335702 BE550806 W47157 W70086 W44788 AI218741 AI074049 AI168088 AW050904 AI083978 AI131084 AW328532  
AI969255 AA069140 AA328735 F20431 AI625929 AA621514 AA384576 H98823 AI371848 AI360520 AW079514 AW845177  
AA948626 N52236 AA464158 H43126 AA465035 AA464221 AA365164 AI539264 AW250430 N27769 AA157036 AI124029  
AI635488 AA374090 AA515126 AA614763 AI872210 AI160916 AI002016 AA813669 AA190550 AI262671 AI460058 AI690719  
AA805473 AA523207 AA477649 H13898 AI056086 H42356 R32267 R99431 AA481898 AI130779 AA769777 AA910293  
AI284079 AA936692 AA903953 AA947753 AI568924 AA902966 AA807082 AA489337 N58247 AA872223 AA485362 AA024906  
AI092224 AA443621 AA603059 N58248 AA927262 AA329524 AA026369 N73450 AI244031 AI192676 N25190 W32248 W32324  
AI284307 AA074470 N33116 AA947399 H52855 T52343 AA643260 AA573752 AI031889 AA877690 AA531409 X13710  
AI500538 R32315 BE168562 AA401993 AA883251 W37615 AA305694 W78964 AA024905 H53678 AW47278 AA224423  
AA371881 AA335679 AA336008 T52416 H69646 AA300266 AA325728 N73204 N77626 R54691 W24032 AA868340 BE407766  
H81968 W46665 AA883934 AA187290 AW571425 AI280505 AI079662 AI470373 AA991617 AA173165 AI244032 AA922440  
AA856918 W80458 AA121251 AI160062 H50349 T67744 W46574 AA969287 W01485 BE615302 BE388184 AA314246 H85693  
W31948 AV650437 AW160467 W44891 AA723773 AW328531 AA313224 AA299527 R86894 AA312505 H21582 AA157493  
H78480 N36060 N77627 BE218674 W02853 AW954844 AA429974 BE382847 AI541225 H93229 BE281553 AA147790  
AA327374 AW839840 AA969229 R99337 BE278812 AI190450 AA479549 AA156012 R78705 AA224081 N44944 D56066  
AA969012 AW178878 AW105500 N52391 AA622301 AA858204 AI290372 AI205676 H51289 AA548013 BE544240 AA280160  
BE170901 AI192429 R77056 AA310925 AI219128 AA121993 AA070432 R63012  
AA128946  
H08948 AA353935 R14985 U17977 H15387 F05567 R88476 AW968314 R89646 R87941 AA258917 AW895155 AW947450  
AA223175 AA223559 W92508 W02327 AA322882 AW960879 H39040 H39039 R90891 AA580343 BE155037 BE154984 N40110  
AL137683 BE265131 R17329 AL096733 M79202 AA625234 AA427472 AW361296 AA658045 AA322177 R54596 AA171880  
AL042331 U18920 AA298036 AW051888 AI378803 AW601640 AI885103 AA297019 AI192706 AW055183 BE312004 H42382  
AA534726 AA205943 AA204817 AA298966 AW015511 AA223176 H08864 AW028026 R45676 AI023345 AW263046 AI161297  
AI168747 AW024885 AI832106 R88436 R86849 W92509 AA857908 N26989 AI589169 AI570370 AA223525 AA171552  
AA405862 AW001095 AI864651 H39060 AA776342 AI682761 AA768233 R86855 AI367878 R42675 AA832040 R89042  
AI984848 AI524629 AI289021 AW014020 AI241757 AI421241 AA430654 AI360728 AW299692 AA258155 AA782959 AI684411  
AA531501 H41286 AI125231 H15388 M62002 R88819 AI203108 Z38537 AI432593 AA887767 AW023638 H39016 AI424700  
U20285 AW674959 W69617 NM\_004127 AU076538 BE245805 AW250694 AW248164 BE294678 AA298083 BE266030  
BE262348 AL038115 BE253256 AA330082 AW401492 BE070159 BE619216 AW379955 AW379968 BE266381 AL046753  
AW379969 Z45804 H12155 BE543514 Z44978 AA026010 AA776140 AA337940 AA315980 AA308668 BE156554 R33383  
BE271569 BE378456 AA972517 AW748739 R73336 AA302223 AT279618 BE561802 AI693878 BE560858 BE513865 BE267975  
R36064 AI056387 AI961737 AW167515 AA280965 AI479985 AI859762 AA309009 AA573934 AI669053 BE046497 H14545  
BE222639 AI910094 AA484398 AA521025 AA807224 AW247126 AW732050 AA377850 AW951499 R73316 AI458542 AI564292  
AA928183 AI951858 AA595162 AI685726 AA604679 AI813703 AI091930 AI567797 AI521316 AI377236 AA583446 W79901  
AI743281 AA913078 AI139695 AA994505 AI202810 AA662524 AI810703 AA988395 AI272746 AA569807 AI299166 AI799551  
AI492268 AI131335 AA969251 AI240890 AA580208 AI928074 AA716051 AA657992 AA988396 AA994504 AI952561 AW188344  
AW246831 AI471309 AA757891 AA931856 AI272794 AA766100 F24931 F24930 AA749404 AW08597 AA732155 AI796670  
AI825867 BE245682 AI638230 AA434157 AW249881 AA481945 AI090239 AA923622 R72864 F25087 AW674940 AI808546  
AI470209 AI285895 AW189219 AW474426 AI818261 AW300960 AW513345 AW073126 AI868353 AA862926 AW592528  
AA502647 AW591711 AI354982 R49145 AI360724 AI458656 AW304052 Z41443 AI864783 AW651615 AI270639 AW316592  
R43741 AA482068 R72852 AW190442 AW651631 AW470902 AA911918 AW779251 R72820 AA279995 AI394715 AW105688  
AI097434 AA670473 F08806 AA035597 AW008688 AI689117 AI911859 BE387696 AW166880 AA474728 W78016 AI886548  
N35512 T86152  
T88822 T80794  
AA532519 AA770627 BE326342 AW073299 AW205539 Z83851 AA725380 AI457288 AA976882 BE220181 AA988940 AI914073  
N46435  
U15422 NM\_005425 X63758 X63759 Z46940 L03378 AI220577 AA634325 AI381479 AA994994 AA994988 AA416961  
AI188710 AI032142 AW078833 N30308 AW675632 AI219028 AI341201 N22181 H95390  
N81189 AW172914 N22182 N22289  
U28831 AA088359 N56023 AA069486 AL038872 AI683185 AA632516 AI281643 AA447146 AI699884 AI281642 AA832250  
AI909017 AA781851 BE090060 AA058888 AI440090 AA040563 AA069449 AI702237 AA045495 AA088258 AA229820 AI925213  
AA928183 N90591 AW794070 AI884470 AA291147 AI632560 AA533416 T10311  
AB007881 U32581 AW131202 AW995994 W31964 N24261 AI033045 H98694 AW364848 AI222031 AA907216 AI215730  
AA776981 AW473826 W31373  
AW373665 AW373648 AW373647 AW393531 AA284401 AA253299 BE168092 AA196249 AA810695 AA278353 AI806177  
BE552269 AW001862 AA749299 AA253300 W37080 AA805586 H72533 AI698623 AA292703 AA748852 H75291 H68018  
AA883728 N48304 N49030 BE168089  
AI814663 AA806761 AA765241 AA019317 AA092255 AA035405 T85079 AA890151 AI373959 T85080 BE153728 AA740848  
BE080682 AL048137 AW182316 AI699468 AW274481 AW407538 AA306562 AW950024 AW949943 AL045703 AW843196  
W25132 BE612794 AA304266 AW958054 H25673 AV646563 AV646573 BE172990 AW593488 AA385181 AA164998 AI246476

10007080 022702

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

131862 3673\_14

117435 23179\_1

102459 3556\_1  
125324 1692163\_1  
101809 32963\_1

125375 16354\_4  
126008 190485\_1  
126027 327799\_2  
103163 43223\_1  
102515 10404\_1

126055 14930\_1

126065 34268\_1

132640 179\_1

AA345406 AI277554 AA134749 AA856624 BE613247 AA299003 AL048138 AA028121 T92510 AI923835 AW020440 AI401594  
AI889401 N93290 AA044247 AA028100 AI582845 AA811151 AI741811 AI925878 AA448277 AA172221 AI214783 BE220793  
AA022746 AI082882 AA022849 AI928385 AA573472 AI420686 AW072902 AI799493 AI873506 AI688977 AI192079 AI468976  
AA044272 AW015701 AW316979 AA933042 AA609017 AI318393 AI424571 AI934945 AA172023 AW050917 AA846180  
AA134748 AI003947 AI766769 AW006697 AA653517 AW575680 AI474214 AA401478 U36922 AA927064 AA868000 D62654  
T91745 AW500202 AA194764 AA746346 AA130464 AW117498 AA054526 N26432 H02534 H04964 AW303367 BE300931  
AI218049 AI208073 AW182749 AA983630 AI147585 AA194765 AA054534 AA922720 AI436585 AI346535 AA134269 AA280923  
AA897422 AA019559 AW274010 AA035406 AA917879 H99327 W32908 AI216046 AW496823 AA019414 H82288 W35284  
AI936621 AI767113 AA866177 AW367874 H82398 AF032885 AW300151 AW467069 AA809346 AI188507 AI494178 AA872752  
AI631631 U02310 NM\_002015 AA815006 AI382453 AW197658 AI761654 AI804396 AI382221 AI813640 AI439635 AI523901  
AW517242 AI221705 AW298104 AW204560 AW573095 AW028783 AW014650 AI766744 AI808294 AI698758 AI041809  
AI766667 AI479103 AA872797 AA769305 AA765080 AA334166 AI472322  
AI541246 AW055046 BE312897 NM\_006623 AF006043 AL038012 BE256739 BE272577 AA143633 AA143643 BE464595  
AI312112 H01791 R26319 BE170902 AW131612 F29120 AA455866 AI540181 AI885777 F36716 AI149501 AI246028 AI373003  
AL046700 AA455869 W69120 AA146617 AI188256 AI937281 AI806751 AI087240 AI123219 AI589686 AI332501 W69087  
AI494321 AA725793 AI222350 AA625736 AA644568 AI472282 AI370905 AA934652 AA913035 AI128576 AW341709 AI269125  
AA975139 AI620890 AI969828 AI356660 W95879 F32252 AI218442 AI928601 AI474470 AI245409 AI601111 AA928594  
AI809316 F19498 AI373442 AI218893 AA573914 AA906869 AI833041 AA993899 AW250763 AA887142 AA884655 R26108  
AI919414 H01042 AA534622 AA723368 AW005753 AI871394 AA661885 BE171317 BE271194 AW249310 T83902 BE246962  
BE279817 BE562094 BE513363 AL045369 BE561008 BE267526 BE544065 BE559579 BE561747 T35796 BE250596 BE268704  
T31298 BE536521 BE561183 BE269560 BE269944 BE514005 BE561068 BE268145 BE267559 BE559744 BE560930 BE278335  
BE513832 BE561017 BE396371 BE562260 BE281009 BE281327 AW410446 BE259628 BE547443 BE311971 T83809  
AW249441 BE270204 BE295488 R90868 BE269359 BE397222 BE396694 AW248394 BE397708 BE268174 AW247676  
AW248404 AA093721 BE397622 AA093706 T09027 BE408338 BE261454 BE260628 BE295110 AF171237 BE295135  
BE407534 BE536635 BE264727 BE296052 BE270265 BE546712 BE298269 BE547732 BE548734 BE253463 BE312238  
BE261042 BE545186 BE313055 BE542602 BE538530 BE535215 BE208107 BE513616 BE295982 BE561273 BE560057  
BE562005 BE280371 AW247443 BE259311 AA126209 AA171445 AW674121 AA134790 BE018733 AA233357 AA121604  
AA114201 BE265626 BE260086 BE313195 BE313434 BE261587 AA223432 AL039212 BE260762 AL046154 BE549057  
AA316523 BE259727 BE260759 BE208754 BE019077 AA206899 T33021 BE255340 AA182643 BE258047 BE258040 BE254759  
BE544454 AF171236 AA224410 T08700 AL037155 BE279638 W78185 BE545040 BE261376 BE261692 BE259694 AA313254  
H09056 AA357719 BE619163 BE018472 BE277966 BE278390 AA353616 AA378769 AA356685 BE564039 BE300236  
BE250358 BE543245 AF171235 BE384461 BE408141 AA137039 AI355285 BE535442 AA356783 AW675020 AI810351 W17380  
BE074695 AI978750 AA316052 BE278523 BE619725 BE270953 AW026987 R89415 BE271359 BE515234 AW008497  
AW386938 AI038839 AI862998 AI719458 AA113414 AI859984 AI870773 AA129452 BE047253 AW673881 AA827034 BE302302  
AI572915 AW264575 BE294567 AA805899 AI625116 AA310115 AI460065 AA169760 AA955009 BE302084 AA629846  
AA640597 W63787 AI805738 W94207 AA114165 AI240462 BE349066 AA668794 AA134085 AW050730 AA134084 BE540728  
AA910015 AW248892 AW247299 AA564678 AI139117 T16008 AI754100 AI091987 AA856537 BE205770 AI199445 AA603509  
AW771741 AI126994 AI000820 AI023844 AW250047 AI673263 T35536 AA126049 AI668802 T35470 AA224348 BE247113  
AI367665 AA223233 AA206815 AI284773 AA093396 AA113268 T03547 AA234268 AA101404 AA991274 AI275931 AA918855  
AA236365 AA226966 AI685723 AI284774 AW248023 AI754314 H09057 AA844271 AI272992 AA315077 AA205718 D57244  
AA742550 AA219567 AI927435 AI042620 AW247957 T35545 T15567 R90845 AA719914 AI085499 AI970845  
AF151074 AF070529 AI969222 AW874125 AI198308 AW470316 AI079388 AW134783 AW206208 AI093223 AI924789 N26130  
AI934430 AI857979 AA928091 NM\_016496 AI074817 AA663800 AW300768 AW264438 AI884506 AI025192 N27628 AI199456  
BE044999 AI277491 BE044964 AA095316 AI076515 AA836677 AI942491 T80147 AI417945 AI668895  
UA48936 L36592 X87160 NM\_001039 AL036606 AL036420 U35630 AW298574  
R07785 T85948 T86972  
M86849 AA315280 NM\_004004 AA315269 BE142653 AA461400 AW802042 BE152893 AW383155 AA490688 AW117930  
AW384563 AW384544 AW384566 AW378307 AW378323 AW839085 AA257102 AW378317 AW276060 AW271245 AW378298  
AW384497 AI598114 AW264544 AI018136 AW021810 AA961504 AW086214 AW771489 AW192483 AI290266 AW192488  
AW384490 AW007451 AW890895 AA554460 AA613715 AW020066 AI783695 AI589498 AI917637 AW264471 AW384491  
AI816732 AW368530 AW368521 AW368463 AA461087 AI341438 AI970613 AI040737 AI418400 AA947181 AA962716 AI280695  
AW769275 AW023591 AI160977 AA055400 N71882 AA490466 AW243772 AW316636 AI076554 AW511702 N69323 H88912  
AA257017 AI952506 H88913 AI912481 AA600714 BE465701 N64149 C00523 N64240 AA677120  
H72971  
AA827860 AA253460 AW971543  
M61982 AA491766  
AU077018 X67683  
U89337 AF019413 Y17868 AL044866 M25813 AL042665 N77388 R00971 BE392997 W52502 AW797536 X71937 BE394176  
T29553 AA114976 AA114835 AW316671 AI799888 BE044614 W51953 AI498690 AW580466 AI972232 T58430 AW137401  
T58462 AI870560 AI696138 F33285 U52696 Y13782 AW292936 AW375206 AW751873 AW352417 AW375162 AW375201  
AW375188 AW375198 AW375178 AI024335 AW375169 X71927 U52701  
H65527 N28990 AA359399 N24306 H65329 AA056928 AW504127 AA486661 AA040017 AA634817 AA595340 T93478  
AW015508 C02093 BE513950 AW410741 AW193200 AA813934 AW439574 AI077876 AI954356 AW629350 AI612865  
AW675663 AA226255 AI816714 AA010653 AA973778 AW276616 AI277607 AI218492 AW275190 AA911289 AI302550 N53061  
AI244408 AA709434 AA876151 AI206461 AI354477 AA954030 AI241127 AI187313 AW440434 AW074284 AI265804 AA872499  
AI202853 AA906037 AI241581 AA134769 AW074122 AI004585 BE300852 AA873196 AI813620 AW504945 BE619639  
AA037624 AA641954 AA037625 AW814771 AA134768 N73248 R02524 AA226533 AA216115 R29049  
AA221032 AK001651 AW732625 BE140495 AI366484 BE297579 AL039675 AL042801 AI678076 AL042802 BE208853  
AI961484 AW190561 AW027201 AA864499 AI344032 AI432437 AI934618 AA572961 AI499074 AW769938 AA917094 AI955647  
AI342638 AW974120 AI761488 AI289643 AI564533 AW272378 AI796156 AI867205 AA884306 AI766564 AA456581 AW769937  
AA713594 AI383037 F24965 AL137599 BE259667 BE313085 BE383358 AA322347 H67555 AA298993 AA304712 AA377693  
BE327057 AL041340 BE273248  
AW162087 AA224538 AA471218 AA088655 AA375275 BE440052 AF090891 AA324435 AF063549 AI110675 AA322223  
AW953306 AA233590 AW949864 AW949859 AA383721 AA081878 U33821 NM\_006024 AA350900 AA081588 AI148087  
AF268075 AA088185 AI142478 AA081824 AI887930 AA070570 BE185248 AI459825 BE257794 AA420459 AA420859  
AA777997 AA081219 AW815721 AW854758 AA157932 AW018208 AW378974 AL041212 AI247564 AW581897 AI002897

20220" 0807800T

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

102571 31561\_1

101923 30543\_1

126117 1610460\_1  
126122 82445\_1  
126136 285360\_1  
126168 20960\_4  
126196 21198\_2  
102675 5145\_4  
118387 65081\_5  
126256 10840\_1  
126291 86990\_1  
104008 27385\_1

BE543242 AI811690 AW852076 AW852270 AA360969 AA094943 AA090680 AW601554 AA099673 AA662226 AA356814  
AA330174 AA187544 C02751 AA315460 BE168358 AW080447 AI813764 AI624222 AW156901 AI954032 AW473780 AI861975  
AA173643 AW511541 AI951492 BE301686 AA669760 BE182212 AA081009 T69431 AI186207 AA604124 AA707346 AA173953  
AI016700 AI125916 AA358962 AI673719 T90593 T90497 T10776 AW513002 AW304292 AA724885 AW474759 AI811621  
AW068925 AA666305 AI580161 AI128023 AW471151 AA534849 AA666358 AI078833 AI139223 AI244874 AI381658 AW263441  
AI432440 AW802882 N66401 AA224251 AI167469 AI141060 AA099214 AI537130 AL120428 AA948655 D53110 AA076099  
AA938617 AA826543 AI357914 AA565098 AA807994 AI288812 AA632832 AA157933 AA639802 AA634268 AA282337  
AA551431 AA557374 AA256923 AA872943 AA009665 H89626 AA810386 T92925 T36145 AA632190 AA130436 AI686635  
AA130437 AW392904 AW392839 AW392848 AW392836 AA729737 AA070450 AW392890 W04825 AA771848 AA084634  
AA481985 AI263840 AI801006 AA235380 AI954229 AI559330 AI208724 AA887638 T25894 AA041269 W44443 AI581770  
W46171 AA878485 W46535 AA197336 AA894945 AA394224 AI766834 AI582590 AI033007 AA481889 AW190598 AW392855  
R27279 AA398137 AI248407 AI241386 AI991753 AI826585 AA865699 AI096806 AI833030 AA041279 AW888745 AI703279  
N70572 AI912553 BE549931 AI240422 AW376187 AW591692 AA975905 AW614967 AA009666 W44332 AA664659 T06561  
BE468150 AI650695 AA587920 AI473310 AI032991 AA256499 AW104241 BE163782 AI984973 BE163613 AI263906 AA628191  
AA282072 BE163769 BE163775 AI492939 AI473315 D56907 AA587930 H89480 AI362373 AA598483 D56595 AI167590 C16223  
AI935415 D62555 D62884 D63130 AI760286 AI650286 AW173598 AI499145 AI122566 AW903408 AI810569 AA854936  
BE049510 D62065 D61900 D62101 R27475 AI469835 AI669086 N80399 N48922 N48746 AA481381 R22858 H13912 AC004549  
AW602500 AW768788  
U60115 NM\_001449 U29538 F01103 U60118 AW612050 F33160 F37125 AI138362 AA853999 AI700031 AA868700 AA411791  
AA782026 AA861693 AA430022 F29006 AI026854 AA236496 AA100266 R60856 AW606023 AW380619 BE150801 AW391508  
AI682304 AA947687 AI284419 AA782989 F00277 AI202147 F01221 BE161576 AW385226 AW361913 R30713 AW607124  
AA505577 W96539 T74511 AA211624 Z41920 AA263163 AA216297 BE164746 H56334 W03218 H61947 AA101716 AA134667  
Z19275 N55888 AA702365 T30562 F00587 AW967294 R58121 W47367 AW608017 N45005 N42952 N69255 AA179110  
AA196349 AW376390 Z19411 H56335 AA197096 AA651681 AA873207 H61734 BE140426 AA047105 R64437 W45585  
AA149058 AW984577 AA192500 AW984588 AW984523 AA037874 W93436 AA195586 Z19330 AA523870 T92443 AA149059  
BE166015 AI033716 AA725097 AA456394 AA180784 W02792 AI921585 AA211488 AA192626 AW364704 AI819174 AA193240  
AA130173 AI337854 AA181265 W45548 AA779753 AA211417 AA197031 AA037875 AW469501 AA037241 AW024276 F32512  
AI084805 BE169896 AA192242 R60857 AI089511 F31828 N20892 AI335027 F32813 F22400 F27858 F31766 F33413 AI192610  
W96433 AI394501 AI150206 AI827777 AW130567 AI932997 T17424 AI288559 R52402 AI806130 AA126040 AA669576 F25175  
AI148159 AI041869 AA860296 F25152 AI948570 AA479422 F21920 AA778131 AI276508 AI948577 AA114870 F32631  
AW028047 F35241 AI373951 AA114869 AW138423 AI889537 F24663 F27705 F37165 AI392774 F29432 AI090589 AA450321  
F24561 W93346 F29070 F25579 F31362 F33440 F22652 F31494 BE169905 AI818513 AI680754 F36378 N38871 F22082  
F31950 AA665830 AI765076 AA868225 F22733 F35957 F33418 F34871 AA085944 AA035499 F28471 AI653552 BE047474  
AI362282 AI131185 AI763052 AI028105 AA211569 AW241290 AI086746 F33041 AI767780 AI080600 AA101717 AA086422  
F32855 AA047242 F33893 F29113 F21510 F21509 AA039540 F26344 F29047 AI937919 W19338 N40995 F31929 AI084510  
AA026507 AA086200 AA207130 AI399877 F21370 AA733197 AA086205 AW340573 F33682 H05220 F25782 F25048 AI127208  
F29940 W47368 Z19261 N29900 F25141 F32890 R63826 F35206 F30119 AA706742 F35143 F25142 F33599 AI659403 F25821  
AA216171 AA991774 F22761 F34089 AW082748 AI093709 F29359 W46627 F26632 F30291 F36082 F20945 F30582 F22531  
F24027 F33960 AW028172 F24674 F36597 F21959 AA729612 F34366 AA732967 AI582660 F29363 F22167 AI086792  
AI804183 F33102 AW075510 AI367611 AI784054 AI453418 F34901 AI161157 F26622 AA651987 F35237 AA013303 F32632  
AA664876 F21736 AA928616 F21384 F25357 F23467 F31185 AI537850 AI868952 F31707 AW089232 AI363826 AI702766  
AA136298 AI767887 AW089312 AA578225 AA130181 F19251 AA581649 AA449418 F21171 AA455925 AA450322 AA196199  
AW007853 F26059 AW085130 AI202616 AI674315 F20318 AA747182 Z38215 AW075230 AI159764 AA134668 F00420 F33094  
AA455054 AA729265 F04647 AA746994 AI658702 AA478718 AA578161 AI080025 AI352604 AA989440 H30904 Z28506  
F22649 F34880 D45580 C20561 T32638 AA020946 AI439878 AA746991 AA194883 AI219226 Z45773 AA089657 AA180825  
W25548 R58180 W46675 N38870 AA137104 AA026506 AW984583 AW984539 AA020945 AA035101 AA039539 F30993  
H14793 AA211688 T91484 F34313 AW815933 F29167 F31099 F31949  
X99133 X83006 W38398 AA401137 AA298242 AA366738 AA308126 AW583781 AA298668 AW845024 BE140204 AW845005  
U47734 AA837575 NM\_005564 AA329732 AA421943 BE171567 S75256 AI750047 AI762213 AA100735 AW612993 AI474120  
AW062884 AI940001 AW062852 AW062899 BE182639 AW778875 AA528093 AW517424 AI939989 AA076188 BE182636  
AA169569 AA167439 AI283967 AA167783 AA076140 AI749649 AA166792 AI708618 AA400973 AA514773 AA514789  
AA164458 AA167440 AA074845 AA421944 AA514874 AA079557 AA102361 AA587027 AA642930 AA878029 AA164459  
AW176400 AW475086 AA857522 AA148193 AA838234 AA593897 AI284506 AW193324 AA148194 AW583341 AI669077  
AW264913 AA074902 AI680515 AA169874 AA169614 AA079651 AW591737 AW190644 AA076565 AA662747 AA075896  
AA535642 N27757 AI306666 AA074727 N79823 AA524360 AI826800 AA173827 BE140374 BE004062 AW265060 BE184103  
AI199258 AA857853 AA299459 AA837890 AI626104 AA503624 BE183618 BE183717 AA573267 AI833071 AW270590  
AA506601 BE004010 AA837854 AI675895 AI810491 AI184883 AW664712 AA076046 AA515574 AW352267 AI797418  
AA172395 AI749194 AI559933 AA502597 AA321220 AI866124 AI695633 AA494293 AW085635 AA165649 AA165663  
W01520 H78617  
H80181 AA005287  
H85525 H83353 AA418447  
L44530 AA322034 T79009  
AA084092 AA084394  
U72512 T98357 R31335 F18090  
N64579  
AK001774 R02029 Z21327 R02030 Z21124  
AA017609 N42090 AA984485 BE177239 AI912269  
AW134482 N93060 AI694673 AW241458 AI161320 AI582177 AI623166 AI492337 AA724337 AA749177 AA741055 AA283954  
W38395 W24693 AB033047 AA159179 AA588310 AA654615 AA630891 AA639240 AL121157 N79820 AA653941 AA279925  
AA132883 AA253947 BE502673 AI191149 AF208847 NM\_016620 AA132773 AA532724 AA933782 AW997589 AA749442  
AA356531 AK001587 AW500170 AA369990 AW582815 AW582838 AA451773 AA233995 AA427982 AA334630 AA282933  
BE349308 AA300682 AI384093 AW364014 R31977 R69849 AW364012 AW364015 AW364019 W76465 R80458 AI267509  
AI760785 AW628405 AI224905 N59362 AI351352 AA513728 AA729606 R80659 AA573139 AW614666 AA310325 AW471080  
AI091339 AA830587 AI051323 N67319 AA621436 AA449856 AA648966 AA954973 N51766 AI952427 AA829053 AI468601  
AA649186 AW592210 AA449968 AA465374 AI474865 AI185456 R31932 AA621108 AA975015 AL121156 AW962752 R69850

103417 15279\_1

L34657 M28526 NM\_000442 M37780 AW407571 AA488822 AF281299 AF281296 AF281297 AF281295 AF281301 AF281298  
 AF281287 AF281294 AF281293 AF281289 AF281288 AF281290 AF281291 AF281292 AF281300 BE140137 AA082477  
 AA182953 AI902545 BE185251 D58483 T73117 AW902845 AA303912 AW403488 AA039356 AW401604 S66450 AW371090  
 AA477959 T97049 AA486710 AW607916 R76264 AA303959 AA385484 AA181062 AI218959 AI384084 AW387030 BE044508  
 AI942423 AI910438 W04423 AI148494 D58775 C18167 C18011 R68293 AW340705 AI587613 AW772278 AI942486 AA304612  
 AW276352 N41586 AI248619 AA151818 AW593959 AW137371 AI470913 AI916891 AA181063 AW261863 AI271376 AW007613  
 AA359765 AW874428 AI033514 AA181110 AA181092 H57149 AW514341 AI971318 R95876 AA713790 W93076 AI936184  
 AW665574 R82381 R82269 R53795 R26391 AA989385 AI076568 R68262 AA716613 AA933639 AA678079 AI686366  
 AW294984 N30812 AA486245 AA693877 T95097 T72992 AW193473 AA001726 AI808737 AI247488 N53545 R08174 AA305676  
 N76004 AA761616 R78126 AA564715 AI031710 AI913454 AI475239 AI081733 AW264881 AW518741 AI783794 AA449390  
 C15249 AI922914 AI498549 AI808250 AA486711 AA002005 AA035777 AA151817 AI834300 AI168387 T96940 AI675272  
 AA056355 AA299130 AI127297 T95197 AI818125 X96849 AA486244 W93075 H57223 AA302220 R22071 R33251 AA301548  
 R95875 AA372192 AW838188 H01353 R78125 R22459

103425 30014\_1

AB016092 AB016089 AW161159 AW160794 AW163150 AA776677 AW168207 AW161625 AW157477 AW157176 AI739521  
 AI906428 AW073890 AW467016 AI745171 AA738238 AW090343 BE245923 AW002703 AW293743 AA249074 AW328076  
 AW328075 AF161338 AI991472 AW515714 AI655953 AW393827 AI653282 AI652717 AW393832 BE550526 AI654896 AI203310  
 AW590658 BE550597 AW390889 AW390900 N93494 AI654677 AW573041 AB016087 AI874387 Z28839 AW806640 BE168075  
 Z25196 AA743746 AI906104 AW402640 AA833814 W03404 AW881095 AI863478 BE019680 BE163120 AW939109 AW939159  
 AB016090 AW939112 AW939162 AW939157 AW939107 AA229457 AB002322 BE081002 AW895217 AW367778 AW502353  
 AW502650 AW372535 AW372524 AW372551 AW372527 AW372544 AW893113 BE147617 AA347209 AA727283 AW892035  
 H38889 T19958 T19957 BE171421 AI902871 M78867 BE167584 AI902950 AW862975 AB016091 BE168093 BE087521  
 AW603182 AW499660 AW499661 AW503473 AI902486 AW752292 BE174018 AW752296 AL041888 AW363953 AW605221  
 AW605216 BE142816 AI435786 AA683040 AI907872 AW369725 AA380303 AA836230 AW419434 AW501816 AW502342  
 AW502333 AW499671 AW502991 AW501843 BE168376 AW501486 BE245921 AW372603 AW372604 AW372601 AW372608  
 AW372609 AW372612 AW372607 AW753096 AI902532 AI902594 AI902533 BE062377 AW811106 X97301 AA315458  
 AL041463 AA287787 BE544417 BE311801 AW797378 AI940181 AA326261 AA326712 AW964943 AW751304 AW751303  
 AI940199 AI940192 AI940189 AW751305 AI940167 AW176500 AI940202 AI940190 AI940201 AI940196 AI940203 AI940210  
 AI940193 AI940177 AI940179 AI940204 AI940171 AW382746 AW382738 AW751312 AI940753 AW062939 AW803210  
 BE175400 BE175388 BE094921 F28478 BE066456 AW372263 BE066575 BE066320 AW372262 BE066580 BE066455  
 AW576937 AW392415 BE183395 AA381175 BE388469 BE066460 BE066315 AA377951 AA171585 AW605004 AW605007  
 AW934766 AW934869 AW580606 AW605280 AW834728 R83817 AL121069 R20109 AA291361 AA524293 AW374653 H30144  
 H44678 W24212 W06948 BE247374 BE180909 AA778442 AL041464 AA172255 AI962941 H26136 AA995288 AI921770  
 AL040081 AI913019 AI829562 AI339531 AA837865 AI375317 AI762975 AW338852 AA938195 AI982701 AA682389 AW001982  
 AW591316 AW173712 AW005552 AA039605 AW002560 AI559320 AW272286 AA045667 AI799670 AI803146 AI374801  
 AI811885 BE326490 AW276312 BE049418 AI986113 AA286830 AI634266 AI198953 AI202521 AI380918 AA999947 AI492102  
 R83376 AI337411 AI962358 AI635535 AW241544 AW003959 AI144276 AW576619 AI926506 AI889528 H43845 AW050926  
 AI380249 R43161 AA581617 AI983302 BE465975 AI345956 AI341453 H26401 AW189035 BE350636 AI582500 AW316665  
 AI439844 AI804761 AI470679 T32375 AI570375 AI273528 AW796804 AA658160 AA652859 AA503941 AA573555 AI358272  
 AA573547 Z24817 AW576624 AA428059 AW023495 AI033000 N49249 AI969076 AA205445 AI636203 T30328 AI394724  
 AA403302 AI968272 AI492974 AI582619 AI470826 AA894924 AI912962 AA569977 AI675362 AI473131 BE046814 AW300260  
 T31879 AW168376 AI659621 AI810463 F35064 AI271700 AI699563 AA776537 T36184 AA565451 AI678338 AW438921 R16094  
 N91497 AV662182 AI432919 AA910303 N91964 F18684 AA381902 AW364462 AI276689 AB015644 AW247214 BE047724  
 AA347210 BE391395 H81815 N67777 BE208123 AW939117 AW939108 AW939172 AW939123 AW939158  
 AW605520 AW605509 AW605515 AW939122 AW939171 AA229095 AA229096 AA229232 BE382710 AI902544 M78278  
 AW799890 AW889685 AW863018

103436 42952\_1

102806 8441\_2

103491 36109\_1

X98206 AA693431 AA244304  
 AI246240 AF124733 NM\_016358 U90306 BE407995 BE281254 AI566193 AI652266 AI671516 AI950190  
 AF264750 AA904457 AW884708 BE183627 Y08478 AW962945 AA305849 Y08479 BE255205 BE258400 Y08468 AB040939  
 T05961 AW807004 AW062952 AA135076 AW997220 AA090128 AW137099 AI640514 AW592676 H01987 AA134913 AA599219  
 AA913906 AW573059 AA904722 AA904721 AA368411 W04955 H82698 AA077280 AW014128 AI191700 AI298476 AI540051  
 H82435 AA774512 N53899 Y08482 AA332025 AW965281 AA331817 AW803125 AW992770 AA329962 AV659521 R78277  
 R75636 AI681382 AL079859 AV659778 AA314956 AA127627 AA116095 AA121529 AI693624 BE612540 R21914 AA135986  
 AI697706 AA234595 AI189138 AW055042 AI144389 AI263904 AI400175 AI275540 AW997221 AI742458 AI079937 AI138511  
 AW196435 AW291117 N68458 H73663 AA116096 AA236552 AI983684 H73722 AA282356 AA932090 AA811462 AA737189  
 AI636190 AW873132 AI468635 H01064 H13088 R22563 BE539692 AI581680 Y08470 AW836778 BE080692 AI091839  
 AI572125 BE006050 BE006047 AW836837 AW501631 R09599 AW973566 AW263143 H61053 AA553507 AI214982 H02081  
 AW997046 AW505183 BE143139 Y08836 Y08477 H73356 Y08465 H73223 N91302 AA641936 Y08464 Y08466 Y08483 Y08481  
 AA506064 AW807922

126363 185896\_1

N94706 AW302202 N54724 W01777 AI949662 AA917338 N50068 AI857652 BE550711 AI340079 N63025 AA971513 AI467976  
 AI694919 BE328279 AW206626 AI310369 AI307346 AA425773 AI862813 AA628674 AW475016 H10786 AI932791 AA244420  
 AI567886 AA621126 AA244453 AA369087 AI678489

127008 175968\_1

127027 41793\_1

AA223753 AA223879  
 AL390088 BE207034 Z42964 BE242833 AW583731 BE616399 BE621126 BE272661 BE561537 AW328160 BE513636  
 AW732368 AA367575 AA317809 AA325684 AL043346 AW997819 BE207681 AA442690 N33908 AA329967 AV661996  
 AA364929 AA132857 R41876 W30718 AA340232 AA923628 BE618790 BE383719 BE384891 AW973886 AI680631 AL042633  
 AL044048 T64995 AI814372 AA046927 AA707444 AI351042 AW157778 AW303835 AA559116 AW157476 AW440951 AI146410  
 AI570583 AW473765 AA931145 AI654587 AI089717 AA132763 AI199778 AI144493 AW473769 AW087749 BE166742 AI089476  
 AW083264 BE206437 BE222620 AW615413 AI356436 H98622 AI674887 AW583314 AI081960 AA133159 AI932568 AA641830  
 AW245125 AA543056 AI289158 AI538987 N67489 AW836308 AI042462 AA639343 AA706144 AA653493 AI363727 AA724790  
 AA596032 BE277184 AI126007 AI241020 AW627956 AW440961 N30676 AI806651 AA583594 AA732028 AA731516 AI439229  
 AW995619 AA133204 AW248060 AI914553 AI689519 AI521043 AI566390 AI245111 AA594407 AI797417 AA131580 AA035240  
 T33853 AI362604 AA535337 AI273040 R68453 AA043655 AI587360 AW572022 AA935227 AI697259 AA749181 BE263051  
 R68454 BE560435 BE277826 Z49985 U30174 D61707 BE390825 BE618267 U30173 D61706 Z49984 BE268853 N99057  
 AI874052 AA568135 R68452 H21498 AA043654 AA046984 AA362959 AA035318 R17261 AA131629 BE166750 BE298260  
 N25142

127036 1150\_2

AI468598 AA232868 AL043752 AW881016 AW881015 AW881214 AW880761 AW881018 AA255767



10087080-022702

5	103513 42559_1 127041 1534405_1 126406 95703_1 127064 1690305_1 133660 27207_1	Y10209 AW341910 Z43067 F12549 F06090 R11929 T74454 R12925 N76683 AA034096 AA034082 T84214 Z43709 R05654 H14843 C14857 F06523 AA322683 AW964649 H83334 AW894647 AW894608 AW578353 BE007437 AW894648 AW894609 AW896993 AW897085 AW581270 R36029 AL117536 AW896412 AW993019 AW859782 AW859772 AW376619 BE082963 AW376687 H24066 AW847946 AA091541 D51576 D52043 D52146 D51628 D52155 D51675 D51777 D52101 D51602 D51843 D51878 D51751 D51820 AA319632 AA351569 AW630840 BE073033 D51985 AW838560 AW838633 AW838631 AW838554 AW838557 AW838559 AW608175 AW608194 AW838558 AW838562 AW838564 AW838571 AW608170 AI926544 AW608177 AA296774 AW838624 AA318941 AA319199 AW960724 BE073078 AA773508 AI925495 AI889128 AI633207 BE221497 AI126062 AI344458 AW608176 AW838627 AW194765 AW838630 H24379 T23982 R62391 BE620113 W02397 R87373 AA364488 AW963466 AI696793 AA012998 N72571 C18550 AI298061 AI084648 D51984 C14379 D52154 T03606 AI499301 AA017178 AA017170 BE077301 AI889566 AI002790 AI205010 AW104793 AA298374 AI049720 D51575 D52042 D51627 AI281148 AW104111 AI142928 D51601 D51842 D51819 D53690 AI242974 AL049247 AL036365 AL036366 D45664 X13451 T78141 T75126 AW953462 AW956923 T08967 AW969436 AK000755 AA176076 BE258269 H16443 T66760 H11411 Z70220 F12208 T66258 AW950931 AA350846 H06005 F12617 N51174 T74154 R87613 T33928 Z45881 AW961235 T31307 AW891440 H24171 R18227 R19098 W26891 AA625286 AA297581 AA303053 AA303052 AF275815 AA018302 AA000993 AA021290 H86017 R69197 AA056286 R88858 AI570404 H43774 AA059385 AA010839 AA056237 AI436578 AI769179 AA019840 H86715 H84086 AA000994 H85881 AI762043 AI079265 AI738426 AI654986 AI738440 AW197623 AA021232 AW161646 AW749469 W68106 BE162986 AA190515 BE550996 H28737 AA017723 H40709 H41682 H40829 R11272 D81932 AA426189 F15201 AA317400 AA434584 AA247746 Z28861 Z18915 F01180 F22065 F21334 AA192638 Z28873 F31558 F33176 F30552 F35761 F18952 AA302840 T93016 T92950 AA077551 F20186 AA622352 AI922293 AI123420 AA833906 AI417534 AA402715 AW275969 AA470879 AA402585 AA425800 W74482 AA410632 AW051466 AW057511 AA443121 AA121406 F09029 F37501 AI909933 AI909928 AI909925 AI909932 AI909931 AI909926 W79080 AW958666 AA312211 AA428350 AA410631 BE382380 BE394251 AA122083 F11368 F05224 AA424107 AA452788 H72971 AA446387 AA452696 AA442429 T19477 AA063089 AA679118 AA063642 AA064613 AA064671 AW968865 AA491199 C17148 R55021 H26613 AA905327 AI148973 AA504447 AA491317 AA662559 AA086320 AW881997 AA121637 AA299325 AB032251 AW852071 AA279887 AW852124 AW129468 AI583544 AA704421 AW999851 BE081960 AW390494 AW582002 AI862331 AA700432 AI186130 AI720707 AA236286 AI336961 AW015054 N91172 AI698141 W32818 AW896124 AI701519 AW894048 H87416 AA234040 W17142 R84565 AI803033 AW867682 H27242 AA366224 AA357157 H86935 BE090270 AW753846 AW362772 BE464864 AA704907 AA704948 AA704938 H27235 AI033427 AW850923 AA480900 AW502989 AW851237 AW851374 BE252815 AA084307 AA313880 AW961200 AA480961 AF114105 AF114103 AA486042 AW375963 AW752365 AW375959 AI290321 AA488659 AI242380 M85386 AI825492 AW499531 AW502114 AW502349 AI825312 H45002 AA177096 AA248058 AA252844 BE327236 AW418631 W74679 AW582000 AW390459 AW609218 F05276 AA425478 R14173 AW609219 AW868913 AW868854 AW868905 AA333683 H02382 T35574 D12400 C14910 AW894285 AW903587 N64611 AW975302 AA541375 AI479002 AW006220 N51384 AI142472 AA659902 AA534253 D58103 H02279 W74710 H44955 AA425278 N59267 H28589 AA804452 AI191286 AW197903 AI864639 AI122991 AA469450 H28584 AA252812 AA467779 AW130113 AW872897 AA789290 AA935730 AA906959 AI990477 BE504778 D57881 AA721144 AI341486 AI638797 AA765502 Z18803 AW450979 AA136653 AA136656 AW419381 AA984358 AA492073 BE168945 AA809054 AW238038 BE011212 BE011359 BE011367 BE011368 BE011362 BE011215 BE011365 BE011363 AA505046 AW969109 AA505047 AW892676 AA853877 D44747 AA210697 AW962138 AA309665 AA210819 AA211419 AA211566 H83265 T63524 AA304359 AW960551 AI672874 AI749427 AA227777 AW027055 AA971834 T49644 T54122 AI983239 AI808233 T91264 T96544 AI350945 AI709114 R72382 T48788 R48726 AW385418 AI095484 T49645 AA928653 AA570082 AW007545 T57178 AA516413 AA913118 T57112 AA564433 AA774503 AA367671 T59757 AF119848 AI132994 AA505575 AI307657 AW205687 AW291922 AI347642 AI308117 AA398902 AA741579 AW269612 R72857 AW418818 T23611 AI016388 AA641630 AW009309 AI078310 AW263980 AI971867 Z32873 R00068 AW028860 R57097 AA402507 AW965254 AA114126 AA331445 AA333324 H18818 H08885
10		
15	102934 16110_-1 126479 1297811_1 125877 18687_2 103650 43833_1	
20	127191 206872_1 103682 41323_1	
25	126568 163056_1 125925 1502610_1 125952 87085_1 125953 1582862_1 104328 243947_1 104340 46289_10 127231 221630_1 126619 186375_1 126621 164483_1 119404 115373_1 127331 379388_1 127347 133106_1	
30		
35		
40	127357 288073_1 127359 16354_-4 127378 299674_1 126730 297653_1 126759 109907_1 126762 110350_1 126767 327401_1 112309 1576900_1 128099 501940_1 127452 327502_1 126808 121207_1 126844 133298_1 103985 19574_1	
45		
50		
55		
60		
65	126872 142696_1 127553 202308_2 127568 479942_1 126977 171173_1 126982 171753_1 113195 178688_1	
70	128260 38164_1 128279 1561282_1	

10087000 022702

113213 23798\_1 NM\_001395 Y08302 A1434619 A1470328 A1261807 AW024965 A1806537 A1830549 A1640337 A1219065 AW271700 AW028488  
A1133339 A1859205 R51175 U87167 BE379324 BE392008 AA340819 AA343110 T57275 D59164 AW299312 A1434422  
A1936390 AW024975 R40262 AW269126 R09430 T56590 A1367247 A1253132 BE464248 T58658 AW207785 T58607  
5 120461 22556\_18 AA810830 AA251301 AW962926 AW962922 AW962925 AA371510 AW817535 AW817579 AA251629 AW837817  
127705 966283\_2 AJ003322 AJ003324  
127787 458957\_1 AA809310 AW975709  
112746 93768\_1 AA541537 AW009489 AW950203 F25552 AA834645 N56270 AA029543 A1633587 F30948 C04983 A1628613 AA885458 T49449  
10 F13651 AW004753 AA369573 AA356955 AA355112 T49448 AA918022 A1910358 H40428 A1292038 A1684655 A1244426  
AA522725 AA352551 AA909796 AA494329 AA873880 AW957305 AW955082 AA552169 AA974888 AA977363 R93237  
A1865725 A1201852 A1244721 H40429 A1204631 AA029544 A1015353 A1245274 A1191342 AA662656 AA829667 AW001837  
AA626833 AA585220 AA522987 A1339186  
128410 288073\_1 AA424107 AA452788  
128440 210591\_1 AW090340 R52194 T87269 R17095 T91445 N76763 R82785 AW512315 AA534961 AW002002 H41133 A1985800 A1278720  
15 A1762576 A1798477 AW081499 AA314880 A1918168 W92216 T91358 T79785 F04683 A1824664 T78491 AA302483 AW958008  
T85160 T87183 R11236 R16208 F01406 AW150480 AW627337 T79354  
127854 443883\_1 AW976796 AA769520  
120606 39874\_1 AF169690 F08337 AA282956 AA282955  
120734 208882\_1 AA299948 AA299949  
105897 8177\_1 H03573 AA310766 AL133603 A1700910 H00505 R82804 H60605 T10498 BE176241 N99617 BE537165 AA443413 H02733  
20 A1267539 AA094718 A1299771 N50199 R64087 AA709363 R26971 A1962859 H03899 H03888 R63010 A1346026 AA328951  
A1025251 H89260 A1472009 AW029442 AA211594 A1310418 A1913561 AW515607 AW593597 A1926843 AW073920 AW002745  
R62957 A1439422 AA401091 H58246 R82805 A1174264 A1590100 AW510481 R26739 H02624  
100097 17246\_13 AF002224 AA017358 AL119785 A1379446 A1632616  
106782 83684\_1 AW054886 R48313 A1200750 A1358095 H28124 AW613845 AA010033 AW182407 AA010034 A1986052 A1032851 A1719051  
25 AA478487 AW410484 R48418  
114610 117244\_1 AA525225 AA525299 AA081079  
114636 109698\_1 AA075488 AA129081 AA074851 AA082852 AA074732 AA084908 AA084751 AA076042 AA131172 AA085374 AA079519  
AA074510 AA113824 AA102437 AA070833 AA070143 AA084693 AA084389 AA076373 AA075492 AA062834 AA084335  
30 AA078829 AA079344 AA069916 AA079275 AA070914 AA654069 AA081976 AA080957 AA083115 AA070942 AA085296  
107518 45315\_1 X60152 A1871483 A1871473 A1871251 A1631860  
107521 44111\_1 X78262 AL037659  
130420 23038\_2 NM\_003105 U60975 Y08110 AW501858 AA984813 AL042811 C14671 D59983 AW996611 AW502726 AW408730 AL120016  
35 T07220 AA972515 BE169618 AA053753 N45548 AV655750 AA485180 AW080066 T51689 AA714788 A1089413 AA748187  
AA744864 AA977151 AW167224 AA465100 A1692864 A1800689 A1419483 A1915371 A1264290 A1919227 AA687175 A1498499  
A1089844 AA721674 AW291409 A1377801 A1049681 AA767458 AA053631 AW473092 AW079490 N48698 R38875 AW501274  
A1817699 AA847277 AA761843 T07221 AA873077 AA568215 T51538 A1474852 AW505117 N50751  
100403 19804\_1 AA302974 AW952936 AA297841 T17453 AL040862 AL042305 R18514 Z45908 H09477 R51937 H02949 AW672666 AA339081  
AW024007 A1910124 R41507 R02276 W72600 AW606045 T30584 A1968122 AA532894 AA047712 AA024602 A1814501  
40 A1479333 H09478 A1801077 R63410 A1469769 R63363 AA731181 W67437 AA613000 AA125822 W60322 A1199934 A1032499  
A1673744 AW675418 AA594241 AA047679 A1148807 AA948543 A1805752 A1362640 AA883795 A1873413 AW292015 BE503009  
AA960821 A1302435 AA911051 A1192308 T31342 AW589705 T32492 AW384043 A1968407 BE501316 AA074832 A1611662  
A1969799 A1216685 AL117466 NM\_016733 D85527 AW992053 Z44073 BE078508 R70709 AL046533 AA402079 AA125952  
45 AA337799 BE252284 BE253079 AA325230 C18518 W67436 T83901 AA353025 AA024601 BE068484 AA782927 AA401915  
AA369003 R53606 W76565 AL040863 W60241 A1967950 A1424849 A1582302 A1769611 A1394573 A1949294 A1656190 A1885933  
AA670336 BE465592 T17452 A1569505 AA075098 Z41532 T35104 A1699545 R02275 AA368470  
100476 24092\_2 NM\_001907 X71877 X71874 BE140276 AA748397 AA213801 AA830996 AA765114 AW874469 AA811623 AA844904 A1371956  
AW451919  
108360 112653\_1 AA129037 AA071539 AA071460 AA129036  
108390 112416\_1 AA121999 AA121985 AA071108 AA071116 AA071434 AA148869 AA075070 AA122000 AA121986 AA071117 AA071109  
50 AA148655 AA075232  
108392 113549\_1 AA075124 AA075208  
100534 20653\_36 T85231 AW161503 AW401856 BE397508 BE387085 BE514425 BE387606 BE391894 BE562022 BE561561 BE537755  
55 AA326129 BE397421 T49865 BE259375 BE562435 AA206146 BE272379 AA206012 BE252021 BE264415 BE559498 BE622499  
BE560425 AF141349 AF070600 BE260687 BE267430 BE273769 BE409463 BE378506 BE410826 BE540360 BE514334  
BE265991 BE259493 BE257982 BE541302 BE275305 BE249816 BE263407 AA306533 BE312339 BE537252 BE313173  
N44590 BE397957 BE314066 AF070593 AF070561 BE395620 BE539980 BE278635 BE622457 BE561276 BE561240 BE539757  
BE398025 BE539587 BE264804 BE312816 BE618175 BE312236 BE536880 BE275163 BE409064 BE268157 BE256878  
BE396565 AA094095 BE512689 BE539943 BE613640 BE561500 BE314652 BE560895 BE270780 BE394023 BE314771  
60 BE258043 BE545484 BE539560 A1524946 BE268922 BE313646 R21491 BE257007 J00314 T55776 BE514288 AA079759  
V00599 AA090885 BE268939 A1424151 BE393150 BE513223 BE311978 AA427899 Z36874 BE267470 BE270600 BE270542  
AA092574 BE513746 T56664 BE260686 BE561863 T80533 BE614348 A1003020 AA196886 BE395929 BE256732 T80512  
BE561248 H10806 N23553 AA090625 BE378633 BE299481 BE251134 F03598 BE158989 BE271056 BE271117 H39974  
BE537728 T95426 T93847 R15283 T82017 BE561756 BE254463 BE250916 AA522520 BE562294 BE561853 BE562013  
65 BE410876 R17504 BE254605 BE254904 BE315454 BE408837 BE256847 BE259444 BE265709 BE395378 AW869359  
BE019791 BE378840 BE270975 AW246214 AA352945 AA378509 BE275472 BE389534 A1609281 BE295688 A1972188  
BE388702 AW351598 BE617054 A1922439 BE258416 AL119346 AW351963 AW351971 BE388178 A1624652 AA780798  
BE268311 R35263 BE251613 AW366022 AW177828 AW057797 AW366021 AW177888 AW366065 BE140945 AA670139  
70 AA773017 BE539636 BE139520 BE270946 AW058238 AA191567 BE312975 AW089641 BE398147 BE268285 AW272598  
AL119339 AW079784 A1829482 A182828 A1862019 A1816169 A1633046 N59068 AW731944 AA093100 H03237 AW575087  
BE301207 AW780181 BE141633 AW664164 AA626909 AW516663 AW872823 AA551910 AW571502 A1954158 AA548713  
AA599912 AA301057 AW574903 AA614152 AA613830 AW771103 AA706556 A1023390 AA551248 AA780901 AA633446  
75 AW419192 AA404660 W58436 AA523401 AA578734 AW615710 T65580 T57191 AA486211 AA604684 BE208800 AA669875  
AA622085 BE302083 BE263081 AA548072 AW156997 A1568868 A1627575 AA565217 A1870317 A1282474 AA704034 A1253598  
BE328271 AA564664 AA161128 AA604105 AA609087 AW103504 AA605238 AA704108 A1221585 AW574515 AW117994  
AA058521 AA604281 BE251293 BE017988 A1754462 AW245235 BE094031 AW862436 AW105529 BE544089 AW303918  
AW130826 A1721132 AA433888 AL038189 AW474816 AW182745 AA551345 A1445794 AA398452 A1224993 A1689213



100544 22955\_11  
100545 22955\_11  
124087 1561179\_1  
100560 30266\_1  
100571 7592\_1

100572 13049\_1

188

1009060 110520



		AA055164 AI765262 AI140147 AI160673 AI686050 AA130038 AI699503 AI580411 AI276910 AW296875 AI927239 AW470427
		AI174424 AI675518 N20396 AI308224 BE221055 AI926097 H89681 H90776 AW023381 AA126261 AA025391 AA347308
		AA476817 N25488 AA442811 AW297971 AA025454 D81551 D81214 D61126 C15599 AA130037 AA088653 AV654662
5	321763 166644_1	AA195602 W01148 N40632
	313913 653504_2	AW391342 AI813778 AW190911 AI963486 BE049275 AI922735 AI935914 AI263291 AI679178 AW192178 AW338885
		AW473496
	306710 52443_1	BE564350 AI024221
	313960 130872_1	AA113301 AA130859 AI805438 AA846950 AA130915 AW862833
10	306773 563488_1	AI040750 BE062532
	323014 140817_1	AA305198 AW962351 AA134366 AA258244
	315276 383168_1	AA860090 AI961138 AW592114 AW087700 AI798907 AW340674
	321847 45225_1	T08401 Z83934 T16897
	308069 33294_5	AI470895 BE386951 BE391680 BE277351 BE385202 BE300283 BE299619 BE254885 BE391698 T17015 AL048342 BE387417
15		BE315548 AA345769 AA374932 AA304724 BE277135 T31443 BE387617 AW582877 T33057 AA054826 AA305115 BE378981
		BE615689 W07028 BE537075 BE615271 BE252353 BE563255 BE391752 BE545875 AW580149 AA747256 AW276731 N85015
		AA299609 AA365061 AA302265 AW951660 BE538115 AW404883 AW583622 AA374519 AA225917 AA037286 W24285
		BE255801 BE254061 BE278256 AA377959 AA319628 AA316739 AA378914 W24421 AA658882 N87533 AA526881 AA376559
		AA378175 AA300193 AA330503 W69498 C03856 N85298 AW957966 C02647 H19560 BE616753 BE263169 AW250280
20		AW162197 AW163162 AA301672 AW249055 BE616277 AA225272 AI557298 AW276939 AA327042 N83648 AW404841
		AI903202 AA314875 AI546852 BE616559 BE262330 AA385891 BE182717 AI557551 AA082310 AA354394 AI541339 AA327616
		AA344981 D53311 AA363102 AA171801 AA089673 AW162085 AA379891 BE277324 AA157651 AA304574 W52799 AA186652
		AW328567 AA187480 BE386732 AA369717 AI815603 AA303651 AW160407 AA056711 AA082790 AA329861 T39426
		AA650419 AI268280 AA471236 AA308712 AW733012 BE256165 AA745013 W06997 W21418 AA531583 AA308694 AI133371
25		AA324238 W24570 N88175 W45648 AL022721 AA378455 AA378168 BE393810 AA317384 W21121 AA371342 N31367
		AA359623 NM_007104 U12404 BE388017 AA374579 AA380618 AA334401 AI557552 AA337150 AW732322 AA327632
		BE263809 AA657772 D30933 AW663232 AA315817 AA314480 AA370766 AA317760 AA315084 BE383638 AW327814
		BE302619 W21304 BE390854 AA373219 R94330 H84395 AA377636 BE252526 AW732866 AA299524 AW328563 AW674382
30		W38535 W06840 AA332645 AA355580 BE258503 BE256923 BE271400 AA380757 AA385628 BE256989 AA332349 AA314985
		AA186515 AA305031 AA357482 AA316998 AA379264 BE390621 BE255056 AI207414 BE252354 BE254152 BE254578
		BE252547 BE266591 BE257651 BE294792 BE277990 BE391235 C15642 BE391151 AA301280 AA384750 BE273056
		BE312333 BE296962 AA314715 BE256346 BE313459 BE269894 AA310988 BE300029 AA157523 BE250757 AA545754
		AA083546 AA315252 AA224003 AV655919 AA315169 AA310685 AA301191 W19623 BE392967 AA303515 AA379649
		AW327286 BE560669 AW580113 AA352149 AA360956 AA316107 BE563100 N31353 AW675322 AA379584 BE019308
35		AW583963 W37951 BE295910 BE251482 BE385588 BE270412 BE378750 BE396426 BE295210 AA336973 BE314395
		AA354788 BE295227 D55985 BE615081 BE260566 AA320506 BE278254 AA285366 AA303825 BE275375 BE313367
		BE260703 BE279256 BE382903 BE315113 BE313341 BE260804 BE620531 BE615973 BE266048 AA093478 BE616196
		AA360276 BE253746 AA314344 AA315622 BE386557 BE313445 BE253355 BE561084 BE296088 BE531299 BE255860
		BE408279 BE273842 BE378885 BE255055 BE271521 BE563765 BE252792 BE391016 BE258218 BE273725 BE273968
40		BE272901 BE313660 BE304527 BE257956 BE254227 BE275320 BE253909 BE407614 BE614755 BE378776 BE613909
		BE407708 BE395973 BE513022 BE157875 BE615399 BE252775 BE279463 BE257109 BE271307 BE256275 BE276484
		BE257302 BE384605 BE258461 BE546662 BE409191 BE280351 BE252294 AA285364 BE378324 BE264740 BE292822
		BE620927 BE296544 BE271710 BE257492 BE252712 BE395931 BE266143 BE255921 BE255720 BE300136 BE531292
45		BE391204 BE409180 AA320604 BE295038 BE390679 AF075335 BE315084 BE394350 W04926 AI110836 BE615235 BE295593
		BE275680 BE409184 BE253595 BE294473 BE253714 BE512867 BE295544 BE295554 AA296596 BE255510 BE378700
		BE513852 BE512932 BE257734 R31451 BE293044 AA379511 BE261311 BE397180 BE278214 BE407490 D56163 BE563686
		AA070681 BE255940 AA348975 BE253849 BE390468 BE396140 AA186986 W20120 BE389750 AA307189 BE378407
		AA125980 BE407415 BE276230 AA304996 BE389228 BE512779 BE617120 BE512670 BE272223 AW407102 AA370834
50		H21183 W07800 BE562889 W05304 H02179 AA327191 H18595 H22622 BE257450 W46597 BE262207 AA002219 AW405652
		AA334037 BE294871 AW606479 AW384255 AA085885 AI903205 AW405432 BE298839 BE292956 BE262232 AA363253
		BE276322 AA300909 BE389123 AI909563 BE407174 AI535831 BE260382 BE382583 AA532637 AA380091 AI114568
		AA193129 AA192984 BE384600 BE407214 BE182724 BE539061 AW733001 AW406350 AA374881 BE384674 W87442
		BE276668 BE299430 BE274869 BE378528 BE396131 AW239494 AI630538 AA053478 BE280557 AA218746 AA299674
		AW406770 W07830 AA808817 AA146904 BE272999 AW408211 AW580062 AW606478 W07669 AW580120 AA379387
55		AW580130 AA101207 BE394409 AA362957 AW392453 AA101121 W03827 AA166722 AI909564 R30769 AW580069 T58944
		BE261760 BE313004 BE312309 BE260766 BE314007 AA724391 BE538878 W04777 AA657588 BE259359 AA631041
		AA070065
	314661 296144_1	AA578229 AA436432 AA481375 AA481363
	307474 25106_2	AB037864 AI223793 AI916099 AI332699 AI264023 AW962587 AA412310 R37910 R37827 AI191724 N22920 AI916409
60		AA932668 AA782068 AA865648 AW467014
	323115 155930_1	AI921875 AA170835 AA866613
	322505 38889_1	AF147315 AW173079 T53029
	323170 980026_1	U83527 AL120938 U83522
	322518 38914_1	AI133446 T50819 AF147343 T50665
	323183 3032_1	X73874 NM_002637 F00757 BE172051 BE081451 AW891243 W20171 BE619896 AA927528 AW374434 N90546 F01171
65		AI681314 AI621208 AI366791 T27589 AW960206 AW393850 AW892627 AW892626 AW833974 AW833971 AA194696
		AW274557 AI813660
	323185 18915_3	R52177 AL121177 AW749837 AA354099 AA318422 AA318513 AA318429 AW961486 AW964802 AW961475 F12011 R12085
		R12113 R20096 AW836716 W87916 F12265 T64809 R96961 AA340929 R88075 F11199 H11127 W68153 BE465310 W67653
70		AA777659 AA630420 AI243300 AI744317 AI681159 N81151 AI758899 AI991528 AI640256 AI361299 AA039678 R52083
		AI161215 AI240851 AA806482 AI159875 AW452889 AA987856 AI581408 AA746962 AI277132 AW802982 AI567611 AA761163
		AI277294 AW244127 H11684 AI381224 AI277139 AW952835 AI480237 AA188967 AA041517 AI798651 AA906163 AI081406
		AI032939 R41802 H95399 AW023038 AA890250 T65065 AA340673 F09658 AI248293 H11039 AA340628 AI955106 F11007
		AA028186 H98922 AA810707 AI769491 N21690 AI670911 AW005066 AI692255 AA028093 AA748907 AI919266 H11597
		H95373 R36867 R36878 AI222427 T23945
75	315322 444861_1	AA770599 AI215099 AA992267
	321920 1023421_1	AW089866 N63915

10087080-022700

321966 30334\_1 AL122111 M79226 A1656413 BE502197 F32670  
 321986 22722\_2 AL133656 AW269409 A1138865 AA954306  
 323243 140566\_2 W47525 AA134047 BE391212 AA330333 AA376355 BE304871 BE167342 H87402 AA631722 W45724 AA715517 A1925438  
 5 A1804849 AW241617 AW403807 A1653435 AA134048 AW747874 A1922327 A1814967 A1935895 AA228865 AW504076  
 AA225008 AW673858 C03914  
 316041 417912\_1 AA719183 AA736442 AA709125  
 322644 82848\_1 AW841642 AW747992 AW748000 AA007413 AA568664 AA779192 AW188983 A1471878  
 322649 24892\_1 F01266 NM\_016549 AF239742 BE219554 AA902371 A1298989 AA533735 AA599216 AW025283 A1336116 N75315 AA621418  
 10 A1671706 A1373650 NM\_014556 AF216184 A1269271 AA780274 AA772950 AA932592 AA496722 A1186107 AA009748  
 AA477144 AA788812 BE384172 AA009407 AA526549 D25270 AW882122 AW972929 BE174659  
 322682 37364\_1 AF063553 A1110679 AF090893  
 307625 10562\_13 AA768239 T98699 AW207784 AA343876 AW963055 A1299617  
 314893 3084\_2 AW969114 AA761093 AW082191 AA505065 AW087800 A1719655 AA576454 AW375968 A1804392  
 323333 62251\_1 AV651680 AA228883 AA367341 AW962458 AA628024 AW172426 A1767785 AA313012 AW963323  
 300470 59496\_1 T87841 AA233726 AV648314 BE545191 AW969738 AA579641 AA516077 AA483490 BE612779 AA460132 AA659710 A1149891  
 15 AA113277 A1889233 A1028588 AA461487 AA074311 AA682750 A1421205 AA985248 A1753378 A1914588 A1493749 AA936668  
 AA633392 AA722409 A142537 AW609606 AW815447 AW268600 AW609594 AW601214 AW082930 A1752615 BE550576  
 A1989665 AA046575 A1201331 AA169112 AA169113 AV648431 AV648389  
 20 322738 26089\_1 AF200496 A1343258 A1014548  
 308337 3328\_20 J00124 AA158848 AW452899 NM\_000526 AW384139 BE140708 BE140690 H28274 BE140404 AW844922 BE157342  
 AW580043 AW384049 BE157333 BE157179 H44127 BE140671 BE614947 AW380727 BE184532 AA808075 R73201  
 AW949948 AW950242 BE183306 BE183297 AA587174 BE183243 A1591112 A1609229 A1590690 AW606369 A1609238  
 25 A1608848 A1590885 AW084944 A1609220 A1609210 AA583890 A1609274 A1609226 A1608878 AA550914 AW170430 A1608947  
 A1608606 R88146 M28646 AA587248 AA583985 AW872988 AA583993 AA586980 A1284481 AA584051 AA587024 AW800015  
 AA587313 A1283394 A1143314 AA595434 AA583917 AA922332 AA584021 AA583576 AA862004 AW873168 AW796060  
 AA862049 AW873161 AW079705 A1366769 AA583724 AA583889 D29065 AA113288 AW083705 AA584334 AA586711  
 AA583558 AW117878 R72295 AA583842 AW996598 R73138 H28224 R88223 AA586985 AW369022 AA602252 AA641063  
 R72845 AA861952 AA587149 AA587308 AW369033 AA584344 AW799955 AA583732 AW368990 AA862083 D29595 R53012  
 30 AA587254 D29462 AA158849 R72649 BE181541 D29604 A1127631 D29297 H44051 AA583575 AA586762 D29122 AA583878  
 AA595946 AW368880 AA587318 AW368881  
 35 322774 104619\_1 AA131111 AA132859 AA053057  
 314938 337806\_1 AA515635 AA516338 A1801993  
 307783 697809\_1 A1347274 AW844024  
 301119 33384\_1 BE621320 BE266806 BE276582 AW516729 AF142579 AW451687 AK000069 AA325236 BE168997 W73105 AA715365  
 BE278873 AA808894 AA386371 AW517942 AW750993 BE140314 BE392384 BE621757 AA318192 BE548173 AW152607  
 40 AW166898 AA352215 AW841506 T59802 AF147378 AA335719 AW956069 T59668 AA826362 A1961329 A1290469 AW197375  
 A1805651 AA160748 AA581089 A1968889 AA581100 AA501478 A1621069 AA468534 AA503715 AA658457 A1144504 BE387827  
 AA159880  
 45 301163 427639\_1 AA732066 AA807070  
 324031 265007\_1 AA376108 AA375646 AA376551 AW963816  
 301178 431366\_1 AA828385 AA769592 AA742234 AA742235  
 324042 266490\_1 BE387327 AA377589 A1903826  
 324048 267284\_1 AA378739 AW964174 AA570564 A1076833 AW265063 AW006805 AA480656 AW004789  
 324064 421551\_1 AL046841 AA721199 AL046079 AW137650  
 45 323409 218874\_1 AL135534 AA366767 AA313599 AA333787 AW966106 AW844387  
 323426 188613\_1 AA485236 AA830637 AA251401 AA749343  
 324094 270098\_1 BE395109 AW663898 AW237041 A1492154 BE046906 A1651285 A1983290 AW002590 A1201040 F32424 AA992272 AW271836  
 316231 427772\_1 AA732301 AA764985 AA732300  
 323479 194627\_1 AA278246 AW292815 AA278703  
 50 322840 109637\_1 AA083710 AA122195 AA081984 AA134650 AA080983 AA080954 AA062747 AA083876 AA079025 AA113855 AA074687  
 AA078914 AA078873 AA074126  
 322877 116942\_1 AA079727 AA079728 AA824267  
 308447 10607\_2 A1659985  
 324148 273755\_1 AA393624 A1190160 A1342032 A1015092 AA992047 AA860917 AA400867  
 55 300694 110146\_1 AA063406 AA063407  
 322907 5481\_1 BE252579 BE255945 BE314749 BE260141 BE260121 AA084941 BE206830 BE256911 BE256464 BE277162 AA448932  
 BE206992 AA158178 BE265680 BE164838 BE164881 AA411651 AA036706 AA411652 AA480595 R53714 AK000381  
 AA191114 BE314072  
 60 300707 114644\_1 AA079132 AA080921 AA076662  
 317010 485212\_1 AA863389 AA863395 A1969882 A1695443  
 324252 287622\_1 AW629965 AW975427 AA421989 A1051821 AW748356 AW129223 AA715470  
 300763 163257\_1 BE000150 AA190753 AA760634 A1685862  
 300781 23981\_2 AA731209 AA236961 AW971508  
 323676 220254\_1 A1702835 A1758919 A1685405 A1952108 A1299207 A1400767 AW105389 A1952710 AA845312 A1784118 A1537315  
 65 316473 439976\_1 AA811452 AA829961 AA815116 AA764935 AW976998  
 323699 222860\_1 AW178750 AW178736 BE141842 AW178683 AW178714 AW178684 AW178679 AW178716 AW178685 AW178718 AW178717  
 AW178681 BE141834 BE141835 AW178711 AW178735 AW178712 AW178734 AW178715 AW178680 AW178713 AW178677  
 AW178719 AW178748 AW178710 BE141843 BE141844 AW751119 AW178682 AW178737 AW178749 AA318993 BE141841  
 70 308659 3723\_5 A1174911 AF116710 BE250634 BE513651 BE513483 AW973114 AW973111 BE407498 BE387872 BE255662 AW575394  
 AW157150 BE383339 BE045072 BE382560 AA535472 BE389253 BE274463 BE076283 AW157403 W20446 AW663763 N83897  
 A1816181 A1879111 AA603287 AA809812 T03060 AA531063 A1815578 AA534177 F26418 AA527007 AW157453 AA557931  
 AA742784 AW163466 AA513251 A1816220 A1816077 A1929498 BE299421 AW163056 AA502024 AW160897 AA651678  
 AA534185 AW663233 H46043 A1815950 AA635243 AW161304 AA532646 BE619905 AW163000 A1928982 A1929122 AA569189  
 H94752 AW163120 BE619294 N84679 AA639280 AW161846 AA524657 N76560 H60985 AA318407 R98156 AA316834  
 75 AA534172 AA353056 AA375240 D16959 AW328044 AA603503 AA531077 AA330098 AA244141 AA377880 AW161054  
 AA070576 AA326867 AA370759 AA378306 AA055146 AA311016 AA356827 AW827213 AA318418 N84051 AA322649 T72970

AW3630001 AA376419 AA343976 AA311126 F20273 AA308824 N84783 AA373006 AA374318 AA356480 AA300347 AA314040  
AW328346 AA092658 AA181308 C04940 AA329907 AA587591 AA300042 AA301309 AW674942 W21264 W47074 AA310460  
W31811 AW630251 AA332208 AA299335 AA360053 AA360318 AA328721 AA378343 AA229584 AA345747 T49611 AA376010  
AA186475 AW957009 AA305013 AA1064911 AA303372 AW655922 AA314027 AA354481 AA313645 AA314699 AA314084  
AA358279 AA311170 AW327387 AW327464 D58829 AW973106 AA375740 AA308783 AA316940 AA315588 AA380257  
BE397919 AA181856 AI557351 N83566 AA315879 AA369434 AA357016 AA314419 AA130919 AA308111 AA314139 AA354095  
AA095733 AA247440 AA316663 AA307418 AA131136 AW157088 AA375200 AA316192 AA315616 AA360129 F26579  
AA363700 BE539203 AA379637 AA147978 AI340513 AA307861 AA467839 AA384626 AW328308 AW248834 AA379269  
BE621558 AA355664 AW404712 BE613747 AA507275 BE206816 AW270699 C13959 AW966785 AA310386 BE394115  
AA131219 BE385515 BE262339 AA095023 AA315277 AA364046 AA535741 AA188339 AA316095 BE312188 AA176667 T53669  
BE258138 BE258239 AA303587 BE272248 BE545416 BE250615 AA371845 AW839835 AA314570 AA330923 AA311279  
BE261310 AA320246 H95461 AA587557 AA308437 BE540153 BE390839 F25801 AA480575 N89472 AA302013 F29054  
AA375385 F19527 AI816119 AA227104 BE536936 BE535875 BE269659 BE536267 AA339654 AA771729 BE396514 BE263081  
BE312046 BE298027 AA771710 M13934 BE818296 AA807646 AI951409 BE613262 AA857364 BE294539 BE296371 F31870  
AA254168 BE621136 BE295564 BE612812 N88740 AA352787 AA947509 BE270398 BE618807 AI566936 NM\_005617  
AW008274 BE392312 AI928878 AW162655 AI624147 AA854344 AW952982 AW085710 F01238 AA344919 AA641196  
AA720860 AA572870 AW161654 AI001113 AI862725 AI811592 AA320775 AI420790 AI207364 AI951381 BE270095 AI027794  
BE513425 BE252494 AA865409 BE294421 AI719767 AA897029 AI564328 AW628239 AI809839 AW082072 BE255143  
AI189653 AW515889 AA5578771 AW162621 N86168 AA8935172 BE384561 AW157031 BE295195 AI659958 AW263875  
AA533391 BE513648 AI445700 AI034465 H65716 AW272557 AW302286 BE271816 AW196996 AI953988 AW157372  
AA580376 AI191251 AA572856 AI027798 AA884282 BE268198 R92688 AW731956 AI261239 BE260070 BE253635 AA603422  
BE258354 AI801063 AA130398 AA861165 BE257787 BE408032 H96956 AA593399 BE275262 AA180066 BE395867 AI439795  
AA845816 AW572567 AA999943 AA301818 BE615972 T67509 AA512224 BE393104 AA857300 AA828978 AA812299  
AA834249 AW157807 BE253390 AA883769 BE382656 AA484099 AA759089 AA501594 AA742887 BE391312 AA304434  
AA091576 AW393788 AA989550 AA301655 AA374299 AI000013 AA379938 AA985668 AA293111 AA1383481 AA302129  
BE255097 R48458 AA659479 AA311090 AW262218 AA864655 R70415 AA782420 F29372 BE301374 AA345410 AA152252  
AA664047 AA626811 AI092022 AA300592 AI204107 AA936560 AA349088 AI365000 AA311155 AA854688 AA176832  
AW338622 AW246720 AI096811 BE390455 AA181218 BE274363 AA320085 AA854819 AA379935 AA961683 AA706429  
AA301855 AA903668 AI167880 AA912490 AA3736633 AW987322 AA606985 AA492120 AW613649 AI206088 AI500692  
AA642146 AA834125 AA970750 AA954809 AI937927 AA605094 AI000445 AW592871 AA642613 AI708961 AA864208  
AA935984 N78708 AW263613 AA379400 F30530 BE382934 AI347719 H44065 AA876331 AA642115 AW439014 AW613635  
AW592031 H02916 F207105 AA661949 N24052 T72191 AI343917 AW000828 F20434 AI040902 AI189222 AW515066  
AI364998 AI833275 AI72134 AA840455 AA603414 F32779 AI927611 AA582556 U91916 H44037 AA641501 AI718241 H44109  
AA971206 AA782740 AA311211 AA947800 N23272 AI590880 AI742000 AW85561617 AI040892 AI051117 AA554857 AA782075  
R19307 AW515187 AA622350 AI284864 AI002194 AI339662 AA535783 AA480434 AI951550 W46973 AI936248 AA492016  
AA972511 AI071036 AW170504 AW629056 AA568282 AA843949 AA846986 AI335690 AI985054 AI335679 AI660582 F26201  
AA810379 AA187195 AI274712 AI300958 H98663 AA563821 AI973025 AI186080 AA533122 AI205703 AA166781 AA857765  
F37969 AA578216 F28780 AI972670 AI709163 AI749751 AI087008 AA186713 AA506638 AI298400 H62141 AA524656  
AA532581 AA136078 R48459 AI002336 AA617627 AA130399 AI870668 AI991186 AA293498 AW088368 AI929232 AA143219  
AA642914 AI859102 H73727 AI207104 AA186706 AI581697 AA747261 AI718130 W73976 F26566 AI816041 AA633944 AA878094  
H61558 AI857355 H45978 F25943 AI879870 F27056 AA244085 AI927367 W69664 W69843 AI298014 N91111 AA229474  
AW969539 N95295 AW023874 AW572321 AA481820 AA580774 AI870680 AI568052 AI831105 AI750091 AI141652 AI833250  
AW001251 AA180067 AI554189 AI719251 AA807645 AI298013 T52779 AW264018 F21944 AI523714 AA342880 AA985284  
F49612 AW263695 AA508894 AA181908 AA538651 N84414 AI277062 T78929 AA534250 AA569444 R11589 AA022468 T60272  
AA582353 AA335709 AI929540 AW613761 BE327851 AA533776 W72345 AI601210 AA366049 AA719887 F22515 AI523442  
T07133 AA230206 AA827348 AW4272896 AI718076 AA504609 AA469341 BE546614 AI434088 AW170241 T52780 AA629409  
BE543516 AA484074 W04709 AI582317 BE045496 AA373687 AA535491 AA628352 AA558076 AA864201 AW610533 AI707857  
R94198 AA522868 AA226911 AA857018 AA548787 AA627142 H65717 AW166287 AA564007 BE547258 AA330345 C15020  
AA166754 AW244086 AA844918 F32317 AI424155 AA228718 N89046 N91894 AA894498 AA995502 AA533354 BE222986  
F27737 AI887199 AA506272 AA558503 AA578345 F22227 AA352404

323770	230698_1	AA722425 AA329212 AI572177
302138	228984_1	N83965 AA326737 H14153
325007	428607_1	AA931484 AA758140 AI033284 AA931461 AA757895 AA877176 AA736429 R11591 AI017256
302162	24588_1	AF119046 NM_014481 AJ011311 AB021260 BE091822 BE091819 BE280661 BE548576 BE531337 AW605371 BE547006
		BE076387 BE275532 AW386829 AW189348 AA554484 AW028935 AW080283 AW444648 AI538979 AI674393 N59092 C01178
		AI612817 AI347385 AI190577 AI918533 BE265083
302183	25243_1	NM_002248 U69883 F11363 M62043 AA350009 AI937237 AI363154 AA351095 AA325431 D60120 D61063 D60321 C15510
		AW292489 BE504989 AW594619 AI825516 F09023
324432	312487_1	AA464510 AA631257 AI740516 AI739132 AW972467 AI741376 AW068935 AI467852 AI752240 AI123717 AI754551 AW205510
		AW044211 AW028889 AW198033 AI538632 AA513096
323808	247059_1	AW250114 Z43124 AA431421 AI879054 AA351616 AA351035 AL048999
300982	361671_1	AA837754 AA581115
323853	238221_1	AA393460 AA338940 AW966277 AA419006
316664	455916_1	AI042101 AA805541 AA812130 AW977868
323899	48373_1	AL042966 AW403294 BE294048 BE274337 BE261318 BE544865
309470	1028089_1	AW118833
308859	995_8	AI830787 BE563334
302263	227972_1	AA325517 H19549 R53308
302270	1734192_1	R56151 W91936
302292	27735_1	AF067797 AB013456 NM_001169 AI791955 AW843925 AI732659 AA577625 AW083143 AW138645
301644	867855_1	AW239364 AI792390
301654	103655_1	H81795 Z42291 R20973 AA046920
301660	171572_1	F13112 Z42752 T77015 AA211163
324538	1156268_1	AW502082 AW502979 AW502807 AW501876
301685	326972_1	W67730 Z44630 AA490699 W67596 W66661 R21207
324560	1156518_1	AW502208 AW502366 AW502148
324568	1135567_1	AW502311 AW502370 AW403858
324575	65704_1	AW502257 AI014241 AA100360 BE298534
308994	79433_1	BE261877 AI880051 BE242392
302334	29269_1	AF120491 AF187963 NM_004980 AF205857 AF048713 AL049557
301703	916575_1	AW301478 AW301560 AI889207
301714	1534796_1	F06529 R19994
302399	1570217_1	N79624 H18620
301744	50221_6	BE277526 AW854299 AA356083 BE257389 F12667 T74316 BE251675
301752	259807_1	F13486 T75247 AA368304
301767	8416_1	AK001579 H15317 AW361892 R38240 R02257 R41005 T84341 AW963098 AW516794 AW664706 AI377637 BE463865 H15706
		AI452461 AW089869 AI986480 AA636063 AI123920 AI911424 AI123930 AI963282 AW170740 AA564654 AW136832
		AW468248 AI393655 AI656932 AI358006 AI968742 R38241 AA928629 R77428 AA705932 AA458491 AI755108 AA913331
		AI351287 AW044222 AA301591 R81470 AA344045
301775	24697_1	AW250572 AW247670 BE067043 BE067049 AL080159 T48255 AI628030 AI401612 AW246476 AA365210 T48256 T81697
		H62983 AA909497 AI864565 AI801862 AI2477137 Z25119
316893	473541_1	AW979189 AA837332 AA856946 AA876935
316897	474090_1	AA838114 AW629478 AA883713 AI620552
303021	110136_1	BE277604 BE276408 BE265007 BE410545 BE407265 BE272589 BE263600 BE407970 BE303032 W39612 BE244678
		AA321272 BE244631 AW405664 AW673342 BE244379 BE280236
303041	31134_1	AK000072 AW840683 AW843764 AW844444 AW844515 AW603469 AW862395 AI860838 AW511708 AF127035 NM_012128
		AK000138
303042	5058_1	AW505345 AF129532 AF126028 AA852108 BE169359 R83701 Z43904 BE613543 AA283163 AA905463 AW067849 R13544
		R12337 R14020 H98970 AI474918 N56139 AL135669 AW067702 AW372065 AW631389 AA083416 AA287511 AA602923
		AA488914 AI167215 AW946829 R82855 AI948792 AA371333 AW953883 AW956152 C02539 AA298280 AI932587 AA022742
		AI983021 AA195252 N58991 R78733 AW083996 H39614 AI365249 AW615389 AI927744 AI089971 N52205 AA083417
		BE326666 BE349514 AI743785 AI640148 AI378211 AW181881 AI949484 W31374 AW628233 AA418406 AW068010 AI708085
		AI092696 AI089823 AI277828 AA022660 AI440527 AW054937 AW474104 AI017436 AI159819 AI356716 AW473140 AW316518
		N34522 AI675092 AI866697 AA864593 AW511185 AA488844 AA904975 N49111 Z39951 R37265 AI141362 Z25856 R20664
		F03163 AI767927 AA805942 D79905 AI914645 AW190553 AI934213 AI458796 AA195385 R82854 W31965
302445	16351_2	W37653 AW881001 AW840685 AW840696 N79647 AV648691 H25494 AW885394



	324829 7288_14	AI537407 AW131277 AA714311 AW816039
	311004 344894_1	AW191647 AW973241 AA632846 AA533681 T51580
	309825 331299_2	AW293701 BE348286
5	303215 130271_1	BE281058 BE276139 AW250314 BE336754 AA112498 BE265334 AW732954
	303265 155956_1	AA171403 AW160951
	303294 72494_1	AA205300 BE612585 AI393918
	302646 2628_31	X58808 AF071471
	324945 47710_1	AL360202 AA088768 R61018 T36114 AW966404 M85891 AW296810 AA421905 H29985 AI810129 AI798786 AI338041 H29886
10	309912 14912_1	AA088702 R60901 AI648560 AA411400
		H19255 AA324634 BE398078 AW749970 AA309733 AA769449 BE501906 AI686211 AI280426 AI401680 AW235634 AI954773
		AI762656 AW082924 AI223790 AF160973 AI127758 AW009952 AI440473 AW136694 AW008937 AI492112 AW294956 H12044
		AA609256 AI400622 AA778657 AI342773 BE501767 BE048879 AI187333 AW025304 AI191550 AA383780 BE350769
		AW024606 AI244835 AA228447 AA983651 AA027332 AI167499 AA913695 AI479796 AA960843 AW272340 C02052 AI433299
15		AB032994 AL136549 AI126781 AI339656 AA324178 AW274942 AW404411 AA351287 AW503975 AA978021 H19254
		AA826207 AA365760 AA887252 W35146 AW299327 AW593902 AA932287 AI940307 AW955721 M62008 AA034345 BE048271
		AA365723 AA682987 AA324179 T08342 BE396592 BE269097 BE242683 AA351288 AA317743 AA323517 AW950991
		BE169813 AW500399 AL119581 AW401530 AW501601 AW501500 AA663641 AW892664 AW501520 AW501448 AW501591
		AW500843 AW499580 BE396829 AA143673 AI834230 AW500792 AI909739 AW845214 BE140556 AW845213 AW500505
20		AW500506 AW845216 AW574989 AI834238 AI929491 AW576513 BE245479 BE241953 AW505039 AI263367 H12043
		AA033638 AW339671 AW963748
	309963 22431_1	AW449073 NM_016507 AF227198 BE062563 AW893244 AI695667 AW370607 AW370608 AW505230 AL121377 T19010
		AA397553 AI138391 T86408 R78328 AA829647 AI797062 AW502286 AI703352 AI298289 AA730053 AA047200 AW083099
		AW370617 AI128124 AI264202 AI350744
25		Z44318 F06149 R20136 R14907
	319000 1534458_1	R18085 AA219028 R17712 Z44345
	319003 174731_1	AK002182 AW842140 BE391303 AW807017 AW604195 AW604194 AK000527 AA716612 AW291848 C17004 D78698
	319027 6267_1	AA633316 AW085548 AW954620 AA351081 AW377003 AA594606 AA290880 R35913 Z44526 T74413 H39831 H03611 H70235
		AA410732 AA404618 AA026902 N87562 R49433 AI346545 H03501 AW189821 AA235590 AI188349 AW262971 AA283775
30		AI431671 AA026903 AI246417 AI636152 AI370910 T74039 AI128930 BE208355 Z40426 AA291429 R01208 AI824714
		AW075793 AA576559
	302722 44456_1	U53530 L23958 AA775976 BE003131 AI903793
	303388 969232_1	AL039604 AL039497
	319055 167464_1	Z44855 AA196906 AA196723 BE278458 AA412305
35		AJ133798 NM_014427 AJ133799 R19516 AA071126 AI278055 AA071125 AI915130 AI582322 AW070237 Z39757
	302776 23857_1	BE392792 H55196 Z45264
	319091 1237615_1	AI908374 Z45366 R11479 H79927
	319098 922966_1	AA323682 Z44357 F11306 R49705 R60252 T09440 T09172 H09876 F06094 R60848 H06625 T07793
	317894 226420_1	AA308601 AW411014
	303405 215022_1	AB040958 AA309616 AA322942 AA331675 BE257729 AW806959 AW860144 AW806968 AW512751 AI239617 R68424 R72046
40		H85465 N28472 AI971920 AI459052 AI082821 H49714 AI218903 AA244036
	303407 6848_4	T26453 Z44226 R20425
	318504 1703724_1	AB037724 BE260227 R21318 BE538345 AW250501 AW403023 R46363 Z43008 R14654 AW953148 AW953149 T33110
	318563 7543_1	R20231 H30838 F05454 Z45790 AW965595 T08819 H06568 H29913 R16617 AW006449 AA588448 AI909629 R10832
45		AW245067 AI479004 H29825 AI097108 AI829928 AI636607 AI079390 AA353858 AI374890 BE247041 R43324 R10833
		AA603730 AI298051 AI580953 AA400088 R16559 AI369715 AA401378 AW976688 BE245314 AW249837 AI869249 AA349796
		AA783040 AW474996 AI028378 R45633 AI864452 AA470470 AA629126 AI262201 H06513
	304161 34056_2	H71886
	311395 252948_1	R23313 R23323 Z25059 AA359123 AW965886 BE167187 AI808503
	303521 244029_2	AA746272 AA504079 AA347316 BE084755
50		AL043430 N79419
	303535 972533_1	R87679 H16883 F07785 AW245503
	319207 1071625_1	AL137382 AA305545
	302919 34022_1	BE145971 BE146046 BE146316 BE146148 AA421129 AA382152 AW836960 AW836945 AW836851
	303592 29065_6	AW303377 AW270092 AA382636
	303596 270128_1	T65096 F12013 AA351004 F11787 T66093
55		319264 247031_1
	302972 47307_1	AF086321 W73400 W73375
	304211 21366_-11	N62228
	304241 84545_1	AA010976 AW611600
60		AW299459 AA417112
	303642 284260_1	AA430709 AA427966
	303650 290929_1	F13458 R17813 T74431
	319359 1541128_1	R00371 R09720 R09711 AW873586 AI703426 AW016769 R36969 R00259 AI216256 R09712
	319373 226757_2	Z30201 AA486132 T72025
	318728 323486_1	T87431 AW300867 T87330 AA515973 AI242970
65		AI660245 AI950027 AA971142 AI302981 AW771990 AA723809 AW195235
	312129 338029_1	AI142379 AA905379
	312162 423491_1	T86043 R01431 T75579 T75580 T83765 T98413
	303745 54759_3	AW505368 AA218610 F11852 T65345 AA397806
	319403 1688716_1	AA325129 AV655735 AW408703 AW505411 T64737
	303778 174437_1	R06504 T99600 T95769
70		303782 2213_1
	319468 1691029_1	F13195 Z42617 T75318
	318813 1540877_1	AI017510 T91374
	320042 551394_1	T87761 R95026 W87407
	320083 1764305_1	AA627706 F28433 D63189
75		312217 382018_1
	312251 193841_1	AA323400 AW968650 AA262398 H03952 AA824430
	312281 1563872_1	H46445 H22490 H19702 H46328



10087080-022700  
20220" 080700

305064 11422\_-7 AA636012  
303835 1305867\_1 T05645 T32180 AW961890 T08680  
303849 43707\_1 AA249439 BE256642 AW163324 AF012357 AL359617 H95481 AI217156 AI332310 AI016751 H94962 AW105657 AW082779  
5 AA815334 AA954302 AA628321 Z42118 AA737794 F08727 F06339 F07626 AI829971 T89928 AW970824 AW157525 AI979018  
AI537885 AI636077 AW439894 AI687692 AI476254 AI870810 AI860351 AI248264 Z40675 F05012 F02632 AA564443  
AW298565 BE091953 BE091884 F01656 BE091886 BE091841 BE091851 BE241581 AA403051  
320115 582314\_-1 T93574  
320121 452027\_1 AA780365 AA909233 AI275542  
10 318946 92484\_1 AI122843 Z43800 R19718 R59259 N74752 W20097 N46928 AA215691 AW672684 AW672673 AL044945 H93163 H92772  
AW451096 AW675432 AW675425 AA844417 AW674797 AA855104 AA291320 AA770259 AI749837 AA034362 AW370463  
AI825998 AA027067 AA744373 AA732336 AW674014 AA291321 AA029285 AA766450 R59201 AA588329 AI168449 AA215692  
AI079651 Z39868 R05650 F03066 AA357760 AW955291 AI992075 AW020148 N90519  
15 312339 151127\_1 AA524394 AW015969 AA158731 AI831401 AI955800 AW272596 AW272595 AI281799 R34231 R35558 AW378527  
304576 25108\_1 AA329384 S49006 AW405735 AW404287 AW405848 AW405979 BE538908 H70947 AI814190 AA381896 AW582731  
AW975580 T94914 AW474500 AW869616 AW974125 AW946246 H44560 AW802184 AI538108 AW609912 AW865715  
BE007659 AA443571 AW376161 AW797783 AA713566 AW577793 AA745472 AW270172 AA910107 AA713717 AW364122  
20 5A533898 AI253353 AA715899 H44507 AW947263 AW390753 T89943 R66359 H44320 T64100 AA715879 R54661 AW579645  
H68597 AI499528 AI699010 AW605041 AW605043 AA236700 AI290767 H27472 AW079688 T69967 T87728 AW869468  
AW873389 AI250670 AA617786 AI566627 AW627605 AW302334 AA617836 AW793186 H16015 R83107 T85409 AA643479  
AA582449 AW794654 AI819995 AW865810 AW380149 AW793863 AI281629 T64021 AA501599 R49882 AA565066 R69406  
25 N23918 T59642 R54662 AW973199 R53006 AA401087 AA496563 AW934874 BE171294 AW793133 AI581595 AW605835  
AW605040 AW605055 AW605033 AW605058 AA291844 AW382472 AW605005 AA421881 AA513106 AA744190 AW386065  
AW613785 AW605829 AA580905 AW605027 AW364134 AA464027 BE012096 BE008565 AA809035 AA809154 AA911395  
AA713636 AA745324 AA826230 AW368498 AV646747 T89967 H61164 AI540661 AA721571 C02031 AA523762 AA523746  
AI287256 AW841164 AA962139 AW797014 AA515246 AW364140 H45842 T94267 T72111 H42664 R83656  
R83590 AW380297 AW380263 X95750 T57717 AW391436 AA293355 AW380185 X95749 X95748 X95747 AW796510  
AA318628 AI001043 AA744404 AA745567 AA650437 AA715526 AW392762 AA516228  
30 303958 10830\_7 AL042931 T70163  
319668 17848\_1 NM\_002731 M34181 AA091596 AA090564 AW498491 AA383248 AA018979 AA352938 AL133918 T28731 AA984398 AL134676  
AW898293 M77877 AI124701 BE567802 AI288466 AA719614 BE622570  
35 320236 321288\_1 AA528811 AA482942  
320258 217516\_3 BE396475 AW814056 AA311866 H05207 R94015 AA504370 AW962851 T70351  
319793 1698018\_1 R56360 R20336 R67291 R14290  
320360 259694\_1 H12405 H12404 AA368159  
319886 22717\_1 AK000906 AA603325 AI123244 AI742610 AI742621 AW451297 AI963292 N94395 AI122654 AI869312 AA693938 AI913241  
R69552 AI925715 AI243319 AI085752 AI094469 AI922008 AI521658 AI288451 AA627433 BE327863 AI417213 AA937953  
AW301143 AI827213 AW444808 AI056464 AW736786 AA968590 AI425075 AI420510 AI445367 AI866676 H25733 AI356146  
AI803734 AI194056 AI872656 AI222629 Z38818 H25937 AI547263 AI656165 AW590474 T73549 BE392068 H14735 H27088  
H45935 AA359427 AW167511  
40 306023 38159\_2 BE463655 AA897764  
313257 452953\_1 N92638 AA781521 AA846225  
305406 34836\_-76 AA723860  
304831 13890\_7 AA314337 AI805587 AA402097 AA293631 AA658356 BE566333 AI557276 AV651311 NM\_001011 Z25749 AI525506 R97869  
45 BE546683 AA155861 AA532947 AA329269 H63470 AA187471 AV660956 AV650019 AA380909 AW327895 BE313243 N93984  
AA354585 W19057 AA428966 T56686 AW958123 AA315872 AA081305 AA083776 AW961442 AA352331 H00860 AA206205  
W21515 AA149180 H13044 AA372080 AV658875 AV658874 AA337727 BE276865 AA247683 AA209449 AA393619 AA147378  
AW404839 W19374 AW247081 AA311228 BE615971 AA308572 W01826 AA310230 AA412606 AA240575 AA362646 H70797  
AA525988 AA311440 BE564044 AW967302 AA302565 AA313021 AA312653 D52864 AA312582 AV654672 AA308096  
50 AA308509 AA308491 AA305867 AA306813 W75940 AV653876 AA365315 AW408185 AA308217 AA122395 AA314083  
AA315981 AA311782 AA310647 W46668 N31114 AA180871 AA187276 N72805 AA312418 AA304985 AA167580 AA307881  
AA310961 AW674912 AA310126 H82669 AA132497 AA809088 AA155963 AA640361 BE618580 AA229152 AW404970  
AA306621 AA308276 N98583 AV660766 AA654587 AA206190 AA312305 AA580740 AI568153 AI718253 AI860477 AI872388  
AA873460 AA405147 AA315435 AI129479 AI888709 AW583033 AW089596 AW264185 AI653503 AA858344 BE619226  
55 AA187721 AA306691 AW439857 BE616042 AI889905 AI862869 AA309960 AA307823 AI148769 BE619772 AA582168 AI963414  
AW168760 AW167856 BE619400 BE378974 BE619933 AW958117 W49703 AI951380 AA306263 AA536605  
AA897095 AA149141 T53975 AI744255 AA845352 BE312890 AW961435 AW583101 W24684 BE619333 T96513 AI491903  
BE272296 AA315556 BE539380 BE619999 AW084687 BE465646 BE262138 AA999923 BE260616 BE276306 D55310 AI186578  
60 AI707735 AW404371 BE274614 AW512395 AA650425 AI439470 AA513739 AW404673 AW404664 M77233 AI970731 AI880754  
AI418821 AW273410 AA069936 AW058084 AA719351 AW404422 AW405314 AI523106 AA393107 BE408961 BE252375  
AA578681 BE513748 AI749494 N36979 N43025 D11774 AW391958 R34130 BE394953 AI865715 AI018059 N46292 AA908866  
AA907443 AW081633 AA622318 AW438511 BE262297 AA565643 AI018057 AI440067 AI719291 AA135054 BE222834  
65 AW262240 AA081120 AA442581 N86460 AA583569 AI061357 W72482 AA148278 AI186761 AA512934 AW615804 AA595332  
AI831069 AA778136 AA657641 AI433175 AA398698 AI735084 BE183158 AI566940 AW304785 AI401846 AA506149 AA102508  
AA736531 AI027939 AW000716 AA861339 AI027937 AA575877 AA639090 AW129111 AI421179 AA506553 AA936780  
AA972869 AA563975 AA582448 AI802748 AI471162 AA586422 N86248 AA528142 AA551225 AI566307 AI206730 AA513485  
AA363629 AA436824 AW575828 AA180774 AI001103 AA932070 AA613667 AI337566 AA582127 AW327319 AA610833  
70 AI333738 AI708124 AI349480 AI240444 AI225152 AA570790 AI539813 W80674 AI333517 AA181299 AA315527 AI719857  
BE087137 AW474616 AI510739 AA614724 AW337476 AW951820 AA149181 AA149142 AA523097 AA428873 AI708760  
AI978984 AA946913 AA844685 AI440225 AA306527 BE349026 AI659593 AA845752 AW327366 AA311945 AA595594 AI027199  
AI499554 AI262336 AA398535 AI333388 AW575598 AI472745 AI476623 AI150520 AW897766 AI864033 AW584030 AA148411  
75 BE348977 AA420550 AW768575 T27844 AI349314 AI371037 AI675707 AW102842 AI203978 AI719821 AW768495 AW021575  
AI686981 R36541 AI346551 AW888705 R25390 AA209335 AI342426 AA056446 AA582981 AA890201 AW026850 AA857587  
N91141 AW768541 T55235 AA401942 AA080860 AI291273 AI312669 AA412271 AA890649 AA846264 BE019907 BE090895  
T56904 H70798 AI500573 AW327642 F17734 AA157192 AA152417 AW327670 AA985481 H71524 AW439687 AA968516  
AW327857 AA405330 AI342315 H01239 AA878156 AA148279 H71525 N52399 AI991878 AA878100 N93956 H56020 AA132515  
W49704 H63414 AI717990 AI814318 AA912383 AA922317 R97819 AI860255 AI335093 AI187843 AW270357 AA187646

20087080-022702

5 AI190237 AI991126 W07024 BE539453 AI819841 H75424 AA102446 AW026974 AI923973 AW001389 AA337759 N70772  
AW022155 AA336624 AI219252 N89590 AA664546 AW339690 AA651993 AA608735 H65064 AA857788 T81916 AA860215  
AI031685 AA133689 AA186954 R16825 N27213 AA857155 N69981 AA318664 AI735334 H82411 AI460293 AA205819  
AW803086 AI922965 N33363 AA580622 AA664756 AA651961 AI201624 AI066494 AA834187 AA187722 AA652066 W80675  
AW051553 AW263699 R34131 AA340971 AA364263 AI824574 AI356913 AI439263 AA205822 AI540881 AA640625 AI206794  
AI198883 AI167581 AA970474 AA299068 AA157088 N90120 AI371330 AA090914 AI889887 AI274617 AA730747 AI745000  
AW265227 AI358313 AA122396 AA501489 AA918963 AA953637 AI434343 AI707767 AA603889 W04799 T55604 AA614231  
AA071264 AA083777 AI880809 AI185259 AA747112 AA908459 AA134970 AI192649 BE046107 AI358698 AA310968 AW517574  
AA984892 W46578 AW105597 AA224970 AA747937 T96514 AI472689 AA283670 AI186789 F35482 AW873463 AW361039  
AA583072 AI872660 AA040277 AA224895 N85343 AA484723 AA937597 AI304419 AA228409 AA501488 AA664896 AA664966  
AA482963 AA736806 AA528814 AA927560 AA328094 N83225 AA582536 AA938377 AA916871 AA507716 AA101182 AI720885  
AA876858 AA483322 AA362647 N75592 N23917 AI193949 N74054 AI352629 D51754 AI507873 AA470923 AW975162  
AA328256 AA659768 AI919411 W40458 F00799 AA147346 AA728856 AA528675 AI676101 AA523785 T52866 AA533842  
AW516442 AA554875 AA886066 AW518472 AA971169 AA908345 AI561318 AA482746 AA482822 AA188350  
AA629989 AA482917 AW263351 T52867 D52318 AI696386 AA689276 AI719128 AI719124 AA541702 X85626 AA640165  
AA228408 AI832575 AI143550 AI281727 N73099 AA733095 AI749387 X85625 AA640766 AA652170 AA652139 AW606146  
AA649563 T25406 AA327330 AA080984 X74803 AA746016 AW957997 AI005578 BE547070 AA886825 AA927742 AI927866  
AA528573 AA665260 AW270340 AI698507 AA501524 AA483113 AA506345 N91789 AI933429 AW904843 BE092709 BE093487  
BE093472 BE092712 F22641 N80062 AW455220 BE079292  
20 AW408392 AW847299 AW847302 T86065 T85884 T77135  
W23285 H42714 F25381 F37215  
319900 1138215\_1  
321121 1545647\_1  
321132 117535\_1  
320503 25164\_1  
25 320586 26170\_1  
305557 41560\_1  
304978 28800\_7  
30 AI191250 D52650 BE208576 BE566731 BE387383 AA373416 R23516 T68691 T69334 AA355791 R02636 BE566591  
BE407444 AI982546 H49682 AA094446 BE515225 D54740 AA095798 AA196716 AA353034 AW955137 D53869 AA100150  
AA188091 AI524940 D54982 AA090373 D53479 AA247363 BE567604 BE391813 N41527 BE410575 AA380139 BE616028  
AW881909 AW963736 BE276064 BE380156 BE566181 BE567132 BE561903 AI205098 X52851 AW881897 BE616573  
BE298397 AA127519 R88890 BE166448 BE279162 BE559666 BE514563 BE312454 BE407312 BE276098 BE394047  
BE267326 BE276908 BE565569 BE385054 BE265740 BE409229 H44489 AA207193 AI525570 BE304612 BE396965 BE386123  
BE264758 BE266121 AA215851 BE295137 BE512683 BE388849 AA223494 BE263350 BE408879 BE386132 BE382906  
BE271789 BE539264 BE378507 BE567995 BE208471 Y00052 BE256484 BE260931 AL021395 BE260620 BE512892 AI906447  
BE615419 BE560786 BE279517 H46528 BE258084 BE535992 BE274774 BE274916 BE260585 BE563269 BE249941  
BE264782 BE408521 BE312750 BE559964 AA147099 T70141 AV661600 AA581711 AA186462 T69259 AA521058 AA563932  
BE397758 T68848 BE514531 H50191 AA641322 AI869370 AA653502 T70072 AW139957 AA069924 AI953984 C06029  
AA190399 AA617735 AA085181 AA506423 AI470746 C05982 BE077432 AW945661 BE272794 AA011065 AA922406 BE183113  
AA564289 AA374410 AI264729 AW957628 T68610 AA143328 AW381780 AW381880 AA135191 AA857453 AA112231  
AA011066 F36776 AW798236 H00395 BE272608 AW798123 AA532416 AI936732 BE183271 AA129828 AA741102 BE164382  
AW799104 AW997926 AA211136 AW601437 AW602618 H11277 AA083462 AA056516 AW364819 R01694 AA086193  
BE171120 BE093136 AW796864 AA663009 AW605266 AA247458 AW796905 BE171125 AW392363 BE171106 BE171110  
AW796810 AW796854 AW578648 AI221714 AW151499 AW937186 BE293542 BE249842 AW363879 AI701218 AW084288  
AA489447 AW798124 AW798256 AA658272 U46266  
45 304983 25108\_1  
AA329384 S49006 AW405735 AW404287 AW405848 AW405979 BE538908 H70947 AI814190 AA381896 AW582731  
AW975580 T94914 AW474500 AW869616 AW974125 AW946246 H44560 AW802184 AI538108 AW609912 AW865715  
BE007659 AA443571 AW376161 AW797783 AA713566 AW577973 AA745472 AW270172 AA910107 AA713717 AW364122  
AA533898 AI523353 AA715899 H44507 AW947263 AW390753 T89943 R66359 H44320 T64100 AA715879 R54661 AW579645  
H68597 AI499528 AI699010 AW605041 AW605043 AA236700 AI290767 H27472 AW079688 T69967 T87728 AW869468  
AW873389 AI250670 AA617786 AI566627 AW627605 AW302334 AA617836 AW793186 H16015 R83107 T85409 AA643479  
AA582449 AW794654 AI819995 AW865810 AW380149 AW793863 AI281629 T64021 AA501599 R49882 AA565066 R69406  
N23918 T59642 R54662 AW973199 R53006 AA401087 AA496563 AW934874 BE171294 AW793133 AI581595 AW605835  
AW605040 AW605055 AW605033 AW605058 AA291844 AW382472 AW605005 AA421881 AA513106 AA744190 AW386065  
AW613785 AW605829 AA580905 AW605027 AW364134 AA464027 BE012096 BE008565 AA809035 AA809154 AA911395  
AA713636 AA745324 AA826230 AW368498 AV646747 T89967 H61164 AI540661 AA721571 C02031 AA523762 AA523746  
AI287256 AW841164 AA962139 AW797014 AA515246 AW364140 H45842 T94267 T72111 R49771 T70151 H42664 R83656  
R83590 AW380297 AW380263 X95750 T57717 AW391436 AA293355 AW380185 X95749 X95748 X95747 AW796510  
AA318628 AI001043 AA744404 AA745567 AA650437 AA715526 AW392762 AA516228  
60 AA431366 AA490423 H96381 AA361614 H56121 AA354669  
X58799 AF071472  
BE245833 BE539992 AI380940 AW952644 AA535470 R84610  
AA010267 AA720674 AA010209  
65 AA837782 AA828713 H84206 AW979069  
BE260893 AA078319 R85057 AW803024 H85811 AA078293  
AB033072 AW163387 AW161566 T08007 AW161909 AW157331  
AB033100 AA347036 BE260325 AW961669 AL047207 AA347037 AI766894 AA601045 AI559897 AW139033 AW274622  
AW172884 AW089070 AA804340 AW798925  
AA078493  
70 AW972301 AW474412 AJ227863 AA516297 AA641949 AW995029  
AW003360 AI971548 AA017585 X80306 X91133 AJ276100 X91132 AF064499 AF064495 AF063768 X83713 AW951310  
AW975565 AA721610 AA715972  
H54398 AA700844 AW895023 BE549308 AW834812 AA299525 AW957027 AA001789 BE219218 R73244  
75 AL137357 AW173064 AW662837 AI222955 AI138884 AW438842 AA883686 AA978208 AA653137 AA906477 AI150554  
BE295082 BE243550  
306406 AA971973

10087080.0220" 20/220"

	306426	AA975039	
	306443	AA976950	
	306511	AA988891	
5	320965	266751_1	H18166 R86173 H19851
	306531	AA991423	
	306546	AA993109	
	306549	AA993796	
	306558	AA994743	
10	306590	AI000246	
	306591	AI000248	
	329464	c_y_hs	
	336695	CH22_4181FG_48_4_	
	329496	c10_p2	
15	336705	CH22_4209FG_63_2_	
	336717	CH22_4234FG_81_1_	
	306668	AI004890	
	306739	AI028393	
	306791	AI042387	
20	329665	c14_p2	
	336883	CH22_4625FG_322_2_	
	336898	CH22_4647FG_330_1_	
	308016	AI445116	
	308082	AI473682	
25	338177	CH22_6725FG__LINK_EM:AC00	
	308092	AI474896	
	308097	AI475411	
	306801	AI052653	
	306809	AI057134	
30	336908	CH22_4670FG_343_2_	
	336917	CH22_4688FG_346_4_	
	306839	AI077385	
	306866	AI086683	
	306881	AI088695	
35	308115	AI479071	
	308127	AI492187	
	308138	AI494446	
	306919	AI096832	
	306930	AI124518	
40	329824	c14_p2	
	329839	c14_p2	
	306975	AI127042	
	308258	AI565612	
	308282	AI569456	
45	308311	AI581855	
	308382	AI624301	
	308385	AI625428	
	308406	AI634885	
	308449	AI660854	
50	308465	AI672480	
	308517	AI689279	
	308539	AI694191	
	308544	AI695133	
	308548	AI695484	
55	338648	CH22_7413FG__LINK_EM:AC00	
	308572	AI707882	
	338668	CH22_7441FG__LINK_EM:AC00	
	308582	AI709056	
	338679	CH22_7453FG__LINK_EM:AC00	
60	308598	AI719237	
	338686	CH22_7461FG__LINK_EM:AC00	
	308601	AI719930	
	338703	CH22_7483FG__LINK_EM:AC00	
	338705	CH22_7485FG__LINK_EM:AC00	
	338725	CH22_7521FG__LINK_EM:AC00	
65	338747	CH22_7561FG__LINK_EM:AC00	
	308676	AI761036	
	338770	CH22_7593FG__LINK_EM:AC00	
	308695	AI763350	
70	308707	AI769997	
	308718	AI798009	
	308851	AI829820	
	308954	AI868958	
	308961	AI870248	
75	333043	CH22_269FG_70_4_LINK_EM:A	
	333054	CH22_280FG_73_8_LINK_EM:A	
	308991	AI879831	

20/220" DB04800T

	303582	647662_1	AA377444 AI458965
	305018	AA627127	
	305030	AA629988	
	305046	AA632201	
5	335131	CH22_2463FG_497_15_LINK_E	
	335157	CH22_2493FG_501_7_LINK_EM	
	305071	AA640579	
	335163	CH22_2499FG_502_7_LINK_EM	
10	305080	AA641485	
	335174	CH22_2510FG_504_4_LINK_EM	
	305093	AA642917	
	305116	AA649244	
	335200	CH22_2538FG_508_9_LINK_EM	
	335201	CH22_2539FG_508_10_LINK_E	
15	335217	CH22_2556FG_512_3_LINK_EM	
	305134	AA653159	
	305145	AA653589	
	328015	c_6_hs	
20	328016	c_6_hs	
	335234	CH22_2573FG_515_3_LINK_EM	
	335236	CH22_2577FG_515_8_LINK_EM	
	328025	c_6_hs	
	335247	CH22_2589FG_516_8_LINK_EM	
25	305167	AA663080	
	305168	AA663105	
	328031	c_6_hs	
	335262	CH22_2604FG_520_3_LINK_EM	
	335265	CH22_2607FG_521_1_LINK_EM	
30	335266	CH22_2608FG_521_2_LINK_EM	
	328053	c_6_hs	
	305197	AA666301	
	335281	CH22_2623FG_524_4_LINK_EM	
	335284	CH22_2626FG_526_6_LINK_EM	
35	328098	c_6_hs	
	303929	AW470753	
	303933	AW471472	
	326806	c20_hs	
	326808	c20_hs	
40	326857	c20_hs	
	326874	c20_hs	
	326876	c20_hs	
	326884	c20_hs	
	335311	CH22_2654FG_532_4_LINK_EM	
45	305234	AA670431	
	335320	CH22_2664FG_534_7_LINK_EM	
	328109	c_6_hs	
	335331	CH22_2675FG_535_4_LINK_EM	
	335339	CH22_2686FG_535_16_LINK_E	
50	305259	AA679225	
	335340	CH22_2687FG_535_17_LINK_E	
	335344	CH22_2691FG_536_3_LINK_EM	
	335348	CH22_2695FG_537_4_LINK_EM	
	335349	CH22_2696FG_539_2_LINK_EM	
55	305264	AA679505	
	328134	c_6_hs	
	335371	CH22_2720FG_543_9_LINK_EM	
	335377	CH22_2726FG_543_17_LINK_E	
	328171	c_6_hs	
60	326942	c21_hs	
	326943	c21_hs	
	326957	c21_hs	
	326981	c21_hs	
	326997	c21_hs	
65	305335	AA704235	
	335421	CH22_2772FG_551_1_LINK_EM	
	328221	c_6_hs	
	328224	c_6_hs	
	328228	c_6_hs	
70	335448	CH22_2799FG_562_5_LINK_EM	
	305361	AA708902	
	335451	CH22_2802FG_562_9_LINK_EM	
	328236	c_6_hs	
	335455	CH22_2806FG_562_15_LINK_E	
75	328243	c_6_hs	
	335468	CH22_2819FG_567_4_LINK_EM	
	335470	CH22_2821FG_568_3_LINK_EM	

20220" 080/800T

	335482	CH22_2834FG_570_11_LINK_E
	335485	CH22_2837FG_570_17_LINK_E
	328271	c_6_hs
5	328276	c_7_hs
	328277	c_7_hs
	328282	c_7_hs
	305403	AA723748
	335517	CH22_2872FG_571_34_LINK_E
	328305	c_7_hs
10	335523	CH22_2878FG_572_3_LINK_EM
	335527	CH22_2882FG_572_7_LINK_EM
	305443	AA736653
	328314	c_7_hs
	335536	CH22_2891FG_574_2_LINK_EM
15	305454	AA738413
	328328	c_7_hs
	305464	AA742425
	335565	CH22_2921FG_579_1_LINK_EM
	335566	CH22_2922FG_580_1_LINK_EM
20	305486	AA748889
	335585	CH22_2943FG_581_24_LINK_E
	335587	CH22_2945FG_581_26_LINK_E
	335593	CH22_2951FG_581_32_LINK_E
	335606	CH22_2964FG_582_3_LINK_EM
25	305536	AA770682
	305547	AA773111
	335634	CH22_2994FG_584_14_LINK_E
	328420	c_7_hs
	328428	c_7_hs
30	335651	CH22_3011FG_590_2_LINK_EM
	335652	CH22_3012FG_590_3_LINK_EM
	328436	c_7_hs
	328444	c_7_hs
35	335667	CH22_3027FG_590_18_LINK_E
	328462	c_7_hs
	328467	c_7_hs
	335687	CH22_3048FG_596_2_LINK_EM
	335690	CH22_3051FG_596_5_LINK_EM
	328474	c_7_hs
40	335692	CH22_3053FG_596_7_LINK_EM
	335693	CH22_3054FG_596_8_LINK_EM
	328484	c_7_hs
	335700	CH22_3061FG_598_1_LINK_EM
45	305621	AA789095
	305632	AA805276
	335720	CH22_3081FG_599_23_LINK_E
	335721	CH22_3082FG_599_24_LINK_E
	328504	c_7_hs
	328506	c_7_hs
50	328507	c_7_hs
	335733	CH22_3095FG_601_3_LINK_EM
	335739	CH22_3102FG_601_10_LINK_E
	335745	CH22_3108FG_601_16_LINK_E
	335747	CH22_3111FG_601_20_LINK_E
55	335750	CH22_3115FG_602_4_LINK_EM
	335755	CH22_3122FG_604_4_LINK_EM
	328544	c_7_hs
	335768	CH22_3137FG_607_2_LINK_EM
	305686	AA812726
60	328552	c_7_hs
	335774	CH22_3143FG_607_10_LINK_E
	328557	c_7_hs
	328558	c_7_hs
	335777	CH22_3146FG_607_13_LINK_E
65	305697	AA814956
	335782	CH22_3151FG_609_4_LINK_EM
	335783	CH22_3152FG_610_3_LINK_EM
	328569	c_7_hs
	335787	CH22_3156FG_611_3_LINK_EM
70	328570	c_7_hs
	328581	c_7_hs
	328582	c_7_hs
	328592	c_7_hs
	337011	CH22_4876FG_427_6_
75	337023	CH22_4894FG_433_12_
	337032	CH22_4910FG_438_3_

20220" 080/800T

	337069	CH22_4967FG_448_2_
	337092	CH22_5016FG_465_12_
	337093	CH22_5017FG_465_18_
5	337094	CH22_5018FG_465_19_
	337097	CH22_5028FG_471_1_
	305700	AA815428
	335806	CH22_3178FG_616_8_LINK_EM
	335817	CH22_3189FG_618_5_LINK_EM
10	328607	c_7_hs
	335827	CH22_3200FG_620_1_LINK_EM
	335831	CH22_3204FG_620_5_LINK_EM
	335832	CH22_3205FG_620_6_LINK_EM
	328620	c_7_hs
	328624	c_7_hs
15	328636	c_7_hs
	335863	CH22_3238FG_629_8_LINK_EM
	305782	AA844730
	305787	AA845035
	328662	c_7_hs
20	335895	CH22_3272FG_635_3_LINK_EM
	337100	CH22_5031FG_472_3_
	337114	CH22_5060FG_494_17_
	337121	CH22_5096FG_519_1_
	337132	CH22_5112FG_526_3_
25	337168	CH22_5188FG_562_28_
	307085	AI160868
	337170	CH22_5190FG_564_1_
	337172	CH22_5192FG_565_2_
	307090	AI161024
30	305803	AA846052
	305808	AA853958
	305816	AA854776
	335902	CH22_3279FG_635_10_LINK_E
	335920	CH22_3297FG_636_16_LINK_E
35	305841	AA860348
	305867	AA864572
	335956	CH22_3334FG_647_3_LINK_DJ
	305877	AA865649
40	335968	CH22_3347FG_652_1_LINK_DJ
	335971	CH22_3350FG_652_4_LINK_DJ
	335975	CH22_3354FG_652_9_LINK_DJ
	335980	CH22_3360FG_653_2_LINK_DJ
	328768	c_7_hs
	328770	c_7_hs
45	335993	CH22_3373FG_656_6_LINK_DJ
	335998	CH22_3379FG_656_16_LINK_D
	335999	CH22_3380FG_657_1_LINK_DJ
	328791	c_7_hs
50	337203	CH22_5256FG_591_3_
	337204	CH22_5261FG_595_1_
	307120	AI184343
	307140	AI185762
	307177	AI188864
55	305903	AA873085
	305925	AA877883
	328803	c_7_hs
	330002	c16_p2
	328810	c_7_hs
	328820	c_7_hs
60	330021	c16_p2
	305967	AA886428
	328835	c_7_hs
	305971	AA886874
	328841	c_7_hs
65	305984	AA887654
	328851	c_7_hs
	328859	c_7_hs
	330057	c17_p2
	330058	c17_p2
70	305999	AA889603
	307215	AI193189
	307262	AI202100
	307318	AI208577
	307380	AI222985
75	307433	AI244895
	307437	AI245683

20/220" 080/800"

	307556	AI281651	
	307558	AI281998	
	337645	CH22_5960FG_LINK_EM:AC00	
5	337657	CH22_5976FG_LINK_EM:AC00	
	307574	AI283549	
	307588	AI285535	
	307592	AI285739	
	337685	CH22_6020FG_LINK_EM:AC00	
10	337695	CH22_6033FG_LINK_EM:AC00	
	337697	CH22_6037FG_LINK_EM:AC00	
	307606	AI290006	
	307629	AI300246	
	307642	AI302103	
15	307643	AI302124	
	307646	AI302236	
	307703	AI318588	
	307728	AI335557	
20	307752	AI339447	
	307799	AI351112	
	309005	AI884454	
	307864	AI367417	
	307877	AI368880	
25	307899	AI380270	
	309108	AI925949	
	309169	AI949216	
	309181	AI951727	
	307904	AI381019	
30	307912	AI382224	
	307918	AI383496	
	307954	AI419692	
	307961	AI421059	
	307992	AI434166	
35	309206	AI961962	
	309233	AI971416	
	309245	AI972447	
	309247	AI972768	
	309275	AI989570	
40	309324	AW015373	
	309333	AW025709	
	309343	AW028652	
	309351	AW057547	
	309403	AW082954	
45	309533	AW151131	
	309592	AW172384	
	325271	c11_hs	
	325285	c11_hs	
	325289	c11_hs	
50	309600	AW182066	
	309605	AW182800	
	309759	AW268822	
	309767	AW271805	
	309815	AW292760	
55	309859	AW298760	
	302681	31257_1	X97550 X97552
	302683	31326_1	X85153 T63701
	309958	AW444488	
	309977	AW451663	
60	309985	AW452919	
	302727	32493_1	L10141 L10151 L10148 L09095
	302747	32813_1	AF062275 L03830
	304022	T02990	
	304055	R07994	
65	304056	R08577	
	304060	T61464	
	304125	H40976	
	304127	H42981	
	304134	H54627	
70	304195	N35382	
	302952	39444_1	AF103179 U82961
	302996	41196_1	AF054663 AF124197 R70292
	304269	AA069029	
	304324	AA137045	
75	304330	AA157834	
	304424	AA293494	
	304465	AA421948	

202208028007

304467 AA424703  
304480 AA430373  
304485 AA434076  
304487 AA434241  
304559 AA488050  
304575 AA496437  
304605 AA513225  
304612 AA514207  
304623 AA521331  
304635 AA523976  
304667 AA535602  
304674 AA541735  
304675 AA541740  
304693 AA554263  
304696 AA554758  
304707 AA564846  
304731 AA576085  
304734 AA576428  
304745 AA577771  
304746 AA577793  
306009 AA894560  
306012 AA896989  
306053 AA905312  
306081 AA908472  
306090 AA908609  
304811 AA584361  
304813 AA584540  
304817 AA584712  
304833 AA586504  
304841 AA587541  
304887 AA593355  
306137 AA916176  
306180 AA922503  
306183 AA922622  
306193 AA923457  
304918 AA602697  
304968 AA614308  
306200 AA926816  
306220 AA928363  
306221 AA928686  
306300 AA937573  
320789 252516\_1  
306351 AA961356  
330435 41165\_1

330436 10605\_34

R78712 AA603646 R78713

U63836 AW842139 X74956 U78550 AW840802 X74954 AW388241 AW842709 AF253321 X74955 X74370 AW363799  
BE073386 AI791962 AA587390 AW840865  
BE259039 W29128 AW410299 X72990 BE246492 NM\_005243 X66899 AI909006 AW248151 AL031186 AA012966 BE273549  
BE311429 BE253102 Y07848 BE538102 BE256863 BE261240 BE312156 BE618412 BE257322 BE620446 AW806629  
AA376777 AA325384 BE256808 BE251039 BE257878 BE275352 AA357169 AW403562 AA204995 AA093259 W95953  
BE256279 BE336683 BE252465 BE251266 AA380754 BE294942 AA380941 AA380999 BE297164 BE249995 BE294719  
BE295372 AI270673 BE305132 BE563752 BE295357 AI525421 BE263980 AA057505 AA020915 BE266318 BE206948  
AI474020 BE296420 BE297374 BE408545 BE019366 BE407372 BE266180 BE279437 R58233 T19567 BE300738 AW381179  
AA357571 AW361285 AA436908 AA301019 AA301022 N20202 BE408777 BE548638 BE167415 AA071260 BE088429  
BE280092 W23117 T19568 R51681 AW402216 W22784 BE185607 AI457224 BE544120 AL134874 S72620 AA375079 D51319  
AW818280 BE514686 AW853024 BE563744 AA300469 T07592 BE622190 BE272834 W21781 BE315450 BE542367 BE393120  
AA988441 H55137 BE562296 BE622502 BE395960 AA329733 AA332348 AI768317 AA456866 AI497832 AW878437 AA857042  
U18018 BE621418 AI818790 AI949507 BE397693 AI885545 AI858854 AI355147 BE169028 S62138 AW732191 AA856891  
BE266060 X71427 BE268557 AF095890 AW001288 AI799634 AI623498 AA071346 BE547662 BE261446 AI564543 BE559759  
U35622 BE314249 BE264915 AI638591 AI538385 AW090025 BE384754 AI888689 AW778800 AI925273 AA075797 AW949130  
AV660275 AW438697 AI587137 AI524121 AA806249 AW628247 AA808241 AI244388 AI761125 AW117672 AA911782  
AI129250 AA654447 H55291 BE258050 BE206162 W95867 AA857187 AI871378 AI660103 AW103827 AI220929 AW149949  
BE465561 AI302857 AW168841 D82190 AW249814 AI623432 AI687358 AW951077 R51592 W60458 AI092863 AW474693  
D12765 AI911646 D82208 D82187 AW074031 AI358527 AW338497 AA970893 AW072573 AA205364 AI858886 AA012830  
AW148763 AI863056 AA548656 BE250325 AI016994 AI864005 BE046122 AI497746 C75340 R58896 D82141 AW168240  
C19048 AI741090 D29465 AI222365 AA948288 AI583522 AW572212 AI091290 AA582727 AA579897 AA570629 W60883  
AW516989 AL038160 AA577334 AI865872 AA994043 AA922583 AA464778 AA209178 AI829479 AI370235 BE246529  
AA384177 AA456255 AI699730 W60654 AL035744 AA862042 R32756 AI886886 AA993087 AI289479 AA627840 AA464184  
AI619503 R32755 AW075358 AI432315 AA457024 AA020865 R92132 AA454629 AA746059 AA454643 AA456240 AA826984  
BE163738 AI806470 AI991074 AI802560 AA587095 AA558714 AA968521 N87780 AI538246 N71794 AV661738 AI368903  
AA362570 AI989445 AI674962 S75762 BE245204 AA975296 D20123 AW005704 AA693328 AA582270 AI918474 AW205707  
AI696299 AA220990 AA101538 T29030 H27201 AW262526 AI610530 AA126840 AA126790 X92120 AW367868 BE299644  
BE299451 AA476561 BE300044 AA134363 BE295222 AA307504 N42337 AA319098 N39502 AW964461 N57241 BE299049  
N86332 R51156 AA085859 T75212 AA133939 AA147129 AA156161 BE543953 BE538848 AA133676 BE299745 AA135050  
AA218535 AW406401 AW411287 BE410528 C01410 NM\_004083 BE314959 AA836413 AA085862 AW024370 AA471059  
AW467508 AA001025 AI828231 AA633221 T95517 AA147038 AA476447 AW027012 AW078627 BE513200 AI192297  
AA886279 AW081806 AA316185 AA010506 AI269929 W93139 AI682935 AA609555 AA378028 AI093877 AA999997 AA730698  
AI143923 AW575315 AA890550 AA494353 AW576601 AI796336 AA826130 AA609207 AI539618 AI088539 AI089090 AA825505



204220" 080/800T

5  
  
10

AA632978 AA015892 AW204713 AA156495 AA824613 AA133630 N29826 AA527476 AI633352 T27908 AA134364 AA133940  
AW043601 H37775 AA772375 AA057871 AA047888 AA054225 H86568 AA001511 H25718 AW189507 AA165589 AA054433  
H85549 AA165486 AA058972 AA454911 AA464064 AA493802 AA428253 R85508 AW302469 AI611812 BE162582 F11073  
T95518 N26811 AI783929 H40669 AW611745 AI658803 R51042 R45276 AA528386 AA782875 AW880218 AL138391 AA314536  
AW949338 AA149466 AA149552 AI346513 AA216776 BE349131 AW007654 AI141803 AA622688 AI185131 AW057635  
AA101539 AA627986 H27202 AI536847 W93084 AI973148 AI246788 AW572108 AI469414 AA454835 AA612707 AA430746  
AI084991 AA010400 AA856636 AA463928 AI248310 R07170 AA834033 D12244 AI655670 AA054350 AA639480 AI702067  
AI475389  
330527 14658\_-15 S77356  
330833 103550\_1 AA046804 AA046821  
330855 111881\_1 AA070316 AA079318  
332099 genbank\_AA608983 AA608983  
332240 genbank\_N54803 N54803

# TABLE 1-20B

**Table 1-20B**, shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Tables 1-20. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Unique number corresponding to an Eos probeset  
 Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.  
 Strand: Indicates DNA strand from which exons were predicted.  
 Nt\_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position
332792	Dunham, I. et al.	Plus	73381-73768
332843	Dunham, I. et al.	Plus	1142859-1143494
332909	Dunham, I. et al.	Plus	1946582-1946735
332920	Dunham, I. et al.	Plus	2007562-2007785
332947	Dunham, I. et al.	Plus	2431726-2432006
332949	Dunham, I. et al.	Plus	2436245-2436348
332958	Dunham, I. et al.	Plus	2516164-2516310
332992	Dunham, I. et al.	Plus	2699997-2701093
332993	Dunham, I. et al.	Plus	2701550-2701685
333004	Dunham, I. et al.	Plus	2759056-2759165
333006	Dunham, I. et al.	Plus	2762853-2762953
333007	Dunham, I. et al.	Plus	2763569-2763709
333132	Dunham, I. et al.	Plus	3358040-3358153
333133	Dunham, I. et al.	Plus	3360058-3360195
333139	Dunham, I. et al.	Plus	3369495-3369571
333152	Dunham, I. et al.	Plus	3612171-3612354
333205	Dunham, I. et al.	Plus	3942727-3943009
333221	Dunham, I. et al.	Plus	3978070-3978187
333225	Dunham, I. et al.	Plus	3992229-3992386
333245	Dunham, I. et al.	Plus	4157587-4157668
333248	Dunham, I. et al.	Plus	4162041-4162139
333261	Dunham, I. et al.	Plus	4336597-4337752
333272	Dunham, I. et al.	Plus	4381561-4382212
333281	Dunham, I. et al.	Plus	4506230-4506342
333283	Dunham, I. et al.	Plus	4514226-4514360
333288	Dunham, I. et al.	Plus	4516841-4516939
333298	Dunham, I. et al.	Plus	4581537-4581947
333306	Dunham, I. et al.	Plus	5396233-5396310
333382	Dunham, I. et al.	Plus	4905796-4905913
333403	Dunham, I. et al.	Plus	4925140-4925256
333420	Dunham, I. et al.	Plus	4954302-4954465
333428	Dunham, I. et al.	Plus	4973869-4974007
333464	Dunham, I. et al.	Plus	5210762-5211300
333465	Dunham, I. et al.	Plus	5211385-5211858
333488	Dunham, I. et al.	Plus	5396233-5396310
333515	Dunham, I. et al.	Plus	5564299-5564851
333520	Dunham, I. et al.	Plus	5586133-5586296
333566	Dunham, I. et al.	Plus	5954226-5954473
333567	Dunham, I. et al.	Plus	5959139-5959515
333571	Dunham, I. et al.	Plus	6007916-6008058
333572	Dunham, I. et al.	Plus	6026896-6027189
333576	Dunham, I. et al.	Plus	6090345-6090721
333577	Dunham, I. et al.	Plus	6123950-6124281
333580	Dunham, I. et al.	Plus	6142935-6143145
333587	Dunham, I. et al.	Plus	6250599-6250966
333588	Dunham, I. et al.	Plus	6255445-6255779
333591	Dunham, I. et al.	Plus	6285884-6286251
333592	Dunham, I. et al.	Plus	6297731-6297976
333593	Dunham, I. et al.	Plus	6304132-6304428
333594	Dunham, I. et al.	Plus	6308990-6309450
333599	Dunham, I. et al.	Plus	6337885-6338255
333600	Dunham, I. et al.	Plus	6355629-6355925
333601	Dunham, I. et al.	Plus	6360075-6360442
333607	Dunham, I. et al.	Plus	6504431-6504690
333608	Dunham, I. et al.	Plus	6510834-6511130

20220" 0804800T

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

333619	Dunham, I. et.al.	Plus	6562799-6562926
333623	Dunham, I. et.al.	Plus	6584559-6584956
333625	Dunham, I. et.al.	Plus	6603020-6603310
333626	Dunham, I. et.al.	Plus	6614174-6614467
333627	Dunham, I. et.al.	Plus	6620584-6620903
333628	Dunham, I. et.al.	Plus	6629004-6629233
333629	Dunham, I. et.al.	Plus	6636915-6637205
333631	Dunham, I. et.al.	Plus	6650904-6651011
333632	Dunham, I. et.al.	Plus	6651520-6651658
333635	Dunham, I. et.al.	Plus	6663683-6663973
333637	Dunham, I. et.al.	Plus	6674968-6675134
333640	Dunham, I. et.al.	Plus	6688350-6688624
333642	Dunham, I. et.al.	Plus	6708760-6709139
333643	Dunham, I. et.al.	Plus	6728053-6728343
333646	Dunham, I. et.al.	Plus	6739110-6739379
333647	Dunham, I. et.al.	Plus	6772502-6772779
333648	Dunham, I. et.al.	Plus	6787465-6787782
333650	Dunham, I. et.al.	Plus	6796852-6797128
333652	Dunham, I. et.al.	Plus	6809455-6809573
333653	Dunham, I. et.al.	Plus	6811130-6811392
333654	Dunham, I. et.al.	Plus	6816731-6816993
333656	Dunham, I. et.al.	Plus	6822087-6822406
333657	Dunham, I. et.al.	Plus	6831369-6831445
333658	Dunham, I. et.al.	Plus	6835282-6835474
333668	Dunham, I. et.al.	Plus	7011009-7011223
333670	Dunham, I. et.al.	Plus	7027945-7028181
333680	Dunham, I. et.al.	Plus	7071730-7071794
333682	Dunham, I. et.al.	Plus	7076641-7076760
333698	Dunham, I. et.al.	Plus	7205279-7205383
333710	Dunham, I. et.al.	Plus	7230314-7230476
333717	Dunham, I. et.al.	Plus	7308714-7308815
333727	Dunham, I. et.al.	Plus	7373219-7373311
333785	Dunham, I. et.al.	Plus	7775317-7775415
333791	Dunham, I. et.al.	Plus	7795972-7796082
333859	Dunham, I. et.al.	Plus	8041203-8041359
333875	Dunham, I. et.al.	Plus	8135505-8136179
333879	Dunham, I. et.al.	Plus	8146919-8147062
333891	Dunham, I. et.al.	Plus	8156437-8156709
333918	Dunham, I. et.al.	Plus	8307124-8307215
333929	Dunham, I. et.al.	Plus	8479486-8479580
333932	Dunham, I. et.al.	Plus	8489124-8489205
333983	Dunham, I. et.al.	Plus	8813593-8813668
333987	Dunham, I. et.al.	Plus	8824245-8824376
333997	Dunham, I. et.al.	Plus	8866668-8867255
334010	Dunham, I. et.al.	Plus	8996696-8998236
334015	Dunham, I. et.al.	Plus	9055452-9055595
334017	Dunham, I. et.al.	Plus	9139516-9139634
334026	Dunham, I. et.al.	Plus	9196549-9196681
334030	Dunham, I. et.al.	Plus	9288463-9288782
334044	Dunham, I. et.al.	Plus	9373898-9374065
334047	Dunham, I. et.al.	Plus	9428152-9428211
334055	Dunham, I. et.al.	Plus	9662077-9662270
334063	Dunham, I. et.al.	Plus	9731991-9732085
334066	Dunham, I. et.al.	Plus	9739568-9739680
334068	Dunham, I. et.al.	Plus	9746279-9746477
334076	Dunham, I. et.al.	Plus	9801613-9801693
334091	Dunham, I. et.al.	Plus	9872327-9872527
334106	Dunham, I. et.al.	Plus	10261155-10261841
334109	Dunham, I. et.al.	Plus	10267679-10267864
334111	Dunham, I. et.al.	Plus	10279365-10279531
334115	Dunham, I. et.al.	Plus	10316414-10316608
334118	Dunham, I. et.al.	Plus	10344273-10344384
334120	Dunham, I. et.al.	Plus	10402389-10403196
334135	Dunham, I. et.al.	Plus	10457085-10457183
334235	Dunham, I. et.al.	Plus	12983601-12983703
334239	Dunham, I. et.al.	Plus	13056569-13056693
334244	Dunham, I. et.al.	Plus	13159198-13159302
334257	Dunham, I. et.al.	Plus	13213243-13213429
334260	Dunham, I. et.al.	Plus	13223819-13223968
334298	Dunham, I. et.al.	Plus	13424763-13425914
334342	Dunham, I. et.al.	Plus	13646844-13646980
334354	Dunham, I. et.al.	Plus	13702598-13702747
334430	Dunham, I. et.al.	Plus	14269664-14270102
334435	Dunham, I. et.al.	Plus	14275597-14275689
334451	Dunham, I. et.al.	Plus	14315572-14315741
334504	Dunham, I. et.al.	Plus	14510206-14510398

	334510	Dunham, I. et.al.	Plus	14522303-14522418
	334518	Dunham, I. et.al.	Plus	14630584-14630669
	334525	Dunham, I. et.al.	Plus	14781066-14781137
5	334528	Dunham, I. et.al.	Plus	14787558-14787675
	334529	Dunham, I. et.al.	Plus	14788825-14788971
	334565	Dunham, I. et.al.	Plus	14989033-14989353
	334568	Dunham, I. et.al.	Plus	14992698-14993210
	334590	Dunham, I. et.al.	Plus	15033247-15033753
10	334612	Dunham, I. et.al.	Plus	15170470-15170535
	334626	Dunham, I. et.al.	Plus	15299954-15300077
	334661	Dunham, I. et.al.	Plus	15477716-15477786
	334664	Dunham, I. et.al.	Plus	15501941-15502119
	334666	Dunham, I. et.al.	Plus	15504203-15504279
15	334676	Dunham, I. et.al.	Plus	15516334-15516412
	334677	Dunham, I. et.al.	Plus	15517449-15517560
	334719	Dunham, I. et.al.	Plus	15778859-15779026
	334730	Dunham, I. et.al.	Plus	15967830-15967934
	334797	Dunham, I. et.al.	Plus	16383231-16383458
20	334819	Dunham, I. et.al.	Plus	16758514-16758711
	334855	Dunham, I. et.al.	Plus	18402556-18402735
	334900	Dunham, I. et.al.	Plus	19315678-19315743
	334906	Dunham, I. et.al.	Plus	19323493-19323590
	334907	Dunham, I. et.al.	Plus	19336829-19336938
25	334914	Dunham, I. et.al.	Plus	19495158-19495275
	334915	Dunham, I. et.al.	Plus	19505267-19506101
	334935	Dunham, I. et.al.	Plus	20108247-20108373
	335019	Dunham, I. et.al.	Plus	20689525-20689582
30	335036	Dunham, I. et.al.	Plus	20755250-20756375
	335049	Dunham, I. et.al.	Plus	20877184-20877309
	335081	Dunham, I. et.al.	Plus	21113871-21113937
	335131	Dunham, I. et.al.	Plus	21449834-21450003
	335157	Dunham, I. et.al.	Plus	21543302-21544341
35	335163	Dunham, I. et.al.	Plus	21583508-21583655
	335174	Dunham, I. et.al.	Plus	21631301-21631447
	335180	Dunham, I. et.al.	Plus	21641226-21641603
	335188	Dunham, I. et.al.	Plus	21669118-21669328
	335189	Dunham, I. et.al.	Plus	21673403-21673472
	335193	Dunham, I. et.al.	Plus	21692208-21692362
40	335200	Dunham, I. et.al.	Plus	21743499-21743881
	335201	Dunham, I. et.al.	Plus	21745249-21745664
	335284	Dunham, I. et.al.	Plus	22272583-22272712
	335311	Dunham, I. et.al.	Plus	22501602-22501676
	335320	Dunham, I. et.al.	Plus	22542132-22542246
45	335371	Dunham, I. et.al.	Plus	22849529-22849808
	335377	Dunham, I. et.al.	Plus	22869909-22870188
	335421	Dunham, I. et.al.	Plus	23250433-23250498
	335448	Dunham, I. et.al.	Plus	23477532-23477831
	335451	Dunham, I. et.al.	Plus	23480611-23480711
50	335455	Dunham, I. et.al.	Plus	23486127-23486216
	335468	Dunham, I. et.al.	Plus	23787245-23787367
	335470	Dunham, I. et.al.	Plus	23812877-23813365
	335482	Dunham, I. et.al.	Plus	24087956-24088114
	335485	Dunham, I. et.al.	Plus	24098953-24099123
55	335517	Dunham, I. et.al.	Plus	24226461-24226531
	335536	Dunham, I. et.al.	Plus	24498783-24499762
	335565	Dunham, I. et.al.	Plus	24881886-24882470
	335585	Dunham, I. et.al.	Plus	24988240-24988405
	335587	Dunham, I. et.al.	Plus	24991457-24991618
60	335593	Dunham, I. et.al.	Plus	25037253-25037370
	335634	Dunham, I. et.al.	Plus	25163837-25164042
	335651	Dunham, I. et.al.	Plus	25317560-25317696
	335652	Dunham, I. et.al.	Plus	25325625-25325883
	335667	Dunham, I. et.al.	Plus	25345735-25345856
65	335687	Dunham, I. et.al.	Plus	25445952-25446064
	335690	Dunham, I. et.al.	Plus	25455442-25455625
	335692	Dunham, I. et.al.	Plus	25468557-25468725
	335693	Dunham, I. et.al.	Plus	25471363-25471524
	335700	Dunham, I. et.al.	Plus	25512222-25512890
70	335720	Dunham, I. et.al.	Plus	25596542-25596646
	335721	Dunham, I. et.al.	Plus	25599118-25599228
	335733	Dunham, I. et.al.	Plus	25686486-25686626
	335739	Dunham, I. et.al.	Plus	25698550-25698826
	335745	Dunham, I. et.al.	Plus	25718164-25718332
	335747	Dunham, I. et.al.	Plus	25723304-25723494
75	335783	Dunham, I. et.al.	Plus	25941882-25942040
	335968	Dunham, I. et.al.	Plus	27743843-27744029

**108708**

	335971	Dunham, I. et.al.	Plus	27752808-27753017
	335975	Dunham, I. et.al.	Plus	27801321-27801391
	335993	Dunham, I. et.al.	Plus	28006396-28006571
5	335998	Dunham, I. et.al.	Plus	28026247-28026356
	336011	Dunham, I. et.al.	Plus	28570760-28570900
	336035	Dunham, I. et.al.	Plus	29016748-29017410
	336049	Dunham, I. et.al.	Plus	29124451-29124606
	336055	Dunham, I. et.al.	Plus	29166352-29166573
10	336072	Dunham, I. et.al.	Plus	29269409-29269575
	336075	Dunham, I. et.al.	Plus	29343938-29344050
	336081	Dunham, I. et.al.	Plus	29372270-29372407
	336083	Dunham, I. et.al.	Plus	29379738-29379881
	336084	Dunham, I. et.al.	Plus	29380664-29380792
15	336086	Dunham, I. et.al.	Plus	29385594-29385713
	336087	Dunham, I. et.al.	Plus	29387122-29387253
	336088	Dunham, I. et.al.	Plus	29389001-29389124
	336089	Dunham, I. et.al.	Plus	29401421-29401625
	336090	Dunham, I. et.al.	Plus	29413020-29413162
20	336091	Dunham, I. et.al.	Plus	29415486-29415617
	336092	Dunham, I. et.al.	Plus	29438816-29438948
	336094	Dunham, I. et.al.	Plus	29567934-29568099
	336102	Dunham, I. et.al.	Plus	29681500-29681687
	336124	Dunham, I. et.al.	Plus	30053441-30053500
25	336125	Dunham, I. et.al.	Plus	30056541-30056622
	336127	Dunham, I. et.al.	Plus	30058870-30059029
	336128	Dunham, I. et.al.	Plus	30059294-30059367
	336171	Dunham, I. et.al.	Plus	30223877-30224048
	336214	Dunham, I. et.al.	Plus	30561988-30562044
30	336306	Dunham, I. et.al.	Plus	33172949-33173281
	336316	Dunham, I. et.al.	Plus	33338776-33338919
	336333	Dunham, I. et.al.	Plus	33673947-33677345
	336387	Dunham, I. et.al.	Plus	34013939-34014124
	336442	Dunham, I. et.al.	Plus	34187937-34188061
35	336481	Dunham, I. et.al.	Plus	34231611-34231720
	336489	Dunham, I. et.al.	Plus	34239511-34239619
	336498	Dunham, I. et.al.	Plus	34267340-34267424
	336502	Dunham, I. et.al.	Plus	34268953-34269083
	336516	Dunham, I. et.al.	Plus	34296068-34296249
40	336548	Dunham, I. et.al.	Plus	34353881-34354826
	336590	Dunham, I. et.al.	Plus	2569428-2570275
	336593	Dunham, I. et.al.	Plus	4617967-4618783
	336606	Dunham, I. et.al.	Plus	16170215-16170415
	336623	Dunham, I. et.al.	Plus	167287-167616
45	336632	Dunham, I. et.al.	Plus	983890-985529
	336633	Dunham, I. et.al.	Plus	985591-986221
	336634	Dunham, I. et.al.	Plus	986296-986670
	336635	Dunham, I. et.al.	Plus	987908-988364
	336637	Dunham, I. et.al.	Plus	989276-990813
50	336638	Dunham, I. et.al.	Plus	991906-993240
	336654	Dunham, I. et.al.	Plus	1588782-1588858
	336665	Dunham, I. et.al.	Plus	2007241-2007363
	336695	Dunham, I. et.al.	Plus	2464609-2464739
	336705	Dunham, I. et.al.	Plus	2817668-2817723
55	336751	Dunham, I. et.al.	Plus	4499629-4499739
	336753	Dunham, I. et.al.	Plus	4509509-4509601
	336757	Dunham, I. et.al.	Plus	4541167-4541466
	336759	Dunham, I. et.al.	Plus	4560526-4560699
	336808	Dunham, I. et.al.	Plus	6251639-6251761
60	336813	Dunham, I. et.al.	Plus	6436416-6436719
	336827	Dunham, I. et.al.	Plus	6773762-6774057
	336833	Dunham, I. et.al.	Plus	6856506-6856634
	336836	Dunham, I. et.al.	Plus	7077262-7077326
	336878	Dunham, I. et.al.	Plus	9200300-9200399
65	336898	Dunham, I. et.al.	Plus	10138365-10138458
	336917	Dunham, I. et.al.	Plus	11228329-11228403
	336924	Dunham, I. et.al.	Plus	11525273-11525527
	336934	Dunham, I. et.al.	Plus	11854506-11854792
	336958	Dunham, I. et.al.	Plus	13203550-13203973
70	336968	Dunham, I. et.al.	Plus	13660250-13660530
	336985	Dunham, I. et.al.	Plus	14785

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

337218	Dunham, I. et al. Plus	26126466-26126565
337219	Dunham, I. et al. Plus	26129629-26130053
337236	Dunham, I. et al. Plus	27114318-27114571
337238	Dunham, I. et al. Plus	27141465-27141776
337259	Dunham, I. et al. Plus	27674026-27674142
337291	Dunham, I. et al. Plus	28823308-28823412
337298	Dunham, I. et al. Plus	29002509-29002806
337304	Dunham, I. et al. Plus	29131691-29131823
337333	Dunham, I. et al. Plus	30281383-30281673
337338	Dunham, I. et al. Plus	30427592-30427775
337345	Dunham, I. et al. Plus	30649387-30649467
337355	Dunham, I. et al. Plus	30832838-30833042
337363	Dunham, I. et al. Plus	30942712-30942840
337396	Dunham, I. et al. Plus	31585902-31586067
337402	Dunham, I. et al. Plus	31691134-31691482
337403	Dunham, I. et al. Plus	31692319-31692611
337425	Dunham, I. et al. Plus	32072241-32072334
337426	Dunham, I. et al. Plus	32076190-32076349
337427	Dunham, I. et al. Plus	32078958-32079076
337435	Dunham, I. et al. Plus	32255716-32255844
337484	Dunham, I. et al. Plus	33238033-33238176
337489	Dunham, I. et al. Plus	33295724-33295872
337503	Dunham, I. et al. Plus	33385583-33385857
337504	Dunham, I. et al. Plus	33386053-33386236
337522	Dunham, I. et al. Plus	33963188-33963979
337544	Dunham, I. et al. Plus	34268412-34268495
337548	Dunham, I. et al. Plus	34472882-34472957
337562	Dunham, I. et al. Plus	278105-278281
337564	Dunham, I. et al. Plus	285643-285788
337586	Dunham, I. et al. Plus	952102-952250
337628	Dunham, I. et al. Plus	2013838-2014032
337657	Dunham, I. et al. Plus	2844851-2845055
337685	Dunham, I. et al. Plus	3547161-3547245
337695	Dunham, I. et al. Plus	3609670-3609808
337697	Dunham, I. et al. Plus	3644971-3645195
337756	Dunham, I. et al. Plus	3975015-3975172
337781	Dunham, I. et al. Plus	4116049-4116265
337797	Dunham, I. et al. Plus	4325712-4325811
337835	Dunham, I. et al. Plus	4792299-4792423
337843	Dunham, I. et al. Plus	4984966-4985082
337865	Dunham, I. et al. Plus	5377705-5377861
337870	Dunham, I. et al. Plus	5442516-5442636
337904	Dunham, I. et al. Plus	5685819-5686012
337918	Dunham, I. et al. Plus	6031241-6031358
337930	Dunham, I. et al. Plus	6393566-6393692
337947	Dunham, I. et al. Plus	6675643-6675781
337951	Dunham, I. et al. Plus	6766321-6766382
337954	Dunham, I. et al. Plus	6831483-6831620
337964	Dunham, I. et al. Plus	7032720-7032802
338043	Dunham, I. et al. Plus	8222138-8222430
338054	Dunham, I. et al. Plus	8429258-8429382
338062	Dunham, I. et al. Plus	8578852-8579012
338080	Dunham, I. et al. Plus	9212114-9212220
338090	Dunham, I. et al. Plus	9488619-9488858
338096	Dunham, I. et al. Plus	9698397-9698469
338120	Dunham, I. et al. Plus	10765673-10765820
338123	Dunham, I. et al. Plus	10815824-10815886
338124	Dunham, I. et al. Plus	10860311-10860471
338177	Dunham, I. et al. Plus	12781530-12781724
338239	Dunham, I. et al. Plus	14669918-14670016
338278	Dunham, I. et al. Plus	16168714-16168840
338280	Dunham, I. et al. Plus	16171884-16172039
338326	Dunham, I. et al. Plus	17358806-17358964
338336	Dunham, I. et al. Plus	17453324-17453448
338344	Dunham, I. et al. Plus	17780512-17780623
338411	Dunham, I. et al. Plus	19299273-19299522
338412	Dunham, I. et al. Plus	19340661-19340737
338491	Dunham, I. et al. Plus	21168430-21168556
338514	Dunham, I. et al. Plus	21379420-21379655
338516	Dunham, I. et al. Plus	21382180-21382383
338521	Dunham, I. et al. Plus	21471358-21471476
338522	Dunham, I. et al. Plus	21471617-21471711
338526	Dunham, I. et al. Plus	21551136-21551250
338527	Dunham, I. et al. Plus	21552237-21553280
338529	Dunham, I. et al. Plus	21635616-21635867
338579	Dunham, I. et al. Plus	22774968-22775132

202220"0807800T

	338596	Dunham, I. et.al.	Plus	23078273-23078348
	338648	Dunham, I. et.al.	Plus	24091259-24091434
	338679	Dunham, I. et.al.	Plus	24684836-24684940
5	338703	Dunham, I. et.al.	Plus	25219881-25220046
	338705	Dunham, I. et.al.	Plus	25231397-25231551
	338747	Dunham, I. et.al.	Plus	26336372-26336460
	338770	Dunham, I. et.al.	Plus	26784513-26784714
	338809	Dunham, I. et.al.	Plus	27271920-27272000
10	338830	Dunham, I. et.al.	Plus	27759923-27760055
	338880	Dunham, I. et.al.	Plus	28420713-28420826
	338895	Dunham, I. et.al.	Plus	28598893-28599135
	338896	Dunham, I. et.al.	Plus	28618487-28618552
	338911	Dunham, I. et.al.	Plus	28804184-28804445
15	338925	Dunham, I. et.al.	Plus	28883892-28884036
	338952	Dunham, I. et.al.	Plus	29418831-29418968
	338959	Dunham, I. et.al.	Plus	29478431-29478589
	338970	Dunham, I. et.al.	Plus	29645468-29645613
20	339081	Dunham, I. et.al.	Plus	30927871-30928080
	339116	Dunham, I. et.al.	Plus	31462304-31462382
	339164	Dunham, I. et.al.	Plus	32207441-32207802
	339246	Dunham, I. et.al.	Plus	32844518-32844586
	339271	Dunham, I. et.al.	Plus	32999935-33000078
25	339304	Dunham, I. et.al.	Plus	33323712-33323821
	339309	Dunham, I. et.al.	Plus	33366900-33367198
	339312	Dunham, I. et.al.	Plus	33378992-33379172
	339356	Dunham, I. et.al.	Plus	33573387-33573517
	339357	Dunham, I. et.al.	Plus	33575210-33575416
30	339360	Dunham, I. et.al.	Plus	33579433-33579593
	339384	Dunham, I. et.al.	Plus	33950591-33950697
	339413	Dunham, I. et.al.	Plus	34268734-34268875
	339419	Dunham, I. et.al.	Plus	34359680-34359777
	332854	Dunham, I. et.al.	Minus	1283611-1283053
35	332859	Dunham, I. et.al.	Minus	1358943-1358861
	332896	Dunham, I. et.al.	Minus	1631641-1631422
	332995	Dunham, I. et.al.	Minus	2708847-2708685
	333014	Dunham, I. et.al.	Minus	2772479-2772387
	333043	Dunham, I. et.al.	Minus	2920906-2920781
40	333054	Dunham, I. et.al.	Minus	2995314-2995219
	333069	Dunham, I. et.al.	Minus	3040771-3040661
	333074	Dunham, I. et.al.	Minus	3054171-3054008
	333101	Dunham, I. et.al.	Minus	3208966-3208908
	333140	Dunham, I. et.al.	Minus	3377220-3376309
45	333142	Dunham, I. et.al.	Minus	3474264-3474145
	333175	Dunham, I. et.al.	Minus	3768113-3768051
	333216	Dunham, I. et.al.	Minus	3967627-3967512
	333219	Dunham, I. et.al.	Minus	3968531-3968423
	333220	Dunham, I. et.al.	Minus	3969363-3968789
50	333240	Dunham, I. et.al.	Minus	4100495-4100281
	333242	Dunham, I. et.al.	Minus	4104544-4104259
	333251	Dunham, I. et.al.	Minus	4168970-4168870
	333252	Dunham, I. et.al.	Minus	4172550-4172390
	333257	Dunham, I. et.al.	Minus	4300724-4300578
55	333258	Dunham, I. et.al.	Minus	4301348-4301269
	333271	Dunham, I. et.al.	Minus	4377786-4377589
	333294	Dunham, I. et.al.	Minus	4538728-4538642
	333296	Dunham, I. et.al.	Minus	4550766-4550644
	333312	Dunham, I. et.al.	Minus	4638794-4638635
60	333313	Dunham, I. et.al.	Minus	4639397-4639277
	333323	Dunham, I. et.al.	Minus	4655333-4655166
	333329	Dunham, I. et.al.	Minus	4661779-4661672
	333339	Dunham, I. et.al.	Minus	4679691-4679610
	333346	Dunham, I. et.al.	Minus	4704564-4704466
65	333355	Dunham, I. et.al.	Minus	4727555-4727460
	333408	Dunham, I. et.al.	Minus	4936879-4936661
	333423	Dunham, I. et.al.	Minus	4958233-4957593
	333424	Dunham, I. et.al.	Minus	4959694-4958713
	333441	Dunham, I. et.al.	Minus	2708847-2708685
	333466	Dunham, I. et.al.	Minus	2708847-2708685
70	333495	Dunham, I. et.al.	Minus	5404039-5403881
	333496	Dunham, I. et.al.	Minus	5404643-5404523
	333541	Dunham, I. et.al.	Minus	5859241-5859098
	333545	Dunham, I. et.al.	Minus	5885539-5885064
	333561	Dunham, I. et.al.	Minus	5903659-5903590
75	333568	Dunham, I. et.al.	Minus	5965072-5964999
	333581	Dunham, I. et.al.	Minus	6151638-6151159
	333582	Dunham, I. et.al.	Minus	6158522-6158322

10087080-022702

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

333665	Dunham, I. et.al.	Minus	6975471-6975215
333713	Dunham, I. et.al.	Minus	7289490-7289337
333730	Dunham, I. et.al.	Minus	7489326-7489007
333737	Dunham, I. et.al.	Minus	7551981-7551842
333762	Dunham, I. et.al.	Minus	7679466-7679343
333815	Dunham, I. et.al.	Minus	7871914-7871764
333895	Dunham, I. et.al.	Minus	8193845-8193735
333903	Dunham, I. et.al.	Minus	8216956-8216810
333910	Dunham, I. et.al.	Minus	8230221-8230116
333944	Dunham, I. et.al.	Minus	8557051-8556936
333965	Dunham, I. et.al.	Minus	8627484-8626258
334035	Dunham, I. et.al.	Minus	9323508-9323292
334125	Dunham, I. et.al.	Minus	10433521-10432612
334137	Dunham, I. et.al.	Minus	10461063-10460708
334172	Dunham, I. et.al.	Minus	11644142-11644008
334175	Dunham, I. et.al.	Minus	11668659-11668597
334191	Dunham, I. et.al.	Minus	11932215-11932091
334196	Dunham, I. et.al.	Minus	11966322-11966182
334198	Dunham, I. et.al.	Minus	12032364-12032146
334215	Dunham, I. et.al.	Minus	12670395-12670077
334237	Dunham, I. et.al.	Minus	12994394-12993954
334254	Dunham, I. et.al.	Minus	13199268-13198999
334304	Dunham, I. et.al.	Minus	13455315-13455219
334358	Dunham, I. et.al.	Minus	13724372-13724201
334396	Dunham, I. et.al.	Minus	14164482-14164340
334399	Dunham, I. et.al.	Minus	14186289-14186163
334418	Dunham, I. et.al.	Minus	14237235-14237028
334470	Dunham, I. et.al.	Minus	14389581-14389442
334474	Dunham, I. et.al.	Minus	14391920-14391809
334476	Dunham, I. et.al.	Minus	14394777-14394589
334496	Dunham, I. et.al.	Minus	14480743-14480669
334540	Dunham, I. et.al.	Minus	14832365-14832224
334548	Dunham, I. et.al.	Minus	14837304-14837150
334560	Dunham, I. et.al.	Minus	14980648-14980485
334591	Dunham, I. et.al.	Minus	15035270-15035057
334593	Dunham, I. et.al.	Minus	15036374-15036242
334625	Dunham, I. et.al.	Minus	15244936-15243666
334650	Dunham, I. et.al.	Minus	15371251-15371178
334682	Dunham, I. et.al.	Minus	15520806-15520668
334690	Dunham, I. et.al.	Minus	15603055-15602918
334691	Dunham, I. et.al.	Minus	15615920-15611418
334745	Dunham, I. et.al.	Minus	16049960-16049653
334752	Dunham, I. et.al.	Minus	16118059-16117848
334759	Dunham, I. et.al.	Minus	16134427-16134207
334760	Dunham, I. et.al.	Minus	16136658-16136578
334764	Dunham, I. et.al.	Minus	16151208-16151104
334766	Dunham, I. et.al.	Minus	16154663-16154529
334779	Dunham, I. et.al.	Minus	16276881-16276815
334782	Dunham, I. et.al.	Minus	16291693-16291574
334783	Dunham, I. et.al.	Minus	16293336-16293226
334784	Dunham, I. et.al.	Minus	16294548-16294360
334785	Dunham, I. et.al.	Minus	16295583-16295408
334788	Dunham, I. et.al.	Minus	16301237-16301081
334793	Dunham, I. et.al.	Minus	16330748-16330681
334804	Dunham, I. et.al.	Minus	16428342-16428208
334823	Dunham, I. et.al.	Minus	16851360-16851189
334827	Dunham, I. et.al.	Minus	16905877-16905684
334836	Dunham, I. et.al.	Minus	17215581-17215418
334842	Dunham, I. et.al.	Minus	17464352-17464181
334946	Dunham, I. et.al.	Minus	20140514-20140410
334948	Dunham, I. et.al.	Minus	20141727-20141583
334955	Dunham, I. et.al.	Minus	20151753-20151684
334958	Dunham, I. et.al.	Minus	20156046-20155932
334966	Dunham, I. et.al.	Minus	20169171-20169079
334969	Dunham, I. et.al.	Minus	20188176-20188020
334970	Dunham, I. et.al.	Minus	20195886-20195554
335000	Dunham, I. et.al.	Minus	20455403-20455348
335002	Dunham, I. et.al.	Minus	20479143-20479008
335009	Dunham, I. et.al.	Minus	20602011-20601951
335068	Dunham, I. et.al.	Minus	20955606-20955458
335090	Dunham, I. et.al.	Minus	21192979-21190943
335092	Dunham, I. et.al.	Minus	21298638-21298571
335108	Dunham, I. et.al.	Minus	21324221-21324030
335115	Dunham, I. et.al.	Minus	21388250-21388146
335116	Dunham, I. et.al.	Minus	21388573-21388414
335217	Dunham, I. et.al.	Minus	21801622-21801195



10087080-022702

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

335234	Dunham, I. et.al.	Minus	21904287-21904080
335236	Dunham, I. et.al.	Minus	21915016-21914870
335247	Dunham, I. et.al.	Minus	21944287-21944209
335262	Dunham, I. et.al.	Minus	22065821-22065630
335265	Dunham, I. et.al.	Minus	22102127-22102000
335266	Dunham, I. et.al.	Minus	22108492-22108411
335281	Dunham, I. et.al.	Minus	22237614-22237503
335331	Dunham, I. et.al.	Minus	22556823-22556708
335339	Dunham, I. et.al.	Minus	22569208-22569045
335340	Dunham, I. et.al.	Minus	22570500-22570342
335344	Dunham, I. et.al.	Minus	22600566-22600498
335348	Dunham, I. et.al.	Minus	22646377-22646122
335349	Dunham, I. et.al.	Minus	22661861-22661271
335523	Dunham, I. et.al.	Minus	24235282-24235175
335527	Dunham, I. et.al.	Minus	24241519-24241370
335566	Dunham, I. et.al.	Minus	24892522-24891998
335606	Dunham, I. et.al.	Minus	25056719-25055010
335750	Dunham, I. et.al.	Minus	25732501-25731972
335755	Dunham, I. et.al.	Minus	25763806-25763747
335768	Dunham, I. et.al.	Minus	25819821-25819690
335774	Dunham, I. et.al.	Minus	25883733-25883572
335777	Dunham, I. et.al.	Minus	25885770-25885599
335782	Dunham, I. et.al.	Minus	25908578-25908440
335787	Dunham, I. et.al.	Minus	25947022-25946835
335806	Dunham, I. et.al.	Minus	26217475-26217146
335817	Dunham, I. et.al.	Minus	26321875-26321750
335827	Dunham, I. et.al.	Minus	26380557-26380472
335831	Dunham, I. et.al.	Minus	26321526-26321349
335832	Dunham, I. et.al.	Minus	26383701-26383583
335863	Dunham, I. et.al.	Minus	26693017-26692763
335895	Dunham, I. et.al.	Minus	26975307-26975239
335902	Dunham, I. et.al.	Minus	26985491-26985358
335920	Dunham, I. et.al.	Minus	27034927-27034811
335956	Dunham, I. et.al.	Minus	27653729-27653635
335980	Dunham, I. et.al.	Minus	27846751-27846614
335999	Dunham, I. et.al.	Minus	28033986-28033848
336000	Dunham, I. et.al.	Minus	28105547-28105354
336029	Dunham, I. et.al.	Minus	28732042-28731966
336142	Dunham, I. et.al.	Minus	30135157-30135054
336149	Dunham, I. et.al.	Minus	30148185-30148059
336161	Dunham, I. et.al.	Minus	30169370-30169185
336177	Dunham, I. et.al.	Minus	30306638-30303284
336198	Dunham, I. et.al.	Minus	30459668-30459460
336199	Dunham, I. et.al.	Minus	30461245-30461040
336200	Dunham, I. et.al.	Minus	30462971-30462895
336202	Dunham, I. et.al.	Minus	30468933-30468781
336203	Dunham, I. et.al.	Minus	30470796-30470653
336227	Dunham, I. et.al.	Minus	30902014-30901946
336231	Dunham, I. et.al.	Minus	30967656-30967471
336232	Dunham, I. et.al.	Minus	30977707-30977645
336238	Dunham, I. et.al.	Minus	31160083-31159959
336243	Dunham, I. et.al.	Minus	31402237-31402104
336246	Dunham, I. et.al.	Minus	31425669-31425253
336279	Dunham, I. et.al.	Minus	32103203-32102860
336280	Dunham, I. et.al.	Minus	32103588-32103497
336294	Dunham, I. et.al.	Minus	32946997-32946890
336295	Dunham, I. et.al.	Minus	32950291-32950162
336328	Dunham, I. et.al.	Minus	33584461-33584201
336347	Dunham, I. et.al.	Minus	33843218-33843104
336351	Dunham, I. et.al.	Minus	33865890-33865681
336397	Dunham, I. et.al.	Minus	34021504-34021389
336400	Dunham, I. et.al.	Minus	34023437-34023298
336402	Dunham, I. et.al.	Minus	34024090-34023981
336406	Dunham, I. et.al.	Minus	34030774-34030564
336417	Dunham, I. et.al.	Minus	34047771-34047675
336455	Dunham, I. et.al.	Minus	34209155-34209018
336463	Dunham, I. et.al.	Minus	34212236-34211968
336479	Dunham, I. et.al.	Minus	34218224-34218139
336510	Dunham, I. et.al.	Minus	34277046-34276928
336538	Dunham, I. et.al.	Minus	34329270-34329189
336584	Dunham, I. et.al.	Minus	34516566-34516468
336599	Dunham, I. et.al.	Minus	11736500-11734418
336615	Dunham, I. et.al.	Minus	26020622-26016546
336616	Dunham, I. et.al.	Minus	26021027-26020848
336618	Dunham, I. et.al.	Minus	25799-25612
336645	Dunham, I. et.al.	Minus	1351268-1351168

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

336653	Dunham, I. et.al.	Minus	1568327-1568216
336657	Dunham, I. et.al.	Minus	1705497-1705415
336717	Dunham, I. et.al.	Minus	3297417-3297352
336772	Dunham, I. et.al.	Minus	5129939-5129785
336795	Dunham, I. et.al.	Minus	5681580-5681460
336796	Dunham, I. et.al.	Minus	5683253-5683016
336854	Dunham, I. et.al.	Minus	7884839-7884767
336858	Dunham, I. et.al.	Minus	8200946-8200789
336862	Dunham, I. et.al.	Minus	8394593-8394369
336863	Dunham, I. et.al.	Minus	8396673-8396425
336883	Dunham, I. et.al.	Minus	9322767-9322554
336908	Dunham, I. et.al.	Minus	10791347-10791256
336927	Dunham, I. et.al.	Minus	11548111-11547937
336929	Dunham, I. et.al.	Minus	11603040-11602908
336978	Dunham, I. et.al.	Minus	14241223-14241030
336981	Dunham, I. et.al.	Minus	14478638-14478472
336984	Dunham, I. et.al.	Minus	14725450-14725309
336994	Dunham, I. et.al.	Minus	15104752-15104656
336999	Dunham, I. et.al.	Minus	15389579-15388897
337011	Dunham, I. et.al.	Minus	16106423-16106080
337023	Dunham, I. et.al.	Minus	16346174-16346065
337069	Dunham, I. et.al.	Minus	19014379-19014222
337092	Dunham, I. et.al.	Minus	20140132-20139980
337093	Dunham, I. et.al.	Minus	20145693-20145570
337094	Dunham, I. et.al.	Minus	20146915-20146778
337097	Dunham, I. et.al.	Minus	20498648-20497686
337100	Dunham, I. et.al.	Minus	20543830-20543751
337114	Dunham, I. et.al.	Minus	21328259-21328050
337203	Dunham, I. et.al.	Minus	25349286-25349156
337204	Dunham, I. et.al.	Minus	25419024-25418931
337225	Dunham, I. et.al.	Minus	26607638-26607468
337244	Dunham, I. et.al.	Minus	27362048-27361952
337279	Dunham, I. et.al.	Minus	28430185-28430033
337289	Dunham, I. et.al.	Minus	28756246-28756163
337316	Dunham, I. et.al.	Minus	29657129-29656997
337431	Dunham, I. et.al.	Minus	32110529-32110475
337432	Dunham, I. et.al.	Minus	32199134-32198922
337445	Dunham, I. et.al.	Minus	32292380-32292228
337451	Dunham, I. et.al.	Minus	32408680-32408576
337452	Dunham, I. et.al.	Minus	32415187-32415117
337455	Dunham, I. et.al.	Minus	32434517-32434425
337456	Dunham, I. et.al.	Minus	32438887-32438828
337513	Dunham, I. et.al.	Minus	33478692-33478562
337514	Dunham, I. et.al.	Minus	33484408-33484339
337517	Dunham, I. et.al.	Minus	33795568-33795385
337590	Dunham, I. et.al.	Minus	982397-982246
337592	Dunham, I. et.al.	Minus	1007791-1007634
337604	Dunham, I. et.al.	Minus	1329838-1329759
337606	Dunham, I. et.al.	Minus	1346786-1346617
337612	Dunham, I. et.al.	Minus	1570235-1570142
337645	Dunham, I. et.al.	Minus	5141462-5141329
337704	Dunham, I. et.al.	Minus	3658670-3658545
337706	Dunham, I. et.al.	Minus	3672056-3671922
337760	Dunham, I. et.al.	Minus	4008389-4008037
337768	Dunham, I. et.al.	Minus	4050134-4049973
337771	Dunham, I. et.al.	Minus	4060797-4060707
337778	Dunham, I. et.al.	Minus	4087301-4087157
337787	Dunham, I. et.al.	Minus	4135097-4135025
337816	Dunham, I. et.al.	Minus	4523203-4523090
337821	Dunham, I. et.al.	Minus	4538189-4538075
337848	Dunham, I. et.al.	Minus	5053964-5053829
337911	Dunham, I. et.al.	Minus	5866504-5866154
337913	Dunham, I. et.al.	Minus	6149843-6149786
337974	Dunham, I. et.al.	Minus	7153401-7153085
337984	Dunham, I. et.al.	Minus	7282160-7282020
338069	Dunham, I. et.al.	Minus	8728655-8728580
338087	Dunham, I. et.al.	Minus	9362067-9361878
338113	Dunham, I. et.al.	Minus	10481242-10481089
338132	Dunham, I. et.al.	Minus	10989617-10989530
338140	Dunham, I. et.al.	Minus	11237977-11237876
338151	Dunham, I. et.al.	Minus	11519629-11519501
338221	Dunham, I. et.al.	Minus	14183649-14183568
338223	Dunham, I. et.al.	Minus	14287001-14286830
338235	Dunham, I. et.al.	Minus	14484254-14484179
338271	Dunham, I. et.al.	Minus	16048151-16047985
338285	Dunham, I. et.al.	Minus	16275030-16274895

	338306	Dunham, I. et.al.	Minus	16966519-16966247
	338325	Dunham, I. et.al.	Minus	17241596-17241507
	338368	Dunham, I. et.al.	Minus	18272087-18272025
5	338381	Dunham, I. et.al.	Minus	18534404-18534234
	338431	Dunham, I. et.al.	Minus	19747608-19747496
	338450	Dunham, I. et.al.	Minus	20172384-20172200
	338451	Dunham, I. et.al.	Minus	20174286-20174193
	338486	Dunham, I. et.al.	Minus	21063152-21063049
10	338508	Dunham, I. et.al.	Minus	21308161-21307923
	338576	Dunham, I. et.al.	Minus	22676619-22676368
	338591	Dunham, I. et.al.	Minus	22959271-22959182
	338593	Dunham, I. et.al.	Minus	22992718-22992531
	338594	Dunham, I. et.al.	Minus	23026144-23026029
15	338668	Dunham, I. et.al.	Minus	24500606-24500442
	338686	Dunham, I. et.al.	Minus	24836463-24836246
	338725	Dunham, I. et.al.	Minus	25904148-25904017
	338819	Dunham, I. et.al.	Minus	27539222-27539058
	338829	Dunham, I. et.al.	Minus	27739328-27739163
20	338843	Dunham, I. et.al.	Minus	27899321-27899045
	338934	Dunham, I. et.al.	Minus	29036147-29036048
	338976	Dunham, I. et.al.	Minus	29867484-29867259
	338990	Dunham, I. et.al.	Minus	30019967-30019837
	339019	Dunham, I. et.al.	Minus	30498278-30498118
25	339032	Dunham, I. et.al.	Minus	30613407-30613275
	339033	Dunham, I. et.al.	Minus	30621102-30620830
	339037	Dunham, I. et.al.	Minus	30634104-30633988
	339044	Dunham, I. et.al.	Minus	30721853-30721740
30	339071	Dunham, I. et.al.	Minus	30885702-30885511
	339127	Dunham, I. et.al.	Minus	31688232-31688072
	339130	Dunham, I. et.al.	Minus	31743961-31743767
	339181	Dunham, I. et.al.	Minus	32321697-32321571
	339188	Dunham, I. et.al.	Minus	32347554-32347250
	339193	Dunham, I. et.al.	Minus	32415060-32414928
35	339196	Dunham, I. et.al.	Minus	32431422-32431097
	339208	Dunham, I. et.al.	Minus	32491714-32491657
	339213	Dunham, I. et.al.	Minus	32496590-32496440
	339215	Dunham, I. et.al.	Minus	32502559-32502383
	339220	Dunham, I. et.al.	Minus	32519184-32519081
40	339230	Dunham, I. et.al.	Minus	32729004-32728929
	339251	Dunham, I. et.al.	Minus	32894314-32894216
	339256	Dunham, I. et.al.	Minus	32926055-32925967
	339266	Dunham, I. et.al.	Minus	32976148-32976041
	339268	Dunham, I. et.al.	Minus	32984700-32984500
45	339280	Dunham, I. et.al.	Minus	33114230-33114010
	339340	Dunham, I. et.al.	Minus	33485220-33485144
	339342	Dunham, I. et.al.	Minus	33494677-33494541
	339344	Dunham, I. et.al.	Minus	33503675-33503520
	339363	Dunham, I. et.al.	Minus	33589964-33589665
50	339365	Dunham, I. et.al.	Minus	33641615-33641446
	339401	Dunham, I. et.al.	Minus	34045393-34045138
	339424	Dunham, I. et.al.	Minus	34392464-34392311
	339435	Dunham, I. et.al.	Minus	34538987-34538876
	337884			
55	337885			
	337895			
	337898			
	329611	3962478	Minus	11780-11875
	329496	3983518	Plus	13570-13686
60	325310	5866864	Minus	17256-17357
	325320	5866870	Minus	33200-33646
	325338	5866883	Minus	62747-62928
	325271	5866901	Plus	87318-87378
	325285	5866903	Plus	107772-107864
65	325289	5866903	Minus	129715-129877
	325300	5866908	Minus	7940-8059
	325304	5866910	Minus	37468-37884
	329630	6729060	Minus	167326-167511
	325369	5866920	Minus	1018736-1018830
70	325359	5866920	Plus	392668-392781
	325408	5866921	Plus	599118-599289
	325409	5866921	Plus	599438-599655
	325410	5866921	Plus	615477-615580
	325393	5866921	Minus	350513-350691
	325396	5866921	Plus	476868-477200
75	325433	5866936	Minus	480706-480826
	325448	5866941	Minus	392834-392982

	325464	5866947	Plus	323995-324279
	325480	5866957	Plus	20558-21112
	325482	5866957	Plus	47957-48078
5	325510	5866974	Plus	219958-220917
	325524	5866981	Minus	117837-117997
	325513	6017035	Minus	34295-34490
	325519	6017036	Minus	186804-186915
	325571	6552439	Minus	184952-185135
10	329638	3779004	Minus	4636-5127
	325623	5867000	Plus	84366-84472
	325636	5867002	Minus	149928-150033
	325677	5867017	Minus	58414-58518
	325691	5867021	Plus	65467-65629
15	325690	5867021	Plus	7391-7530
	325702	5867028	Plus	139925-140061
	325703	5867028	Plus	155806-156098
	325790	6381957	Minus	105385-105524
	325783	6456780	Plus	102815-102957
20	325695	6552446	Minus	199599-199778
	325726	6552447	Plus	154262-154623
	325742	6552448	Minus	38225-38306
	325760	6552449	Plus	343394-343549
	325801	6552451	Plus	49269-49542
25	325803	6552451	Plus	53355-53558
	325649	6588011	Minus	215659-215815
	325710	6682473	Plus	204538-204822
	325712	6682473	Plus	208541-208926
	325755	6682474	Plus	406603-407037
30	325751	6682474	Plus	130437-130520
	325763	6682475	Minus	327530-327910
	325791	6682476	Plus	344059-344841
	329782	5912597	Plus	123410-123499
	329779	6002090	Minus	195353-195669
35	329760	6048280	Minus	51419-51528
	329752	6065777	Plus	132916-133335
	329737	6065779	Plus	70136-70236
	329735	6065780	Plus	63923-64213
	329719	6065785	Plus	46970-47762
40	329725	6065785	Plus	133747-133842
	329705	6065790	Minus	63183-63724
	329665	6272129	Plus	91791-91891
	329793	6522661	Minus	96556-96698
45	329824	6630758	Minus	126072-126254
	329839	6672062	Plus	34377-34537
	329853	6682295	Plus	68945-69009
	329870	6706435	Minus	5729-5870
	329879	6466518	Minus	12266-12356
	329902	6634760	Plus	106906-106984
50	325851	5867067	Minus	51751-51981
	325886	5867087	Plus	194694-194915
	325887	5867087	Plus	195052-195485
	326005	5867112	Minus	7827-8117
	325945	5867138	Minus	123079-124086
55	325953	5867140	Minus	4721-4901
	325965	5867147	Plus	216364-216516
	325966	5867147	Plus	217235-217356
	325977	6249602	Plus	60638-60759
	325835	6552452	Minus	81182-81414
60	329995	4567166	Minus	150014-150315
	329948	5540101	Minus	134056-134261
	329940	6165199	Minus	33718-33882
	329921	6165205	Minus	33759-33891
	330002	6623963	Plus	46097-46158
65	330021	6671889	Plus	120938-121032
	326162	5867168	Minus	5870-6291
	326070	5867175	Plus	132181-132731
	326029	5867176	Minus	112558-112669
	326033	5867178	Plus	37261-37333
70	326039	5867179	Minus	15157-15227
	326122	5867194	Plus	144397-144683
	326136	5867202	Minus	155973-156065
	326194	5867213	Plus	75271-75522
	326206	5867219	Plus	113881-115080
	326218	5867226	Minus	259784-259920
75	326224	5867230	Plus	21528-21667
	326240	5867260	Plus	94843-96127

	326253	5867263	Minus	222216-222341
	326249	5867263	Minus	80253-80323
	326266	5867264	Plus	337993-338192
5	326304	5867277	Minus	367450-367559
	326309	5867277	Plus	614150-614294
	326310	5867277	Plus	621555-621698
	326338	6056311	Minus	161972-162333
	326343	6525295	Minus	2699-2777
10	326344	6525295	Minus	3207-3365
	326073	6682495	Minus	248865-249009
	330057	6478962	Plus	75145-75287
	330058	6634847	Plus	100602-100963
	330061	6721261	Plus	4254-4388
15	326539	5867307	Plus	198357-198504
	326545	5867307	Plus	600850-601425
	326549	5867307	Plus	698004-698069
	326552	5867308	Minus	6988-7107
	326554	5867308	Plus	16259-18271
20	326559	5867310	Plus	159233-159439
	326577	5867317	Plus	215987-216127
	326380	5867327	Plus	32474-32668
	326412	5867362	Minus	9263-9436
	326417	5867362	Plus	89132-89383
25	326418	5867365	Plus	23609-23745
	326423	5867369	Minus	142311-142500
	326458	5867400	Plus	128045-128147
	326459	5867400	Plus	137590-138212
30	326506	5867435	Minus	9368-9509
	326509	6682496	Plus	92406-92680
	330112	6015238	Plus	32059-32163
	330086	6015293	Plus	29518-29662
	330080	6015314	Minus	4890-4972
	330082	6015314	Plus	27158-27296
35	330064	6165044	Minus	5619-5696
	330063	6165044	Minus	948-1025
	330065	6165044	Minus	9876-9948
	326646	5867562	Plus	100426-100608
	326688	5867582	Plus	104875-105531
40	326708	5867593	Minus	39203-39310
	326710	5867593	Minus	80204-80468
	326746	5867611	Plus	129366-129565
	326793	5867631	Plus	136295-136518
	326603	6056312	Minus	50323-50575
45	326806	6469835	Plus	101628-102149
	326783	6525298	Plus	196378-196863
	326668	6552455	Plus	146726-146838
	326725	6552456	Minus	223005-223125
	326857	6552460	Minus	120142-120345
50	326763	6598307	Plus	239690-239902
	326808	6682504	Minus	65107-65214
	326874	6682507	Minus	4643-4888
	326876	6682507	Minus	46203-46499
	326884	6682511	Plus	33403-33479
55	326997	5867660	Minus	71389-72147
	327009	5867664	Plus	933145-933266
	327015	5867664	Plus	1030457-1030534
	326942	6004446	Minus	88675-88785
	326943	6004446	Minus	89242-89427
60	326957	6469836	Plus	37529-37694
	327049	6531965	Minus	1924026-1924110
	327051	6531965	Plus	2222592-2222717
	327056	6531965	Plus	2374323-2374751
	327059	6531965	Plus	2421032-2421799
65	327067	6531965	Minus	3726023-3726668
	327089	6531965	Plus	5238983-5239187
	327037	6531965	Minus	387854-388045
	327123	6531971	Minus	23980-24340
	327125	6531971	Plus	48884-48975
70	326981	6588016	Plus	105091-106038
	330139	4210430	Plus	112089-112450
	330153	4325335	Plus	146951-147475
	330130	6002196	Minus	241903-241967
	327203	5867447	Plus	36485-36577
75	327206	5867447	Plus	177855-178031
	327259	5867454	Plus	87268-87438
	327264	5867461	Plus	47014-47367

	327273	5867466	Plus	73451-73549
	327274	5867470	Minus	84027-84128
	327277	5867473	Minus	165616-165715
5	327278	5867473	Minus	166350-166439
	327289	5867481	Plus	49296-49536
	327304	5867494	Plus	20664-20850
	327315	5867508	Minus	78409-79245
	327246	5867547	Plus	136212-136325
10	327155	5867549	Plus	90343-90876
	327159	5867550	Minus	8219-8331
	327334	5902477	Minus	142655-142745
	327341	6017016	Minus	122906-123014
	327185	6117805	Minus	3287-3451
15	327309	6456757	Minus	10219-10457
	327263	6525274	Minus	153814-154920
	327362	6552412	Minus	62459-62805
	327413	5867750	Plus	101410-101508
	327418	5867750	Minus	153453-153547
20	327430	5867754	Plus	1320-1403
	327431	5867754	Plus	1853-1958
	327472	5867775	Plus	74628-74937
	327487	5867785	Minus	146220-146326
	327379	5867795	Plus	1368-1820
25	327461	6004455	Plus	209031-209210
	327532	6469818	Plus	71994-72137
	330170	6648220	Plus	103280-103849
	330166	6648220	Plus	86542-86867
	327544	5867797	Minus	18105-18332
30	327564	5867811	Plus	13850-14018
	327566	5867811	Plus	33383-33901
	327581	5867825	Plus	5318-5434
	327585	5867825	Plus	85660-85764
	327605	6004463	Plus	199214-199579
35	327710	5867860	Minus	131012-131790
	327610	5867868	Minus	174109-174278
	327624	5867871	Minus	37699-37788
	327641	5867890	Plus	13583-13702
	327646	5867894	Minus	3043-3258
40	327614	6525283	Plus	3634-4001
	327736	5867940	Minus	37781-37887
	327739	5867942	Minus	182187-182548
	327740	5867943	Plus	25716-26077
	327743	5867944	Minus	155930-156098
45	327755	5867955	Minus	61969-62145
	327772	5867964	Minus	26185-26285
	327774	5867964	Minus	127659-127899
	327823	5867968	Minus	170359-170433
	327827	5867968	Minus	201918-202048
50	327833	5867968	Minus	303618-303732
	327805	5867968	Plus	19952-20019
	327809	5867968	Plus	54610-54761
	327816	5867968	Minus	79202-79552
	327790	5867977	Plus	19822-19985
55	327791	5867977	Plus	22491-22610
	327793	5867979	Plus	18874-19254
	327845	6531962	Plus	193402-193549
	327846	6531962	Plus	195216-195373
	330204	6013606	Plus	86663-86811
60	330189	6165182	Minus	26732-26991
	330239	6671857	Plus	117484-118092
	330266	6671885	Minus	129505-129832
	330275	6671904	Plus	103585-103716
	330280	6671910	Plus	2109-2377
65	330286	6671913	Minus	31050-31171
	327999	5867994	Plus	94710-94841
	328109	5868020	Minus	353895-354525
	328098	5868020	Minus	261745-261920
	328134	5868039	Plus	72354-72487
70	328171	5868071	Plus	101102-101224
	328221	5868099	Minus	37489-37829
	328224	5868101	Plus	105563-105832
	328228	5868105	Minus	21488-21596
	328236	5868117	Plus	13864-14371
	327864	5868130	Plus	59139-59358
75	327888	5868149	Minus	51964-52120
	327899	5868156	Minus	102288-102697

10087080 022702

	327925	5868172	Minus	118396-118490
	327927	5868173	Plus	50989-51246
	327937	5868192	Minus	33127-33485
5	327946	5868206	Plus	44102-44319
	327982	5868216	Plus	30307-30527
	327990	5868218	Minus	36225-36503
	328015	5902482	Minus	477679-478113
	328016	5902482	Minus	507572-508519
10	328025	5902482	Minus	931937-932171
	328031	5902482	Plus	1176372-1177283
	328053	5902482	Minus	2709850-2710010
	328243	6056292	Plus	1-243
	328271	6552415	Plus	39015-39098
15	328592	5868227	Minus	252407-252565
	328570	5868231	Plus	89210-89816
	328607	5868233	Minus	246798-246944
	328620	5868241	Minus	15651-15788
	328624	5868246	Minus	120666-120836
20	328791	5868309	Plus	171592-171929
	328810	5868327	Plus	101730-101914
	328820	5868330	Plus	90446-90602
	328835	5868339	Plus	88053-88461
	328282	5868353	Plus	72692-72819
25	328314	5868371	Minus	288397-288505
	328328	5868375	Plus	169210-169407
	328420	5868411	Plus	53612-53886
	328428	5868417	Plus	13599-13780
30	328436	5868417	Plus	203760-203904
	328444	5868420	Plus	65393-66103
	328462	5868433	Plus	49649-49768
	328467	5868434	Minus	15954-16073
	328474	5868446	Minus	128777-128970
35	328484	5868454	Minus	21974-22140
	328504	5868471	Plus	47064-47217
	328506	5868471	Plus	60716-60830
	328507	5868473	Minus	199637-199990
	328544	5868486	Plus	145659-145829
	328552	5868489	Plus	47328-47607
40	328557	5868489	Plus	138094-138161
	328558	5868489	Plus	143648-144108
	328276	6004471	Plus	13282-13450
	328277	6004471	Minus	279901-280181
45	328662	6004473	Plus	1184773-1184855
	328636	6004473	Plus	192484-192543
	328803	6004475	Minus	291716-291948
	328305	6004478	Minus	34730-34851
	328569	6004480	Plus	232896-233243
50	328581	6006033	Minus	121249-121400
	328582	6006033	Minus	134177-134282
	328768	6017031	Minus	223741-224238
	328770	6017031	Minus	363933-364166
	328841	6381920	Minus	5214-5479
55	328851	6381923	Plus	2502-2606
	328859	6381928	Plus	69045-69138
	328860	6381928	Plus	83265-83366
	328863	6381929	Minus	29313-29506
	328868	6381930	Plus	112825-112993
60	328876	6525286	Plus	94053-94185
	328886	6588003	Plus	31068-31429
	328888	6588003	Minus	111901-111999
	328936	5868500	Minus	1352202-1352259
	328938	5868500	Plus	1522923-1522986
	328971	6478806	Minus	23976-24105
65	330338	5457162	Plus	48406-48518
	330327	5919194	Plus	121561-121683
	330319	5932415	Plus	49095-50132
	328974	5868520	Plus	31557-31668
70	328981	5868527	Minus	105677-105764
	328989	5868535	Plus	182088-182198
	330363	3126882	Minus	61838-61901
	330370	6580495	Plus	10826-11669
	329041	5868564	Plus	141592-141785
	329078	5868597	Plus	326798-326860
75	329097	5868624	Plus	12002-12170
	329107	5868626	Plus	101063-101190
	329114	5868650	Minus	23792-23910

20/2220" 080/800T

	329116	5868650	Minus	43389-43493
	329164	5868691	Plus	62305-62517
	329187	5868713	Plus	29909-30175
5	329201	5868718	Plus	79266-79539
	329221	5868727	Minus	105837-105894
	329246	5868732	Minus	250541-250792
	329254	5868733	Plus	4133-4214
	329326	5868806	Plus	155884-155992
10	329330	5868806	Minus	340278-340403
	329382	5868868	Plus	41401-41655
	329384	5868869	Minus	116524-116662
	329386	6004484	Plus	160502-161110
	329140	6017060	Plus	290842-290905
15	329182	6056331	Minus	662206-663423
	329018	6249620	Plus	103950-104034
	329319	6381976	Plus	721390-721470
	329392	6478815	Plus	109786-109854
	329029	6525302	Plus	281445-282490
20	329401	6682544	Plus	21342-24014
	329406	6682547	Plus	47249-47395
	329411	6682549	Minus	84558-84835
	329429	5868882	Minus	97008-97091
	329436	5868883	Plus	230265-230528
25	329464	6456788	Minus	4437-4538



# **TABLE 21:** **310 GENES UP-REGULATED IN COLON CANCER DERIVED LIVER** **METASTASES COMPARED TO NORMAL COLON TISSUE**

Table 21 shows 310 genes up-regulated in colon cancer derived liver metastases compared to normal colon tissue. These were selected from 59680 probesets on the Affymetrix/Eos Hu03 GeneChip array such that the ratio of "average" colon cancer derived liver metastases to "average" normal colon tissues was greater than or equal to 3.0. The "average" colon cancer derived liver metastases level was set to the 50th percentile. The "average" normal colon tissue level was set to the 50th percentile.

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigenelD: Unigene number  
 Unigene Title: Unigene gene title  
 R1: Genes up mets vs normal

Pkey	ExAccn	UnigenelD	Unigene Title	R1
446619	AU076643	Hs.313	secreted phosphoprotein 1 (osteopontin,	26.72
431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	16.36
409041	AB033025	Hs.50081	KIAA1199 protein	13.94
444381	BE387335	Hs.283713	ESTs, Weakly similar to S64054 hypotheti	13.90
432314	AA533447	Hs.312989	ESTs	12.24
428330	L22524	Hs.2256	matrix metalloproteinase 7 (matrilysin,	11.60
443162	T49951	Hs.9029	DKFZP434G032 protein	9.52
436385	BE551618	Hs.144097	ESTs	9.20
418662	AI801098	Hs.151500	ESTs	9.00
433312	AI241331	Hs.131765	ESTs, Moderately similar to I38937 DNA/R	8.90
412093	BE242691	Hs.14947	ESTs	8.74
442369	AI565071	Hs.159983	ESTs	8.40
426101	AL049987	Hs.166361	Homo sapiens mRNA; cDNA DKFz564F112 (fr	8.39
435937	AA830893	Hs.119769	ESTs	8.22
452281	T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	8.22
432572	AI660840	Hs.191202	ESTs, Weakly similar to ALUE_HUMAN !!!!	7.96
440524	R71264	Hs.16798	ESTs	7.94
424878	H57111	Hs.221132	ESTs	7.88
430433	AA478883	Hs.273766	ESTs	7.82
410245	C17908	Hs.194125	ESTs	7.78
417315	AI080042	Hs.336901	ribosomal protein S24	7.76
430665	BE350122	Hs.157367	ESTs, Weakly similar to I78885 serine/th	7.76
432435	BE218886	Hs.282070	ESTs	7.74
426818	AA554827	Hs.289115	DKFZp434A0131 protein	7.58
419145	N99638		gb:za39g11.1 r1 Soares fetal liver spleen	7.56
444838	AV651680	Hs.208558	ESTs	7.54
428046	AW812795	Hs.155381	ESTs, Moderately similar to I38022 hypot	7.48
446682	AW205632	Hs.211198	ESTs	7.26
421221	AW276914	Hs.326714	Homo sapiens clone IMAGE:713177, mRNA se	7.19
440116	AI798851	Hs.283108	hemoglobin, gamma G	7.12
450230	AW016607	Hs.201582	ESTs	7.08
456332	AA228357		gb:nc39d05.r1 NCI_CGAP_Pr2 Homo sapiens	7.04
421814	L12350	Hs.108623	thrombospondin 2	6.89
440774	AI420611	Hs.127832	ESTs	6.86
428065	AI634046	Hs.157313	ESTs	6.78
422330	D30783	Hs.115263	epiregulin	6.72
413950	AA249096	Hs.32793	ESTs	6.67
438011	BE466173	Hs.145696	splicing factor (CC1.3)	6.62
421057	T58283	Hs.10450	Homo sapiens cDNA: FLJ22063 fis, clone H	6.58
428698	AA852773	Hs.334838	KIAA1866 protein	6.40
408806	AW847814	Hs.289005	Homo sapiens cDNA: FLJ21532 fis, clone C	6.38
425787	AA363867	Hs.155029	ESTs	6.38
435812	AA700439	Hs.188490	ESTs	6.32
448974	AL049390	Hs.22689	Homo sapiens mRNA; cDNA DKFZp586O1318 (f	6.28
418875	W19971	Hs.233459	ESTs	6.22
407284	AI539227	Hs.214039	hypothetical protein FLJ23556	6.17
408243	Y00787	Hs.624	interleukin 8	6.12
434936	AI285970	Hs.183817	ESTs	6.12



	439848	AW979249	gb:EST391359 MAGE resequences, MAGP Homo	4.66
	424762	AL119442	Hs.183684 eukaryotic translation initiation factor	4.66
	442007	AA301116	Hs.142838 nucleolar phosphoprotein Nopp34	4.62
5	409632	W74001	Hs.55279 serine (or cysteine) proteinase inhibito	4.62
	432409	AA806538	Hs.130732 KIAA1575 protein	4.60
	452220	BE158006	Hs.212296 ESTs	4.60
	442577	AA292998	Hs.163900 ESTs	4.58
	434001	AW950905	Hs.3697 serine (or cysteine) proteinase inhibito	4.58
	414271	AK000275	Hs.75871 protein kinase C binding protein 1	4.58
10	433854	AA610649	Hs.333239 ESTs	4.56
	431315	AW972227	Hs.163986 Homo sapiens cDNA: FLJ22765 fis, clone K	4.53
	434220	AI174777	Hs.283039 Homo sapiens PRO2492 mRNA, complete cds	4.50
	457752	AI821270	Hs.285643 Homo sapiens cDNA FLJ14364 fis, clone HE	4.50
	449941	AW450536	Hs.209260 ESTs	4.48
15	415116	AA160363	Hs.269956 ESTs	4.47
	414386	X00442	Hs.75990 haptoglobin	4.47
	422956	BE545072	Hs.122579 hypothetical protein FLJ10461	4.44
	423974	AL118754	gb:DKFZp761P1910_r1 761 (synonym: hamy2)	4.44
20	449618	AI076459	Hs.15978 KIAA1272 protein	4.44
	428279	AA425310	Hs.155766 ESTs, Weakly similar to A47582 B-cell gr	4.42
	430573	AA744550	Hs.136345 ESTs	4.42
	430929	AA489166	Hs.156933 ESTs	4.40
	433530	BE349534	Hs.281789 ESTs	4.40
	446099	T93096	Hs.17126 hypothetical protein MGC15912	4.40
25	447082	T85314	Hs.42644 thioredoxin-like	4.39
	407168	R45175	Hs.117183 ESTs	4.38
	417067	AJ001417	Hs.81086 solute carrier family 22 (extraneuronal	4.38
	408380	AF123050	Hs.44532 diubiquitin	4.36
30	431379	AA504264	Hs.182937 peptidylprolyl isomerase A (cyclophilin	4.36
	406671	AA129547	Hs.285754 met proto-oncogene (hepatocyte growth fa	4.34
	419317	AA236282	Hs.172318 ESTs	4.32
	450295	AI766732	Hs.210628 ESTs	4.32
	423578	AW960454	Hs.222830 ESTs	4.31
35	419553	N34145	Hs.250614 ESTs, Moderately similar to ZN91_HUMAN Z	4.31
	429512	AA453987	Hs.144802 ESTs	4.30
	426848	H72531	Hs.36190 ESTs	4.30
	429831	AA564489	Hs.137526 ESTs	4.30
	433735	AA608955	Hs.109653 ESTs	4.30
40	450546	AA010200	Hs.175551 ESTs	4.27
	421059	AI654133	Hs.30212 thyroid receptor interacting protein 15	4.27
	413243	AA769266	Hs.193657 ESTs	4.26
	433230	AW136134	Hs.220277 ESTs	4.22
	439717	W94472	Hs.59529 ESTs, Moderately similar to ALU1_HUMAN A	4.20
45	439362	AI954880	Hs.134604 ESTs	4.19
	450157	AW961576	Hs.60178 ESTs	4.17
	451690	AW451469	Hs.209990 ESTs	4.17
	418661	NM_001949	Hs.1189 E2F transcription factor 3	4.16
	443135	AI376331	Hs.156103 ESTs	4.16
50	443148	AI034357	Hs.211194 ESTs, Weakly similar to ALU8_HUMAN ALU S	4.16
	407765	AW076027	Hs.257711 ESTs, Moderately similar to ALU8_HUMAN A	4.14
	428825	AI084336	Hs.128783 ESTs, Weakly similar to I38022 hypotheti	4.14
	447519	U46258	Hs.339665 ESTs	4.14
	439451	AF086270	Hs.278554 heterochromatin-like protein 1	4.12
55	450219	AI826999	Hs.224624 ESTs	4.12
	431451	AA761378	Hs.192013 ESTs	4.11
	432917	NM_014125	Hs.279812 PRO0327 protein	4.10
	431328	AA502999	Hs.291591 ESTs	4.09
	425992	AA367069	Hs.100636 ESTs	4.08
60	404571			4.06
	420911	U77413	Hs.100293 O-linked N-acetylglucosamine (GlcNAc) tr	4.06
	421114	AW975051	Hs.293156 ESTs, Weakly similar to I78885 serine/th	4.06
	432731	R31178	Hs.287820 fibronectin 1	4.06
	433588	AI056872	Hs.133386 ESTs	4.06
65	434658	AI624436	Hs.310286 ESTs	4.06
	444040	AF204231	Hs.182982 golgin-67	4.06
	444984	H15474	Hs.132898 fatty acid desaturase 1	4.06
	438543	AA810141	Hs.192182 ESTs	4.05
	413497	BE177661	gb:RC1-HT0598-020300-011-h02 HT0598 Homo	4.04
70	434575	AI133446	Hs.299964 Homo sapiens clone FLB7723 PRO2055 mRNA,	4.04
	430256	AA470152	Hs.192195 ESTs	4.04
	424839	AA740632	Hs.120850 ESTs, Weakly similar to ALU1_HUMAN ALU S	4.02
	429048	AI372949	Hs.44241 Homo sapiens cDNA: FLJ21447 fis, clone C	4.02
	449429	AA054224	Hs.59847 ESTs	4.02
	410762	AF226053	Hs.66170 HSKM-B protein	4.00
75	418876	AA740616	gb:ny97f11.s1 NCL_CGAP_GCB1 Homo sapiens	4.00
	425905	AB032959	Hs.318584 novel C3HC4 type Zinc finger (ring finger	4.00

	429500	X78565	Hs.289114	hexabrachion (tenascin C, cytactin)	4.00
	431393	AW971493	Hs.134269	ESTs, Highly similar to cytokine recepto	4.00
	435008	AF150262	Hs.162898	ESTs	4.00
5	431361	AW971375	Hs.292921	ESTs	3.97
	444816	Z48633	Hs.283742	H.sapiens mRNA for retrotransposon	3.96
	434701	AA460479	Hs.321707	KIAA0742 protein	3.96
	413886	AW958264	Hs.103832	similar to yeast Upf3, variant B	3.95
	424905	NM_002497	Hs.153704	NIMA (never in mitosis gene a)-related k	3.92
10	428479	Y00272	Hs.184572	cell division cycle 2, G1 to S and G2 to	3.91
	435714	AA699325	Hs.269880	ESTs	3.86
	447514	AI809314	Hs.208501	ESTs, Weakly similar to B34087 hypotheti	3.86
	453818	BE256832	Hs.10711	hypothetical protein FLJ13449	3.85
	433586	T85301		gb:yd78d06.s1 Soares fetal liver spleen	3.85
15	440638	AI376551		gb:te64e10.x1 Soares_NFL_T_GBC_S1 Homo s	3.85
	417819	AI253112	Hs.133540	ESTs	3.84
	409596	BE244200	Hs.55075	KIAA0410 gene product	3.83
	423129	L44396	Hs.124106	Homo sapiens cDNA FLJ11941 fis, clone HE	3.83
	453884	AA355925	Hs.36232	KIAA0186 gene product	3.83
20	431193	AW749505	Hs.296770	KIAA1719 protein	3.81
	409262	AK000631	Hs.52256	hypothetical protein FLJ20624	3.80
	425568	AW963118	Hs.161784	ESTs	3.78
	441085	AW136551	Hs.181245	Homo sapiens cDNA FLJ12532 fis, clone NT	3.77
	428079	AA421020	Hs.208919	ESTs	3.77
25	412490	AW803564	Hs.288850	Homo sapiens cDNA: FLJ22528 fis, clone H	3.76
	435354	AA678267	Hs.117115	ESTs	3.75
	436535	AW295687	Hs.254420	ESTs	3.74
	420439	AW270041	Hs.193053	eukaryotic translation initiation factor	3.72
	436090	AI640635	Hs.116468	EST	3.71
30	416265	AA177088	Hs.190065	ESTs	3.70
	417715	AW969587	Hs.86366	ESTs	3.67
	435677	AA694142	Hs.293726	ESTs, Weakly similar to TSGA RAT TESTIS	3.67
	438607	AW080237	Hs.252884	ESTs	3.66
	408194	AA601038	Hs.191797	ESTs, Weakly similar to S65657 alpha-1C-	3.65
35	417211	T97617	Hs.269092	ESTs	3.60
	435538	AB011540	Hs.4930	low density lipoprotein receptor-related	3.59
	410390	AA876905	Hs.125286	ESTs	3.58
	438818	AW979008	Hs.222487	ESTs	3.57
	431416	AA532718	Hs.178604	ESTs	3.57
40	433517	AW022133	Hs.189838	ESTs	3.56
	428355	BE256452	Hs.2257	vitronectin (serum spreading factor, som	3.56
	432954	AI076345	Hs.214199	ESTs	3.53
	434466	AB037829	Hs.3862	regulator of nonsense transcripts 2; DKF	3.53
45	421933	R98881	Hs.109655	sex comb on midleg (Drosophila)-like 1	3.52
	422082	AA016188	Hs.111244	hypothetical protein	3.52
	437135	AL038624	Hs.208752	ESTs, Weakly similar to ALU8_HUMAN ALU S	3.49
	424723	BE409813	Hs.152337	protein arginine N-methyltransferase 3(h	3.49
	434280	BE005398		gb:CM1-BN0116-150400-189-h02 BN0116 Homo	3.49
	407289	AA135159	Hs.203349	Homo sapiens cDNA FLJ12149 fis, clone MA	3.48
50	417670	R07785		gb:yf15c06.r1 Soares fetal liver spleen	3.48
	431615	AW295859	Hs.235860	ESTs	3.48
	429355	AW973253	Hs.292689	ESTs	3.45
	430068	AA464964		gb:zx80f10.s1 Soares ovary tumor NbHOT H	3.45
	432929	AW207166	Hs.191265	ESTs	3.44
55	437763	AA469369	Hs.5831	tissue inhibitor of metalloproteinase 1	3.44
	445674	BE410347	Hs.13063	transcription factor CA150	3.42
	408113	T82427	Hs.194101	Homo sapiens cDNA: FLJ20869 fis, clone A	3.42
	408908	BE296227	Hs.250822	serine/threonine kinase 15	3.41
	432235	AA531129	Hs.190297	ESTs	3.41
60	453985	N44545	Hs.251865	ESTs	3.41
	415736	AA827082	Hs.291872	ESTs	3.38
	430220	BE378277	Hs.152230	ESTs	3.37
	426510	AW861225	Hs.194637	BANP homolog, SMAR1 homolog	3.37
	412104	AW205197	Hs.240951	Homo sapiens, Similar to RIKEN cDNA 2210	3.36
65	411573	AB029000	Hs.70823	KIAA1077 protein	3.33
	413816	AW958181	Hs.189998	ESTs	3.32
	428057	AI343641	Hs.185798	ESTs	3.32
	436280	AI690734	Hs.131740	Homo sapiens cDNA: FLJ22562 fis, clone H	3.31
	449365	AW968261	Hs.118913	ESTs, Moderately similar to T46371 hypot	3.31
70	440659	AF134160	Hs.7327	claudin 1	3.30
	436110	AA704899	Hs.291651	ESTs, Weakly similar to I38022 hypotheti	3.29
	433862	D86960	Hs.3610	KIAA0205 gene product	3.29
	424624	AB032947	Hs.151301	Ca2+-dependent activator protein for secr	3.29
	439955	AW203959	Hs.149532	ESTs	3.28
75	417333	AL157545	Hs.42179	bromodomain and PHD finger containing, 3	3.28
	436150	AW510927	Hs.125243	ESTs	3.27
	414900	AW452420	Hs.248678	ESTs	3.26

	439349	AI660898	Hs.195602	ESTs	3.25
	428255	AI627478	Hs.187670	ESTs	3.24
	436217	T53925	Hs.107	fibrinogen-like 1	3.24
	429083	Y09397	Hs.227817	BCL2-related protein A1	3.24
5	422244	Y08890	Hs.113503	karyopherin (importin) beta 3	3.22
	430178	AW449612	Hs.152475	ESTs	3.21
	413810	AW197644	Hs.19107	ESTs	3.20
	428728	NM_016625	Hs.191381	hypothetical protein	3.20
	437151	AA745618	Hs.194637	BANP homolog, SMAR1 homolog	3.19
10	427051	BE178110	Hs.173374	Homo sapiens cDNA FLJ10500 fis, clone NT	3.19
	438378	AW970529	Hs.86434	hypothetical protein FLJ21816	3.19
	439943	AW083789	Hs.124620	ESTs	3.18
	439280	AI125436	Hs.48752	ESTs	3.18
	452336	AA960961	Hs.305953	zinc finger protein 83 (HPF1)	3.17
15	433713	AW976511	Hs.112592	ESTs	3.16
	414998	NM_002543	Hs.77729	oxidised low density lipoprotein (lectin	3.14
	407328	AA508857	Hs.187748	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.14
	432722	AA830532	Hs.326150	ESTs	3.14
	419457	AA243146	Hs.209334	ESTs, Moderately similar to S23A_HUMAN P	3.11
20	449987	AW079749	Hs.184719	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.11
	418522	AA605038	Hs.7149	Homo sapiens cDNA: FLJ21950 fis, clone H	3.09
	409969	AW514668	Hs.194258	ESTs, Moderately similar to ALU5_HUMAN A	3.08
	436299	AK000767	Hs.5111	hypothetical protein FLJ20729	3.08
	406687	M31126	Hs.272620	pregnancy specific beta-1-glycoprotein 9	3.07
25	408242	AA251594	Hs.43913	PIBF1 gene product	3.07
	444614	R44284	Hs.2730	heterogeneous nuclear ribonucleoprotein	3.06
	459407	N92114		gb:za22h11.r1 Soares fetal liver spleen	3.05
	433972	AI878910	Hs.3688	cisplatin resistance-associated overexpr	3.04
	427704	AW971063	Hs.292882	ESTs	3.03
30	440255	AI932285	Hs.160569	ESTs	3.03
	424542	AI860558	Hs.272009	ESTs, Weakly similar to ALU2_HUMAN ALU S	3.03
	413822	R08950	Hs.272044	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.02
	433944	AL117518	Hs.3686	KIAA0978 protein	3.01
35	440428	BE560954		gb:601347719F1 NIH_MGC_8 Homo sapiens cD	3.00

**TABLE 21A**

**Table 21A** shows the accession numbers for those pkeys lacking unigeneID's for Table 21A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number  
 CAT number: Gene cluster number  
 Accession: Genbank accession numbers

Pkey	CAT Number	Accession
409760	115373_1	AA302840 T93016 T92950 AA077551
413497	137377_1	BE177661 H06215 BE144709 BE144829
417670	1692163_1	R07785 T85948 T86972
418876	179960_1	AA740616 AA654854 AA229923
419145	182217_1	N99638 AW973750 AA328271 H90994 AA558020 AA234435 N59599 R94815
423974	233842_1	AL118754 AA333202 H38001
430068	312849_1	AA464964 M85405 AA947566
432340	345248_1	AA534222 AA632632 T81234
433586	370470_1	T85301 AW517087 AA601054 BE073959
434280	382816_1	BE005398 AA628622 AA994155
434966	396504_1	AA657494 AI582663 AI581639
438962	467390_1	BE046594 BE046667 AA828585 AI207343
439848	477806_1	AW979249 D63277 AA846968
440428	49370_1	BE560954
440638	499025_1	AI376551 T87714 AA897445
456332	179104_1	AA228357 AW841786 AW841716

**TABLE 21B**

5 Pkey: Unique number corresponding to an Eos probeset  
 Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.  
 Strand: Indicates DNA strand from which exons were predicted.  
 Nt\_position: Indicates nucleotide positions of predicted exons.

10

Pkey	Ref	Strand	Nt_position
404571	7249169	Minus	112450-112648

15

204220" 0804807

**TABLE 22: 177 GENES DOWN-REGULATED IN COLON CANCER DERIVED LIVER METASTASES COMPARED TO NORMAL COLON TISSUE**

Table 22 shows 177 genes down-regulated in colon cancer derived liver metastases compared to normal colon tissue. These were selected from 59680 probesets on the Affymetrix/Eos Hu03 GeneChip array such that the ratio of "average" colon cancer derived liver metastases to "average" normal colon tissues was less than or equal to 0.25. The "average" colon cancer derived liver metastases level was set to the 50th percentile. The "average" normal adult tissue level was set to the 50th percentile.

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigenelD: Unigene number  
 Unigene Title: Unigene gene title  
 R1: Genes down mets vs. normal

Pkey	ExAccn	UnigenelD	Unigene Title	R1
425196	AL037915	Hs.155097	carbonic anhydrase II	0.03
414522	AW518944	Hs.76325	step II splicing factor SLU7	0.03
409153	W03754	Hs.50813	hypothetical protein FLJ20022	0.03
452594	AU076405	Hs.29981	solute carrier family 26 (sulfate transp	0.03
424326	NM_014479	Hs.145296	disintegrin protease	0.04
414798	AI286323	Hs.97411	hypothetical protein MGC12335	0.04
432150	AK000224	Hs.272789	hypothetical protein FLJ20217	0.04
425206	NM_002153	Hs.155109	hydroxysteroid (17-beta) dehydrogenase 2	0.05
437145	AF007216	Hs.5462	solute carrier family 4, sodium bicarbon	0.05
447513	AW955776	Hs.313500	ESTs, Moderately similar to ALU7_HUMAN A	0.05
414807	AI738616	Hs.77348	hydroxyprostaglandin dehydrogenase 15-(N	0.06
428934	AF039401	Hs.194659	chloride channel, calcium activated, fam	0.06
432251	AW972983	Hs.232165	polycythemia rubra vera 1; cell surface	0.07
431727	AW293464	Hs.162031	ESTs	0.07
421515	Y11339	Hs.105352	GalNAc alpha-2, 6-sialyltransferase I, I	0.07
414555	N98569	Hs.76422	phospholipase A2, group IIA (platelets,	0.08
412047	AA934589	Hs.49696	ESTs	0.08
412056	T28160	Hs.778	guanylate cyclase activator 1B (retina)	0.08
422440	NM_004812	Hs.116724	aldo-keto reductase family 1, member B10	0.08
450684	AA872605	Hs.25333	interleukin 1 receptor, type II	0.09
418935	T28499	Hs.89485	carbonic anhydrase IV	0.09
433658	L03678	Hs.156110	immunoglobulin kappa constant	0.09
422260	AA315993	Hs.105484	regenerating gene type IV	0.09
433336	AF017986	Hs.31386	secreted frizzled-related protein 2	0.09
426784	U03749	Hs.172216	chromogranin A (parathyroid secretory pr	0.09
441888	AI733306	Hs.128071	hypothetical protein FLJ21302	0.10
440624	AF017987	Hs.7306	secreted frizzled-related protein 1	0.10
420929	AI694143	Hs.296251	programmed cell death 4	0.10
429970	AK000072	Hs.227059	chloride channel, calcium activated, fam	0.10
417233	W25005	Hs.24395	small inducible cytokine subfamily B (Cy	0.10
414802	AI793107	Hs.27018	Ris	0.10
424566	M16801	Hs.1790	nuclear receptor subfamily 3, group C, m	0.11
421996	AW583807	Hs.1460	glucagon	0.11
423371	AU076819	Hs.1650	solute carrier family 26, member 3	0.11
406741	AA058357	Hs.74466	carcinoembryonic antigen-related cell ad	0.11
414176	BE140638	Hs.75794	endothelial differentiation, lysophospha	0.11
408741	M73720	Hs.646	carboxypeptidase A3 (mast cell)	0.11
424527	AW138558	Hs.267158	ESTs, Weakly similar to I54374 gene NF2	0.12
426682	AV660038	Hs.2056	UDP glycosyltransferase 1 family, polype	0.12
453967	AW009077	Hs.232947	ESTs	0.12
425920	AL049977	Hs.162209	claudin 8	0.13
408134	AK000184	Hs.42945	acid sphingomyelinase-like phosphodieste	0.13
457407	AA505035	Hs.195651	ESTs	0.13
446500	U78093	Hs.15154	sushi-repeat-containing protein, X chrom	0.14
422487	AJ010901	Hs.198267	mucin 4, tracheobronchial	0.14
409196	NM_001874	Hs.334873	carboxypeptidase M	0.14
416426	AA180256	Hs.210473	Homo sapiens cDNA FLJ14872 fis, clone PL	0.14
406636	L12064		gb:Homo sapiens (clone WR4.12VL) anti-th	0.14



	457982	AW856093	Hs.183617	ESTs	0.14
	407744	AB020629	Hs.38095	ATP-binding cassette, sub-family A (ABC1	0.14
	430378	Z29572	Hs.2556	tumor necrosis factor receptor superfam	0.14
	424885	AI333771	Hs.82204	ESTs	0.14
5	423555	AW958201	Hs.178589	hepatocellular carcinoma antigen gene 52	0.14
	444237	AA336878	Hs.9842	Human DNA sequence from clone RP4-788L20	0.14
	445848	AA774824	Hs.13377	Homo sapiens clone 23649 and 23755 unkno	0.14
	451062	AL110125	Hs.25910	Homo sapiens mRNA; cDNA DKFZp564C1416 (f	0.14
	436485	X59135	Hs.156110	immunoglobulin kappa constant	0.14
10	423655	AA722425	Hs.182785	ESTs, Moderately similar to 1207289A rev	0.15
	417332	AW972717	Hs.288462	hypothetical protein FLJ21511	0.15
	427506	AK000134	Hs.179100	hypothetical protein FLJ20127	0.15
	430712	AW044647	Hs.196284	ESTs	0.15
	421666	AL035250	Hs.1408	endothelin 3	0.16
15	425692	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	0.16
	429412	NM_006235	Hs.2407	POU domain, class 2, associating factor	0.16
	433745	AF075320	Hs.28980	hypothetical protein FLJ14540	0.16
	450085	AW293791	Hs.60162	Homo sapiens cDNA: FLJ21528 fis, clone C	0.16
	417820	D87449	Hs.82635	UDP-glucuronic acid/UDP-N-acetylgalactos	0.16
20	406722	H27498	Hs.293441	Homo sapiens SNC73 protein (SNC73) mRNA,	0.16
	426488	X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	0.16
	436327	AA813075	Hs.120181	ESTs	0.16
	408873	AL046017	Hs.182278	calmodulin 2 (phosphorylase kinase, delt	0.16
	429524	AB033037	Hs.205293	KIAA1211 protein	0.16
25	447023	AA356764	Hs.17109	integral membrane protein 2A	0.17
	424264	D80400	Hs.239388	Human DNA sequence from clone RP1-304B14	0.17
	410310	J02931	Hs.62192	coagulation factor III (thromboplastin,	0.17
	432563	NM_013261	Hs.198468	peroxisome proliferative activated recep	0.17
30	406897	M57417		gb:Homo sapiens mucin (mucin) mRNA, part	0.17
	451096	BE383234	Hs.25925	Homo sapiens, clone MGC:15393, mRNA, com	0.17
	447726	AL137638	Hs.19368	matrilin 2	0.17
	409549	AB029015	Hs.54886	phospholipase C, epsilon 2	0.17
	433334	AI927208	Hs.231958	matrix metalloproteinase 28	0.17
35	425849	AJ000512	Hs.296323	serum/glucocorticoid regulated kinase	0.17
	407360	X13075		gb:Human 2a12 mRNA for kappa-immunoglobu	0.17
	430627	U61148	Hs.247685	atonal homolog 1 (Drosophila)	0.17
	418807	NM_004944	Hs.88646	deoxyribonuclease I-like 3	0.18
	453399	Z70295	Hs.32966	guanylate cyclase activator 2B (uroguany	0.18
	422994	AW891802	Hs.296276	ESTs	0.18
40	432134	AI816782	Hs.122583	hypothetical protein FLJ21934	0.18
	400417	X72475			0.18
	443506	H10661	Hs.192124	ESTs, Weakly similar to I38022 hypotheti	0.18
	428470	AC002301	Hs.184507	Homo sapiens Chromosome 16 BAC clone CIT	0.18
45	451928	AI823801	Hs.30315	CTCL tumor antigen se57-1	0.18
	429576	BE242628	Hs.209061	sudD (suppressor of bimD6, Aspergillus n	0.18
	422106	D84239	Hs.111732	Fc fragment of IgG binding protein	0.19
	430304	AL122071	Hs.238927	Homo sapiens mRNA; cDNA DKFZp434H1235 (f	0.19
	452852	AK001972	Hs.30822	hypothetical protein FLJ11110	0.19
50	421904	BE143533	Hs.109309	hypothetical protein FLJ20035	0.19
	417165	R80137	Hs.302738	Homo sapiens cDNA: FLJ21425 fis, clone C	0.19
	417771	AA804698	Hs.82547	retinoic acid receptor responder (tazaro	0.19
	452802	AU076403	Hs.323468	electron-transferring-flavoprotein dehyd	0.19
	450680	AF131784	Hs.25318	Homo sapiens clone 25194 mRNA sequence	0.19
	420061	AW024937	Hs.29410	ESTs	0.19
55	426828	NM_000020	Hs.172670	activin A receptor type II-like 1	0.19
	408190	AB032963	Hs.43577	ATPase, Class I, type 8B, member 2	0.19
	437682	AA476652	Hs.94952	Homo sapiens cDNA: FLJ23371 fis, clone H	0.19
	449110	H56112		gb:yq95f07.r1 Soares fetal liver spleen	0.19
60	446727	AB011095	Hs.16032	KIAA0523 protein	0.19
	408395	BE072425	Hs.44579	hypothetical protein FLJ20199	0.20
	423541	AA296922	Hs.129778	gastrointestinal peptide	0.20
	410850	AW362867	Hs.302738	Homo sapiens cDNA: FLJ21425 fis, clone C	0.20
	412420	AL035668	Hs.73853	bone morphogenetic protein 2	0.20
65	423942	AF209704	Hs.135723	glycolipid transfer protein	0.20
	421832	NM_016098	Hs.108725	HSPC040 protein	0.20
	459046	AA910339	Hs.26216	LOC50627	0.20
	421360	AA297012	Hs.103839	erythrocyte membrane protein band 4.1-i	0.20
	438091	AW373062	Hs.83623	nuclear receptor subfamily 1, group I, m	0.20
	403047				0.20
70	421712	AK000140	Hs.107139	hypothetical protein	0.20
	427333	AF067797	Hs.176658	aquaporin 8	0.20
	421964	X73079	Hs.288579	polymeric immunoglobulin receptor	0.20
	438089	W05391	Hs.83623	nuclear receptor subfamily 1, group I, m	0.21
	445200	AA084460	Hs.12409	somatostatin	0.21
75	404854				0.21
	426390	AA377299	Hs.90431	ESTs	0.21

	403381				0.21
	449833	R82252	Hs.106106	protein kinase (cAMP-dependent, catalyti	0.21
	457718	F18572	Hs.22978	ESTs, Weakly similar to ALU4_HUMAN ALU S	0.21
5	435730	AB020635	Hs.4984	KIAA0828 protein	0.21
	431518	AA743462	Hs.165337	ESTs	0.21
	412589	R28660	Hs.24305	ESTs	0.21
	432584	AA928829	Hs.47099	hypothetical protein FLJ21212	0.21
	426088	AF038007	Hs.166196	ATPase, Class I, type 8B, member 1	0.21
10	429143	AA333327	Hs.197335	plasma glutamate carboxypeptidase	0.21
	414429	R51494	Hs.71818	ESTs	0.22
	439670	AF088076	Hs.59507	ESTs, Weakly similar to AC004858 3 U1 sm	0.22
	406697	M21388	Hs.123017	Human unproductively rearranged Ig mu-ch	0.22
	406663	U24683	Hs.302063	immunoglobulin heavy constant mu	0.22
	407811	AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagon	0.22
15	417880	BE241595	Hs.82848	selectin L (lymphocyte adhesion molecule	0.22
	430107	AA465293	Hs.105069	ESTs	0.22
	424273	W40460	Hs.144442	phospholipase A2, group X	0.22
	419559	Y07828	Hs.91096	ring finger protein	0.22
	413517	N76712	Hs.44829	ESTs, Weakly similar to I38022 hypotheti	0.22
20	407243	AA058357	Hs.74466	carcinoembryonic antigen-related cell ad	0.22
	433906	AI167816	Hs.43355	ESTs	0.22
	446203	Z47553	Hs.14286	flavin containing monooxygenase 5	0.22
	403740				0.22
	405701				0.22
25	413554	AA319146	Hs.75426	secretogranin II (chromogranin C)	0.22
	419577	L36531	Hs.91296	integrin, alpha 8	0.23
	451820	AW058357	Hs.337353	ESTs	0.23
	424897	D63216	Hs.153684	frizzled-related protein	0.23
30	422880	AF228704	Hs.121524	glutathione reductase	0.23
	430832	AI073913	Hs.100686	ESTs, Weakly similar to JE0350 Anterior	0.23
	430753	AI432401	Hs.2659	fibrinogen-like 2	0.23
	409060	AI815867	Hs.50130	neodlin (mouse) homolog	0.23
	412228	AW503785	Hs.73792	complement component (3d/Epstein Barr vi	0.24
	414171	AA360328	Hs.865	RAP1A, member of RAS oncogene family	0.24
35	417916	NM_006416	Hs.82921	solute carrier family 35 (CMP-sialic aci	0.24
	414589	AA149791	Hs.68864	ESTs, Weakly similar to phosphatidylseri	0.24
	427167	AI239607	Hs.99196	hypothetical protein MGC11324	0.24
	440630	BE561430	Hs.239388	Human DNA sequence from clone RP1-304B14	0.24
	423044	AA320829	Hs.97266	protocadherin 18	0.24
40	441931	BE564830	Hs.23744	hypothetical protein FLJ12899	0.24
	443060	D78874	Hs.8944	procollagen C-endopeptidase enhancer 2	0.24
	405441				0.24
	407241	M34516		gb:Human omega light chain protein 14.1	0.24
	415165	AW887604	Hs.78065	complement component 7	0.24
45	426447	AV655843	Hs.169919	electron-transfer-flavoprotein, alpha po	0.24
	410748	BE383816	Hs.12532	chromosome 1 open reading frame 21	0.24
	436032	AA150797	Hs.109276	latexin protein	0.24
	414256	AW410035	Hs.75862	MAD (mothers against decapentaplegic, Dr	0.24
	414197	W44877	Hs.55501	ESTs	0.24
50	406836	AW514501	Hs.156110	immunoglobulin kappa constant	0.24
	437083	AW082597	Hs.244862	ESTs	0.25
	421709	AA159394	Hs.107056	CED-6 protein	0.25
	426512	AW511656	Hs.170177	Meis1 (mouse) homolog	0.25

## TABLE 22A

Table 22A shows the accession numbers for those pkeys lacking unigeneID's for Tables 21A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number  
 CAT number: Gene cluster number  
 Accession: Genbank accession numbers

---

Pkey	CAT Number	Accession
------	------------	-----------

---

449110	798430_1	H56112 H58047 AI630710 N58742
--------	----------	-------------------------------

**TABLE 22B**

Pkey: Unique number corresponding to an Eos probeset  
Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.  
Strand: Indicates DNA strand from which exons were predicted.  
Nt\_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position
403047	3540153	Minus	59793-59968
403381	9438267	Minus	26009-26178
403740	7630882	Plus	86504-87227
404854	7143420	Plus	14260-14537
405441	7408124	Plus	100952-101283
405701	4263751	Plus	93243-93364

20080801 08070001

**TABLE 23: 175 GENES UP-REGULATED IN COLON CANCER DERIVED LIVER METASTASES COMPARED TO COLON CANCER PRIMARY TUMOR SAMPLES CLASSIFIED AS DUKE'S B SURVIVOR**

Table 23 shows 175 genes up-regulated in colon cancer derived liver metastases compared to colon cancer primary tumor samples classified as Duke's B stage with a positive survival outcome (Duke's B survivor). These were selected from 59680 probesets on the Affymetrix/Eos Hu03 GeneChip array such that the ratio of "average" colon cancer derived liver metastases to "average" Duke's B survivor was greater than or equal to 3.0. The "average" colon cancer derived liver metastases level was set to the 50th percentile. The "average" Duke's B survivor level was set to the 50th percentile.

Pkey:	Unique Eos probeset identifier number
ExAccn:	Exemplar Accession number, Genbank accession number
UnigeneID:	Unigene number
Unigene Title:	Unigene gene title
R1:	Genes up liver metastases vs Duke's B survivors

Pkey	ExAccn	UnigeneID	Unigene Title	R1
426101	AL049987	Hs.166361	Homo sapiens mRNA; cDNA DKFZp564F112 (fr	9.06
432572	AI660840	Hs.191202	ESTs, Weakly similar to ALUE_HUMAN !!!!	7.96
424878	H57111	Hs.221132	ESTs	7.88
428046	AW812795	Hs.155381	ESTs, Moderately similar to I38022 hypot	7.48
407284	AI539227	Hs.214039	hypothetical protein FLJ23556	7.45
439943	AW083789	Hs.124620	ESTs	7.00
442369	AI565071	Hs.159983	ESTs	7.00
415116	AA160363	Hs.269956	ESTs	6.98
433517	AW022133	Hs.189838	ESTs	6.70
437176	AW176909	Hs.42346	calcineurin-binding protein calsarcin-1	6.68
440524	R71264	Hs.16798	ESTs	6.62
408806	AW847814	Hs.289005	Homo sapiens cDNA: FLJ21532 fis, clone C	6.38
448974	AL049390	Hs.22689	Homo sapiens mRNA; cDNA DKFZp586O1318 (f6.28	6.28
412088	AI689496	Hs.108932	ESTs	6.04
417670	R07785		gb:yf15c06.r1 Soares fetal liver spleen	5.95
440774	AI420611	Hs.127832	ESTs	5.91
426086	T94907	Hs.188572	ESTs	5.90
436100	AA704806	Hs.143842	ESTs, Weakly similar to 2004399A chromos	5.84
453204	R10799	Hs.191990	ESTs	5.84
407289	AA135159	Hs.203349	Homo sapiens cDNA FLJ12149 fis, clone MA	5.67
432435	BE218886	Hs.282070	ESTs	5.61
434963	AW974957	Hs.288719	Homo sapiens cDNA FLJ12142 fis, clone MA	5.60
421221	AW276914	Hs.326714	Homo sapiens clone IMAGE:713177, mRNA se	5.54
407328	AA508857	Hs.187748	ESTs, Weakly similar to ALU1_HUMAN ALU S	5.51
440980	AL042005	Hs.1117	tripeptidyl peptidase II	5.48
443651	W22152	Hs.282929	ESTs	5.42
412668	AA456195	Hs.10056	hypothetical protein FLJ14621	5.29
444838	AV651680	Hs.208558	ESTs	5.24
433312	AI241331	Hs.131765	ESTs, Moderately similar to I38937 DNA/R	5.11
430665	BE350122	Hs.157367	ESTs, Weakly similar to I78885 serine/th	5.11
434966	AA657494		gb:nt66f04.s1 NCI_CGAP_Pr3 Homo sapiens	5.10
426897	AW976570	Hs.97387	ESTs	5.08
432954	AI076345	Hs.214199	ESTs	5.07
431416	AA532718	Hs.178604	ESTs	5.00
420717	AA284447	Hs.271887	ESTs	4.96
424950	AA602917	Hs.156974	ESTs	4.94
438962	BE046594		gb:hn41c11.x1 NCI_CGAP_RDF2 Homo sapiens	4.92
419999	AI760942	Hs.191754	ESTs	4.89
435812	AA700439	Hs.188490	ESTs	4.86
418662	AI801098	Hs.151500	ESTs	4.79
428065	AI634046	Hs.157313	ESTs	4.77
407618	AW054922	Hs.53478	Homo sapiens cDNA FLJ12366 fis, clone MA	4.75
435981	H74319	Hs.188620	ESTs	4.74
419145	N99638		gb:za39g11.r1 Soares fetal liver spleen	4.73
432340	AA534222		gb:nj21d02.s1 NCI_CGAP_AA1 Homo sapiens	4.72
447982	H22953	Hs.137551	ESTs	4.72

	449509	AA001615	Hs.84561	ESTs	4.72
	407946	AA226495	Hs.154292	ESTs	4.70
	438607	AW080237	Hs.252884	ESTs	4.68
5	438406	BE273296	Hs.254467	Homo sapiens cDNA FLJ13255 fis, clone OV	4.62
	426818	AA554827	Hs.289115	DKFZp434A0131 protein	4.62
	452220	BE158006	Hs.212296	ESTs	4.60
	436823	AW749865	Hs.293645	ESTs, Weakly similar to I38022 hypotheti	4.60
	433854	AA610649	Hs.333239	ESTs	4.56
10	413816	AW958181	Hs.189998	ESTs	4.52
	428079	AA421020	Hs.208919	ESTs	4.52
	421097	AI280112	Hs.125232	Homo sapiens cDNA FLJ13266 fis, clone OV	4.50
	417035	AA192455	Hs.22968	Homo sapiens clone IMAGE:451939, mRNA se	4.48
	423974	AL118754		gb:DKFZp761P1910_r1 761 (synonym: hamy2)	4.44
	449618	AI076459	Hs.15978	KIAA1272 protein	4.44
15	431615	AW295859	Hs.235860	ESTs	4.44
	418876	AA740616		gb:ny97f11.s1 NCI_CGAP_GCB1 Homo sapiens	4.43
	428279	AA425310	Hs.155766	ESTs, Weakly similar to A47582 B-cell gr	4.42
	430573	AA744550	Hs.136345	ESTs	4.42
	430929	AA489166	Hs.156933	ESTs	4.40
20	446099	T93096	Hs.17126	hypothetical protein MGC15912	4.40
	439362	AI954880	Hs.134604	ESTs	4.36
	421999	U50535	Hs.110630	Human BRCA2 region, mRNA sequence CG006	4.35
	434220	AI174777	Hs.283039	Homo sapiens PRO2492 mRNA, complete cds	4.33
	432925	AA878324	Hs.192734	ESTs	4.32
25	417819	AI253112	Hs.133540	ESTs	4.30
	426848	H72531	Hs.36190	ESTs	4.30
	429831	AA564489	Hs.137526	ESTs	4.30
	433735	AA608955	Hs.109653	ESTs	4.30
	418884	AA230228	Hs.59197	ESTs	4.28
30	413243	AA769266	Hs.193657	ESTs	4.26
	431749	AL049263	Hs.306292	Homo sapiens mRNA; cDNA DKFZp564F133 (fr	4.23
	428054	AI948688	Hs.266619	ESTs	4.22
	413967	AW204431	Hs.117853	ESTs, Weakly similar to I38022 hypotheti	4.22
35	433230	AW136134	Hs.220277	ESTs	4.22
	421057	T58283	Hs.10450	Homo sapiens cDNA: FLJ22063 fis, clone H	4.22
	423578	AW960454	Hs.222830	ESTs	4.21
	439717	W94472	Hs.59529	ESTs, Moderately similar to ALU1_HUMAN A	4.20
	443696	AW607444	Hs.134622	ESTs	4.20
40	432722	AA830532	Hs.326150	ESTs	4.18
	435756	AI418466	Hs.33665	ESTs	4.14
	428825	AI084336	Hs.128783	ESTs, Weakly similar to I38022 hypotheti	4.14
	439451	AF086270	Hs.278554	heterochromatin-like protein 1	4.12
	445943	AW898533	Hs.181574	ESTs	4.12
45	450219	AI826999	Hs.224624	ESTs	4.12
	431379	AA504264	Hs.182937	peptidylprolyl isomerase A (cyclophilin	4.11
	432451	AW972771	Hs.292471	ESTs, Weakly similar to ALU1_HUMAN ALU S	4.10
	443148	AI034357	Hs.211194	ESTs, Weakly similar to ALU8_HUMAN ALU S	4.08
	450177	AI698091	Hs.107845	ESTs	4.08
50	420911	U77413	Hs.100293	O-linked N-acetylglucosamine (GlcNAc) tr	4.06
	421114	AW975051	Hs.293156	ESTs, Weakly similar to I78885 serine/th	4.06
	432731	R31178	Hs.287820	fibronectin 1	4.06
	433588	AI056872	Hs.133386	ESTs	4.06
	434658	AI624436	Hs.310286	ESTs	4.06
55	444040	AF204231	Hs.182982	golgin-67	4.06
	429512	AA453987	Hs.144802	ESTs	4.06
	443349	AI052572	Hs.269864	ESTs, Weakly similar to ALU1_HUMAN ALU S	4.04
	439867	AA847510	Hs.161292	ESTs	4.04
	425955	T96509	Hs.248549	ESTs, Moderately similar to S65657 alpha	4.02
60	431393	AW971493	Hs.134269	ESTs, Highly similar to cytokine recepto	4.00
	432125	AW972667	Hs.287510	Homo sapiens cDNA FLJ12300 fis, clone MA	4.00
	435468	AW362803	Hs.166271	ESTs	3.97
	412059	AA317962	Hs.249721	ESTs, Moderately similar to PC4259 ferri	3.95
	446682	AW205632	Hs.211198	ESTs	3.95
	441328	AI982794	Hs.159473	ESTs	3.92
65	455778	BE088746		gb:CM2-BT0693-210300-123-d09 BT0693 Homo	3.90
	438996	AW748336	Hs.168052	KIAA0421 protein	3.86
	418303	AA215701	Hs.186541	ESTs, Weakly similar to I38022 hypotheti	3.85
	444816	Z48633	Hs.283742	H.sapiens mRNA for retrotransposon	3.84
	429355	AW973253	Hs.292689	ESTs	3.83
70	438578	AA811244	Hs.164168	ESTs	3.83
	432945	AL043683	Hs.8173	hypothetical protein FLJ10803	3.83
	435318	T97301	Hs.18026	ESTs	3.82
	449941	AW450536	Hs.209260	ESTs	3.80
	424915	R42755	Hs.23096	ESTs	3.76
75	449987	AW079749	Hs.184719	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.76
	416265	AA177088	Hs.190065	ESTs	3.75

20220708073007

	413497	BE177661	gb:RC1-HT0598-020300-011-h02 HT0598 Homo	3.74
	412093	BE242691	Hs.14947 ESTs	3.74
	413822	R08950	Hs.272044 ESTs, Weakly similar to ALU1_HUMAN ALU S	3.73
5	431915	AK000777	Hs.272197 Homo sapiens cDNA FLJ20770 fis, clone CO	3.68
	434442	AA737415	Hs.152826 ESTs	3.63
	434959	AW974949	Hs.186564 ESTs, Weakly similar to I38022 hypotheti	3.63
	427704	AW971063	Hs.292882 ESTs	3.62
	426510	AW861225	Hs.194637 BANP homolog, SMAR1 homolog	3.60
10	435714	AA699325	Hs.269880 ESTs	3.60
	432598	AI341227	Hs.157106 ESTs	3.57
	438543	AA810141	Hs.192182 ESTs	3.55
	422068	AI807519	Hs.104520 Homo sapiens cDNA FLJ13694 fis, clone PL	3.54
	418259	AA215404	Hs.137289 ESTs	3.54
15	428290	AI932995	Hs.183475 Homo sapiens clone 25061 mRNA sequence	3.49
	419457	AA243146	Hs.209334 ESTs, Moderately similar to S23A_HUMAN P	3.47
	439312	AA833902	Hs.270745 ESTs	3.47
	408784	AW971350	Hs.63386 ESTs	3.45
	456332	AA228357	gb:nc39d05.r1 NCI_CGAP_Pr2 Homo sapiens	3.45
20	424762	AL119442	Hs.183684 eukaryotic translation initiation factor	3.44
	442884	AI076570	Hs.134053 ESTs	3.44
	421023	AW449855	Hs.96557 Homo sapiens cDNA FLJ12727 fis, clone NT	3.43
	434575	AI133446	Hs.299964 Homo sapiens clone FLB7723 PRO2055 mRNA,	3.42
	430433	AA478883	Hs.273766 ESTs	3.39
25	419317	AA236282	Hs.172318 ESTs	3.38
	448710	T62926	Hs.304184 ESTs	3.37
	439322	H72245	Hs.188635 ESTs	3.37
	430332	R51790	Hs.239483 Human clone 23933 mRNA sequence	3.35
	411755	BE327036	Hs.117494 ESTs	3.33
30	427882	AA640987	Hs.193767 ESTs	3.28
	438899	AF085833	Hs.135624 ESTs	3.28
	436535	AW295687	Hs.254420 ESTs	3.25
	434936	AI285970	Hs.183817 ESTs	3.22
	451730	AF095687	Hs.26937 brain and nasopharyngeal carcinoma susce	3.18
35	447514	AI809314	Hs.208501 ESTs, Weakly similar to B34087 hypotheti	3.18
	413672	BE156536	gb:QV0-HT0368-310100-091-h10 HT0368 Homo	3.16
	435073	AA664078	gb:ac04a05.s1 Stratagene lung (937210) H	3.13
	450295	AI766732	Hs.210628 ESTs	3.13
	419341	N71463	Hs.118888 ESTs, Weakly similar to ALU1_HUMAN ALU S	3.13
40	434495	AW352170	Hs.129086 Homo sapiens cDNA FLJ12007 fis, clone HE	3.12
	408113	T82427	Hs.194101 Homo sapiens cDNA: FLJ20869 fis, clone A	3.12
	456437	AI924228	Hs.115185 ESTs, Moderately similar to PC4259 ferri	3.12
	421489	AI922821	Hs.32433 ESTs	3.12
	436090	AI640635	Hs.116468 EST	3.11
45	450230	AW016607	Hs.201582 ESTs	3.11
	438011	BE466173	Hs.145696 splicing factor (CC1.3)	3.09
	418720	AI381687	Hs.39526 ESTs	3.09
	433102	AI343966	Hs.158528 ESTs	3.08
	436150	AW510927	Hs.125243 ESTs	3.05
50	440116	AI798851	Hs.283108 hemoglobin, gamma G	3.04
	414900	AW452420	Hs.248678 ESTs	3.04
	435937	AA830893	Hs.119769 ESTs	3.02
	424848	AI263231	Hs.327090 EST	3.02
	435354	AA678267	Hs.117115 ESTs	3.00

# TABLE 23A

Table 23A show the accession numbers for those pkeys lacking unigeneID's for tables 1-20A, 21A, 22A, and 23A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number  
CAT number: Gene cluster number  
Accession: Genbank accession numbers

Pkey	CAT Number	Accession
413497	1373771_1	BE177661 H06215 BE144709 BE144829
413672	1382512_1	BE156536 BE156439 BE156700 BE156449 BE156653 BE156533 BE156524 BE156670 BE156721 BE156723
417670	1692163_1	R07785 T85948 T86972
418876	179960_1	AA740616 AA654854 AA229923
419145	182217_1	N99638 AW973750 AA328271 H90994 AA558020 AA234435 N59599 R94815
423974	233842_1	AL118754 AA333202 H38001
432340	345248_1	AA534222 AA632632 T81234
434966	396504_1	AA657494 AI582663 AI581639
435073	399701_1	AA664078 AW363313 AA805009
438962	467390_1	BE046594 BE046667 AA828585 AI207343
455778	1364506_1	BE088746 BE088802 BE088755 BE088876 BE088947 BE088881 BE088892
456332	179104_1	AA228357 AW841786 AW841716



**TABLE 24: 34 GENES DOWN-REGULATED IN COLON CANCER DERIVED LIVER METASTASES COMPARED TO COLON CANCER PRIMARY TUMOR SAMPLES CLASSIFIED AS DUKE'S B SURVIVOR**

Table 24 shows 34 genes down-regulated in colon cancer derived liver metastases compared to colon cancer primary tumor samples classified as Duke's B stage with a positive survival outcome (Duke's B survivor). These were selected from 59680 probesets on the Affymetrix/Eos Hu03 GeneChip array such that the ratio of "average" colon cancer derived liver metastases to "average" Duke's B survivor was greater than or equal to 0.25. The "average" colon cancer derived liver metastases level was set to the 50th percentile. The "average" Duke's B survivor level was set to the 50th percentile.

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title  
 R1: Genes down liver metastases vs Duke's B survivors

Pkey	ExAccn	UnigeneID	Unigene Title	R1
414522	AW518944	Hs.76325	step II splicing factor SLU7	0.05
416768	AA363733	Hs.1032	regenerating islet-derived 1 alpha (panc	0.07
409153	W03754	Hs.50813	hypothetical protein FLJ20022	0.07
414555	N98569	Hs.76422	phospholipase A2, group IIA (platelets,	0.11
418007	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial	0.11
424326	NM_014479	Hs.145296	disintegrin protease	0.11
428934	AF039401	Hs.194659	chloride channel, calcium activated, fam	0.12
417233	W25005	Hs.24395	small inducible cytokine subfamily B (Cy	0.12
422260	AA315993	Hs.105484	regenerating gene type IV	0.12
425196	AL037915	Hs.155097	carbonic anhydrase II	0.13
433336	AF017986	Hs.31386	secreted frizzled-related protein 2	0.13
450685	L15533	Hs.423	pancreatitis-associated protein	0.14
407811	AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagon	0.15
414798	AI286323	Hs.97411	hypothetical protein MGC12335	0.16
452852	AK001972	Hs.30822	hypothetical protein FLJ11110	0.17
447513	AW955776	Hs.313500	ESTs, Moderately similar to ALU7_HUMAN A	0.17
423541	AA296922	Hs.129778	gastrointestinal peptide	0.17
425071	NM_013989	Hs.154424	deiodinase, iodothyronine, type II	0.18
406636	L12064		gb:Homo sapiens (clone WR4.12VL) anti-th	0.18
421515	Y11339	Hs.105352	GalNAc alpha-2, 6-sialyltransferase I, I	0.18
428368	BE440042	Hs.83326	matrix metalloproteinase 3 (stromelysin	0.19
414812	X72755	Hs.77367	monokine induced by gamma interferon	0.20
452594	AU076405	Hs.29981	solute carrier family 26 (sulfate transp	0.20
428227	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	0.21
408741	M73720	Hs.646	carboxypeptidase A3 (mast cell)	0.21
453064	R40334	Hs.89463	potassium large conductance calcium-acti	0.21
431727	AW293464	Hs.162031	ESTs	0.22
433658	L03678	Hs.156110	immunoglobulin kappa constant	0.22
442064	AI422867	Hs.88594	ESTs	0.22
417880	BE241595	Hs.82848	selectin L (lymphocyte adhesion molecule	0.22
430280	AA361258	Hs.237868	interleukin 7 receptor	0.23
452877	AI250789	Hs.32478	ESTs	0.23
410310	J02931	Hs.62192	coagulation factor III (thromboplastin,	0.24
402408				0.24

**TABLE 24B**

5      Pkey:      Unique number corresponding to an Eos probeset  
      Ref:      Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication  
                  entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.  
      Strand:      Indicates DNA strand from which exons were predicted.  
      Nt\_position:      Indicates nucleotide positions of predicted exons.

10

Pkey	Ref	Strand	Nt_position
402408	9796239	Minus	110326-110491

20/220" 080/800T

**TABLE 25:**

**Table 25** depicts Seq ID No., UnigeneID, UnigeneTitle, Pkey, and ExAccn for all of the sequences in Table 26. Seq ID No links the nucleic acid and protein sequence information in Table 26 to Table 25.

Pkey: Unique Eos probeset identifier number  
 ExAccn: Exemplar Accession number, Genbank accession number  
 UnigeneID: Unigene number  
 Unigene Title: Unigene gene title  
 Seq.ID.No.: Sequence Identification Number found in Table 26

Pkey	ExAccn	UnigeneID	Unigene Title	Seq ID No.
426101	AL049987		Homo sapiens mRNA; cDNA DKFZp564F112 (fr	1-4
419145	N99638		gb	5 & 6
426818	AA554827	Hs.340046	DKFZp434A0131 protein	7 & 8
421057	T58283		Homo sapiens cDNA	9
446619	AU076643	Hs.313	secreted phosphoprotein 1 (osteopontin,	10 & 11
431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	12 & 13
409041	AB033025	Hs.50081	Hypothetical protein, XP_051860 (KIAA119	14 & 15
443162	T49951	Hs.9029	DKFZP434G032 protein	16 & 17
436385	BE551618	Hs.144097	ESTs	18-20
447033	AI357412	Hs.157601	ESTs	21 & 22
439608	AW864696	Hs.301732	hypothetical protein MGC5306	23-27
449032	AA045573	Hs.22900	nuclear factor (erythroid-derived 2)-lik	28 & 29
442577	AA292998	Hs.163900	ESTs	30 & 31
429970	AK000072	Hs.227059	chloride channel, calcium activated, fam	32 & 33
424566	M16801	Hs.1790	nuclear receptor subfamily 3, group C, m	34 & 35
457407	AA505035	Hs.345911	ESTs	36
430378	Z29572	Hs.2556	tumor necrosis factor receptor superfami	37 & 38
417332	AW972717	Hs.288462	hypothetical protein FLJ21511	39 & 40

TABLE 25A

Pkey: Unique Eos probeset identifier number  
 CAT number: Gene cluster number  
 Accession: Genbank accession numbers

Pkey CAT Number Accession

10	409041	10962_2 AB033025 AL359061 AL045836 AI751521 AI752804 AI752650 AA853580 AI752290 AA853460 AI752769 AA852309 AA853785 AA853219 AW068503 AI752069 AL049389 AW068368 BE439518 W52813 BE141833 AI940574 AI750606 AL109718 AA242845 AA315795 AA307741 AW954603 AI752070 AA350794 AI752649 AA307755 AW951677 AA298896 BE439692 AA852453 AW068826 AW853984 AA418236 AA639417 AW290917 AI750592 AI752768 AL045837 AI926513 AW262903 BE439819 AI459360 AW339074 AW295181 AW029483 AI750945 AI750659 AI752525 AI147688 BE440122 AI751522 AI473816 AI752291 AI694639 AI925816 AA599476 AA242752 AW021892 AI755098 AW469299 AW769363 AA853579 AI784082 AA852454 AI925501 AA976657 AW150473 AW166734
15	417332 166755_1	AW972717 AA523805 AI962905 AI373245 AW235545 AI812045 AW589434 AI826824 AW572339 AI377551 AA195718 AI868470
20	419145 182217_1 421057 198849_1 424566 2408_1	N99638 AW973750 AA328271 H90994 AA558020 AA234435 N59599 R94815 T58283 AA765038 AA283052 H99396 AA814751 AI032674 N81016 N81017 BE222349 AA830545 M16801 NM_000901 D57171 AL041328 AF068623 AI201179 AA151766 AA568349 AI698649 AI692765 BE327401 AA744953 AA1744951 AW361986 AV651840 T29894 AW945146 AW945145 W24096 AI183952 AI458972 AW190993 AI765359 AI634663 AI741201 AW418944 AI767551 AA679687 AW772342 AW629508 BE504300 AI251790 AI522294 AA724341 AW615402 AI537570 AA470665 AI458375 AW768901 AA447079 T23537 AI783744 R44301 D56621 N91919 AA149749 AL049987 AW362842 T78981 AA247541 AI217018 AW961515 AA632986 AA663108 BE326465 AW872412 AI024689 AA453725 BE150456 AA229448 AA442638 AA442648 AI916737 AA460220 AA868553 AI827987 AI005467 R31132 AI742087 AA442379 N56349 AW769479 AI860142 AI917507 AA813604 AI860141 AI459289 AA522837 AI354470 AI921333 BE466760 AW971193 AW103830 AW277065 AW020895 AI187977 N28268 AI084517 R95914 AA833517 AA563934 AA437299 AA436880 AA447794 AA812876 AA663178 R31089 AI472712 R64648 AA600372 AA229164 AA703066 AW270324 AI191725 AA551512 AA493776 AA554827 AA701001 AW972954 AL039129 AA385540 AA911663 AK000072 AW840683 AW843764 AW844444 AW844515 AW603469 AW862395 AI860838 AW511708 AF127035 NM_012128 AK000138 Z29572 AW976377 AA286871 AA633372 AA987627 AA743176 AI865358 AJ006884 AF031845 Z14955 X63629 NM_001793 BE175433 BE153414 BE153425 AW364593 BE315317 AW950190 AA314252 BE142943 AW365220 AW368405 BE004269 AW366568 AL040609 AI829273 AI591168 BE146183 AI631060 AI830793 W78081 W92295 AI927422 BE009313 AI371793 AW993031 AI204659 AA535113 AW993030 AI190281 AA555159 AW269637 AW993146 AI149268 AA425217 AW473194 AI890930 AA551993 AI952106 W92308 AI827275 W45400 AI952328 AW609233 AA774611 AA551779 AI913967 AI798658 AI537658 AW517535 AA632236 AW339148 AW589522 AA836945 AA961263 AW015821 AW272946 C00249 W40333 BE143121 BE551618 AI207338 BE220568 AI261568 AW841737 AA714722 AA946891 AI033239 AW864696 AW338889 AI342866 AA084522 AI244150 AI610339 AA425635 AA764930 AA976965 AW805766 AA057765 AW805845 AW802595 AA262971 AI969620 N75323 BE549060 AW805725 AA025809 N80776 N64595 AW073372 AA025493 AI819475 AW028879 AW189496 AA442907 AW410368 AI911629 N71276 AW316922 AW805838 AA043880 AW189184 AA449756 AA748153 AA705608 AI910643 AA279492 BE160119 AW805761 AA026262 AA782207 AW057652 AW805768 H21998 AW194254 AW275178 AA449040 AA279582 N76314 N54348 442577 54549_1 AA292998 AW238350 AI676059 AW074092 BE566458 AW078677 AW514801 AW073701 AW170620 AI523736 AI580870 AI923975 AI393326 AI700229 AW450814 AW628452 AI671457 AA937534 AI889694 AW339423 AW291875 AA551874 AI682314 AI926227 AA397375 443162 5613_1 T49951 AA025326 H04839 AA393303 R63101 W57657 W25628 AI961431 R71165 N39940 H01548 H01759 AA641624 AI634930 AA595296 AW994770 AW994747 BE047247 W38159 AA858133 AI701944 AW386273 AA676625 R24676 R79410 AA922863 AI151319 H01013 AA024482 W02674 H01456 AI150858 AW135972 AW631167 AI270332 H04750 T49622 AA004543 R63061 AI093066 AI247539 H01225 H03388 AW472933 AA382448 AI219287 N27194 AW389613 AA649738 AW994764 AW389614 R25176 AA897262 R71626 AA909471 R71240 AW811917 R76109 AI202312 AI866010 R76162 AL117538 R79411 T58656 AW994674 55 446619 685_1 AU076643 AA594604 AA346866 R18197 AA345192 AA337773 AA089791 R84435 AA337838 AW392167 AA075190 D55416 AW150360 AW366257 AA579816 H93048 AW385689 AW385697 AI186216 AW581197 AL037509 AB019562 AA232626 R97905 AW368019 AA242891 AW888502 AI798331 AW385635 AW581221 T96947 H87989 AA369511 AA075191 R80742 AA366406 W92752 H45586 AI864016 AW888497 BE004992 AI384110 AI624256 AI627593 W92728 AI682719 AA948208 AA171734 N40517 J04765 AA379957 AA362403 NM_000582 AF052124 AA300290 AA333447 AA343721 AW889543 BE566767 R76601 R18015 AA100531 AA489963 AA101296 AA363513 AA344088 AA336750 T77505 D56440 AL110351 AL110331 F12195 R20175 AA336664 H17766 AA363538 AA363590 D28760 AW578517 AA363531 AI814667 AA846899 AA366253 AW951285 AA297992 AA327756 AW361609 AW815455 AW815427 AW815428 D54182 AW852200 AA171630 W27018 AW815864 AW379995 AW378222 AW362610 BE566022 AW021023 C17352 D58435 AA345409 AI623991 AW020967 AI924770 AI799443 AW946393 AA991239 AI571617 AI935181 AI923999 AI826895 AI860319 AW189873 AW270353 AW023584 AI813811 R99929 AW339056 AA913152 AI636352 AI829394 AW151077 AW192580 AI570119 AI086391 AW021764 AW519154 AI375193 AW268678 65 4455690 AW019983 AW268654 AI573138 AI141809 AI954553 AI559242 AA568945 AA886417 AW338527 AI635881 BE465666 AI921239 AA968537 AI956027 AA911981 AI827661 AW511046 BE619780 AI922227 AI811870 AW190131 AW129220 AW512906 AI290757 AI819088 AI623771 AA775616 BE349419 AI126375 H88773 AI241758 AW275157 AI337848 AI613425 AI631387 AA922631 AI273483 AI982898 AW168957 AI446481 BE501588 BE048264 AI499922 AW023812 BE220523 70 AW973846 BE349276 AI141091 AA976060 AW973845 AA101270 AI582472 AW613675 AI139360 AI282627 AI276044 N22345 AI261875 AA634136 AI824468 AW887693 N27107 R21504 AI042223 N22067 AW196871 AI581019 BE004973 AA252035 N22087 AA570717 H11250 AI804026 AA368098 AA021512 H08842 N26275 AA176368 AI758758 AA570371 AA232574 BE221177 AW190221 AW471386 M78225 AI422140 AI624521 AA719775 AA300291 AA568657 AI871430 BE465630 N71862 75 T72587 W92721 H88774 D54383 AW103693 AW089986 AI382689 R42363 R44962 T98770 AA357374 AW022074 AI356207 T29241 AW089431 AI933875 N66267 N67352 AA121786 AA363910 F09824 T95618 N66888 R80550 AI280667 AW196719

20/220" 080/800T

5 447033 704603\_1  
449032 7945\_1

10 457407 333252\_1

R59299 AW021049 H73469 AI954311 BE439454 AW079450 AW973850 AA348338 AW896006 AW268145 AA853631 H17650  
R39537 N66873 N67240 H06298 AI784199 R44260 AA904118 AA911756 F04544 AA807809 AA665210 AI696448 T29719  
AA837240 T64844 H08926  
AI357412 AI870708 AI590539 W07459  
AA045573 AA279920 R20139 AA372783 AW963629 H21473 R78318 W74359 AA022505 AA369091 AW084075 AA503638  
AV660815 AI216262 AA779843 BE219825 AF125534 AW972129 AI919099 AI621283 AI300590 AI953701 AA331415 AW610546  
AW793050 AI953679 AW793047 AW610543 AI671103 AW292105 AW024112 R77947 W76339 AA305111 AA132523 AA227467  
H21401 AW366572 AW024129 AI701886 AI654744 BE042803 AI347173 AW866053 AW662710 R36639 AI469777 AA962733  
AI865366 AA501998 AW866054 BE178974  
AA505035 AW235098 AI634028

Table 26

Seq ID NO: 1 DNA sequence

Nucleic Acid Accession #:

see Table 25 &amp; 25A for complete list

1 11 21 31 41 51  
 CAATATAGTA CAATAACTAT TTGCATGACA TTTACATCGG ATATTATGAG TGATCTAGAG 60  
 TTGATATGAA GTATATGGGA GGATGTGCAA AGGTGATGTG CAAATACTAT GTCATTTTAT 120  
 AGGGGGGACT TGAGTATCCT TTGTTACCCT CAGGAGATCC TGAAACCAGT CCCCCATGGA 180  
 TACTGAGGGC TGACTGTATA GTCCTATCCT CACGGAACCT TCATTCTAAT GGGGGAAGAC 240  
 TGACTATAAA CAAAATATAT GTAATAGGTG GTGGTAAGTA CCGTGGAGAA GTAACAAATG 300  
 GGGCAAAGTG AGTTATACAG CTCCATTCTT AGAAACCTTG GAGTACTTTT CTTAGTTTAT 360  
 ACTCGTGGTG GTTTCCTTTT GTCTCCTTTA TTACATGGGA CTCTGACATG TGCCCATAGC 420  
 TAGGGTGACA GTAGGATCTA CCGGATAGTA GGGTGGCAGT AGGATCTACC CAAAAAGCGT 480  
 CCTGCTGATA CAGGACCAAA GCATCCTGTT GTTCTCGAGC CTATAAAAG AGCTAATGGT 540  
 GTTGCTTCTC TTAACCTGGG CCTCTACAC TGTGTTTTGG ATGATTGGTG ATGCTTGGGA 600  
 TATTCTGTTT CTTTGAACCT TTGAATATAC AACACTTTAC TAGGGAATTA GCAATGGAAG 660  
 CAGAGCAAAG ATGTACAGAG GAAACAATGC GTAACCTCTG TGGAATTGAA GTCATGAGGC 720  
 AGCAGAGAGC TTAATTACA GCTTTAAAAA TTTTATTTT TTAGAGGGAA TTTACTTGGG 780  
 AGTAACAGCA GTAATAGTTA ACGGAGCCAG AATGCTTGAG TCATATAATT GCAAAGCAGA 840  
 GTTGGGAGCA ACAGATGCTA AAGAGTAGTT GCTGTAGTTC CTCTTTGGGT CGTAGGAGCA 900  
 GTTGTCATAT TACTATATAG CTACTGCATG AAGAAGAGTT CTTAGTGAGG CCTGGGTGAA 960  
 CAGCTCTTCT TAGTATCTG TGTGACCCCA TTTGACCTTT TAACAAATCC CTAAGTAAAT 1020  
 AAATAGCCCC TCAGGAAAAC TAAGTTTTT TCTGCTGTTT TTTGCTTGA GAGAGCTATA 1080  
 ACTGTAATAG ACTTATATTT CTGAACATTT TAGTGCTTGC CAATATTTGG TAATATTTAT 1140  
 GTTTCCTATA TTTGAATGA ACATCTTCTT TCCGGTACAT TTTTGTAA ATTATTTGTT 1200  
 GATGGATAAA AGTTCACCTT TTATTGTATA AAATTGACTG AGATTAATTT ATACACATTG 1260  
 ACAATGGGTA AATAGAATTT TTCAGATTAT TAAAAGCTGA AGGATGACCA CGTAAGCAAA 1320  
 AAAAAAAAAA AAAAAACCAA CAAAAATAA CCAAACCCC TCAACAATT TCGAACACGA 1380  
 AACATTCTTC TGATGCCGGC ATCCCTGCTT GCAGGTGTGA AGGGGGCAGG AATCAGCGAG 1440  
 GTGTCTGGG CTGAGTCCCC GGGGAAGAAT ATGAT

Seq ID NO: 2 DNA sequence

Nucleic Acid Accession #: X83301.1

1 11 21 31 41 51  
 GCAAAGCCAG CTGGGCTCCT GAGTCCGGTG GGTACTTGGA GAACTTACTA CGTCTAGCTG 60  
 GAGGATTGTA AATGCACCAA TCAGCATGCT GTGTCTAGCT CAAGATTTTC TCCATCCCCT 120  
 TATTTTGGGC CAGTGGCTGT CATTACATAT GAGATGAGTC TCTTGAAGAC TACAGATGAA 180  
 CTCAAGCTCC ATGAGGAGAT GTTTCATTGT CGAGAGCAGT CATGATGGCC TGCACCTCCAC 240  
 ACAATGCAAC AGAGTGAAAG AGCAGGTTCT GCTTCTTTGG TGTAGTCTG AAGCTTCCTA 300  
 AGAAACTTCA CATCAGGTGA TGGATAGGAG CAACCCTGTA AAACAGCCT TAGACTATTT 360  
 TTCAAACAGG CTGGTGAATT ACCAGATCTC CGTCAAGTGC AGTAACCACT TCAAGTTGGA 420  
 AGTGTGTCTT TTGAATGCA AGAACAAGT CGTGGACAAC CAGGCTGGGA CCCAGGGCCA 480  
 GCTGAAGGTG CTGGGTGCCA ACCTCTGGTG GCCGTACCTG ATGCACGAAC ACCCGCCTA 540  
 CCTGTACTCC TGGGAGGATG GTGATTGCTC ACACCAAAGC CTTGGACCCC TCCAGCCTG 600  
 TGACCTTTGG GACCAACTCC ACCTACGCAG CAGACAAGGG GGCTCTGTAT GTGGATGTGA 660  
 TCCGTGTGAA CAGCTACTAC TCTTGGTATC GCAACTACGG GCACCTGGAG TTGATTCCGC 720  
 TGCAGCTGGC CGCCAGTTT GAGAATTGGT GTGAGACATC ACAATCCCAT TATCAGAGC 780  
 CGGTATGGAG TGGAAACGCT TGTAGGGTTT CACCAGGGCT GGTGAATTAC CAGATCTCCG 840  
 TCAAGTGCAG TAACCAAGTT AAGTTGGAAG TATGTCTTTT GAATGCAGAA AACAAGTCG 900  
 TGGACAACCA GGCTGGGACC CAGGGCCAGC TGAAGGTGCT GGTGCCAACC TCTGGTGGCC 960  
 GTACCTGATG CACGAACACC CCGCTACCT GTACTCGTGG GAGGATGGTG ATTGCTACA 1020  
 CCAAAGCCTT GGACCCCTCC CAGCCTGTGA CTTTGGGAC CAACTCCACC TACGCAGCAG 1080  
 ACAAGGGGGC TCTGTATGTG GATGTGATCC GTGTGAACAG CTACTACTCT TGGTATCGCA 1140  
 ACTACGGGCA CCTGGAAGTT ATTCGGCTGC AGGCCCTGCA GCTGGCCGCC CAGTTTGTGA 1200  
 ATTGGTGTA GACATCACAA TCCCATTAAT CAGAGCGCGT ATGGAGTGA AACGCTTGTA 1260  
 GGGTTTACC AGTCTTTCCC AGGGAACCTC GATGAAGTGT TCCAACAAAA TGAGCGAGTG 1320  
 AACCAAGAAG AGGATGACAT TAGATCCAGG AGATACAACA GAGGAGATAA TCTCCAGGAT 1380  
 GCCTGTGAAG AAAGATCCCT GGATCCAGG ATGATTATAG GACAAGTTGT TCATAATCCA 1440  
 GCAGGCCAGA AGACTTCCAG GGAAACTCAT TTCAAGATGA AAATGGACCA GCCGAGTGG 1500  
 CTCACGCTG TAATACCAGC ACTTTGGGAG GCTGAGGCGG GCGGATCACT TGAGGTCAAG 1560  
 AGTTTGAAC TAGCTGGCC AACGTGGCAA AACTCCATCT CTATTAAGA TACAAAAAT 1620  
 AGCCAGGCAT AGTGGTGCAT GCCTGTAGTC CCAGCTACTT GGGATGCTGA GGCAGGAAGA 1680  
 ATTGCTTGA CTTGGGAGG AGAGTCTGCG GTGACCGAGA TCATGCCACT GCACTCCAGC 1740  
 CTGGGTGACA GAGCCAGACT CCGTCTCTAC TAAAAA AAAA AAAA AAAA AAAA AAAA

Seq ID NO: 3 Protein sequence

Protein Accession #: CAA58280.1

1 11 21 31 41 51  
 MDRSNPKPA LDYFSNRLVN YQISVKCSNQ FKLEVCLLN ENKVVNDQAG TQGLKVLGA 60  
 NLWWPYLMHE HPAYLYSWED GDCSHQSLGP LPACDLWDQL HLRSRQGGSV CGDPCFQQL 120  
 LLVSQLRAPG VDSAAAGRPV

Seq ID NO: 4 DNA sequence

Nucleic Acid Accession #: BC002622.1

1 11 21 31 41 51  
 GGCACGAGGC TCCGCCCGCG GCCGGGATGC ACTAGGCAAA GCCAGCTGGG CTCCTGAGTC 60

CGGTGGGTAC TTGGAGAACT TACTACGTCT AGCTGGAGGA TTGTAATGC ACCAATCAGC 120  
 ATGCTGTGTC TAGCTCAAGA TTTTCTCCAT CCCCTTATTT TGGGCCAGTG GCTGTCATTA 180  
 CATATGAGAA CTCAAGCTCC ATGAGGAGAT GTTTCATTGT CGAGAGCAGT CATGATGGCC 240  
 TGCACCTCCAC ACAATGCAAC AGAGTGAAAG AGCAGGTTCT GCTTCTTTGG TGTAGTCTCG 300  
 AAGCTTCCTA AGAAACTTCA CATCAGGTGA TGGATAGGAG CAACCTGTA AAACCCAGCT 360  
 TAGACTATTT TTCAAACAGG CTGGTGAATT ACCAGATCTC CGTCAAGTGC AGTAACCCAGT 420  
 TCAAGTTGGA AGTGTGTCTT TTGAATGCAG AAAACAAAGT CGTGGACAAC CAGGCTGGGA 480  
 CCCAGGGCCA GCTGAAGGTG CTGGGTGCCA ACCTCTGGTG GCCGTACCTG ATGCACGAAC 540  
 ACCCCGCTA CCTGTACTCG TGGGAGGATG GTGATTGCTC ACACCAAAGC CTGGACCCC 600  
 TCCCAGCCTG TGACCTTTGT GACCAACTCC ACCTACGCAG CAGACAAGGG GGCTCTGTAT 660  
 GTGGATGTGA TCCGTGTGAA CAGCTACTAC TCTTGGTATC GCAACTACGG GCACCTGGAG 720  
 TTGATTCAGC TGCAGCTGGC CGCCCAAGTT GAGAAATGGT GTAAGACATC ACAATCCCAT 780  
 TATTCAGAGC GCGTATGGAG TGGAAACGCT TGTAGGGTTT CACCAGTCTT TCCCAGGGAA 840  
 CTCGGATGAA GTGTTCCAAC AAAATGAGCG AGTGAACCAA GAAGAGGATG ACATTAGATC 900  
 CAGGAGATAC AACAGAGGAG ATAATCTCCA GGATGCCTGT GAAGAAAGAT CCCTGGATCC 960  
 CAGGATGATT ATAGGACAAAG TTGTTCTATA TCCAGCAGGC CAGAAGACTT CCAGGGAAAC 1020  
 TCATTCAAGG AGGTGAAAT GATGGATGAC TCCTCCAAGA TGAATATGGA CCAGCCGAG 1080  
 TGGCTCAGC CTGTAATACC AGCACTTTGG GAGGCTGAGG CAGGCGGATC ACTTGAGGTC 1140  
 AGGAGTTTGA AACTAGCCTT GCCAACGTGG CAAAACCTCA TCTCTATTAA AAATACAAAA 1200  
 ATTAGCCAAG CATAGTGGTG CATGCCTGTA GTCCAGCTA CTGGGATGC TGAGGCAGGA 1260  
 AGAATTGCTT GAACCTGGGA GGCAGAGTCT ACAGTGAGCC GAGATCATGC CATGCACTC 1320  
 CAGCTGGGC AACACAGTGA GACTCCATCT CAAAAAATAA AAAAAAATAA AA

Seq ID NO: 5 Protein sequence  
 Protein Accession #: AAH02622.1

1 11 21 31 41 51  
 MDRSNPKPA LDYFSNRLVN YQISVKCSNQ FKLEVCLLNA ENKVVDNQAG TQGQLKVLGA 60  
 NLWWPYLMHE HPAYLYSWED GDCSHQSLGP LPACDLCDQL HLRSRQGGSV CGDPCPEQLL 120  
 LLVSQLRAPG VDSAAAGR PV

Seq ID NO: 6 DNA sequence  
 Nucleic Acid Accession #: see Table 25 & 25A for complete list

1 11 21 31 41 51  
 ACCTGAGATC AGGAGTTCGA GATCAGCCTG ACCAATAGGG TGAAACCCCG TCTCTACTAA 60  
 AAATACAAAA AATTAGCTGG ACACGATGGT GGGTGCCTGT GGTCCCGGCT ACTCGGGAGG 120  
 CTGAGACAGG AGAATCAGTT GACCTGGGAG TTGGTGTTTG CAGTGAGCTG AGATCACACC 180  
 ATTGCATTCC AAGCCTGGGC AACAAGAGTG AAACCTCCATC GCAAAAAAAA AAAAGAAGGG 240  
 GCATAATTG TGGATGAGGA TTGGATATAA GGTAAAGGAT GGGACATTCT TGGACTTACA 300  
 GATGGTGTGA TTGCTGGCT AGAAGAAGAA TTCCCGGTCA AAAAGAAACC ATCAGCTTTC 360  
 CAAGTGTGAA AGAGAGATAA ATCTGTGAAG ATTATAGGGA CTACAGGAAA CTAAATCTTT 420  
 TTCTTTGAAA AAGCAATTGT AGCAAAAAAAA AAGAAATTT CTACTGTCA TCTAAATTTG 480  
 ACATGGACAT CTTAGTGGAC TAGAAGTTAA GGGCATAAAT TCTCCAGTG ATTTTAAAT 540  
 TTAGCATTTG GATTAACACC TTCTAAATTT GCCAGAACTT AATAAATAAT TGCTTTTCAT 600  
 TATTAGTATG CCATCAAAAT TAGTAGCTGT TTCAGGCTTT AATGTGTCAA GCCTAAATC 660  
 CAGATTTTGG AGGATCTTCT CCCTCTTAAA AGAGTATTCA GTTAACTGCC GTAGAAATAC 720  
 ACATGTATAC AAGGGCACTG TATACATCAG TCTAAAAAAT AAAAAATATG ATACGTTCTG 780  
 GTGAGTCTAG CACAGCATTT CCCAATAGAA ATACCAATGG AGGTACAAA TGTGGCCCAT 840  
 ATAGGTTAAT TGGTAAATTT TCTNATAGNC ACC

Seq ID NO: 7 DNA sequence  
 Nucleic Acid Accession #: AK000942  
 Coding sequence: 1204-1503

1 11 21 31 41 51  
 GTAAAGGAAT GTCTTTTAA TTAGCTTTT CTTTCTCCA TGCTAGTGT ATCAGGTTTT 60  
 GGTATTTATT TACTTACAGC ATATGTTATG AAGCTGGTTT GAAAAATGGT TTTAGATATA 120  
 TCTGCAAGTT TACTACTTTG ACTGTAAAAA AAAAAAATGA AAAAGTAGTT GACATCTGTC 180  
 CTCAGAAGAA GTTTGCAGGT TGCATATTTG TGTGTAATA CACAGGCTAA AAGGTAATTT 240  
 ATGTTCTCTG GGAATTGAAA TGGTCAGTGG CCCGTTACAG AAACCTTATC GTCATATATC 300  
 AGCACCAGTT CATTCTTTTG CACCTTAGGG ACCATCTGTC CCCTGAGGTG ACCTGAGAAA 360  
 CAACCAAGTT CCCACAGACT GTTATTTCTT CAAGTGAGCC AGGATTGTAT TTCAGTGCCT 420  
 TATATCTAT TTTAGTGTG CAGTGCTTTG ATTTTGGGA AAACTAAAT TTAAACATA 480  
 TTTGAAAAAT GTTATAAGC TTGGACATTA AGTCTGTTGA TAGCCAAAGT CAGTTTACCA 540  
 AAGTAAACA AATAAATCTT ATGCTTCTTC ATTGTCAAAG AGCAGTCTGC CATCATGTGG 600  
 ATATAAATGG ACTATGTAAA GTGACATGGT GCTTACTCTC TACCTAATAA TAGCCTCCCT 660  
 CCTGTTCCTA CAAGATAACC AACAGGTATA TTTAATTTAC CAGTTAATAT GTTTTGGATA 720  
 ATTGGCTGCC TTGAAATGCT ATATGTTTTA TAGTACATCA TAGCTTTAGT TTTCTTCATA 780  
 AGGAAATTAC AGTTACATCC TGGCTAACAT GGTGAACTC CATCTCTACT AAAAAATACAA 840  
 AAAAAATGAC GGGCGTGGTG GCGGGCACTT GTAGTCCCAG CTACTCGGGA GGCTGAGGCA 900  
 GGAGAATGGC GTGAACCCAG GAGGCGGAGG TTGCAGTGAG CCGAGATCGT GCCACTGTAC 960  
 TGTGGCCTGG GAGACAGAGC GAGACTCCAT CTCAAAAAA AAAAAAATAA AAAAAAAGA 1020  
 GAGAGAGAGA CCTGGAGTAG AGATTCTGTC AAAGAAGTTT TTCTTTCTTG AGAAGCATCT 1080  
 GAAATGGAAT CTGTTGTCTC TTCGAAATAT GTACTGCTGT AACAGTGAAG CAACCCCTCAG 1140  
 AGTATGCCTT CGTGTGGGCT ACTCGTTGTG GTTTTGAAGT TGGGGGAAGT GTCTGTGTTT 1200  
 GGGTCAAGAA TAGCAACTG GCTGGGCACA TTGGCTCACG CTGTAAATCC CAGCAATTTG 1260  
 GGAGGCTGAG GCAGGCGGAT CACCTGAGGT CAGGGCTTCA AGACCAGACT GGCCAACATG 1320  
 GTGAAACCCC GTCTCTACTG AAAATACAAA AATTAGCTGG GCATGGTGGC AGGTGCCTGT 1380  
 AATCCAGCT ACTCGGGAGG CTGACGTGAG AGAATCGCTT GAACCCGGA GTTGGAGGTT 1440  
 GCAGTGAGCC GAGATTGCAC CATTGCACTC CAGCTTGGGC AACAAGAGTG AAACCTCTGT 1500

CTCAG

Seq ID NO: 8 DNA sequence

Nucleic Acid Accession #:

see Table 25 & 25A for complete list

5

1 11 21 31 41 51

10

GACTAGGCTG GGCAACATAG TGAGACCTCA TCTCTAAAAT TAAAAAATA AAAGCCACCA 60  
GAAAAAAACC TAAAAACATG CCAAGTGACA TCAGTCTTTG ATGAAAATGG CAGCAGAAGA 120  
GTGATGCCAT GGGTGGGGGT GGGAAATGCT ATTTACAGCAG AGAGGGAGCT GTCATGGAAG 180  
ACACCATGTG GCTGGGCACG GTGGCTCACA CCTGTAATCC CAGCACTTTG GGAGATAGAG 240  
GCAGGTGGAT CCCTTGAGCT TAGGAATTTG AGACTAGCCT GGGCAATAAG AGTGAAACTC 300  
CATCTCAAAA AAAAAAAAAA AAAAAGGTGC ATGAAACATA TGAAGCAAAA AGTGAAAGTC 360  
CCCATTCTTT TCCTTTTCCC AGAGGTGATT TTTGTGGCCA ATCTGGTTTC ATTCCCTCCC 420  
AGACACTTTT CTAGGCATCT ATGCGCCTCT ATTACATAT AAACAAAATA GGAGTTTTC 480  
TGTGCTTCCC TAAATGGCA TATGTATCTT TCACTCTTTT TTTTACCTA GTGGATCTTT 540  
AATACCTTAA AAGCTCAACC TGGGCTTGGT GCGGTGGCTC ATACGTGTAA TCCAGGCCT 600  
TTGGGAGGCC AAGGTGGGAG GATCACTTGA GCTCAGGAGT TCCAGACCAT TCCAAAGCAA 660  
AAACAAAAGG ATTTTGAGAT CAGTGTGGGC AACTTAGCAA AACACCATCT CTAAAAAAA 720  
AAAAAAAAA

Seq ID NO: 9 DNA sequence

Nucleic Acid Accession #:

BC010433.1

Coding sequence: 3-335

25

1 11 21 31 41 51

30

GGTCGCCCTC CGTCGTGGTC TGGCGTGTAT TCCGAGCCTT GGTGTCTGGC GGTTCGCGAG 60  
CGTTGGTGTG TGGCGGTTTC CGAGCGTTGG TGCTGGCGG TTTCCGACCG TTGGTGTCTG 120  
GCGGTTTCCG ACCGTTGGTG TCTGGCACGC GCCACCCTCT CTGCTTTGG TTGCGCCATG 180  
CCGATGTACC AGACAAGAAG ACAAGAAAAT GATTGAGGA CAGCTTCAAT CGCGGTGTGA 240  
AGAAGAAAGC AGCAAAACGA CCACTGAAAA CAACGCCGGT GGCAAAATAT CCAAAGAAAG 300  
GGTCCCAAGC GGTACATCGT CATAGCCGGA AACAGTCAGA GCCACCAGCC AATGATCTTT 360  
TCAATGTGC GAAAGCTGCC AAAAGTGACA TGCAGCACCG AGAAGTCCG GTGAAGTGCG 420  
TGAAGGCTCT GAAAGGGCTG TACGTAACC GGGACCTGAC CGCACGCCCTG GAGCTCTTCA 480  
CTGGCCGCTT CAAGGACTGG ATGGTTTCCA TGATCATGGA CAGAGAGTAC AGTGTGGCAG 540  
TGGAGGCCGT CAGATTACTG ATACTTATCC TTAAGAACAT GGAAGGGGTG CTGATGGACG 600  
TGGACTGTGA GAGCGTCTAC CCCATTGTGT AGGCCTCTAA TTGAGGCCTG GCCTCTGCTG 660  
TGGGTGAATT TCTGTACTGG AAATTTTCT ACCCTGAGTG CGAGATAAGA ACGATGGGTG 720  
GAAGAGAGCA ACGCCAGAGC CCAGGTGCC AGAGGACTTT CTCCAGCTT CTGCTGTCT 780  
TCTTTGTGGA GAGCAAGCTC CACGACCACG CTGCTTACTT AGTAGACAAC CTGTGGGACT 840  
GTGCAGGGAC TCAGCTGAAG GACTGGGAGG GTCTGACAAG CTTGCTGCTG GAGAAGGACC 900  
AGAGCACGTG CCACATGGAG CCAGGGCCAG GGACCTTCCA CCTCCTAGGG TGAACCAGG 960  
AGAGATTGCT TGCTTCACTT GTACAAGGCA GGAACGGTGG CATGGGGTGG GGGAACTTG 1020  
GAGTTGGAAG GTGGCTAAT TTTGATTCTA TGTTTTGTAT CTTCTGGCA CTCCAGACCT 1080  
GGGTGATGTG CAGGAGAGCA CACTGATAGA AATCCTGTG TCCAGTGCCC AGCAACTCT 1140  
GCCTCAGCT CCCGAGCAG TGGGACTACA GGCGCCCGCC ACCACGCTG GCTAACTTTT 1200  
TTGTGTTTTT AGTAGAGACG GGTTTTCAAC GTGTTGGCCA GGATGGTCTT GATCTCTTGA 1260  
CCTGTGATC CACCTGCCTC ATCATCCCAA AGTGCTGGGA TTACAGGCGT GAGCCACTGC 1320  
GCCAGCATG TTAGACAATT TTAATTCAT CCTCTCTGTG CTGTGTTTT CTCAGCTGTG 1380  
AAAGGAATAT TCTGGTGGG ACAAGGTTAC AGAGTTGCTG AGAGGGTCTC ATGACATGAA 1440  
GGTACTGGCC TTGGCACAGT GCTGGGGGG GCGGGGACTC CGCACATGCC TGTGATGTCA 1500  
CAGTTACTGT TACCTTACAG CGAACCTTCC CTCTTTTCC TGTTGACTTT CCCACTCC 1560  
TGTAACCTC CTCCCTCCC TTCTCTCTCT CTCTCTCTCT CACTCACGCA CACGCACACA 1620  
CACACACACA CACACACACA CACACTCC ATTCATGTC TCCATGACT TGGAGTAAAC 1680  
TAACGTCTCG AGTTGCCATT GGAAGCCCCG TTGTCTCAT TTAGACTTTC ATGGGTTATA 1740  
GGCACTTTG ACTTCTGGG GTCCTTCTC AGTTAAAAA AAAAATTAGA AATTAGGCC 1800  
GGGCGTGGTG GCACATGCCT GTAATCCAG CACCTTGGCC TCCAAAGTG CTGGGATTAC 1860  
AGGAGTGAGC CACCATGCCC AGCTCCGTG GTCCTCATTT AGACTTTCAT GGGTTATAGG 1920  
CACTTTTGAC TTCTGGGGT CTTCTCTCAG TTAACAAAAA AAAAAAAAAA

Seq ID NO: 10 DNA sequence

Nucleic Acid Accession #:

see Table 25 & 25A for complete list

65

1 11 21 31 41 51

70

AGTGGNTCCC CCGNCTGCA GGAATTCGGC ACGAGATCAT GATGGCTAAT ATTTCTCTAG 60  
CACCTTTTCT TCAGGCATGA TGCCAGGTGC ACCAATTAC TTAATCTCA TAGCCACCAC 120  
CTGAGCAAGC TCCTGTTTTA TAAATGGACC AGTTCTTGT GCTGTGTGAT AAGTTATTTT 180  
CTTTCTATAA CGTCTCCTT GTCCTCTT CACATTCTTA AAGAACTTT CCCTTCTTT 240  
AAAGTACTCA GGGAGCCCTG CATTGCTTCT TGAAGCCTTC TCCAGCTTCA TCATCTCACA 300  
GTGGTCTCTC TTTTCACTAA ATGTCCAATA TGCTGCACAT AAGTACCCCA AAGTTAGCAC 360  
AGGAATTGTT CCATGGCTGT CATATATGTT AAAAAATCATT AAAAGTTTCT TTTTCTCTC 420  
ATTATGGGAA GGATACATGC TCCTACTAGT AAATTTAGTA GGTAGAAAAA AATTATCACT 480  
ATCTAGACTG CTTTCCATTT AGTCTTTATG CATAGCTTTC GTGTCTGCCT ATTTTACCT 540  
TGTGTTTGTG ACTTACTATT ATAAAAATG CGTCTCTATG TTCATTGTCA ACGATTATTT 600  
ACAATAACAT GGAGTGGATT TACATGTATT CTCTATATTT GGATTAAAGG AGATAGAGTA 660  
TGTGAAATTA AATGGGAGAA GTATCTGATA CATAACAGGC AATACAAATA TTATCACATA 720  
GCGTCAATTT ATTTGTGAAT ATTGAAAGCT CCAAAAAAGA AAAAAAGTTT TTTTAAAT 780  
CCCGTAATTA CTTATTGCAG TATTGTGTTT ATACAAACTG CTCAGTCATT TTGGAGAAAT 840  
AACAATTTTT TTCTCATCA TGAAGTAAGG TATGCTCACT GCAAAAAAAA TCTAGAAAT 900  
AAAGAGGAAC ATGCTAAAGA AAAGAATACT CCCATATAAT CTCTGTCTTC ATAAATAATC 960  
TTTTGTAACG CTTATACACT GCTGGTGGGA ATGTAAATTA GTTCAGCCAT TGTGAAAGT 1020



AGCGTAGCAA TTCCTTGAAA AACTTAAAT AGATTACCG TTCAACCCAG CAATCCCATT 1080  
 ATTGGGCATA TACCCAGTGG AATGTAAATC ATCCTGCCAT AAAACACAT GCACATGTAT 1140  
 GTTCATTGCA GCACTATTCA CAATAGCAAA GACATGGAAT CAACCTATAT GCCCATCAAT 1200  
 AGTAGACTGA ATAAAGAAAA TATGTTACAT ATTCACCACA GAATACTAAG CAGCCATAAA 1260  
 AAAAAA

Seq ID NO: 11 DNA sequence  
 Nucleic Acid Accession #: NM\_000582.1  
 Coding sequence: 88-990

1 11 21 31 41 51  
 GCAGAGCACA GCATCGTCGG GACCAGACTC GTCTCAGGCC AGTTGCAGCC TTCTCAGCCA 60  
 AACGCCGACC AAGGAAAACT CACTACCATG AGAATTGCAG TGATTGTCTT TTGCCTCCTA 120  
 GGCATCACCT GTGCCATACC AGTTAAACAG GCTGATTCTG GAAGTTCTGA GGAAAAGCAG 180  
 CTTTACAACA AATACCCAGA TGCTGTGGCC ACATGGCTAA ACCCTGACCC ATCTCAGAAG 240  
 CAGAATCTCC TAGCCCCACA GACCCTTCCA AGTAAGTCCA ACGAAAGCCA TGACCACATG 300  
 GATGATATGG ATGATGAAGA TGATGATGAC CATGTGGACA GCCAGGACTC CATTGACTCG 360  
 AACGACTCTG ATGATGTAGA TGACACTGAT GATTCTCACC AGTCTGATGA GTCTCACCAT 420  
 TCTGATGAAT CTGATGAAT GTTCACTGAT TTTCCACCG ACCTGCCAGC AACCGAAGTT 480  
 TTCCTCCAG TTGTCCCCAC AGTAGACACA TATGATGGCC GAGGTGATAG TGTGGTTTAT 540  
 GGACTGAGGT CAAAATCTAA GAAGTTTCGC AGACCTGACA TCCAGTACCC TGATGTCTACA 600  
 GACGAGGACA TCACCTCACA CATGGAAGGC GAGGAGTTGA ATGGTGACAT CAAGGCCATC 660  
 CCCGTTGCC AGGACCTGAA CGCGCTTCT GATTGGGACA GCCGTGGGAA GGACAGTTAT 720  
 GAAACGAGTC AGCTGGATGA CCAGAGTGCT GAAACCCACA GCCACAAGCA GTCCAGATTA 780  
 TATAAGCGGA AAGCCAATGA TGAGAGCAAT GAGCATTCGG ATGTGATTGA TAGTCAGGAA 840  
 CTTTCCAAAG TCAGCCGTGA ATTCCACAGC CATGAATTC ACAGCCATGA AGATATGCTG 900  
 GTTGTAGACC CAAAAGTAA GGAAGAAGAT AAACACCTGA AATTTCTGAT TTCTCATGAA 960  
 TTAGATAGTG CATCTTCTGA GGTCAATTAA AAGGAGAAAA AATACAATTT CTCACTTTGC 1020  
 ATTTAGTCAA AAGAAAAAAT GCTTTATAGC AAAATGAAAG AGAACATGAA ATGCTTCTTT 1080  
 CTCAGTTTAT TGGTTGAATG TGATCTATT TGAGTCTGGA AATACTAAT GTGTTTGATA 1140  
 ATTAGTTAG TTTGTGCTT CATGGAACCT CCCTGTAAC TAAAAGCTTC AGGGTTATGT 1200  
 CTATGTTTAT TCTATAGAAG AAATGCAAAC TATCACTGTA TTTAATATT TGTATTCTC 1260  
 TCATGAATAG AAATTTATGT AGAAGCAAAC AAAATACTTT TACCCACTTA AAAAGAGAAT 1320  
 ATAACATTTT ATGTCACTAT AATCTTTGT TTTTAAAGTT AGTGATATT TTGTTGTGAT 1380  
 TATCTTTTGT TGGTGTGAAT AAATCTTTA TCTGAATGT AATAAGAATT TGGTGGTGTC 1440  
 AATTGCTTAT TTGTTTCCC ACGGTTGTCC AGCAATTAAT AAAACATAAC CTTTTTTACT 1500  
 GCCTAAAAAA AAAAAAAAAA AAAA

Seq ID NO: 12 Protein sequence  
 Protein Accession #: NP\_000573.1

1 11 21 31 41 51  
 MRIAVICFL LGITCAIPVK QADSGSSEK QLYNKYPDAV ATWLNPDPSQ KQNLLAPQTL 60  
 PSKSNESHHD MDDMDDEDDD DHVDSQSDSID SNDSDDVDDT DDSHQSDSH HSDESDELVT 120  
 DFPTDLPATE VFTPVVPTVD TYDGRGDSV YGLRSKSKKF RRPDIQYPA TDEDITSHME 180  
 SEELNGAYKA IPVAQDLNAP SDWDSRGKDS YETSLDDQS AETHSHKQSR LYKRKANDES 240  
 NEHSDVIDSQ ELSKVSREFH SHEFHSHEM LVVDPKSKEE DKHLKFRISH ELDSASSEVN

Seq ID NO: 13 DNA sequence  
 Nucleic Acid Accession #: NM\_001793  
 Coding sequence: 71-2560

1 11 21 31 41 51  
 AAAGGGGCAA GAGCTGAGCG GAACACCGGC CCGCCGTCGC GGCAGCTGCT TCACCCCTCT 60  
 CTCTGCAGCC ATGGGGCTCC CTGCTGGACC TCTCGCTCT CTCCTCCTTC TCCAGGTTTG 120  
 CTGGCTGCAG TCGCGGCCT CCGAGCCGTG CCGGGCGGTC TTCAGGGAGG CTGAAGTGAC 180  
 CTTGGAGGCG GGAGGCGCGG AGCAGGAGCC CGGCCAGGCG CTGGGGAAAG TAITCATGGG 240  
 CTGCCCTGGG CAAGAGCCAG CTCTGTTTAG CACTGATAAT GATGACTTCA CTGTGCGGAA 300  
 TGGCGAGACA GTCCAGGAAA GAAGGTCACT GAAGGAAAGG AATCCATTGA AGATCTTCCC 360  
 ATCCAAACGT ATCTTACGAA GACACAAGAG AGATTGGGTG GTTGCTCAA TATCTGTCCC 420  
 TGAAAATGGC AAGGGTCCCT TCCCCAGAG ACTGAATCAG CTCAAGTCTA ATAAAGATAG 480  
 AGACACCAAG ATTTTCTACA GCATCACGGG GCCGGGGGCA GACAGCCCCC CTGAGGGTGT 540  
 CTTCCGTGTA GAGAAGGAGA CAGGCTGGTT GTTGTGAAT AAGCCACTGG ACCGGGAGGA 600  
 GATTGCCAAG TATGAGCTCT TTGGCCACGC TGTGTGAGAG AATGGTGCT CAGTGGAGGA 660  
 CCCCATGAAC ATCTCCATCA TCGTGACCGA CCAGAATGAC CACAAGCCCA AGTTTACCCA 720  
 GGACACCTTC CGAGGGAGTG TCTTAGAGGG AGTCCTACCA GGTACTTCTG TGATGCAGGT 780  
 GACAGCCACG GATGAGGATG ATGCCATCTA CACCTACAAT GGGGTGGTTG CTTACTCCAT 840  
 CCATAGCCAA GAACCAAAGG ACCACACGCA CCTCATGTTC ACCATTACC GGAGCACAGG 900  
 CACCATCAGC GTCATCTCCA GTGGCCTGGA CCGGGAAGAA GTCCCTGAGT ACACACTGAC 960  
 CATCCAGGCC ACAGACATGG ATGGGACCG CTCCACCACC ACGGCAGTGG CAGTAGTGGA 1020  
 GATCCTTGAT GCCAATGACA ATGCTCCCAT GTTTGACCCC CAGAAGTACG AGGCCCATGT 1080  
 GCCTGAGAAT GCAGTGGGCC ATGAGGTGCA GAGGCTGACG GTCAGTGATC TGGACGCCCC 1140  
 CAACTACCA CCGTGGCGTG CCACCTACCT TATCATGGGC GGTGACGACG GGGACCATTT 1200  
 TACCATCACC ACCAACCTG AGAGCAACCA GGGCATCCTG ACAACCAGGA AGGGTTTGGA 1260  
 TTTTGAGGCC AAAAACCCAGC ACACCCTGTA CGTTGAAGTG ACCAACGAGG CCCCTTTTGT 1320  
 GCTGAAGCTC CCAACCTCCA CAGCCACCAT AGTGGTCCAC GTGGAGGATG TGAATGAGGC 1380  
 ACCTGTGTTT GTCCACCCT CCAAAGTCGT TGAGGTCCAG GAGGGCATCC CCACTGGGGA 1440  
 GCCTGTGTGT GTCTACACTG CAGAAGACCC TGACAAGGAG AATCAAAAGA TCAGCTACCG 1500  
 CATCCTGAGA GACCCAGCAG GGTGGCTAGC CATGGACCCA GACAGTGGGC AGGTACAGC 1560  
 TGTGGGCACC CTCGACCGTG AGGATGAGCA GTTTGTGAGG AACAACATCT ATGAAGTCAT 1620  
 GGTCTTGGCC ATGGACAATG GAAGCCCTCC CACCACTGGC ACGGGAACCC TTCTGCTAAC 1680

ACTGATTGAT GTCAATGACC ATGGCCCACT CCTTGAGCCC CGTCAGATCA CCATCTGCAA 1740  
 CCAAAGCCCT GTGCCGCAAG TGCTGAACAT CACGGACAAG GACCTGTCTC CCCACACCTC 1800  
 CCCTTTCCAG GCCAGCTCA CAGATGACTC AGACATCTAC TGGACGGCAG AGGTCAACGA 1860  
 GGAAGGTGAC ACAGTGTGCT TGTCCCTGAA GAAGTTCTCT AAGCAGGATA CATATGACGT 1920  
 GCACCTTTCT CTGTCTGACC ATGGCAACAA AGAGCAGCTG ACGGTGATCA GGGCCACTGT 1980  
 GTGCGACTGC CATGGCCATG TCGAAACCTG CCTTGGACCC TGGAAAGGAG GTTTCATCCT 2040  
 CCCTGTGCTG GGGGCTGTCC TGGCTCTGCT GTTCTCTCTG CTGGTGCTGC TTTTGTGTGGT 2100  
 GAGAAAGAAG CGGAAGATCA AGGAGCCCCT CCTACTCCCA GAAGATGACA CCCGTGACAA 2160  
 CGTCTTCTAC TATGGCGAAG AGGGGGGTGG CGAAGAGGAC CAGGACTATG ACATCACCCA 2220  
 GTCCACCGA GGTCTGGAGG CCAGGCCGGA GGTGGTCTC CGCAATGACG TGGCACCAAC 2280  
 CATCATCCCG ACACCCATGT ACCGTCTCTG GCCAGCCAAC CCAGATGAAA TCGGCAACTT 2340  
 TATAATTGAG AACCTGAAGG CGGCTAACAC AGACCCCAAC GCCCCGCCCT ACGACACCCT 2400  
 CTGGTGCTC GACTATGAGG GCAGCGGCTC CGACGCCGCG TCCCTGAGCT CCCTCACCTC 2460  
 CTCCGCTCC GACCAAGACC AAGATTACGA TTATCTGAAC GAGTGGGGCA GCCGCTTCAA 2520  
 GAAGCTGGA GACATGTACG GTGGCGGGGA GGACGACTAG GCGGCTGCG TGCAGGGCTG 2580  
 GGGACCAAA GTCAGGCCAC AGAGCATCTC CAAGGGGTCT CAGTTCCTCC TTCAGCTGAG 2640  
 GACTTCGGAG CTGTGACGGA AGTGGCCGTA GCAACTTGGC GGAGACAGGC TATGAGTCTG 2700  
 ACGTTAGAGT GGTGTCTTCC TTAGCCTTTC AGGATGGAGG AATGTGGGCA GTTGTACTTC 2760  
 AGCACTGAAA ACCTCTCCAC CTGGGCCAGG GTTGCTCTAG AGGCCAAGTT TCCAGAAGCC 2820  
 TCTTACTGCG CGTAAATGCG TCAACCTGTG GTCTTGGGCC TGGGCTGCT GTGACTGACC 2880  
 TACAGTGGAC TTTCTCTCTG GAATGGAACC TTCTTAGGCC TCCTGGTGCA ACTTAATTTT 2940  
 TTTTITTAAT GCTATCTTCA AAACGTTAGA GAAAGTCTT CAAAAGTGCA GCCCAGAGCT 3000  
 GCTGGGCCCA CTGGCCGTCC TGCAATTTCT GTTCCAGAC CCCAATGCTC CCATTCGGA 3060  
 TGGATCTCTG CGTTTTTATA CTGAGTGTGC CTAGGTGGCC CCTTATTTT TATTTTCCCT 3120  
 GTTGGCTGCG TATAGATGAA GGTGTAGGAC AATCGTGTAT ATGTACTAGA ACTTTTTTAT 3180  
 TAAAGAACT TTTCCAGAA AAAAA

Seq ID NO: 14 Protein sequence  
 Protein Accession #: NP\_001784.2

1 11 21 31 41 51  
 MGLPRGPLAS LLLLQVCWLQ CAASEPCRAV FREAETLEA GGAEPGPQA LGKVFMGCPG 60  
 QEPALFSTDN DDFTVRNGET VQERRSLKER NPLKIFPSKR ILRRHKRDWV VAPISVPENG 120  
 KGPFPQRLNQ LKSNKDRDTK IFYSITGPGA DSPPEGVFAV EKETGWLLN KPLDREEIAK 180  
 YELFGHAYSE NGASVEDPMN ISIIVTQDND HKPKFTQDFT RGSVLEGVLP GTSVMQVTAT 240  
 DEDDAIYTYN GVVAYSISQ EPKDPHDLMF TIHRSTGTIS VISSGLDREK VPEYTLTQA 300  
 TDMDDGSGST TAVAVVEILD ANDNAPMFPD QKYEAHVPEV AVGHEVQRLT VTDLDAPNSP 360  
 AWRATYLMG GDDGDHFTIT THPESNQIL TTRKGLDFEA KNQHTLYVEV TNEAFVLKL 420  
 PTSTATIVVH VEDVNEAPVF VPPSKVVEVQ EGIPTGEPVC VYTAEDPDKE NQKISYRILR 480  
 DPAGWLAMPD DSGQVAVGT LDREDEQFVR NNIYEVMLA MDNGSPPTG TGTLLTLID 540  
 VNDHGPVPEP RQITCNQSP VRQVLNITDK DLSPHSPFQ AQLTDDSDIY WTAEVNEEGD 600  
 TVVLSLKKFL KQDQDYDVHLS LSDHGNKEQL TVIRATVCDH GHVETCPGP WKGGFIPVL 660  
 GAVLALLFL LVLVLLVRKK RKIKEPLLL EDDTRDNVVF YGEEGGGEED QDYDITQLHR 720  
 GLEARPEVVL RNDVAPTIIP TPMYRPRPAN PDEIGNFIE NLKAANTDPT APPYDTLLVF 780  
 DYEGSGSDAA SLSSLTSSAS DQDQDYDYLN EWGSRFKKLA DMYGGGEDD

Seq ID NO: 15 DNA sequence  
 Nucleic Acid Accession #: XM\_051860.2  
 Coding sequence: 261-4346

1 11 21 31 41 51  
 GAGCTAGCGC TCAAGCAGAG CCCAGCGCGG TGCTATCGGA CAGAGCCTGG CGAGCGCAAG 60  
 CGGCGCGGGG AGCCAGCGGG GCTGAGCGCG GCCAGGGTCT GAACCCAGAT TTCCAGACT 120  
 AGTACCACT CCGCTTGCCC ACGCCCGGG AGCTCGCGGC GCCTGGCGGT CAGCGACCAG 180  
 ACGTCCGGGG CCGCTGCGCT CTGGCCCGC GAGGCGTGAC ACTGTCTCG CTACAGACCC 240  
 AGAGGGAGCA CACTGCCAGG ATGGGAGCTG CTGGGAGGCA GGAATTCCTC TCAAGGCCA 300  
 TGCTGACCAT CAGCTGGCTC ACTCTGACCT GCTTCCCTGG GGCCACATCC ACAGTGGCTG 360  
 CTGGGTGCCC TGACCAGAGC CTGAGTTGC AACCTGGGAA CCCTGGCCAT GACCAAGACC 420  
 ACCATGTGCA TATCGGCCAG GGCAAGACAC TGCTGCTCAC CTCTTCTGCC ACGGTCTATT 480  
 CCATCCACAT CTCAGAGGGA GGCAAGCTGG TCATTAAGA CCACGACGAG CCGATTGTTT 540  
 TGCGAACCAG GCACATCTCT ATTGACAACG GAGGAGAGCT GCATGCTGGG AGTGCCCTCT 600  
 GCCCTTTCCA GGGCAATTTC ACCATCATTT TGTATGGAAG GGCTGATGAA GGTATTGAGC 660  
 CGGATCCTTA CTATGGTCTG AAGTACATTG GGGTTGGTAA AGGAGGCGCT CTGAGTTGCG 720  
 ATGGACAGAA AAAGCTCTCC TGGACATTT TGAACAAGAC CCTTACCCA GGTGGCATGG 780  
 CAGAAGGAGG CTATTTTTTT GAAAGGAGCT GGGGCCACCG TGGAGTTATT GTTCATGTCA 840  
 TCGACCCCAA ATCAGGCACA GTCATCCATT CTGACCGGTT TGACACCTAT AGATCCAAGA 900  
 AAGAGAGTGA ACGTCTGGTC CAGTATTGA ACGCGGTGCC CGATGGCAGG ATCCTTTCTG 960  
 TTGCAGTGAA TGATGAAGGT TCTGAAATC TGGATGACAT GGCCAGGAAG GCGATGACCA 1020  
 AATTGGGAAG CAACACTTC CTGCACCTTG GATTAGACA CCCTTGGAGT TTTCTAACTG 1080  
 TGAAGGAGAA TCCATCATCT TCAGTGAAG ACCATATTGA ATATCATGGA CATCGAGGCT 1140  
 CTGCTGCTGC CCGGGTATT AAATTGTTC AGACAGAGCA TGGCGAATAT TTCAATGTTT 1200  
 CTTTGTCCAG TGAGTGGGTT CAAGACGTGG AGTGGACGGA GTGGTTCGAT CATGATAAAG 1260  
 TATCTCAGAC TAAAGGTGGG GAGAAAAATT CAGACCTCTG GAAAGCTCAC CCAGGAAAAA 1320  
 TATGCAATCG TCCATTGAT ATACAGGCCA CTACAATGGA TGGAGTTAAC CTCAGCACCG 1380  
 AGGTTGTCTA CAAAAAAGGC CAGGATTATA GGTGTGCTT CTACGACCGG GGCAGAGCCT 1440  
 GCCGGAGCTA CCGTGTACGG TTCTCTGTG GGAAGCCTGT GAGGCCAAAA CTCACAGTCA 1500  
 CCATTGACAC CAATGTGAAC AGCACCATTG TGAACCTGGA GGATAATGTA CAGTCATGGA 1560  
 AACCTGGAGA TACCCTGGTC ATTGCCAGTA CTGATTACTC CATGTACCAG GCAGAAGAGT 1620  
 TCCAGGTGCT TCCCTGCAGA TCCTGCGCCC CCAACCAAGT CAAAGTGGCA GGGAAACCAA 1680  
 TGTACCTGCA CATCGGGAG GAGATAGACG GCGTGGACAT GCGGGCGGAG GTTGGGCTTC 1740  
 TGAGCCGGA CATCATAGT ATGGGGGAGA TGGAGGACAA ATGCTACCCC TACAGAAACC 1800  
 ACATCTGCAA TTTCTTGTAC TTCGATACCT TTGGGGGCCA CATCAAGTTT GCTCTGGGAT 1860

TTAAGGCAGC ACACTTGGAG GGCACGGAGC TGAAGCATAT GGGACAGCAG CTGGTGGGTC 1920  
 AGTACCCGAT TCACTTCCAC CTGGCCGGTG ATGTAGACGA AAGGGGAGGT TATGACCCAC 1980  
 CCACATACAT CAGGGACCTC TCCATCCATC ATACATTCTC TCGCTGCGTC ACAGTCCATG 2040  
 GCTCCAATGG CTGTGTGATC AAGGACGTTG TGGGCTATAA CTCTTTGGGC CACTGCTTCT 2100  
 TCACGGAAGA TGGCCGGGAG GAACGCAACA CTTTGGACCA CTGTCTTGGC CTCCTTGTC 2160  
 AGTCTGGAAC CCTCTCCCC TCGGACCGTG ACAGCAAGAT GTGCAAGATG ATCAGAGAGG 2220  
 ACTCTACCC GGGGTACATC CCAAGCCCC GGAAGACTG CAATGCTGTG TCCACCTTCT 2280  
 GGATGGCCAA TCCCAACAAC AACCTCATCA ACTGTGCCG TGCAGGATCT GAGGAACTG 2340  
 GATTTTGGTT TATTTTTCAC CAGTACCAA CGGGCCCCC CGTGGGAATG TACTCCCCAG 2400  
 GTTATTGAGA GCACATTCCA CTGGGAAAA TCTATAACA CCGAGCACAT TCCAACTACC 2460  
 GGGCTGGCAT GATCATAGAC AACGGAGTCA AAACCACCGA GGCCTCTGCC AAGGACAAGC 2520  
 GGCCTGTCCT CTCAATCATC TCTGCCAGAT ACAGCCCTCA CCAGGACGCC GACCCGCTGA 2580  
 AGCCCCGGA GCCGGCCATC ATCAGACACT TCATTGCCTA CAAGAACCAG GACCACGGGG 2640  
 CCTGGCTGCG CGGCGGGGAT GTGTGGCTGG ACAGCTGCCG GTTTGCTGAC AATGGCATTG 2700  
 GCCTGACCTT GGGCAGTGGT GGAACCTTCC CGTATGACGA CGGCTCCAAG CAAGAGATAA 2760  
 AGAACAGCTT GTTTGTGGG GAGAGTGGCA ACGTGGGGAC GAAATGATG GACAATAGGA 2820  
 TCTGGGGCCC TGGCGGCTTG GACCATAGCG GAAGGACCCT CCCTATAGGC CAGAATTTTC 2880  
 CAATTAGAGG AATTGAGTTA TATGATGGCC CCATCAACAT CCAAACTGC ACTTTCCGAA 2940  
 AGTTTGTGGC CCTGGGAGG CGGCACACCA GCGCCCTGGC CTTCGCGCTG AATAATGCCT 3000  
 GGAGAGCTG CCCCCATAA AACGTGACCG GCATTGCCTT TGAGGACGTT CCGATTACTT 3060  
 CCAGAGTGT CTTCGGAGAG CTTGGGCCCT GGTCAACCA GCTGGACATG GATGGGGATA 3120  
 AGACATCTGT GTTCCATGAC GTCGACGGCT CCGTGTCCGA GTACCCTGGC TCCTACCTCA 3180  
 CGAAGAATGA CAACTGGCTG GTCCGGCACC CAGACTGCAT CAATGTTCCC GACTGGAGAG 3240  
 GGGCCATTG CAGTGGGTG TATGCACAGA TGTACATTCA AGCTACAAG ACCAGTAACC 3300  
 TGCGAATGAA GATCATCAAG AATGACTTCC CCAGCCACCC TCTTTACCTG GAGGGGGCGC 3360  
 TCACCAAGAG CACCCATTAC CAGCAATACC AACCGGTGTG CACCCTGCAG AAGGGCTACA 3420  
 CCATCCACTG GGACAGAGC GCGCCGCGC AACTCGCCAT CTGGCTCATC AACTCAACA 3480  
 AGGGCGACTG GATCCGAGTG GGGCTCTGCT ACCCGCGAGG CACCACATTC TCCATCCTCT 3540  
 CGGATGTTCA CAATCGCTG CTGAAGCAAA CGTCCAAGAC GGGCGTCTTC GTGAGGACCT 3600  
 TGCAGATGGA CAAAGTGGAG CAGAGCTACC CTGGCAGGAG CCACTACTAC TGGGACGAGG 3660  
 ACTCAGGGCT GTTGTCTCTG AAGCTGAAAG CTCAGAACGA GAGAGAGAAG TTTGCTTTCT 3720  
 GCTCCATGAA AGGCTGTGAG AGGATAAAGA TTAAGTCTCT GATTCCAAG AAGCGAGGCG 3780  
 TCAGTGACTG CACAGCCACA GCTTACCCCA AGTTCACCGA GAGGGCTGTC GTAGACGTGC 3840  
 CGATGCCCAA GAAGCTCTTT GGTCTCAGC TGAACAACAA GGACCATTTT TTGGAGGTGA 3900  
 AGATGGAGAG CACTTCTGCG CACTTCTTCC ACCTCTGGA CGACTTCGCT TACATTGAAG 3960  
 TGGATGGGAA GAAGTACCCC AGTTCGGAGG ATGGCATCCA GGTGGTGGTG ATTGACGGGA 4020  
 ACCAAGGGCG CGTGGTGAGC CACAGAGCT TCAGGAACTC CATTCTGCAA GGCATACCAT 4080  
 GGCAGCTTTT CAACTATGAG GCGACCATCC CTGACAATTC CATAGTGCTT ATGGCATCAA 4140  
 AGGGAAGATA CGTCTCCAGA GGCCCATGGA CCAGAGTGCT GGAAAAGCTT GGGGACAGCA 4200  
 GGGGTCTCAA GTTGAAGAG CAAATGGCAT TCGTTGGCTT CAAAGGCAGC TTCGGGCCCA 4260  
 TCTGGGTGAC ACTGGACACT GAGGATCACA AAGCCAAAAT CTTCCAAGTT GTGCCCATCC 4320  
 CTGTGGTGAA GAAGAAGAAG TTGTGAGGAC AGCTGCCGCC CGGTGCCACC TCGTGGTAGA 4380  
 CTATGACGGT GACTTTGGC AGCAGACCAG TGGGGGATGG CTGGTCCCC CAGCCCCTGC 4440  
 CAGCAGCTGC CTGGGAAGGC CGTGTCTCAG CCCTGATGGG CCAAGGGAAG GCTATCAGAG 4500  
 ACCCTGGTGC TGCCACCTGC CCCTACTCAA GTGTCTACCT GGAGCCCCCT GGGCGGTGCT 4560  
 GGCCAAATGCT GGAACAATTC ACTTCTCTGC AGCCTCTTGG GTGCTTCTCT CCTATCTGTG 4620  
 CCTTCTCAGT GGGGGTTTGG GGACCATATC AGGAGACCTG GGTGTGCTG ACAGCAAAGA 4680  
 TCCACTTTGG CAGGAGCCCT GACCCAGCTA GGAGGTAGTC TGGAGGGCTG GTCATTACCA 4740  
 GAGGCCATG GTCTTCAGCA GACAAGTGAG GGTGGTAAAT GTAGGAGAAA GAGCCTTGCC 4800  
 CTTAAGGAAA TCTTTACTCC TGTAAGCAAG AGCCAACCTC ACAGGATTAG GAGCTGGGGT 4860  
 AGAAGTGGCT ATCCTTGGG AAGAGGCAAG CCCTGCCTCT GGCCGTGTCC ACCTTTCAGG 4920  
 AGACTTTGAG TGGCAGGTTT GGACTTGGAC TAGATGACTC TCAAAGGCC TTTTAGTTCT 4980  
 GAGATTCCAG AAATCTGCTG CATTTCACAT GGTACCTGGA ACCCAACAGT TCATGGATAT 5040  
 CCACTGATAT CCATGATGCT GGGTGCCCA GCGCACACGG GATGGAGAGG TGAGAACTAA 5100  
 TGCTAGCTT GAGGGGTCTG CAGTCCAGTA GGGCAGGCAG TCAGGTCCAT GTGCACTGCA 5160  
 ATGCCAGGTG GAGAAATCAC AGAGAGGTAA AATGGAGGCC AGTGCCATT CAGAGGGGAG 5220  
 GCTCAGGAAG GCTTCTGCT TACAGGAATG AAGGCTGGGG GCATTTTGCT GGGGGGAGAT 5280  
 GAGGCAGCCT CTGGAATGGC TCAGGGATTC AGCCCTCCCT GCCGTGCTT GCTGAAGCTG 5340  
 GTGACTACGG GGTGCCCTTT TGCTCAGCTC TCTCTGGCCC ACTCATGATG GAGAAGTGTG 5400  
 GTCAGAGGGG AGCAATGGG TTTGCTGCTT ATGAGCACAG AGGAATTGAG TCCCCAGGCA 5460  
 GCCTGCTC TGACTCCAG AGGGTGAAGT CCACAGAAGT GAGCTCCTGC CTTAGGGCCT 5520  
 CATTGCTCT TCATCCAGG AACTGAGCAC AGGGGGCCTC CAGGAGACCC TAGATGTGCT 5580  
 CGTACTCCCT CGGCCTGGGA TTTGAGAGCT GGAAATATAG AAAATATCTA GCCCAAAGCC 5640  
 TTCATTTTAA CAGATGGGGA AAGTGAGCCC CCAAGATGGG AAAGAACCAC ACAGCTAAGG 5700  
 GAGGGCCTGG GGAGGCCACC CCTAGCCCTT GCTGCCACAC CACATTGCCT CAACAACCGG 5760  
 CCCCAGAGTG CCCAGGCACT CTTGAGGTAG CTTCTGGAAG TGGGACAAAG TCCCTCGAA 5820  
 GGAAGGAAA TGACTAGAGT AGAATGACAG CTAGCAGATC TCTTCCCTCC TGCTCCAGC 5880  
 GCACACAAAC CCGCCCTCCC CTTGGTGTG GCGGTCCCTG TGGCCTTAC TTTGTTCACT 5940  
 ACCTGTCTAG CCAGCCTGGG TGCACAGTAG CTGCAACTCC CCATTGGTGC TACCTGGCTC 6000  
 TCTGTCTCT GCAGCTCTAC AGGTGAGGCC CAGCAGAGGG AGTAGGGCTC GCCATGTTTC 6060  
 TGGTGAGCCA ATTTGGCTGA CTTGGGTGT CTGAACAGCT ATTGGGTCCA CCCCAGTCCC 6120  
 TTTCAGCTGC TGCTTAATGC CTTGCTCTCT CCCTGGCCCA CTTATAGAG AGCCAAAGA 6180  
 GCTCCTGTA GAGGGGAAAC TCTATCTGTG GTTTATAATC TTGACGAGG CACCAGAGTC 6240  
 TCCCTGGGTC TTGTGATGAA CTACATTAT CCCTTTCTT GCCCAAACA CAACTCTTT 6300  
 CCTTCAAAGA GGGCCTGCTT GGCTCCCTCC ACCCAACTGC ACCCATGAGA CTGGGTCAA 6360  
 GAGTCCATT CCCAGGTGGG AGCCAACGT CAGGGAGGTC TTTCCACCA AACATCTTTC 6420  
 AGCTGCTGGG AGGTGACCAT AGGGCTCTGC TTTAAAGAT ATGGCTGCTT CAAAGGCCAG 6480  
 AGTCACAGGA AGGACTTCTT CCAGGGAGAT TAGTGGTGAT GGAGAGGAGA GTTAAATGA 6540  
 CCTATGTCC TTTCTGACA CGGTTTGTG GAGTTTTC TCTTCTAATG CAAGGGTCTC 6600  
 ACACTGTGAA CCACTTAGGA TGTGATCACT TTCAGGTGGC CAGGAATGTT GAATGTCTTT 6660  
 GGCTCAGTTC ATTTAAAAA GATATCTATT TGAAAGTTCT CAGAGTTGTA CATATGTTTC 6720  
 ACAGTACAGG ATCTGTACAT AAAAGTTTCT TTCTAAACC ATTCACCAAG AGCCAATATC 6780  
 TAGGCATTTT CTGGTAGCA CAAATTTTCT TATTGCTTAG AAAATTGTC TCCTTGTAT 6840  
 TTTGTTTGT AAGACTTAA TGAGTTAGGT CTTAAGGAA AGCAACGCTC CTCTGAAATG 6900  
 CTGTCTTTT TTTGTTGCC GAAATAGCTG GTCCTTTTC GGGAGTTAGA TGTATAGAGT 6960  
 GTTTGTATGT AAACATTTCT TGTAGGCATC ACCATGAACA AAGATATATT TTCTATTTAT 7020

TTATTATATG TGCACCTCAA GAAGTCACTG TCAGAGAAAT AAAGAATTGT CTTAAATGTC

Seq ID NO: 16 Protein sequence  
Protein Accession #: XP\_051860.2

1 11 21 31 41 51  
MGAAGRQDFL FKAMLTISWL TLTCFPGATS TVAAGCPDQS PELQPWNPQH DQDHHVHIGQ 60  
GKTLTLLTSSA TVYSIHSEG GKLVIKDHDE PIVLRTRHIL IDNGGELHAG SALCPFQGNF 120  
TIILYGRADE GIQPDPPYYGL KYIGVGKGGG LELHGQKKLS WTLNKTLLHP GGMAEGGYFF 180  
ERSWGHGRGVI VHVIDPKSGT VIHSDRFDY RSKKESERLV QYLNAVDPGR ILSVAVNDEG 240  
SRNLDDMARK AMTKLGSKHF LHLGFRHPWS FLTVMGNPSS SVEDHIEYHG HRGSAARVF 300  
KLFQTEHGEY FNVSLSEWV QDVEWTEWFD HDKVSQTKGG EKISDLWKAH PGKICNRPI 360  
IQATTMGDVN LSTEVVYKKG QDYRFACYDR GRACRSYRVR FLCGKPVPRK LTVTIDTNVN 420  
STILNLEDNV QSWKPGDTLV IASTDSMYQ AEEFQVLPGR SCAPNQVKA GKPMYLHIGE 480  
EIDGVDMAE VGLLSRNIIV MGEMEDKCYR YRNHICNFFD FDTFGGHIKF ALGFKAHLE 540  
GTELKHMGGQ LVGQYPIHFH LAGDVDERGG YDPPTYIRDL SIHTFSRCV TVHGSNGLLI 600  
KDVVGYNSLG HCFTEEDGPE ERNTFDHCLG LLVKSGLTLP SDRDSKMCKM ITEDSYPGYI 660  
PKPRQDCNAV STFWMANPNN NLINCAAAGS EETGFWFIFH HVPITGSPVGM YSPGYSEHIP 720  
LGKFFYNRAH SNYRAGMIID NGVKTTEASA KDKRPFLSI SARYSPHQDA DPLKPREPAI 780  
IRHFIAYNQ DHGAWLRGGD VWLDSRCFAD NGIGLTLASG GTFPYDDGSK QEIKNSLFVG 840  
ESGNVGTMM DNRIWGPGL DHSGRTLPIG QNFPIRGIQL YDGPINQNC TFRKFVLEG 900  
RHTSALAFRL NNAWQSCPHN NVTGLAFEDV PITSRVFFGE PGPWFNQLDM DGDKTSVFHD 960  
VDGSVSEYPP SYLTKNNDWL VRHPDCINVP DWRGAIKSGC YAQMYIYAYK TSNLRMKIK 1020  
NDFPSHPLYL EGALTRSTHY QQYQPVVTLQ KGYTIHWDQT APAELAIWLI NFNKGDWIRV 1080  
GLCYPRTGTF SILSDVHNL LKQTSKTGVF VRTLQMDKVE QSYPRGSHYY WDEDSGLLFL 1140  
KLKAQNEREK AFCSMKGCE RIKIKALIPK NAGVSDCTAT AYPKFTERAV VDVPMPKKLF 1200  
GSQKTKDHF LEVKMESSKQ HFFHLWNDA YIEVDGKKYV SSEDGIQVVV IDGNQGRVVS 1260  
HTSFRNSILQ GIPWQLFNYV ATIPDNSIVL MASKGRYVSR GPWTRVLEKL GADRGLKLKE 1320  
QMAFVGFKGS FRPIWVTLDT EDHKAKIFQV VPPIVVKKKK L

Seq ID NO: 17 DNA sequence  
Nucleic Acid Accession #: NM\_015515.1  
Coding sequence: 61-1329

1 11 21 31 41 51  
AGTCTCTGCGG TGCCAGGGAG TGGAGCAGAG CTCAGCCCCG TCCCAAACAC AGATGGGACC 60  
ATGAACTCCG GACACAGCTT CAGCCAGACC CCCTCGGCCT CTTCCATGCG CGCCGGAGGT 120  
GGCTGGGGCC GGCCACAGGAG CTTCCTCCAG GCTCCACCGG TCCATGGCGG TGCGGGGGGA 180  
GCCGCGATCT CCCTGTCTT CACCACGCGG AGCTGCCAC CCCTGGAGG GTCTTGGGGT 240  
TCTGGAAGAA GCAGCCCCCT ACTAGGCGGA AATGGGAAGG CCACCATGCA GAATCTCAAC 300  
GACCGCCTGG CCTCTACCT GGAGAAGGTT CGCGCCCTGG AGGAGGCCAA CATGAAGCTG 360  
GAAAGCCGCA TCTGAAATG GCACCCAGAG AGAGATCCTG GCAGTAAGAA AGATTATTCC 420  
CAGTATGAGG AAAACATCAC ACACCTGCAG GAGCAGATAG TGGATGGTAA GATGACCAAT 480  
GCTCAGATTA TTCTTCTCAT TGACAATGCC AGGATGGCAG TGGATGACTT CAACCTCAAG 540  
TATGAAAATG AACACTCCTT TAAGAAAGAC TTGGAATTG AAGTCGAGGG CCTCCGAAGG 600  
ACCTTAGACA ACCTGACCAT TGTCACAACA GACCTAGAAC AGGAGGTGGA AGGAATGAGG 660  
AAAGAGCTCA TTCTCATGAA GGAGCACCAT GAGCAGGAAA TGGAGGAGCA TCATGTGCCA 720  
ATGACTTCA ATGTCAATGT GAAGGTGGAT ACAGGTCCCA GGAAGATCT GATTAAGGTC 780  
CTGGAGGATA TGAGACAAGA ATATGAGCTT ATAATAAAGA AGAAGCATCG AGACTTGGAC 840  
ACTTGGTATA AAGAACAGTC TGCAGCCATG TCCAGGAGG CAGCCAGTCC AGCCACTGTG 900  
CAGAGCAGAC AAGGTGACAT CCACGAACCTG AAGCGCACAT TCCAGGCCCT GGAGATTGAC 960  
CTGCAGGCAC AGTACAGCAC GAAATCTGCT TTGAAAACA TGTATCCGA GACCCAGTCT 1020  
CGGTACTCTT GCAAGCTCCA GGACATGCAA GAGATCATCT CCCACTATGA GGAGGAACTG 1080  
ACGCAGTAC GCCACGAACG GGAGCGCGAG AACAATGAAT ACCAAGTGCT GCTGGGCATC 1140  
AAAACCCACC TGGAGAAGGA AATCACCACG TACCGACGGC TCCTGGAGGG AGAGAGTGAA 1200  
GGGACACGGG AAGAATCAAA GTCGAGCATG AAAGTGTCTG CAACTCAAAA GATCAAGGCC 1260  
ATAACCCAGG AGACCATCAA CGGAAGATTA GTTCTTTGTC AAGTGAATGA AATCCAAAAG 1320  
CACGCATGAG ACCAATGAAA GTTCCGCCT GTTGTAAGT CTATTTTCCC CCAAGGAAAG 1380  
TCCTTGACAC GACACCATG AGTGAGTTCT AAAAGATACC CTTGGAATTA TCAGACTCAG 1440  
AACTTTTAT TTTTITTTT CTGTAACAGT CTCACAGAC TTCTCATAAT GCTCTTAATA 1500  
TATTGCACTT TTCTAATCAA AGTGCAGATT TATGAGGGTA AAGCTCTACT TTCCTACTGC 1560  
AGCCTTCAGA TTCTCATCAT TTTGCATCTA TTTGTAGCC AATAAAATC CGCACTAGC

Seq ID NO: 18 Protein sequence  
Protein Accession #: NP\_056330.1

1 11 21 31 41 51  
MNSGHSFSQT PSASFHAGG GWGRPSFPR APTVHGGAGG ARISLSFTTR SCPPPGGSWG 60  
SGRSSPLLGG NGKATMQNLN DRLASYLEK V RALEEANMKL ESRILKWHQQ RDPGSKKDYS 120  
QYEENITHLQ EQIVDGKMTN AQIILLIDNA RMAVDDFNK YENEHSFKKD LEIEVEGLRR 180  
TLDNLITVTT DLEQVEGMR KELILMKEHH EQEMEEHVP SDFNVNVKVD TGPREDLIKV 240  
LEDNRQEYEL IIKKKHRDL TWYKEQSAAM SQEAASPATV QSRQGDHIL KRTFQALEID 300  
LQAQYSTKSA LENMLSETQS RYSCKLQDMQ EISHYEEL TQLRHELERQ NNEYQVLLGI 360  
KTHLEKEITT YRRLLEGESE GTREESKSSM KVSATPKIKA ITQETINGRL VLCQVNEIQK 420  
HA

Seq ID NO: 19 DNA sequence  
Nucleic Acid Accession #: see Table 25 & 25A for complete list

1 11 21 31 41 51

TTTTTTTTTT TAAAAAAGGCTTGGT AAGTTTTTGA TACTTAGTTG ACTTTTAGCA 60  
 TTATCCAGCA TTTGTATTAT GAACCAAGTGA GTACTGTAAAT TTTTCTTTCC CTTTCAGAAA 120  
 GACTCAAAGG GAACATATAA ATGTTTCCTA TTTTNNNNNN NNNNNNNNNN NNNNNNNNNN 180  
 NNNNACCCAT CGTGCGATGA TCNNNNNNNN NNNNNNNNNN NNNNNNTGGG ATCCAGTTTC 240  
 AAATAAGGTA TGGGAAAAAC AGATGTTTTT ATTATCGCCA CTAAATCCTT ACTTCCGATT 300  
 ATAATTATAC ATGTTTGGCT GTAATAACTA TACTAAAGCA TGCTTGTGAA AGTAGACTTC 360  
 TACAAGGACA GAAAACCCAC AACAACAAGG ATCGATCAGG AAAGACAAGG CATATTTCATT 420  
 CATTAATTTA CTCTCTTAG ACCCGGGACA TGTGGGACAA ATACTTTTGT CCTCATGGAT 480  
 GGCTTGATAA TTTATTTATA TGTTCTAGAG TCTGAGGATT TTCTTTTCACT GGCAGACAAC 540  
 AAAGGATGTT ACAATTTACT TCAAAATAAT ACAATCATGG TTTAATTTAC AGTGTAATC 600  
 CATAACTATT TTATAGAGAT GGATTATCAT ACATGGGATT ATAAAAATAA CTTACCCATA 660  
 TGCTTGCAAA ATAGACTTTT CCTATTGGGA GGAACATCTT TTAACCTAAA ACGGATTAT 720  
 TTCAGATGAA TTAGACAGTA CATTTTTCAG GAGAACCAGC CTTACTGGAT GATCTTTTGT 780  
 CAGGTTTGA GGCCTCTTCT TTGTCTTTCG AACCATAACC CCTTTTCAGC TGAAGACCAC 840  
 TGGCCTCAA CCCAAGCCAG GAGTTTGGCT CAAATGA

Seq ID NO: 20 DNA sequence  
 Nucleic Acid Accession #: D32051.1  
 Coding sequence: 72-1373

1 11 21 31 41 51  
 GAATTGGAAC CAGGTGGCCA CCCGGTGTG GTTTCATTTT CCTTGGAAAT TTCTGCTTTA 60  
 CAGACAGAAC AATGGCAGCC CGAGTACTTA TAATTGGCAG TGGAGGAAGG GAACATACGC 120  
 TGGCCTGGAA ACTTGACAG TCTCATCATG TCAACAAGT GTTGGTTGCC CCAGGAAACG 180  
 CAGGCACTGC CTGCTCTGAA AAGATTTCAA ATACCGCCAT CTCAATCAGT GACCACTG 240  
 CCCTTGCTCA ATTCTGCAA GAGAAGAAAA TTGAATTTGT AGTTGTTGGA CCAGAAGCAC 300  
 CTCTGGCTGC TGGGATTGTT GGGAACTGGA GGTCTGCAGG AGTGCAATGC TTGGGCCAA 360  
 CAGCAGAAGC GGCTCATGTA GAGTCCAGCA AAAGGTTTGC CAAAGAGTTT ATGGACAGAC 420  
 ATGGAATCCC AACCACACAA TGAAGAGGCT TCACCAAAACC TGAAGAAGCC TGCAGCTTCA 480  
 TTTTGAGTGC AGACTTCCCT GCTTTGGTTG TGAAGGCCAG TGGTCTTGA GCTGGAAAAA 540  
 GGGTGATTGT TGCAAAAGAG AAAGAAGAGG CCTGCAAGC TGTACAAGAG ATCATGCAGG 600  
 AGAAAGCCTT TGGGGCAGCT GGAGAAACAA TTGTCATTGA AGAATCTCTT GACGGAGAAG 660  
 AGGTGTCGTG TCTGTGTTT ACTGATGGCA AGACTGTGGC CCCCATGCCC CCAGCACAGG 720  
 ACCATAAGCG ATTACTGGAG GGAGATGGTG GCCCTAACAC AGGGGGAATG GGAGCCTATT 780  
 GTCCAGCCCC TCAGGTTTCT AATGATCTAT TACTAAAAAT TAAAGATACT GTTCTTCAGA 840  
 GGACAGTGA TGGCATGCG CAGAGGGTA CTCCATATAC AGGTATTCTC TATGCTGGAA 900  
 TAATGCTGAC CAAGAATGGC CCAAAAGTTC TAGAGTTTAA TTGCCGTTTT GGTGATCCAG 960  
 AGTGCCAAAT AATCTCCCA CTCTTAAAA GTGATCTTTA TGAAGTGATT CAGTCCACCT 1020  
 TAGATGGAAT AACTCATGTA TCTCTGCTG TTTGGCTAGA AAACACACAC GCCCTAACTG 1080  
 TTGTCATGGC AAGTAAAGGT TATCCTGGAG ACTACACCA GGGTGTAGAG ATAACAGGGT 1140  
 TTCCTGAGGC TCAAGCTCTA GGACTGGAGG TGTCCTATGC AGGCCTGCC CTCAAAATG 1200  
 GCAAAAGTAG AACTCATGGG GGTAGAGTTT TTGAGTGCAC AGCCATCCGG GAAATCTCA 1260  
 TATCAGCCCT TGAGGAAGCC AAGAAAGGAC TAGCTGCTAT AAAGTTTGAG GGAGCAATTT 1320  
 ATAGGAAAGA CATCGGCTTT CGTGCCATAG CTCTCTCCA GCAGCCCAGG TAAAACTCTA 1380  
 AGCAAGTTAG CTGTATGGC ATTTACAGAA CTGGCCTAAA TGGCTATGTA GAACATCTCA 1440  
 TTAACCTAT AAGTCATTTA GTATCTTTT CTCTCTGTTG GAGTGATACA GTCTTGTTTT 1500  
 GTATTTTGT TGAATCAAAA CTGGTTATAG CAATACTCAA ATGGAAGAAA CTTCATGATA 1560  
 GCGTAAGTTT GGAAGTTTA GCAAAATCAC AGTGGTACTG ATTTTATTTT GTTTTCTATT 1620  
 TTTTATTTT TATATTTTA ATTTTITTA CAGGGTCTT CTCTCTGCC CAAGTTCTCA 1680  
 TGCCTCAGCC TCCCAATAG CTGGGACTAC AGGCACAGGC CACCACACCT GGCTAATTTT 1740  
 TTTGATTTT TTGTGGAGAT GGGGTTTACC ATGTTGCCA GGCCAGTCTG AAAGCCTGGG 1800  
 CTCAAGTGAT CCTCTGCTT TGGCCTCCCA AAATGCTGGG ACTATAGGCA TGAGGCGCTG 1860  
 CACTTGGCCT GACTAGTAT TTTATTCCTT GCGTTATCAC ATAGTGTGTT ATTTGAAACA 1920  
 TAGTTCATGG TTTATCAAAA GAACTGAAGA TGAGAATACT GGTATCTAA CTTTGTAATT 1980  
 TGATTGATT ATACTGTAAA GTTTGACAGT CCCATTTTAA CTGCGGTTT TATCTATTAC 2040  
 TAAATGTAT TTTTGGACCT CTACTGATT CATGGTTGGT ATGTACAAAC TGTGACTTG 2100  
 TAAATCAAT AAAGTCTTAG TTGG

Seq ID NO: 21 Protein sequence  
 Protein Accession #: BAA06809.1

1 11 21 31 41 51  
 MAARVLIIGS GGREHTLAWK LAQSHHVQV LVAPGNAGTA CSEKISNTAI SISDHTALAQ 60  
 FCKEKKIEFV VVGPEAPLAA GIVGNLRSAG VQCFGPTAEA AQLESSKRFA KEFMDRHGIP 120  
 TAQWKAFKTP EEACSFILSA DFPALVVKAS GLAAGKGVIV AKSKEEACKA VQEMQEKAF 180  
 GAAGETIVIE ELLDGEVSD LCFTDGKTVA PMPPAQDHKR LLEGDDGPNP GGMGAYCPAP 240  
 QVSNLLLLKI KDTVLQRTVD QMQEGTPYT GILYAGIMLT KNGPKVLEFN CRFGDPECQV 300  
 ILPLKSDLY EVIQSTLDGL LCTSLPVWLE NHTALTVMVA SKGYPGDYTK GVEITGFPEA 360  
 QALGLEVSHA GTALKNGKVV THGGRVLAVT AIRENLISAL EEAKKGLAAI KFEGAIYRKD 420  
 IGFRAIAFLQ QPR

Seq ID NO: 22 DNA sequence  
 Nucleic Acid Accession #: EOS cloned  
 Coding sequence: 1-2424

1 11 21 31 41 51  
 ATGCCCCCTT TCCTGTTGCT GGAGGCCGTC TGTGTTTCC TGTTTTCCAG AGTGCCCCCA 60  
 TCTCTCCCTC TCCAGGAAT CCATGTAAGC AAAGAAACCA TCGGGAAGAT TTCAGCTGCC 120  
 AGCAAAATGA TGTGGTGCTC GGCTGCAGTG GACATCATGT TTCTGTTAGA TGGGTCTAAC 180

AGCGTCGGGA AAGGGAGCTT TGAAAGGTCC AAGCACTTTG CCATCACAGT CTGTGACGGT 240  
 CTGGACATCA GCCCGAGAG GGTGAGAGTG GGAGCATTCC AGTTCAGTTC CACTCCTCAT 300  
 CTGGAATTCC CCTTGGATTG ATTTTCAACC CAACAGGAAG TGAAGGCAAG AATCAAGAGG 360  
 ATGGTTTTCA AAGGAGGGCG CACGGAGACG GAACTTGCTC TGAAATACCT TCTGCACAGA 420  
 GGGTTGCCTG GAGGCAGAAA TGCTTCTGTG CCCAGATCC TCATCATCGT CACTGATGGG 480  
 AAGTCCCAGG GGGATGTGGC ACTGCCATCC AAGCAGCTGA AGGAAAAGGGG TGTCACTGTG 540  
 TTTGCTGTGG GGGTCAGGTT TCCCAGGTGG GAGGAGCTGC ATGCACTGGC CAGCGAGCCT 600  
 AGAGGCGAGC ACGTGTGTTT GGCTGAGCAG GTGGAGGATG CCAACACGG CTTCTTCAGC 660  
 ACCCTCAGCA GCTCGGCCAT CTGCTCCAGC GCCACGCCAG ACTGCAGGGT CGAGGGCTCAC 720  
 CCCTGTGAGC ACAGGACGCT GGAGATGGTG CGGGAGTTCT CTGGCAATGC CCCATGCTGG 780  
 AGAGGATCGC GGCGGACCCT TGCGGTGCTG GCTGCACACT GTCCCTTCTA CAGCTGGAAG 840  
 AGAGTGTTC TAACCCACCC TGCCACCTGC TACAGGACCA CTTGCCCAGG CCCCTGTGAC 900  
 TCGCAGCCCT GCCAGAATGG AGGCACATGT GTTCCAGAAG GACTGGACGG CTACCAGTGC 960  
 CTCTGCCCGC TGGCCTTTGG AGGGGAGGCT AACTGTGCCC TGAAGCTGAG CCTGGAATGC 1020  
 AGGGTCGACC TCCTCTTCTT GCTGGACAGC TCTGCGGGCA CCACTCTGGA CGGCTTCTCTG 1080  
 CGGGCCAAAAG TCTTCGTGAA GCGGTTTGTG CGGGCCGTGC TGAGCGAGGA CTCTCGGGCC 1140  
 CGAGTGGGTG TGGCCACATA CAGCAGGAGT CTGCTGGTGG CGGTGCTCTG GGGGGAGTAC 1200  
 CAGGATGTGC CTGACCTGGT CTGGAGCCTC GATGGCATTG CCTTCCGTGG TGGCCCCACC 1260  
 CTGACGGGCA GTGCTTGGCG CAGGCGGCA GAGCGTGGCT TCGGGAGCGC CACCAGGACA 1320  
 GGGCAGGACC GGCCACGTAG AGTGGTGGTT TTGCTCACTG AGTCACACTC CGAGGATGAG 1380  
 GTTGGGGGCC CAGCGCTCA CGAAGGGCG CGAGAGCTGC TCCTGCTGGG TGTAGGCAGT 1440  
 GAGGCCGTGC GGGCAGAGAT GGAGGAGATC ACAGGACGCC CAAAGCATGT GATGGTCTAC 1500  
 TCGGATCTC AGGATCTGTT CAACCAAATC CCTGAGCTGC AGGGGAAGCT GTGCAGCCGG 1560  
 CAGCGGCCAG GGTGCGGAC ACAAGCCCTG GACCTCGTCT TCATGTTGGA CACCTCTGCC 1620  
 TCAGTAGGGC CCGAGAATTT TGCTCAGATG CAGAGCTTTG TGAGAAGCTG TGCCCTCCAG 1680  
 TTTGAGGTGA ACCTGACGT GACACAGGTC GGCCTGGTGG TGTATGGCAG CCAGGTGCAG 1740  
 ACTGCCCTCG GGCTGGACAC CAAACCCACC CGGGCTGCGA TGCTGCGGGC CATTAGCCAG 1800  
 GCCCCTACC TAGGTGGGGT GGGCTCAGCC GGCACCGCCC TGCTGCACAT CTATGACAAA 1860  
 CTGATGACCG TCCAGAGGGG TGCCCGGCTT GGTGTCCCA AGCTGTGGT GGTGCTCACA 1920  
 GGGCGGAGAG CGCGAGAGGA TGCAGCGCTT CCTGCCCAAG AGCTGAGGAA CAATGGCATC 1980  
 TCTGTCTGG TCGTGGGCGT GGGGCTGTC CTAAGTGAGG GTCTGCGGAG GCTTGCAGGT 2040  
 CCCCAGGATT CCTGATCA CAGTGGCAGT TACGCCGACC TGCGGTACCA CCAGGACGTG 2100  
 CTCATTGAGT GGCTGTGTGG AGAAGCCAA GAGCCAGTCA ACCTCTGCAA ACCAGCCCG 2160  
 TGATGAATG AGGGCAGCTG CGTCTGCA GATGGAGCT ACCGCTGCAA GTGTGGGGAT 2220  
 GGCTGGGAGG GCCCCACTG CGAGAACCGT GAGTGGAGCT CTGTCTCTG ATGTGTGAGC 2280  
 CAGGGATGGA TTCTTGAGAC GCCCTGAGG CACATGGCTC CCGTGCAGGA GGGCAGCAGC 2340  
 CGTACCCCTC CCAGCAACTA CAGAGAAGGC CTGGGCACTG AAATGGTGCC TACCTTCTGG 2400  
 AATGTCTGTG CCCAGGTCC TTAG

Seq ID NO: 23 Protein sequence:  
 Protein Accession #: EOS cloned

1 11 21 31 41 51  
 MPPFLLEAV CVLFSRVPP SLPLQEVHVS KETIGKISAA SKMMWCSAAV DIMFLLDGSN 60  
 SVKGGSFERS KHFAITVCDG LDISPERVRV GAFQFSSTPH LEPLDSFST QQEVKARIKR 120  
 MVFKGGRTET ELALKYLLHR GLPGGRNASV PQILIIVTDG KSQGDVALPS KQLKERGVTV 180  
 FAVGVFRPW EELHALASEP RGQHVLLAEQ VEDATNGLFS TLSSAICSS ATPDCRVEAH 240  
 PCEHRTLEMV REFAGNAPCW RGSRRTLAVL AAHC PFYSWK RVFLTHPATC YRTTCPGPCD 300  
 SQPCQNGGTC VPEGLDGYQC LCPLAFGGEE NCALKLSLEC RVDLLFLDLS SAGTTLDGFL 360  
 RAKVFKRFV RAVLSEDSRA RVGVATYSRE LLVAVPVGEY QDVPDLVWSL DGIFRGGPT 420  
 LTGSALRQAA ERFGSARTT GQDRPRRVVV LLTESHSEDE VAGPARHARA RELLLLVGS 480  
 EAVRALEELI TGSPKHMVMY SDPQDLFNQI PELQKLCRSR QRPGRCTQAL DLVFMLD TSA 540  
 SVGPENFAQM QSFVRSCALQ FEVNPVDVTQV GLVYVGSQVQ TAFGLDTKPT RAAMLRAISQ 600  
 APYLGGVGSA GTALLHYDK VMTVQRGARF GVPKAVVVL TGGGAEDAAV PAQLRNNGI 660  
 SVLVVGVGPV LSEGLRRLAG PRDSLHVAE YADLRYHQDV LIEWLCGEAK QPVNLCKPSP 720  
 CMNEGSCVLQ NGSYRCKCRD GWEGPHCENR EWSSCSVCVS QGWILETPLR HMAPVQEGSS 780  
 RTPPSNYREG LGTEMVPTFW NVCAPGP

Seq ID NO: 24 DNA sequence  
 Nucleic Acid Accession #: see Table 25 & 25A for complete list

1 11 21 31 41 51  
 AGGTCGGCTG GTTATCGGGA GTTGGAGGGC TGAGGTCGGG AGGGTGGTGT GTACAGAGCT 60  
 CTAGGACTCA CGCACCAGGC CAGTCGCGGG TTTTGGGCGG AGGCCTGGGT TACAAGCAGC 120  
 AAGTGCGCGG TTGGGGCCAC TGCAGGGCCG TTTTAGAAAA CTGTTTAAAA CAAAGAGCAA 180  
 TTGATGGATA AATCAGGAAT AGATTCTCTT GACCATGTGA CATCTGATGC TGTGGAACCT 240  
 GCAATCGAA GTGATAACTT TTCTGATAGC AGCTTATTTA AAACCTCAGT TATCCCTTAC 300  
 TCACCTAAAG GGGAGAAAAA GAACCCCATC CGAAAAATTG TTCGTACACC TGAAGGTGTT 360  
 CACGCAAGTA TTCATCAAGT GACTCATCTT TTGAACCACT ACCATTGACT ATAAAAAGTA 420  
 TTTTGAAG ATTCAAGAAC AGGAAAAAGA GATATAAAAA AAAGAAAAAG AGGAGGTACC 480  
 AGCCAACAGG AAGACCACGG GGAAGACCAG AAGGAAGGAG AAATCCTATA TACTCACTAA 540  
 TAGATAAGAA GAAACAATTT AGAAGCAGAG GATCTGGCTT CCCATTTTGA GAATCAGAGA 600  
 ATGAAAAAAA CGCACCTTGG AGAAAAATTT TAACGTTTGA GCAAGCTGTT GCAAGAGGAT 660  
 TTTTAACTA TATTGAAAA CTGAAGTATG AACACCACCT GAAAGAATCA TTGAAGCAAA 720  
 TGAATGTTGG TGAAGATTTA GAAAAAGAA ATTTTGACAG TCGTAGATAC AAATTTTGG 780  
 ATGATGATGG ATCCATTCTT CCTATTGAGG AGTCAACGCT TTTATCTTGA GGACATGGTG 840  
 TCTGGAGTTA AAGGATTGG CATACTCCAC ACATCTGTAC CATTCTTGAG TGATCGCTTA 900  
 GGAATGAATG TGATTGGAC TCATTATGT ATGAGAGTAA GCAATGCTTT TTTTCCAGG 960  
 GTGTCAAAT GAGAACCCAG TAGATCCCCA CCACCTACAG TAAAAAGGAC CCTAAAGTAA 1020  
 ATTGTTGAA GAAATTAGAT CCAAGGATT CTTGGTGAAT TTGAAGTCT TCATCAGTAT 1080  
 ATCCATATTA AAACGAGATG ACAGAAGCCA AAGTAATTAT GGGCTGACAG GACAACTGGA 1140  
 TCAGTTTCAT TAAAAAGGGC AAACCTGAAG ATAAATCTTT TGACTCCAGC TCTTAGAGG 1200  
 ATCTAAAGTG ACCTTGATGG ACAGTGAAG AAATCACAAC ATGGAATTCC TCGAATAACA 1260

ATTTATTGAC TTAAATAAT TTTGTCTAAT GCTACATATA CACAATTTAA AAACCTTTAC 1320  
 ACTATTCTA GAAAGTCAGC ATGTATTTTT GGCTCGAAGT TTCTCTAGTG TTTCTGTGG 1380  
 AAGGAATAAA AATTGTAGGT TTCAATACAA AAACAAAACA AACAACACGA AACACGAAAA 1440  
 ACAATCTGTT GTGCGGCGCC CCTGGGCCCC TTGAGAGAAA ACTTTTIAGA ACCCTTTTG 1500  
 CGTTGTGGCG GCCCGGGGCG CCCACAGTTG GGTTTAGGTG GGCACCCTTG TGTCTACAAG 1560  
 TGGTGTCTCC CCAAGAGAGA GAACACCTCC GGGGTCAAGC GGACAACAAG AGTGCCTCGT 1620  
 GAGGACTCTT CACCCAAAGT ATATAAAACC CGCCCCGCGG GGAACCACC GCCTGCTTTT 1680  
 CTGTAGACAC AACCCCAACA GTGGGAACCT CTGAGGGCGC ACACACAGGG CGAGCCTTAT 1740  
 CAACAAGGGG TGCCCAACAG AAACCCCGAG TAAAAATCG

Seq ID NO: 25 DNA sequence

Nucleic Acid Accession #:

BC001972.1

Coding sequence: 183-1019

1 11 21 31 41 51  
 | | | | |  
 GGTGCGCTGG TTATCGGGAG TTGGAGGGCT GAGGTCGGGA GGGTGGTGTG TACAGAGCTC 60  
 TAGGACTCAC GCACCAGGCC AGTCGCGGGT TTTGGGCCGA GGCCTGGGTT ACAAGCAGCA 120  
 AGTGCAGCGT TGGGGCCACT GCGAGGCCGT TTAGAAAAAC TGTTAAAAAC AAAGAGCAAT 180  
 TGATGGATAA ATCAGGAATA GATTCTCTTG ACCATGTGAC ATCTGATGCT GTGGAACCTG 240  
 CAAATCGAAG TGATAACTCT TCTGATAGCA GCTTATTTAA AACTCAGTGT ATCCCTTACT 300  
 CACCTAAAGG GGAGAAAAGA AACCCCATTC GAAAAATTTG TCGTACACCT GAAAGTGTTC 360  
 ACGCAAGTGA TTCATCAAGT GACTCATCTT TTGAACCAAT ACCATTGACT ATAAAAGCTA 420  
 TTTTGAAG ATTCAAGAAC AGGAAAAAGA GATATAAAAA AAAGAAAAAG AGGAGGTACC 480  
 AGCCAAACAGG AAGAACACCGG GGAAGACCAG AAGGAAGGAG AAATCCTATA TACTACTAA 540  
 TAGATAAGAA GAAACAATCT AGAAGCAGAG GATCTGGCTT CCCATTTTTA GAATCAGAGA 600  
 ATGAAAAAAA CGCACCTTGG AGAAAAATTT TAACGTTTGA GCAAGCTGTT GCAAGAGGAT 660  
 TTTTAACTA TATTGAAAAA CTGAAGTATG AACACCACCT GAAAGAATCA TTGAAGCAAA 720  
 TGAATGTTGG TGAAGATTTA GAAAAATGAAG ATTTTGACAG TCGTAGATAC AAATTTTGG 780  
 ATGATGATGG ATCCATTCTT CCTATTGAGG AGTCAACAGC AGAGGATGAG GATGCAACAC 840  
 ATCTTGAAGA TAACGAATGT GATATCAAT TGGCAGGGGA TAGTTTCATA GTAAGTCTG 900  
 AATTCCCTGT AAGACTGAGT GTATACCTAG AAGAAGAGGA TATTACTGAA GAAGCTGCTT 960  
 TGTCTAAAAA GAGAGCTACA AAAGCCAAAA ATACTGGACA GAGAGGCCCTG AAAATGTGAC 1020  
 AGGATCATGA ATGTCAAAGG CTTTATCTT GAGAACATGG TGTCTGGAGT TAAAGGACTA 1080  
 TTGTTAGATC TGTGGGAAGG AATTACAAGA CAGTTGCTAA AAGTTTGAA AAGACGGTTG 1140  
 CTAACCGTTA TGA AAAACCA GATAATCTAC TTTTACCT TAGGTATTGG CATACTCCAC 1200  
 ACATCTGTAC CATTCTTGAG TGATCGCTTA GGAATGAATG TGATTGAAAC TCATTCATGT 1260  
 TGAGAGGGTG TCAAATTGAG AACCAGGTAG ATCCCCACCA CCTACAGTAA AAAGGACCCT 1320  
 AAAGTAAATT GGTGGAAGAA ATTAGATCCC AAAGATTCTT GGTGAATTTT GAAGTCTTCA 1380  
 TCAGTATATC CATATTAAAA CGAGATGACA GAAGCCAAAG TAATTATGGG CTGACAGGAC 1440  
 AACTGGATCA GTTTCATTAA AAAGGGCAAA CTGAAGATA AATCTTTTGA CTCCAGCTCT 1500  
 TTAGAGGATC TAAAGTGACC TTGATGGACA GTGGAAGAAA TCACAACATG GAATTCCTCG 1560  
 AATAACAATT TATTGACTTT AAATAATTTT GTCTAATGCT ACATATACAC AATTAATAAA 1620  
 CCTTACACT AAAAAAAAAA AAAAAA

Seq ID NO: 26 Protein sequence

Protein Accession #: AAH01972.1

1 11 21 31 41 51  
 | | | | |  
 MDKSGIDSLD HVTSDAVELA NRSDNSSDSS LFKTQCIPIYS PKGEKRNPIR KVRTPESVH 60  
 ASDSSDSSF EPIPLTIKAI FERFKNRKKR YKKKKRRYQ PTGRPRGRPE GRNPIYSLI 120  
 DKKKQFRSRG SGPFPLESEN EKNAPWRKIL TFEQAVARGF FNYIEKLKYE HHLKESLKQM 180  
 NVGEDLENED FDSRRYKFLD DDGSISPIEE STAEDEDATH LEDNECDIKL AGDSFIVSSE 240  
 FPVRLSVYLE EEDITEEAL SKKRATKAKN TGQRGLKM

Seq ID NO: 27 DNA sequence

Nucleic Acid Accession #:

AK027016

Coding sequence: 207-1043

1 11 21 31 41 51  
 | | | | |  
 CTTTCTCTCC GCACGGTTGG AGGAGGTCGG CTGGTTATCG GGAGTTGGAG GGCTGAGGTC 60  
 GGGAGGGTGG TGTGTACAGA GCTCTAGGAC TCACGCACCA GGCCAGTCGC GGATTTTGGG 120  
 CCGAGGCTGT GGTTACAAGC AGCAAGTGCG CGGTGGGGC CACTGCGAGG CCGTTTGA 180  
 AAATCTTTTA AAACAAAGAG CAATTGATGG ATAAATCAGG AATAGATTCT CTTGACCATG 240  
 TGACATCTGA TGCTGTGGAA CTGCAAAATC GAAGTGATAA CTCTCTGAT AGCAGCTTAT 300  
 TTAAGTCTCA GTGTATCCCT TACTCACCTA AAGGGGAGAA AAGAAACCCC ATTCGAAAAAT 360  
 TTGTTCTGAC ACCTGAAAGT GTTCAACGCA GTGATTATC AAGTGACTCA TCTTTTGAAC 420  
 CAATACCATT GACTATAAAA GCTATTTTTG AAAGATTCAA GAACAGGAAA AAGAGATATA 480  
 AAAAAAAGAA AAAGAGGAGG TACCAGCCAA CAGGAAGACC ACGGGGAAGA CCAGAAGGAA 540  
 GGAGAAATCC TATATACTCA CTAATAGATA AGAAGAAACA ATTTAGAAGC AGAGGATCTG 600  
 GCTTCCCAT TTTAGAAATCA GAGAATGAAA AAAACGCACC TTGGAGAAAA ATTTAACGT 660  
 TTGAGCAAGC TGTGCAAGA GGATTTTTTA ACTATATTGA AAAGCTGAAG TATGAACACC 720  
 ACCTGAAAAG ATCATTGAAG CAAATGAATG TTGGTGAAGA TTTAGAAAAA GAAGATTTTG 780  
 ACAGTCGTAG ATACAAATTT TTGGATGATG ATGGATCCAT TTCTCTATT GAGGAGTCAA 840  
 CAGCAGAGGA TGAGGATGCA ACACATCTTG AAGATAACGA ATGTGATATC AAATTGGCAG 900  
 GGGATAGTTT CATAGTAAGT TCTGAATTC CTGTAAGACT GAGTGATATC TTAGAAGAAG 960  
 AGGATATTAC TGAAGAAGCT GCTTTGTCTA AAAAGAGAGC TACAAAAGCC AAAAACTG 1020  
 GACAGAGAGG CCTGAAAATG TGACAGGATC ATGAATGTCA AAGGCTTTTA TCTTGAGAAC 1080  
 ATGGTGTCTG GAGTTAAAGG TATTGGCATA CTCCACACAT CTGTACCATT CTTGAGTGAT 1140  
 CGCTTAGGAA TGAATGTGAT TTGAATCAT TCATGTTGAG AGGGTGTCAA ATTGAGAACC 1200  
 AGGTAGATCC CCACCACCTA CAGTAAAAAG GACCCTAAAG TAAATTGGTT GAAGAAATTA 1260  
 GATCCCAAAG ATTCTGGTG AATTTTGAAG TCTTCATCAG TATATCCATA TTAACAGCAG 1320

ATGACAGAAG CCAAAGTAAT TATGGCAAGT AATGGTTTTT ATCTTAATA TAAGTTATTT 1380  
 GCTCAAGGGT GTAATGGTCA TTACCAAGGC TTTAGAATG CAGTTTCTCA TTGCTGTGG 1440  
 ACATGACCAT AAAAAAAAAA TTCCAGTAG GTTTTCTATC TGCTACGTTG CTAGCAATCA 1500  
 GCTTATTGGG AACAGTTGAT TAACGTGAAT AGAAATGCAA TACAATAAAA ATGTGAACCA 1560  
 CATGTGATTT TTCTTTAAAA TCAGTGAGAT TTGAAAATTC TCCTAGATCT CTGGAATCAT 1620  
 GCAAAATTGC TTGCTTTA TATTGTAACC CTGTGGGTT GCTAATAACC AAGCAGTTTG 1680  
 TAGTAGAGTT AACTCAGGCT CGTCTAGGG ACTCATTCAT GTTCACTCAC TGTACACTCA 1740  
 TCTCTGAAA TGTAAAAATT ACTTTTATAC TATTGTTATG TAGGGCTGAC AGGACAACCTG 1800  
 GATCAGTTTC ATTAAGAAAG TATGTATGCA TTAGAAAAGA CATTGTATG GGTCAATTCA 1860  
 AAGAGGGCTT ATGAGGCTGT GAAACCCAGA GCTCTTAACG CTGTGACCAA AGATGGAAGT 1920  
 TCTCTATAGG AAGCCATAGC ACTCCTAATG TTTGGTGCTA TGTTTTCCTG AGGAGATATA 1980  
 AAACGTAATA ATCCATGATT GTTGCCATGT GAGAGTTTAA AAGGTAAATC AAAATTTCTC 2040  
 TTCTCAGGG CAAACTGAA GATAAATCTT TTAGCTCCAG CTCTTTAGAG GATCTAAAGT 2100  
 GACCTTGATG GACAGTGGAA GAAATCACA CATGGAATTC CTCGAATAAC AATTTATTGA 2160  
 CTTTAAATAA TTTTGCTAA TGCTACATAT ACACAATTA AAAACCTTTA CACTATTCT 2220  
 AGAAAGTCAG CATGTATTTT TGGCTGAAAG TTTCTAGT GTTTTCTGTG GAAGGAATAA 2280  
 AAATTTGAGT TTCAAAAAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AAAAAA

Seq ID NO: 28 Protein sequence:  
 Protein Accession #: BAB15628.1

1 11 21 31 41 51  
 MDKSGIDSLD HVTSDAVELA NRSDNSSDSS LFKTQCIPYS PKGEKRNPIR KVRTPESVH 60  
 ASDSSSSSF EPIPLTIKAI FERFKNRKR YKKKKRRYQ PTGRPRGRPE GRRNPIYSLI 120  
 DKKKQFRSRG SGFFPLESEN EKNAWPKRIL TFEQAVARGF FNYIEKLKYE HHLKESLKQM 180  
 NVGEDLENEF FDSRRYKFLD DGGSISPIEE STAEDEDATH LEDNECDIKL AGDSFIVSSE 240  
 FPVRLSVYLE EEDITEEAAL SKKRATKAKN TGQRGLKM

Seq ID NO: 29 DNA sequence  
 Nucleic Acid Accession #: NM\_004289.3  
 Coding sequence: 493-1695

1 11 21 31 41 51  
 GCCGCCGCCT CGTCCACCGG AGGAGCCGGC GCCAGCGTGG ACGCGGCAG CCAGGCTGTG 60  
 CAGGGGGCGG GCGGGGACCC CCGAGCGGCT CGGAGTGGCC CCTTGGACGC CGGGGAAGAG 120  
 GAGAAGGCAC CCGCGGAACC GACGGCTCAG GTGCCGGACG CTGGCGGATG TGCGAGCGAG 180  
 GAGAAATGGG TACTAAGAGA AAAGCAGGAA GCTGTGGATC ATAGTTCCCA GCATGAGGAA 240  
 AATGAAGAAA GGGTGTACAG CCAGAAGGAG AACTCACTTC AGCAGAATGA TGATGATGAA 300  
 AAAAAAATAG CAGAGAAACC TGACTGGGAG GCAGAAAAGA CCACTGAATC TAGAAATGAG 360  
 AGACATCTGA ATGGGACAGA TACTTCTTC TCTCTGGAAG ACTTATTCCA GTTGCTTTCA 420  
 TCACAGCCTG AAAATTCAT GGAGGCGATC TCATTGGGAG ATATTCTCT TCCAGGCAGT 480  
 ATCAGTGATG GCATGAATTC TTCAGCATAT TATCATGTAA ACTTCAGCCA GGCTATAAGT 540  
 CAGGATGTGA ATCTTCATGA GGCCATCTTG CTTTGTCCCA ACAATACATT TAGAAGAGAT 600  
 CCAACAGCAA GGACTTCACA GTCACAAGAA CCATTCTGC AGTTAAATTC TCATACCACC 660  
 AATCCTGAGC AAACCTTCC TGGAACTAAT TTGACAGGAT TTCTTTCACC GGTGACAAT 720  
 CATATGAGGA ATCTAACAAG CCAAGACCTA CTGTATGACC TTGACATAAA TATATTGAT 780  
 GAGATAAACT TAATGTCAAT GGCCACAGAA GACAACCTTG ATCCAATCGA TGTTTCTCAG 840  
 CTTTGTGATG AACCAGATTC TGATTCTGGC CTTTCTTATG ATTCAAGTCA CAATAATACC 900  
 TCTGTCATCA AGTCTAATC CTCTCACTCT GTGTGTGATG AAGGTGCTAT AGGTTATTGC 960  
 ACTGACCATG AATCTAGTTC CCATCATGAC TTAGAAGGTG CTGTAGGTGG CTAATACCCA 1020  
 GAACCCAGTA AGCTTTGTCA CTTGGATCAA AGTGATTCTG ATTTCATGG AGATCTTACA 1080  
 TTTCAACACG TATTTCATAA CCACACTTAC CACTTACAGC CAATGCACC AGAATCTACT 1140  
 TCTGAACCTT TTCCGTGGCC TGGGAAGTCA CAGAAGATAA GGAGTAGATA CCTGAAGAC 1200  
 ACAGATAGAA ACTTGAGCCG TGATGAACAG CGTGCTAAAG CTTTGCATAT CCCTTTTCT 1260  
 GTAGATGAAA TTGTCGGCAT GCCTGTTGAT TCTTTCAATA GCATGTTAAG TAGATATTAT 1320  
 CTGACAGACC TACAAGTCTC ACTTATCCGT GACATCAGAC GAAGAGGGAA AAATAAAGTT 1380  
 GCTGCGCAGA ACTGTCGTAA ACGCAAATG GACATAATTT TGAATTTAGA AGATGATGTA 1440  
 TGTAACTTGC AAGCAAAGAA GAAACTCTT AAGAGAGAGC AAGCACAATG TAACAAAGCT 1500  
 ATTAACATAA TGAACAGAA ACTGCATGAC CTTTATCATG ATATTTTATG TAGATTAAGA 1560  
 GATGACCAAG GTAGGCCAGT CAATCCCAAC CACTATGCTC TCCAGTGATC CCATGATGGA 1620  
 AGTATCTTGA TAGTACCCA AGAAGTGGT GCCTCAGGCC AAAAAAGGA AACCCAAAG 1680  
 GGAAGAGAAA AGTGAGAAGA AACTGAAGAT GGACTCTATT ATGTGAAGTA GTAATGTTC 1740  
 GAAACTGATT ATTTGGATCA GAAACCATG AACTGCTTC AAGAATTGTA TCTTTAAGTA 1800  
 CTGCTACTTG AATAACTCAG TTAACGCTGT TTTGAAGCTT ACATGGACAA ATGTTTAGGA 1860  
 CTCAAGATC AACTTGTGG GCAATCTGGG GGAGCCACAA CTTTTCATGA AGTGCAATTG 1920  
 ATACAAAATT CATAGTTATG TCCAAAGAAT AGGTTAACAT GAAACCCAG TAAGACTTTC 1980  
 CATCTTGGCA GCCATCCTTT TTAAGAGTAA GTTGTTACT TCAAAAAGAG CAAACACTGG 2040  
 GGATCAAATT ATTTAAGAG GTATTTCAGT TTTAAATGCA AAATAGCCTT ATTTTCATT 2100  
 AGTTTGTAG CACTATAGT AGCTTTTCAA ACATATTTT AATCTTTATA TTTAACTTAT 2160  
 AAATTTTGTCT TTCT

Seq ID NO: 30 Protein sequence:  
 Protein Accession #: NP\_004280

1 11 21 31 41 51  
 MNSSAHYHVN FSQAIQDVN LHEAILLCPN NTFRRDPTAR TSQSQEPFLQ LNSHTTNPEQ 60  
 TLPNTNLTF LSPVDNHMRN LTSQDLLYDL DINIFDEINL MSLATEDNFD PIDVSQLFDE 120  
 PDSDSLGLD SSHNNTSVIK SNSSHVCDE GAIGYCTDHE SSSHHDLEGA VGGYYPEPSK 180  
 LCHLDQSDSD FHGDLTFQHV FHNHTYHLQP TAPESTSEPF PWPGKSQKIR SRYLEDTRN 240  
 LSRDEQRAKA LHIPFSVDEI VGMPVDSFNS MLRYLLTDL QVSLIRDIRR RGKNKVAQAN 300  
 CRKRKLDIIL NLEDDVCNLQ AKKETLKREQ AQCNKAINIM KQKLHDLYHD IFSRLRDDQG 360



RPVNPNNHYAL QCTHDGSILI VPKELVASGH KKETQKGRK

Seq ID NO: 31 DNA sequence

Nucleic Acid Accession #:

NM\_033260.1

Coding sequence: 1-1208

1 11 21 31 41 51

ATGAAGTTGG AGGTGTTTCGT CCCTCGCGCG GCCACGCGG ACAAGCAGGG CAGTGACCTG 60  
GAGGGCGCGG GCGGCAGCGA CGCGCCGTCC CCGCTGTCGG CGGCGGGAGA CGACTCCCTG 120  
GGCTCAGATG GGGACTGCGC GGCCAAGCCG TCCGCGGGCG GCGGCGCCAG AGATACGCAG 180  
GGCGACGGCG AACAGAGTGC GGGAGGCGGG CCGGGCGCGG AGGAGGCGAT CCCGGCAGCA 240  
GCTGTCTCAG CGGTGTTGGC GGAGGGCGCG GAGGCCGGGG CGGCGGGGCC AGGCGCGGGC 300  
GGCGCGGGGA GCGGCGAGGG TGCACGCAGC AAGCCATATA CGCGGCGGCC CAAGCCCCCC 360  
TACTCGTACA TCGCGTCTAT CGCCATGGCC ATCCGCGACT CGGCGGGCGG GCGCTTGACG 420  
CTGGCGGAGA TCAACGAGTA CCTCATGGGC AAGTTCCTCT TTTCCGCGG CAGCTACACG 480  
GGCTGGCGCA ACTCGGTGCG CCACAACCTT TCGCTCAACG ACTGCTTCGT CAAGGTGCTG 540  
CGCGACCCCT CGCGGCCCTG GGGCAAGGAC AACTACTGGA TGCTCAACCC CAACAGCGAG 600  
TACACCTTCG CCGACGGGGT CTTCCGCGCG CGCCGCAAGC GCCTCAGCCA CCGCGCGCGG 660  
GTCCCGCGCG CCGGGCTGCG GCCGAGGAG GCGCGGGGCC TCCCGCGCGC CCGCGCGGCC 720  
GCGCCGCGCG CCGCGGCTC GCGCGCATG CGCTCGCCCG CCGCGCAGGA GGAGCGCGCC 780  
AGCCCCGCGG GCAAGTTCTC CAGTCTCTTC GCCATCGACA GCATCCTGCG CAAGCCCTTC 840  
CGCAGCGCTC GCCTCAGGGA CACGGCCCCC GGGACGACGC TTCAGTGGGG CGCCGCGGCC 900  
TGCCCGCGCG TGCCCGCTT CCGCGCGCTC CTCCCGCGCG CGCCTGCAAG GGCCCTGCTG 960  
CCGCTCTGCG CGTACGGCGC GGGCGAGCCG GCGCGGCTGG GCGCGGCGGA GGCCGAGGTG 1020  
CCACCGACCG CGCCGCGCTC CCGTCTTGA CCGTCTCCCG CGGCGGGCCC CGCCAAGCCA 1080  
CTCCGAGGCC CGGCGGCGCG GCGCGCGCAC CTGTACTGCC CCCTGCGGCT GCCCGCAGCC 1140  
CTGAGGCGGG CCTTAGTCCG NCGTCTGGC CCGCACCTGT CGTACCCGGT GGAGACGCTC 1200  
CTAGCTTGA

Seq ID NO: 32 Protein sequence

Protein Accession #: NP\_150285.1

1 11 21 31 41 51

MKLEVFVPPA AHGDKQGS DL EGAGGSDAPS PLSAAGDSDL GSDGDCAAKP SAGGGARDTQ 60  
GDGEQSAGGG PGAEAAIPAA AAAAVVAEGA EAGAAGPGAG GAGSGEGARS KPYTRRPKPP 120  
YSYIALIAMA IRDSAGGRLT LAINEYLMG KFPFRGSYTT GWRNSVRHNL SLNDCFVKVL 180  
RDPSPWPWKD NYWMLNPSE YTFADGVFRR RKRRLSHRAP VPAPGLRPEE APGLPAAPPP 240  
APAAPASPRM RSPARQEERA SPAGKFSSSF AIDSILRKPF RSRRLRDTAP GTTLQWGAAP 300  
CPPLPAFPAL LPAAPCRALL PLCAYGAGEP ARLGAREAEV PPTAPPLLLA PLPAAAPAKP 360  
LRGPAAGGAH LYCPLRLPAA LQALVRRPG PHLSTYPVETL LA

Seq ID NO: 33 DNA sequence

Nucleic Acid Accession #:

NM\_012128.2

Coding sequence: 43-2796

1 11 21 31 41 51

GAACAAACCA ACATTGAGC CAGGAATAAC TAGAGAGGAA CAATGGGGTT ATTCAGAGGT 60  
TTTGTITTTCC TCTTAGTTCT GTGCTGCTG CACCAGTCAA ATACTTCCTT CATTAAGCTG 120  
AATAATAATG GCTTTGAAGA TATTGTCAAT GTTATAGATC CTAGTGTGCC AGAAGATGAA 180  
AAAATAATTG AACAAATAGA GATATGGTG ACTACAGCTT CTACGTACCT GTTTGAAGCC 240  
ACAGAAAAAA GATTTTTTTT CAAAAATGTA TCTATATTAA TTCTGAGAA TTGGAAGGAA 300  
AATCTCAGT ACAAAGGCC AAAACATGAA AACCATAAAC ATGCTGATGT TATAGTTGCA 360  
CCACCTACAC TCCAGGTAG AGATGAACCA TACACCAAGC AGTTCACAGA ATGTGGAGAG 420  
AAAGGGCAAT ACATTCACTT CACCCCTGAC CTCTACTTGG GAAAAAACA AAATGAATAT 480  
GGACCAACAG GCAAACTGTT TGTCCATGAG TGGGCTACC TCCGGTGGG AGTGTITGAT 540  
GAGTACAATG AAGATCAGCC TTTCTACCGT GCTAAGTCAA AAAAAATCGA AGCAACAAGG 600  
TGTTCCGCGA GTATCTCTGG TAGAAATAGA GTTTATAAGT GTCAAGGAGG CAGCTGTCTT 660  
AGTAGAGCAT GCAGAATTGA TTTACAACA AAACGTGATG GAAAAAGATT TCAATTCTTT 720  
CCTGATAAAG TACAACAGA AAAAGCATCC ATAATGTTTA TGCAAGTAT TGATTCTGTT 780  
GTTGAATTTT GTAACGAAAA AACCCATAAT CAAGAAGCTC CAAGCCTACA AAACATAAAG 840  
TGCAATTTTA GAAGTACATG GGAGGTGATT AGCAATTCTG AGGATTTTAA AAACACCATA 900  
CCCATGGTGA CACCACCTCC TCCACCTGTC TTCTCATTCG TGAAGATCCG TCAAGAAT 960  
GTGTGCTTAG TTCTTGATAA GTCTGGAAGC ATGGGGGTA AGGACCGCT AAATCGAATG 1020  
AATCAAGCAG CAAAACATTT CCGTGTGAG ACTGTTGAAA ATGGATCCTG GGTGGGGATG 1080  
GTTCACTTTG ATAGTACTGC CACTATTGTA AATAAGCTAA TCCAAATAAA AAGCAGTGAT 1140  
GAAAGAAACA CACTCATGGC AGGATTACCT ACATATCCTC TGGGAGGAAC TTCCATCTGC 1200  
TCTGGAATTA AATATGCATT TCAGGTGATT GGAGAGCTAC ATTCCCACT CGATGGATCC 1260  
GAAGTACTGC TGCTGACTGA TGGGGAGGAT AACACTGCAA GTTCTGTAT TGATGAAGTG 1320  
AAACAAAGTG GGGCAATTGT TCATTTTATT GCTTTGGGAA GAGCTGCTGA TGAAGCAGTA 1380  
ATAGAGATGA GCAAGATAAC AGGAGGAAGT CATTTTATG TTTCAGATGA AGCTCAGAAC 1440  
AATGGCTCA TTGATGCTTT TGGGGCTCTT ACATCAGGAA ATACTGATCT CTCCCAGAAG 1500  
TCCCTTCAGC TCGAAAGTAA GGGATTAACA CTGAATAGTA ATGCTGGAT GAACGACACT 1560  
GTCATAATTG ATAGTACAGT GGGAAAGGAC ACGTCTTTC TCATCACATG GAACAGTCTG 1620  
CCTCCAGTA TTCTCTCTG GGATCCAGT GGAACAATAA TGGAATAATT CACAGTGGAT 1680  
GCAACTTCCA AAATGGCCTA TCTCAGTATT CCAGGAAGCT CAAAGGTGGG CACTTGGGCA 1740  
TACAATCTTC AAGCCAAAGC GAACCCAGAA ACATTAACTA TTACAGTAAC TTCTCGAGCA 1800  
GCAAAATCTT CTGTGCTCC AATCACAGTG AATGCTAAAA TGAATAAGGA CGTAAACAGT 1860  
TTCCCGAGCC CAATGATTGT TTACGCAGAA ATTCTACAAG GATATGTACC TGTTCTTGGA 1920  
GCCAATGTGA CTGCTTTCAT TGAATCACAG AATGGACATA CAGAAAGTTT GGAACCTTTG 1980  
GATAATGGTG CAGCGCTGTA TTCTTCAAG AATGATGGAG TCTACTCCAG GTATTTTACA 2040  
GCATATACAG AAAATGGCAG ATATAGCTTA AAAGTTCGGG CTCATGGAGG AGCAAAACACT 2100  
GCCAGGCTAA AATTACGGCC TCCACTGAAT AGAGCCCGGT ACATACCAGG CTGGGTAGTG 2160

AACGGGGAAA TTGAAGCAAA CCCGCCAAGA CCTGAAATTG ATGAGGATAC TCAGACCACC 2220  
 TTGGAGGATT TCAGCCGAAC AGCATCCGGA GGTGCATTGG TGGTATCACA AGTCCCAAAGC 2280  
 CTTCCTTGGC CTGACCAATA CCCACCAAGT CAAATCACAG ACCTTGATGC CACAGTTCAT 2340  
 GAGGATAAGA TTATTCTTAC ATGGACAGCA CCAGGAGATA ATTTTGATGT TGGAAAAGTT 2400  
 CAACGTTATA TCATAAGAA ATGTGCAAGT ATTCTTGATC TAAGAGACAG TTTTGATGAT 2460  
 GCTCTTCAAG TAAATACTAC TGATCTGTCA CCAAAGGAGG CCAACTCCAA GGAAAGCTTT 2520  
 GCATTTAAAC CAGAAATAT CTCAGAAGAA AATGCAACCC ACATATTAT TGCCATTAAA 2580  
 AGTATAGATA AAAGCAATTT GACATCAAAA GTATCCAACA TTGCACAAGT AACTTTGTTT 2640  
 ATCCCTCAAG CAAATCCTGA TGACATTGAT CCTACTCTTA CTCCTACTCC TACTCCTGAT 2700  
 AAAAGTCATA ATTCTGGAGT TAATATTCT ACGCTGGTAT TGTCTGTGAT TGGGTCTGTT 2760  
 GTAATTGTTA ACTTTATTTT AAGTACCACC ATTTGAACCT TAACGAAGAA AAAAACTCTC 2820  
 AAGTAGACCT AGAAGAGAGT TTTAAAAAAC AAAACAATGT AAGTAAAGGA TATTCTGAA 2880  
 TCTTAAAAAT CATCCCATGT GTGATCATAA ACTCATAAAA ATAATTTTAA GATGTCGGAA 2940  
 AAGGATACTT TGATTAAATA AAAACACTCA TGGATATGTA AAAACTGTCA AGATTAAAAAT 3000  
 TTAATAGTTT CATTTATTTT TTATTTTATT TGTAAGAAAT AGTGATGAAC AAAGATCCTT 3060  
 TTTCATCTG TACCTGGTT GTATATTATT TGATGCAACA GTTTTCTGAA ATGATATTTC 3120  
 AAATTGCATC AAGAAATTA AATCATCTAT CTGAGTAGTC AAAATACAAG TAAAGGAGAG 3180  
 CAAATAAACA ACATTGGAA AAAAAAAAAA AAAAAAAA

Seq ID NO: 34 Protein sequence:  
 Protein Accession #: NP\_036260.1

1 11 21 31 41 51  
 MGLFRGFVFL LVCLLLHQSNTSFIKLNNG FEDIVVIDP SVPDEKIIIE QIEDMVTTAS 60  
 TYLFEATEKR FFFKNVSILI PENWKENPOY KRPKHENHKH ADVIVAPPTL PGRDEPYTKQ 120  
 FTECGEKGEY IHFTPDLLLG KKQNEYGPPG KLFVHEWAHL RWGVFDEYNE DQPFYRAKSK 180  
 KIEATRCESAG ISGRNRVYKQ QGGSCLSRAC RIDSTTKLYG KDCQFFPDYK QTEKASIMFM 240  
 QSIDSVVEFC NEKTHNQEP SLQNIKNFR STWEVISNSE DFKNTIPMVT PPPPVFSLL 300  
 KIRQRIVCLV LDKSGSMGGK DRLNRMNQAA KHFLQTVEN GSWVGMVHFD STATIVNKLI 360  
 QIKSSDERNT LMAGLPTYPY LGTSICSGIK YAFQVIGELH SLDGSEVLL LTDGEDNTAS 420  
 SCIDEVKQSG AIHFIALGR ADEAVIEMS KITGGSHFYV SDEAQNGLI DAFGALTSGN 480  
 TDLSQKSLQL ESKGLTLNSN AWMNDTVIID STVGKDTFFL ITWNSLPSSI SLWDPSGTIM 540  
 ENFTVDATSK MAYLSIPGTA KVGWTAYNLQ AKANPETLTI TVTSRAANSS VPPITVNAKM 600  
 NKDVNSFPSP MIVYAEILQG YVPVLGANVT AFIESQNGHT EVLELLDNGA GADSFKNQDV 660  
 YSRYFTAYTE NGRYSKLVRA HGGANTARLK LRPLNRAAY IPGWVVNGEI EANPPRPEID 720  
 EDTQTLEDF SRTASGGAFV VSQVPSLPLP DQYPPSQITD LDATVHEDKI ILTWTAPGDN 780  
 FDVGKQRYI IRISASILDL RDSFDDALQV NTDLSPEKA NSKESFAFKP ENISEENATH 840  
 IFIAIKSIDK SNLTSKVSNI AQVTLFIPQA NPDDIDPTPT PTPDPKSHN SGVNISTLVL 900  
 SVIGSVVIVN FILSTTI

Seq ID NO: 35 DNA sequence  
 Nucleic Acid Accession #: NM\_000901.1  
 Coding sequence: 217-3171

1 11 21 31 41 51  
 CGCGGGAGCC AACTTCAGGC TGCTCAGAGG AAGCCCGTGC AGTCAGTCAC CTGGGTGCAA 60  
 GAGCGTTGCT GCCTCGGGCT CTCCCGCTGC AGGGAGAGCG GCACTCGCTG GCCTGGATGT 120  
 GGTGGAATTT AGGGGGGCTC CGCAGCAGGG GTTTCGTGGC GGTGGCAAGC GCTGCAACAG 180  
 GTAGACGGCG AGAGACGGAC CCGGGCCGAG GCAGGGATGG AGACCAAGG CTACCACAGT 240  
 CTCCCTGAAG GTCTAGATAT GGAAAGACGG TGGGGTCAAG TTTCTCAGGC TGTGGAGCGT 300  
 TCTTCCTGG GACCTACAGA GAGGACCGAT GAGAATAACT ACATGGAGAT TGTAACGTA 360  
 AGCTGTGTT GCGGTGCTAT TCCAACAAC AGTACTCAAG GAAGCAGCAA AGAAAAACAA 420  
 GAACTACTCC CTGTCCTTCA GCAAGACAAT AATCGGCCTG GGATTTTAAC ATCTGATATT 480  
 AAAACTGAGC TGAATCTAA GGAACCTTCA GCAACTGTAG CTGAGTCCAT GGGTTTATAT 540  
 ATGGATTCTG TAAGAGATGC TGACTATTCC TATGAGCAGC AGAACCAACA AGGAAGCATG 600  
 AGTCCAGCTA AGATTATACA GAATGTTGAA CAGCTGGTGA AATTTTACAA AGGAAATGGC 660  
 CATCGTCTT CCACTTATGA TTGTGTAAC ACGCCCTTGA GATCATTAT GTCTGACTCT 720  
 GGGAGCTCCG TGAATGGTGG CGTCATGCGC GCCATTGTTA AAAGCCCTAT CATGTGTCTAT 780  
 GAGAAAAGCC CGTCTGTTTG CAGCCCTCTG AACATGACAT CTTCGGTTTG CAGCCCTGCT 840  
 GGAATCAACT CTGTGTCTTC CACCACAGCC AGCTTTGGCA GTTTTCCAGT GCACAGCCCA 900  
 ATCACCAGG GAACTCTCT GACATGCTCC CTAATGCTG AAAATCGAGG CTCCAGGTCTG 960  
 CACAGCCCTG CACATGCTAG CAATGTGGGC TCTCTCTCT CAAGTCCGTT AAGTAGCATG 1020  
 AAATCCCTCA TTTCCAGCCC TCCAAGTCA TGCAGTGTA AATCTCCAGT CTCCAGTCCC 1080  
 AATAATGCTA CTCTGAGATC CTCTGTGTCT AGCCCTGCAA ATATTAAACA CTCAAGGTGC 1140  
 TCTGTTTCCA GCCCTTCGAA CACTAATAAC AGATCCACGC TTTCCAGTCC GGCAGCCAGT 1200  
 ACTGTGGGAT CTATCTGTAG CCTGTAAAC AATGCCTTCA GCTACACTGC TTCTGGCACC 1260  
 TCTGTGGAT CCAATACATT GCGGGATGTG GTTCCAGTC CAGACAGCA GGAGAAAGGT 1320  
 GCTCAAGAGG TCCCTTTTCC TAAGACTGAG GAAGTAGAGA GTGCCATCTC AAATGGTGTG 1380  
 ACTGGCCAGC TTAATATTGT CCAGTACATA AAACCAGAAC CAGATGGAGC TTTTAGCAGC 1440  
 TCATGTCTAG GAGGAAATAG CAAAATAAAT TCGGATTCTT CATTCTCAGT ACCAATAAAG 1500  
 CAAGAATCAA CCAAGCATTG ATGTTCAAGC ACCTCTTTTA AAGGGAATCC AACAGTAAAC 1560  
 CCGTTTCCAT TTATGGATGG CTCGTATTTT TCCTTTATGG ATGATAAAGA CTATTATTCC 1620  
 CTATCAGGAA TTTTAGGACC ACCTGTGCCC GGCTTTGATG GTAAGTGTGA AGGCAGCGGA 1680  
 TTCCCACTGG GTATTAAACA AGAACAGAT GACGGGAGCT ATTACCCAGA GGCCAGCATC 1740  
 CCTTCTCTCT CTATTGTGG GGTGAATCA GGTGGACAGT CCTTCCACTA CAGGATTGGT 1800  
 GCTCAAGGTA CAATATCTTT ATCAGATCG GCTAGAGACC AATCTTTCCA ACACCTGAGT 1860  
 TCCTTTCTCT CTGTCAATAC TTTAGTGGAG TCATGGAAAT CACACGGCGA CCTGTCTGCT 1920  
 AGAAGAAGTG ATGGGTATCC GGTCTTAGAA TACATTCCAG AAAATGTATC AAGCTCTACT 1980  
 TTACGAAGTG TTTCTACTGG ATTTCAAGA CTTTCAAAAA TATGTTTGGT GTGTGGGGAT 2040  
 GAGGCTTCAG GATGCCATTA TGGGGTAGTC ACCTGTGGCA GCTGCAAAGT TTTCTTCAAA 2100  
 AGAGCAGTGG AAGGGCAACA CAACTATTTA TGTGTGGAA GAAATGATTG CATCATTGAT 2160  
 AAGATTCCAG GAAAGAATTG TCTGCTTGC AGACTTCAGA AATGTCTTCA AGCTGGAATG 2220  
 AATTTAGGAG CACGAAAGTC AAAGAAGTTG GGAAAGTTAA AAGGGATTCA CGAGGAGCAG 2280  
 CCACAGCAGC AGCAGCCCCC ACCCCACCC CCACCCCGC AAAGCCAGA GGAAGGGACA 2340

10087080.022702

ACGTACATCG CTCCTGCAAA AGAACCCCTCG GTCAACACAG CACTGGTTCC TCAGCTCTCC 2400  
ACAATCTCAC GAGCGCTCAC ACCTTCCCCC GTTATGGTCC TTGAAAAAT TGAACCTGAA 2460  
ATTGTATATG CAGGCTATGA CAGCTCAAAA CCAGATACAG CCGAAAAATCT GCTCTCCACG 2520  
CTCAACCGCT TAGCAGGCAA ACAGATGATC CAAGTCGTGA AGTGGGCAAA GGTACTTCCA 2580  
GGATTTAAAA ACTTGCCTCT TGAGGACCAA ATTACCCTAA TCCAGTATTC TTGGATGTGT 2640  
CTATCATCAT TTGCCTTGAG CTGGAGATCG TACAAACATA CGAACAGCCA ATTTCTCTAT 2700  
TTTGACCAG ACCTAGTCTT TAATGAAGAG AAGATGCATC AGTCTGCCAT GTATGAACTA 2760  
TGCCAGGGGA TGCACCAAAAT CAGCCTTCAG TTCGTTTCGAC TGCAGCTCAC CTTTGAAGAA 2820  
TACACCATCA TGAAGTTTTT GCTGCTACTA AGCACAATTC CAAAGGATGG CCTCAAAAGC 2880  
CAGGCTGCAT TTGAAGAAAT GAGGACAAAT TACATCAAAG AACTGAGGAA GATGGTAACT 2940  
AAGTGTCCCA ACAATCTGG GCAGAGCTGG CAGAGGTTCT ACCAACTGAC CAAGCTGCTG 3000  
GACTCCATGC ATGACCTGGT GAGCGACCTG CTGGAATTC TCTTCTACAC CTTCCGAGAG 3060  
TCCCATGCGC TGAAGGTAGA GTTCCCGCA ATGCTGGTGG AGATCATCAG CGACCAGCTG 3120  
CCCAAGGTGG AGTCGGGGAA CGCCAAGCCG CTCTACTTCC ACCGGAAGTG ACTGCCCGCT 3180  
GCCCAGAAGA ACTTTGCCCT AAGTTTCCCT GTGTTGTTC ACACCCAGAA GGACCCAAGA 3240  
AAACCTGTTT TTAACATGTG ATGGTTGATT CACACTTGT CAACAGTTTC TCAAGTTTAA 3300  
AGTCATGTCA GAGGTTTGGG GCCGGGAAAG CTGTTTTTCC GTGGATTGG CGAGACCAGA 3360  
CGAGCTGAA GGATCCCCA CCTCCAATCC CCCAGCGCTT AGAAACATGT TCCTGTTCCT 3420  
CGGGATGAAA AGCCATATCT AGTCAATAAC TCTGATTITG ATATTTTAC AGATGGAAGA 3480  
AGTTTAACT ATGCCGTGTA GTTCTGGTA TCGTTCGCTT GTTTTAAAG GGTCAAGGA 3540  
CTAACGAAG TTTTAAAGT TACCCTTGGT TTGCACATAA AACGTATAGT CAATATGGGG 3600  
CATTAATATT CTTTGTGAT TAAAAAACA CAAAAAATA ATAAAAAAT ATATACAGAT 3660  
TCCTGTGTG TAATAACAGA ACTCGTGGCG TGGGGCAGCA GCTGCCTCTG AGCCCTCGCT 3720  
CGTCCACGGT CTCTGCATC ACTGGTATAC ACACTCGTTA GCGTCCATT CTTATTTAAT 3780  
TAGAATGGAT AAGATGATGT TAAATGCCTT GGTGTGATT CTAGTATCTA TTGTGTGGC 3840  
TTTACAAATA ATTTTGTGA GTCTTTTGT GTGCTGTACA TTAAGTATG TATAAATTAT 3900  
GAAGGACCTG AAATAAGGTA TAAGGATCTT TTGTAATGA GACACATACA AAAAAATCT 3960  
TTAATGGTTA ATAGGATGAA TGGGAAAGTA TTTTGAAGG AATTCTATTT TGCTGGAGAC 4020  
TATTTAAGTA CTATCTTGT CTAACAAGG TAATTTTTT TTGTAAAGT CAATGTCTCT 4080  
CATGCATAAT GAACCGTTTA CAGTGTATT AAGAAAGGGA AAGCTGTGCC TTTTGTAGCT 4140  
TCATATCTAA TTTACCATTA TTTACAGTC TCTGTTGTA ATAACCACAC TGAACCTCT 4200  
TCGGTTGTCT TGAACCTTT CTACTTTTC TGTACTTTT GTTTTGTCT TGGTCTCCCG 4260  
CTTGGGGCAT TTGTGGGACT CCAGCACGTT TTCTGGCTTC TGCTTCATCC TGCTCCATCG 4320  
GGGAATGACA CACTGCGGTG TCTGCAGCTC CTGGAAGGTG TCATTGACA ACACATGTGG 4380  
GAGAGGAGGT CTTGGAGTG CTGCAGCTT GGGAAAGCCT GCCTCGTTTC CTTTTCCTC 4440  
TAGAAGCAGA ACCAGCTCTA CGAGAGTGAG ACTGGGAACT TGATGGTCA GAGAGCATCT 4500  
TTTCTCCCA TTTTAGAAAA TCAGATTTTC TCCTGTGGGA AAAAAAAT CCATGCATCT 4560  
TCTCTGTT AAAGATCAGC TATTCCTTC TGATCTTGA AAGAGTTCT GCACTCTGG 4620  
AACCAGTCA AGGAACGCAC AGATCATGGC AGGATGCGCT GGGACGGCCC ATCTTGGCAA 4680  
GGTTCAGTCT GAATGGCATG GAGACCGGGA GATAGAGGGG TTTTAGATT TTTAAAGGTA 4740  
GGTTTTAAAA TAAAGTTTTA TACATAAACA GTTTGGAGA AAAATTACAG ATCATATAAG 4800  
CAAGACAGTG GCACTAAAA TTTAATTTCA TTAATCTGTT TGTTGGCAC TGATGCAATG 4860  
TATGGCTTTT CTCTGCCCC AAATCAGAAA CATATGTATC TTTGGGAAA CTAACAATAT 4920  
GATTGCACTA AATAAAGTCT TTTGAATAGA GGCCAAATTA ATCTTTTAAA AATGATGATA 4980  
ATCATCAGGT TTAATCAGT AAATCATATT AATTATTTT CAAAATCTAA AAGCTGTAGC 5040  
TGGAGAAGCC CATGGCCACG AGGAAGCAGC AATTAATTAG ATCAACACTT TTCTCCAGGG 5100  
TTCACCATGC AGGCAACATT ACCTTGTCTT TCAAAAGACA CCTGCCTTAG TGCAAGGGGA 5160  
AACCTGTGAA AGCTGCATC AGAGGGAGGA GTCTTCTTA CATAATTTGC AATTTAGGA 5220  
ATTTAATTTA TAGGCAGATC TTTAAATACA GTCAACTTAC GGTGCACAGT AATATGAAAG 5280  
CCACACTTTG AAGGTAATAA ATACACAGCA TGCAGACTGG GAGTTGCTAG CAAACAAATG 5340  
GCTTACTTAC AAAAGCAGCT TTAGTTTCTG ACTTAGTTT TATAAATGA GAATTTCTGAC 5400  
TTACTTAACC AGGTITGGGA TGGAGATGGT CTGCATCAGC TTTTGTATT AACAAAGTTA 5460  
CTGGCTCTT GTGTGTCTCC AGGTAACCTT GCTTGATTAA ACAGCAAAGC CATATTCTAA 5520  
ATTCAGTGT GAATGCCTGT CCCAGTCAA ATTGTCTGTC TGCTCTTATT TTTGTACCAT 5580  
ATTGCTCTTA AAAATCTTGG TTTGGTACAG TTCATAATTC ACCAAAAAGT TCATATAATT 5640  
TAAAGAAACA CTAATTAGT TTAATAAGAA GCAATTTATA TCTTATGCA AAAACATATG 5700  
TCTGTCTTG CAAAGACTG TAAGCAGATT ACAATAATC CTTTACTT

Seq ID NO: 36 Protein sequence:  
Protein Accession #: NP\_000892.1

1 11 21 31 41 51  
METKGYHSLP EGLDMERRWG QVSQAVERS LGPTERTDEN NYMEIVNVSC VSGAIPNNST 60  
QGSSEKEQEL LPCLQDNNR PGILTSDIKT ELESKELSAT VAESMGLYMD SVRDADYSYE 120  
QQNQQGSMSK AKIYQNVQEL VKFYKGNHR PSTLSCVNTP LRSFMSDSGS SVNGGVMRAI 180  
VKSPIMCHEK SPSVCSPLNM TSSVCSPAGI NSVSTTASF GSFPVHSPIT QGTPLTCSFN 240  
AENRGRSRSH PAHASNVGSP LSSPLSMKS SISSPPSHCS VKSPVSSPNN VTLRSSVSSP 300  
ANINNSRCSV SSPSNTNNSR TLSSPAASTV GSICSPVNNA FSYTASGTS GSSTLRDVVP 360  
SPDTQEKGAQ EVFPFKTEV ESAISNGVTG QLNIVQYIKP EPDGAFFSSC LGNSKINSND 420  
SSFSVPKQKE STKHSCSGTS FKGNTVNPFP PFMDGYSYFSF MDDKDYYSLS GILGPPVPGF 480  
DGNCEGSGFP VGKQEPDDG SYPPEASIPS SAIVGVNSGG QSFHYRIGAQ GTISLSRSAR 540  
DQSFQHLSSF PPVNTLVESW KSHGDLSSRR SDGYPVLEYI PENVSSTLR SVSTGSSRPS 600  
KICLVCGDEA SGCHYGVVTC GSCKVFFKRA VEGQHNYLCA GRNDCIIDKI RRKNCPACRL 660  
QKCLQAGMNL GARKSKKLK LKGIHEEQP QQQPPPPPPP PQSPPEGTTY IAPAKEPSVN 720  
TALVPQLSTI SRALTSPVM VLENIEPIV YAGYDSSKPD TAENLLSTLN RLAGKQMIQV 780  
VKWAKVLPGF KNLPLEDQIT LIQYSWMCLS SFALSWRSYK HTNSQFLYFA PDLVFNEEKM 840  
HQSAMYELCQ GMHQISLQFV RLQLTFEET IMKVLVLLST IPKDGLKSQA AFEEMRTNYI 900  
KELRKMVTKC PNNSGSQWQR FYQLTKLLDS MHDVLSDLLE FCFYTFRESH ALKVEFPAML 960  
VEISDQLPK VESGNAPPLY FHRK

Seq ID NO: 37 DNA sequence  
Nucleic Acid Accession #: see Table 25 & 25A for complete list

1 11 21 31 41 51  
 CCTACCAGGT TCAAGCAACT CTGCTGCCTC AGCTCCCAAG TAGCTGGGAT TACAGGTGCA 60  
 TGCCACTACA CCTGGCTTTT TGTATTTTGA GTAGAGATGG TTTTCACTAT GTTGGCCAGG 120  
 CTGATCTTGA ATTCTGGGCC TGAAGTAATC TGCCTGCCTC AGCTCCCAA AGTGTGGGA 180  
 TTATAGGAGC CACCACACCT GGCATAACTG GTATTTTGA TATGCTTCCT GGGCAACTTA 240  
 AAAAAATTGAT TACTCTGTG TTTCTCCTT TTTTTTTTTT TTTGGCTTT GACCAATTG 300  
 TGAGACCCAA GTATCTCCTA CCTAGAAAAA AAACACACTA AACAGTAAAT GATTACCAAC 360  
 CTATTTGGAA CAAATCTCAA TTAATTAACA TATACTTCAA GGAGAAGACT TAACAAAATC 420  
 TTACTTTTCA TTCTTAATAG CTCTTTCCAT AAAAAATGTT CACAAGTGTA TCAAATTAGT 480  
 CCTAACAACT ACTGTTAAGT GATTAATGAA ACAGGAGTGA CAGGAGTGAA TTTAATAATA 540  
 GCAATAAATA CAGATGGGAC TACATAAATT GTGGAGGTCC TGATGCAAAA CTCTCTCTGT 600  
 ATTGATGGC ATCTCAGCTT TCTCATAGAG CTGTTTCACT GTGAGGGTCT TTATCCITCA 660  
 TGCAGAGCTT CATTATTTTC TTTCTTCTAG CAATCAGTCC AAAGCACAAT GTCAGAAAGA 720  
 TCACAACACA TGCAGCAATA ATGGGCTCTA TTGGTACACC CACAGTTTAA TCTTTAACAA 780  
 TC

Seq ID NO: 38 DNA sequence  
 Nucleic Acid Accession #: NM\_001192.1  
 Coding sequence: 219-773

1 11 21 31 41 51  
 AAGACTCAAA CTAGAAACT TGAATTAGAT GTGGTATTCA AATCCTTACG TGCCGCGAAG 60  
 ACACAGACAG CCCCCTGAAG AACCCACGAA GCAGGCGAAG TTCATTGTTC TCAACATTCT 120  
 AGCTGCTCTT GCTGCAATTG CTCTGGAATT CTGTAGAGA TATTACTTGT CCTTCCAGGC 180  
 TGTCTTTCT GTAGCTCCCT TGTCTTCTT TTGTGATCAT GTTGCAATG GCTGGGCAGT 240  
 GCTCCCAAAA TGAATATTTT GACAGTTTGT TGCATGCTTG CATACCTTGT CAACTTCGAT 300  
 GTTCTTCTAA TACTCTCCT CTACATATGC AGCGTTATTG TAATGCAAGT GTGACCAATT 360  
 CAGTGAAGAG AACGAATGGC ATTCTCTGGA CTGTTTGGG ACTGAGCTTA ATAATTCTT 420  
 TGGCAGTTT CTGTGCTAATG TTTTGTCTAA GGAAGATAAG CTCTGAACCA TTAAGGAGC 480  
 AGTTTAAAAA CACAGGATCA GGTCTCCTGG GCATGGCTAA CATTGACCTG GAAAAGAGCA 540  
 GGACTGGTGA TGAATTATT CTTCGAGAG GCCTCGAGTA CACGGTGGAA GAATGCACCT 600  
 GTGAAGACTG CATCAAGAGC AAACCGAAGG TCGACTCTGA CCATTGCTTT CCACTCCAG 660  
 CTATGGAGGA AGGCGCAACC ATTCTGTCTA CCACGAAAAC GAATGACTAT TGCAAGAGCC 720  
 TGCCAGCTGC TTTGAGTGCT ACGGAGATAG AGAAATCAAT TTCTGCTAGG TAATTAACCA 780  
 TTTGAGCTCG AGCAGTGCCA CTTTAAAAAT CTTTGTCTAG AATAGATGAT GTGTCAGATC 840  
 TCTTAGGAT GACTGTATT TTCAAGTTGCC GATACAGCTT TTTGCTCT AACTGTGGAA 900  
 ACTCTTATG TTAGATATAT TTCTAGGT TACTGTGGG AGCTTAATGG TAGAAACTTC 960  
 CTTGGTTTCA TGATTAAAGT CTTTTTTTTT CCTGA

Seq ID NO: 39 Protein sequence  
 Protein Accession #: NP\_001183.1

1 11 21 31 41 51  
 MLQMAGQCSQ NEYFDSLLHA CIPQLRCSS NTPPLTCQRY CNASVTNSVK GTNAILWTCL 60  
 GLSLIISLAV FVLMFLLRKI SSEPLKDEFK NTGSGLLGMA NIDLEKSRGT DEILPRGLE 120  
 YTVEECTCED CIKSKPKVDS DHCFLPAME EGATILVTK TNDYCKSLPA ALSATEIEKS 180  
 ISAR

Seq ID NO: 40 DNA sequence  
 Nucleic Acid Accession #: NM\_025087.1  
 Coding sequence: 183-2282

1 11 21 31 41 51  
 AACTGCCTC GGTTCGGCAA GTGGGTCAGT TGGCTGGGGC TCACTTGGA ACGGGACGCG 60  
 GGAACGAGGG GCGCGGACGC AGGCCCGGGA GGACGCGGCG GCGGGAACCT GGGGGCGCAG 120  
 GGCTAGGGCA GCGGGCCCGA CCCGCACGGC TTTCTGGAA AGCGCTGCCC CTCGCCGCGG 180  
 CGATGACCTC GCTGTGGAGA GAAATCCTCT TGGAGTCGCT GCTGGGATGT GTTTCTTGGT 240  
 CTCTACCA TGACCTGGGA CCGATGATCT ATTACTTCC TTGCAAAACA CTAGAACTCA 300  
 CTGGGCTTGA AGGTTTATG ATAGCATTTC TTTCTCAAT ATTCTAACA ATTACTCCTT 360  
 TCTGGAATTT GGTTAAACAAG AAGTGGATGC TAACCTGCT GAGGATAATC ACTATTGGCA 420  
 GCATAGCCTC CTTCAGGCT CCAAATGCCA AACTTCGACT GATGGTCTT GCGCTTGGGG 480  
 TGTCTTCCTC ACTGATAGTG CAAGCTGTGA CTGGTGGTC AGGAAGTCAT TTGCAAAGGT 540  
 ACCTCAGAAT TTGGGGATTC ATTTTAGGAC AGATTGTCT TGTGTCTCA CGCATATGGT 600  
 ATACTTCACT AAACCAATC TGGAGTTATC AGATGTCCAA CAAAGTGATA CTGACATTAA 660  
 GTGCCATAGC CACACTTGAT CGTATTGGCA CAGATGGTGA CTGCAGTAAA CTGAAGAAA 720  
 AGAAGACTGG TGAGGTAGCC ACGGGGATGG CCTCTAGACC CAACTGGCTG CTGGCAGGGG 780  
 CTGCTTTTGG TAGCTTGTG TTCTCAACC ACTGGGTTT TGGAGAAGTC TCTCTGTTT 840  
 CCAGATGGGC AGTGAGTGGG CATCCACATC CAGGGCCAGA TCCTAACCCA TTTGGAGGTG 900  
 CAGTACTGCT GTGCTTGGCA AGTGGATTGA TGCTTCCATC TTGTTTGTGG TTTCTGTGTA 960  
 CTGTTTGTAT CTGGTGGGT ACAGGAACAG CTCAGCTGC GGGGCTCCTT TACCTGCACA 1020  
 CATGGGCAGC TGCTGTGTCT GGCTGTGTCT TCGCCATCTT TACTGCATCC ATGTGGCCCC 1080  
 AAACACTTGG ACACCTTATT AACTCAGGGA CAAACCCTGG GAAAACCATG ACCATTGCCA 1140  
 TGATATTTTA TCTTCTAGAA ATATTTTCT GTGCTGGTG CACAGCTTTT AAGTTTGTCC 1200  
 CAGGAGGTGT CTACCTAGA GAAAGATCAG ATGTGCTTTT GGGGACAATG ATGTTAATTA 1260  
 TCGGGCTGAA TATGCTATT GTCTTAAGA AAAACCTTGA TTGCTTCT CAAACAAAAA 1320  
 ACAGTTCTAA AGTGCTTTTC AGAAAGAGTG AAAAAATACAT GAAACTTTT CTGTGGCTGC 1380  
 TTGTTGGTGT GGGATTGTTG GGATTAGGAC TACGCATAA AGCCTATGAG AGAAAAGTGG 1440  
 GCAAAGTGGC ACCAACCAAA GAGGTCTCTG CTGCCATCTG GCCTTTCAGG TTTGGATATG 1500  
 ACAATGAAGG GTGGTCTAGT CTAGAAAGAT CAGCTCACT GCTCAATGAA ACAGGTGCAG 1560  
 ATTTCTAAC AATTTTGGAG AGTGATGCTT CTAAGCCCTA TATGGGGAAC AATGACTTAA 1620

2022080200T

CCATGTGGCT AGGGGAAAAG TTGGGTTTCT ATACAGACTT TGGTCCAAGC ACAAGGTATC 1680  
ACACTTGGGG GATTATGGCT TTGTCAAGAT ACCCAATTGT GAAATCTGAG CATCACCTTC 1740  
TTCCGTCAAC AGAGGGCGAG ATCGCACCAG CCATCACATT GACCGTTAAC ATTCGGGCA 1800  
AGCTGGTGGA TTTTGTCTGT ACACACTTTG GGAACCACGA AGATGACCTC GACAGGAAAC 1860  
TGCAGGCTAT TGCTGTTTCA AAACACTGTA AAAGTAGCTC TAATCAAGTG ATATTCTGG 1920  
GATATATCAC TTCAGCACCT GGCTCCAGAG ATTATCTACA GCTCACTGAA CATGGCAATG 1980  
TGAAGGATAT CGACAGCACT GATCATGACA GATGGTGTGA ATACATTATG TATCGAGGGC 2040  
TGATCAGGTT GGGTTATGCA AGAATCTCCC ATGCTGAACT GAGTGATTCA GAAATTCAGA 2100  
TGGCAAAATT TAGGATCCCT GATGACCCCA CTAATTATAG AGACAACCAG AAAGTGGTCA 2160  
TAGACCACAG AGAAGTTTCT GAGAAAATTC ATTTTAATCC CAGATTTGGA TCCTACAAAG 2220  
AAGGACACAA TTATGAAAAC AACCATAATT TTCATATGAA TACTCCCAAA TACTTTTTAT 2280  
GAAACATTTA AAACAAGAAG TTATTGGCTG GGAATACTA AGAAAAAAG TATGTAAGAT 2340  
AAAAAGAAGA GATTAATGAA AGTGGGAAAA TACACATGAA GAACCTCAAC TTAATAAACA 2400  
CATGGTATCT ATGCAGTGGG AAATTACCTC CATTGTGAAA CTATGTTGCT TAATAAAAC 2460  
ATTCTCTAA AAAAAAAAAA AAAAAA

Seq ID NO: 41 Protein sequence:  
Protein Accession #: NP\_079363.1

1 11 21 31 41 51  
| | | | |  
MTSLWREILL ESLGCVSWS LYHDLGPMIY YFPLQTLTLELT GLEGFSIAFL SPIFLTITPF 60  
WKLNVNKKWML TLLRIITIGS IASFQAPNAK LRLMVLALGV SSSLIVQAVT WWSGSHLQRY 120  
LRIWGFILGQ IVLVVLRIWY TSLNPIWSYQ MSNKVILTLS AIATLDRIGT DGDCSKPEEK 180  
KTGEVATGMA SRPNWLLAGA AFGSLVFLTH WVFGEVSLVS RWA VSGHPHP GPDNPFFGA 240  
VLLCLASGLM LPSCWFRGT GLIWVVTGTA SAAGLLYLHT WAAAVSGCVF AIFTASMWPQ 300  
TLGHLINSGT NPGKTMITAM IFYLLEIFFC AWCTAFKFVP GGVYARERSD VLLGTMMMLII 360  
GLNMLFGPKK NLDLLQTKN SSKVLFRKSE KYMKLFLWLL VGVGLLGLGL RHKAYERKLG 420  
KVAPTKEVSA AIWPFRTGYD NEGWSSLERS AHLNETGAD FITILES DAS KPYMGNNDLT 480  
MWLGEKLGFY TDFGPSTRYH TWGIMALSRY PIVKSEHHLL PSPEGEIAPA ITLTVNISGK 540  
LVDFVVTTHF NHEDDLDRKL QAIKAVSKLLK SSSNQVIFLG YITSAPGSRD YLQLTEHGNV 600  
KDIDSTDHDR WCEYIMYRGL IRLGYARISH AELSDSEIQM AKFRIPDDPT NYRDNQKVVI 660  
DHREVSEKIH FNPFRGSYKE GHNYENNHNH HMNTPKYFL

It is understood that the examples described above in no way serve to limit the true scope of this invention, but rather are presented for illustrative purposes. All publications, sequences of accession numbers, and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference.

5

10087080.022702